

-
-
-
-
-

Chapter 5

Maintain Menus



Overview Of Menu Structures


Application Manager provides a flexible approach to creating and amending menus.

Each of the activities which comprise an application are set up as application-defined tasks, grouped together by activity type in the standard menu system.

For example, Maintenance, Processing and Reports have their own menus, on which the activities appear as menu options. These menus are linked together by an initial menu, on which the activity menus appear as menu options.


The menu names are in the form XX0 for the initial menu, and XXn for sub-menus, where XX is the application code and n represents the activity type. Utility menus are XX89.

For example, in Inventory Management the menu structure shipped with the standard product is:



Therefore, if a user is to be allowed access to Inventory maintenance only, then the initial menu is IN2. If a user is to have access to the entire Inventory Management application then the initial menu is IN0.

For users who are to access more than one application, the menu AM0 is provided. This menu has all the application initial menus defined as options:



Therefore the initial menu in this case is AM0. Authority must be granted to the user only for the options or applications required.

This means that if you want to only use the standard application menus, then for each user you need to:

- Create a user profile with the correct initial menu.
- Grant authority to the menus and menu options required.

- Grant authority to the companies used within each application.

To do this you use the Maintain User Profiles option of Administration Functions, see the Administration Functions Product Information.

Application Bespoke Menus

Each application is supplied with a ready-to-use bespoke menu for your own use. If you have additional tasks you want to access via an application menu, then you can put these tasks on the bespoke menu.

To do this:

- Use the Maintain Tasks option in Application Manager to enter the bespoke tasks for each application. Use the task code range 9000 to 9899. See the Maintain Tasks section of this documentation.
- Use the Maintain Menus option in Application Manager. The recommended naming convention for bespoke menus is the Application Code with a suffix of 99, for example OE99 and SL99. A skeleton bespoke menu is provided for each application.
- Grant authority to the options and functions on the bespoke menu to the users who have access to them. Do this before users are given access to the menu.

Creating Menu Structures

There are several ways in which to use the Application Manager menu structure. As well as using the standard menus, you can create your own menus.

There are many reasons for creating your own menu structures:

- So that tasks from a number of different applications can appear on the same menu.
- So that users do not see options on menus to which they have no authority.
- So that users are not confused by many options for which they have no interest and no authority.
- So that you can create menus for your own applications.

In the examples we will use the Inventory Management menu structure previously described. When granting authority to options, do not forget that functions and companies are also needed.

Single Application

There are three ways of giving a user authority to access Inventory Maintenance and Processing options.


Method One. Use the existing standard menu structure but give selective authorisation. Use the Maintain User Profiles option in Administration Functions (see the Maintain User Profiles section of the Administration Functions product information).

- Create the user profile with initial menu IN0 and grant authority to options 1 and 2 menus IN1 and IN2.
- Grant authority to the required options and function in menus IN1 and IN2.

Method Two. Create a bespoke initial Inventory menu (see Maintaining Menus).

- Use the Maintain Menus option to create a new menu based on the standard menu IN0. The menu screen should only show the sub-menus required and these should be the only valid options.
- Use the Maintain User Profiles option to set the new menu as the initial menu for the user. Grant user authority to this menu and the sub-menus.

This designs this menu structure:



Method Three. Create a single bespoke menu with all the functions from the Inventory Maintenance and processing menus on it.


- Use the Maintain Menus option to create a new menu.
- Grant user authority to the menu and its activities and set this menu as the user's initial menu.

Multiple Applications

There are four ways of giving a user authority to access a number of different applications:


Method One. Use the existing menu structure but grant authority to selected application sub-menus. For example if a user is to have access to the Inventory Maintenance Menu and the Order Entry Processing and Maintenance Menus.

The standard menu structure is:



- Use Maintain User Profiles and set the user's initial menu to AM0. Grant authority to the options for sub-menus IN0 and OE0.
- Now grant authority in menu IN0 to use the option for sub-menu IN2. Also grant authority in menu OE0 to use the options for sub-menus OE2 and OE1.
- Grant authority in menus IN2, OE2, and OE1 to the options required.


This creates the following menu structure:




Method Two. Create a bespoke initial menu.

- Create a bespoke menu based on menu AM0 but with only the required options.
- Grant authority to this menu and the sub-menus.


Therefore this structure is:



Method Three. Create a bespoke menu combining the Inventory and Order Entry sub-menus; that is, this structure:



This can be further developed to only display user-authorized functions on the menus. Use the based on menu technique to create this structure:



Method four. To reduce the menu levels further use a single bespoke menu containing all authorised functions. Whether you can use this depends on the number of functions the user has access to.

Hints On Menu Structures

- Always plan a new menu structure to avoid problems later.
- Define new menu hierarchies from the base menu level upwards. Then work to the top of the menu structure, creating the structure initial menu last of all.
- Remember to grant user-authority to a menu before it is used. Do not forget the return to previous menu function or option. This may be the only method of exiting the menu.
- Make sure that the tasks you require, especially bespoke tasks, exist before you create menus.
- Do not change the standard application menus as they may be refreshed by future releases of the software.

Expert Mode

Use this to bypass the menu control altogether and to initiate functions you know are available.

This mode has a number of additional features to speed up user access to authorised menus and tasks. This takes you out of the menu structure and allows you to enter directly into another specified menu, task or single menu option.

Going To A Specific Menu Or Menu Option

To run Expert Mode use the character /.

To go to another menu, for example, IN2, in the screen option field enter: /IN2.

To go to a specific menu option, for example option 2 on menu INM, enter: 2/IN2.

If you only enter /, all menus to which you are authorised display for selection.

Task Search

If the task search facility is present on a menu, then you can enter a word to search on. This displays a list of application-defined tasks which contain the word in the task description. If the word is not known to the search dictionary then existing words with a spelling similarity are displayed. You can then select the correct spelling of the word if you made a spelling mistake.

If you are using a new word not defined to the dictionary, you can associate your word with an existing word.

For example, you can display a list of all tasks, which you have authority to, which have the word MAINTENANCE in their description, but you want to use the word ADD. This translation is added to the search dictionary for future reference.

Change Company

To change the current company you are using, enter the command:

CHGCO CONO(Company Code)APPL(Application ID)

ENV(Environment)RLSL(Release Level)

To change company for all applications enter:

CHGCO CONO(Company Code)

You can also specify a menu function with a user-defined function of CHGCO.
Enter the Company Code in the menu option field and select the chosen function,
to change the company change.

Maintaining Menus

Use this function to create and maintain menus. You must design the menu screen layout, select the option and function responses, and grant users the authority to use them.

It is recommended that you also refer to the following sections of this Product Guide:

Menu Overview

This describes the flexible approach Application Manager provides for you to develop menus which provide user access to functions crossing application boundaries.

Maintain Tasks

This describes the creation and maintenance of either interactive or batch tasks contained within each application.



Note: Do not change the standard application menus as they may be updated by future releases of the software.

Menu Design Aid Objectives

- To provide total flexibility in menu layout.
- To provide the facility for multiple menus per user and the ability to share menus between users.
- To allow menus to be easily created which display their tasks in the user's own terms.
- To allow a single menu to contain tasks from different applications

What Are The Components Of A Menu Screen?

- Variables and values, for example, date, time, company name.
- Expressions which may define:
 - What options and functions are available
 - A menu title
 - Menu variables
- An input field where users can enter the selected option.
- An input field where users can enter search words.

Computer Responses

The computer can respond to two types of menu activity:

- Pressing **Enter** after entering an option, command, or search word.
- Selecting a function.

This can invoke three types of response:

- Run an Application Manager-defined task, for example Enter A Sales Order.
- Display another menu, for example the Sales Ledger Initial Menu.
- Execute a user-defined function, for example an IBM command.



Note: For user-defined functions it is assumed that the user portion of the library list will not change. If you are going to manipulate the library list then you must save it before executing your function and restore it afterwards, see the Using Menus For Command Entry topic in the Tips And Techniques section for further details.

Variables

Variables may be output by the computer, for example date and time, or input by the user, for example the option required. All variables must be defined as reserved words so that the computer can recognise them and take the appropriate action, (see the Maintain Reserved Words Window).

Special Words

You can use the following special words when defining menus.

RETURN

All Menus must have an option or function to return to the previous menu or sign off. Enter the special word RETURN as the user-defined command to return to the previous menu. The special word EXIT signs the user off Application Manager.

PROMPT

If a user is authorised to enter commands on menus then they may need to prompt the command. To do this the set up the special word PROMPT as a user-defined function key.

Users can also use the PROMPT function to change the default details of submitted jobs. If the user selects a batch job, then after completing any required selection parameters, they are able to change the submission parameters of the job. For example, they may change the job and output queues and specify when the job will run. See the Submitting Batch Jobs to the Machine Manager Scheduler section for further details.

CHGCO

The command CHGCO has been created to change companies. This should be specified in a multi-company environment.

DUP

To duplicate the previous command entered, the special word DUP has been created.

HELP

The HELP key is automatically enabled. If you wish to use a function key or option to display help, then use the special word HELP.

Maintain Menu Screen



Select option 4 from the Application Manager main menu and press **Enter**.

XA305 Application Manager System: MARVIN

Maintain Menu

Menu Name _____ Environment ____

If you are creating a new menu and you wish to base it on one that already exists, then enter the existing menu's name below.

Based on Menu _____ Environment ____

F3=Exit F4=Browse F11=Delete F12=Previous F17=User authorisation
F19=Text F20=Maintain Reserved Words

05/016

Fields:

Menu Name

Enter the name of an existing menu which you wish to change or a new menu which you wish to create.



*Note: If you are using **F4=Prompt** to obtain a list of menus make certain the Environment field is empty, otherwise your search will fail!*



Warning: The following two fields are used when creating a new menu from an existing one

Environment

The environment code to which this menu belongs. If you are amending an existing menu in the default environment then this field should be left blank.

Based On Menu

Only complete this field if you are creating a new menu.

The values held by the system for the menu entered in this field are copied to the new menu specified in the Menu Name field.

Environment

The environment code to which the menu specified in the Based On Menu field belongs.



If the menu you wish to base your menu on exists in the default environment, leave this field blank.

Functions:

F17

User Administration. Displays the User Authorisation Window. If you amending a screen in the default environment the Environment field must be blank to use this function.

F19

Text. Displays the Maintain Menu Text Screen. Use this to change the heading text on a screen you are amending

F20

Maintain Reserved Words. Use this to maintain variables or reserved words which can be used within your menus



Press **Enter** to display the next screen. This depends on the selections you have made in the current screen.

- If you are amending an existing menu the Menu Design Aid Screen is displayed.
- If you are creating a new menu, or basing a new menu on an existing menu the Maintain Menu Text Screen is displayed



Note: If you are creating a new menu its style is controlled by the application profile. See the Maintain applications section.



Note: If you are creating a new menu, unless the menu is very similar to an existing one, use method 3 and take the Fast Path Menu Creation route.

Maintain Menu Text Screen (F19)



A screen is displayed if you are creating a new menu or have selected **F19=Text** to maintain text.

The screenshot shows a terminal window titled 'Application Manager' with 'System: STUDB3.0A' in the top right. The main title is 'Maintain Menus'. Below it, 'Menu Name DEMOMENU' is displayed with '*ADD' in the top right corner. A prompt 'Type in details and press ENTER to update' is shown. The form contains three fields: 'Text' with the value 'Demonstration Menu', 'Public Authority' with the value '0', and 'Application' with the value 'PL 02'. At the bottom, navigation keys 'F3=Exit' and 'F12=Previous' are listed.

Fields:

Text

Enter a textual description of the menu.

Public Authority

Use this field to specify whether users need to have authorisation to activities contained within the menu.

0 - User authorisation is required.

1 - All users have automatic authority to all actions for this menu, see User Authorisation Window.

Application

Enter the application code of the application to which this menu belongs. This is broken down as follows:

- A two-digit application code, for example PM for Purchase Management.
- A three-digit environment code. Leave this blank to use the default environment.
- A two-digit version number, for example 03.



Press **Enter**. The Maintain Menus Select Menu Options Screen is displayed.

Maintain Menus Select Menu Options Screen



This screen is accessed when you press **Enter** on the Maintain Menu Text Screen (F19).

Use this screen to quickly and simply create menus. It first checks which application tasks are required and then which functions are required.

A standard format menu is then automatically built by the system. You can change this format using the Menu Design Aid.

XA305 Application Manager System: STUDB30A

Maintain Menus - Select Menu Options (Application Tasks)

Menu Name **DEMO MENU** Demonstration Menu *ADD

Type in Option Numbers against the Tasks required: press ENTER

Application **PL** 02 Purchase Ledger
Position List to _____
Search _____

Option Number	Task Code	Task Description
—	0010	Maintain company profile.
—	0020	Print Company Profile
—	1010	Maintain Supplier Name & Address
—	1020	Maintain despatch addresses.
—	1030	Maintain Supplier & Item text.
—	1040	Maintain reason codes.
—	1050	Maintain location codes.
—	1060	Maintain calendar

More...

F3=Exit F12=Previous F15=Select Application

Fields:

Position List To

Enter a specific task code. The list will be displayed from the specified code .

Search

Enter a word or words to only display task descriptions which include the search word(s) you enter.

Option Number

Enter the menu option number you wish to use for a specific task.



Note: you can assign a maximum of 24 option numbers.

If you need more than 24 add additional options using the Menu Design Aid Screen.

The first menu column contains options 1 to 12, the second contains options 13 to 24.

Task Description

The task description is automatically displayed. You can modify the description for this specific menu

Functions:

F15

Select Application. Displays a window allowing you to select another application to select tasks from.



Press **Enter** to display the Select Function Keys
Screen

Maintain Menus Select Function Keys Screen



This screen is displayed when you press **Enter** on the Maintain Menus Select Menu Options screen.

Opt	Key No.	F-Key Text	Command to execute
-	01	F1=Help	HELP
-	02	F2=	
-	03	F3=Exit	EXIT
-	04	F4=Prompt	PROMPT
-	05	F5=	
-	06	F6=Messages	DSPMSG
-	07	F7=	
-	08	F8=	

Fields:

Opt

- 1 - To display this function on the menu.
- 2 - To enable the function but not display it. For example, you can use **F1** to access Help but not display **F1** on the menu. In this case enter 1 alongside Key No. 01.



Note: you can display a maximum of eight functions using this fast path method. To specify additional keys use the Menu Design Aid facilities, see the Menu Design Aid section . If you select more than eight function keys then only the first eight are displayed.

F-Key Text

Enter the text to appear on the menu to describe the function key. Where applicable this defaults to the standard function key text.

Command To Execute

Enter the name of the program or system level command you want to be executed when the relevant function key is selected.





Tip: To display more function keys use Page

Down.



When you have completed your selections press **Enter**. The menu is now built and the Menu Design Aid Screen is displayed.



held in a message file, see the Menu Literals entry in the Tips And Techniques section of this Product Guide for further details.

Functions:

F2

Revert to the menu screen from the beginning of the session.

F5

Display the Enter Menu Operation Window to allow you to define what happens when an option on your menu is selected. This option assumes that you have expert knowledge of the software. If you do not have expert knowledge of the software use **F6**.

F6

Display the Menu Activity Definition Window to allow you to define what happens when an option on your menu is selected. This option assumes that you are a novice with the software and steps you through the available options.

F10

If you wish to place a reserved word on the menu, for example, Date, select **F10** to display the Select Reserved Words Window .

The reserved word is placed on the screen at the current cursor position. You should position the cursor before you select **F10**.



Select **F8=Update** to save the menu design. The Maintain Menus Operations Screen is displayed.

How To Place Text On The Menu Screen

You can enter text, for example the menu title or the description of an option. Position the cursor where the text is required and type the text.



Warning: Do NOT use Backspace or Delete to remove characters - your menu screen will become corrupt if you do. Instead place your cursor over the text you want to change and retype it after you have pressed Enter to accept it.



Press **Enter** to accept the entered text.

How To Place Variables On The Menu Screen

You can place variables for such things as time or date on your menu screen. Position the cursor where the variable is required and enter its name. Alternatively select **F10=Reserved Words** to display the Select Reserved Word Window.

- To delete a variable from the menu screen overwrite it with spaces or type **d** in the position preceding the field and press **Enter**.
- To move a variable to the left enter **<** to its left and press **Enter**.
- To move a variable to the right enter **>** to its right and Press **Enter**.
- You can move variable by multiple places by entering the appropriate number of **<** or **>** characters and press **Enter**.
- To move a variable to a different area of the screen enter **-** in the position immediately before the variable. Then enter **=** in the position immediately before the location to move to. Then press **Enter**. You can move a block of variables by entering **-** before the first variable and immediately after the last variable to include in the block.

How To Change Colours and Attributes On The Menu Screen

You can change the colour and display attributes for fields on the menu screen. For example, you may wish to underline a field, or show a field in a different colour.

To assign field attributes or colours enter * in the position immediately preceding the field and press **Enter**. The Select Field Definition window is displayed.

```

Select Field Definition
90. Signoff
Type option, press ENTER
1=Select

Attributes . . . . . -
Colour . . . . . -

F12=Previous
  
```

Fields:

Attributes

1 - Display the Select Display Attributes Window.

Colour

1 - Display Select Colour Window.

Select Display Attributes Window

```

Select Display Attributes
90. Signoff
Type option, press ENTER
1=Select Attribute

Display attribute      Opt
High intensity. . . . -
Reverse image . . . . -
Column separators . . -
Blink . . . . . -
Non-display . . . . . -
Underline . . . . . -


F12=Previous
  
```

Fields:

Opt

Enter 1 against the attribute you require.

Select Colour Window



Fields:

Opt

Enter 1 against the colour you require.

You can change field attributes or colour directly using the following characters. Place them in the position immediately preceding the text or variable and press **Enter**.


- b - Blink.
- s - Column separators.
- h - Highlight.
- n - Non-display.
- r - Reverse image.
- u - Underline.

You can also change colours directly by putting c in front of the field followed by one of the following codes:

- b - blue.
- g - green.
- p - pink.
- r - red.
- t - turquoise.
- w - white.
- y - yellow.

Select Reserved Word Window

This window displays a list of reserved words that you can select to appear on your menu.



Fields:

Option

1 - Select reserved word.



Press **Enter**. The reserved word is displayed either as a string of zeros (00000) for output fields or as multiples of the letter I for input fields (IIIIII), expanded to the field's length.

Enter Menu Operation Window

Use this window to define what happens when an option on your menu is selected. This option assumes that you have expert knowledge of the software. If you do not have expert knowledge of the software use **F6** to display the Menu Activity Definition Window.

F/	<-Application->	<--Menu-->	<----- User defined ----->			
0 No	ID	Env	Rl	Code	Name	Command
0						

F4=Browse F12=Previous

Fields:

F/O

Specify whether you are defining the response for a menu option or a function key.

F - To define a function key.

O - To define an option.

No

Enter the function key or option number.

< - Application - >

You enter data under the <- Application -> heading if you wish the menu option to run an application task. This heading has four separate fields grouped beneath it:

ID

The applications ID (for example, PM for Purchase Management).

Env

The Environment for the application.

Rl

The Release Level of the application.

Code

The application task code you wish to process.

An example of all four fields for a Purchase Management enquiry would be:

PM ZED 03 1010

<- Menu ->

You enter data under the <- Menu -> heading if you wish the menu option to call another menu. This heading has one field grouped beneath it:

Name

Enter the menu name you want your menu to call.

<- User-Defined ->


You enter data under the <- User-Defined -> heading if you wish the menu option to run a user defined command. This heading has one field grouped beneath it:

Command

Enter the command required to execute. This could be an IBM command, a JBA command or a command created by yourself.

Menu Activity Definition Window

Use this window to define what happens when an option on your menu is selected. This option assumes that you do not have expert knowledge of the software. If you do have expert knowledge of the software, use **F5** to display the Enter Menu Operation Window.



```
Menu Activity Definition

Choose either:

Option number  _

OR

Function key   _

F12=Previous
```

Make a selection in each window and press **Enter**. Further fields are displayed in the window, some as multiple choice options, depending on the choices you have made. The fields are listed below in window order.

Fields:

Option Number

or

Function Key

Enter 1 against the relevant option and press **Enter** to select whether you are defining the response for a Menu Option or a Function Key.

Application Defined

or

Menu

or

User Defined

Enter 1 against the relevant option to specify whether you want your menu option or function to call an application task, another menu or a user defined command.

The fields displayed if you want to run an application task are:

Application ID

The applications ID (PM for Purchase Management).

Environment

The Environment for the application.

Release Level

The Release Level of the application.

Task Code

The application task code you wish to process.

An example of all four fields for a Purchase Management enquiry would be:

PM ZED 03 1010

If you want to call another menu the following field is displayed:

Menu Name

Enter the menu name you want your menu to call.

If you want to run a user-defined command the following field is displayed:

Operation/Command

Enter the command required to execute. This could be an IBM command, a JBA command or a command created by yourself.

Functions:**F4**

Special Words. Display a list of Menu Activity Special Words.

Maintain Menu Operations Screen

When menu design is complete and you select **F8**, the Maintain Menus - Operations Screen is displayed so you can review responses:

XA305		Application Manager				System: STUDB30A	
Maintain Menu - Operations							
Menu Name		DEMOMENU Demonstration Menu					
F/	O No	ID	Env	RI	Code	Name	Command
O 01	PL	02	1020				
O 02	PL	02	1040				
O 03	PL	02	1060				
F 01							HELP
F 03							EXIT
F 04							PROMPT
F 06							DSPMSG
F 09							DUP
F 10							CALL PGM(QCMD)

F3=Exit F8=Bypass users F12=Previous

Fields:

F/O

F - Defines a function key.

O - Defines an option.

No

Enter the function key or option number.



Note: In addition to entering option numbers you can also have option characters. For example, you may want R to take the user to a reports menu.

Application ID

The application's ID (PM for Purchase Management).

Environment

The Environment for the application.

Release Level

The Release Level of the application.

Task Code

The application task code you wish to process.

Menu Name

Enter the menu name you want your menu to call.

User-Defined Command

Enter the command required to execute. This could be an IBM command, a JBA command or a command created by yourself.

Functions:

F8

If you do not want to assign user authorities to the menu at this time, then select **F8** to update and return to the initial screen.



Tip: To assign authorities, press **Enter**, and the menu screen is re-displayed so you can see the proposed menu as you grant authorities. See User Authorisation Window.




Press **Enter** to validate your definitions. There must be at least one option or function described as a user-defined command with the operation RETURN or EXIT. This provides an exit point from the menu.

User Authorisation Window

Use this window enables to grant users authorisation to activities contained within your menu.


A list of all Administration Function's defined users is displayed. If any users have been previously authorised to this menu an asterisk (*) appears next to the profile name.



Fields:

Opt

- 1 - All. Grants a user authority to all options and functions on the menu.
- 2 - Revoke. Revokes all authority to options and functions on the menu.
- 3 - Select. Select the options and functions to which a user is authorised. The Menu Activity Selection Window is displayed.



When granting authorities to activities within a menu consider the following:

- Granting of authority to a menu option which is an application-defined task also grants authority to that task when using the search facility.
- Authority to an application-defined task on one menu does not mean that authority is automatically granted when the same task is defined on another menu. To use a menu option or function the user must be granted authority explicitly for that menu.
- If you change an existing menu to incorporate an extra option or function then authority is not automatically granted for this new activity unless a user was granted all authority to the menu.

Functions:

F15

All. To grant a user authority to all options and function keys on the menu.

F18

Revoke. To revoke all authority to options and function keys on the menu.

Menu Activity Selection Window



The Menu Activity Selection Window is accessed from the User Authorisation Window.

Use this window to specify the specific menu options to which a user is authorised.

A list of all options and function keys defined for the menu is shown.

```
Menu Activity Selection
Menu...      PMENQUIRE   User... GBJBADNW
Type options and press ENTER
1=Select Menu Activity
Opt  Menu Activity
-    F R
-    F 03 EXIT
-    F 04 PROMPT
-    O 01 Enquiry by Item
-    O 02 Enquiry by Supplier
-    O 03 Enquiry by Order
-    O 04 Enquiry by Cost Code
-    O 90 SIGNOFF
Bottom
F12=Previous  F15=All  F18=Revoke
```

Functions:

F15

Authorise the user to all the options on this menu.

F16

Revoke a user's authorisation for all options on this menu.



Enter 1 against the activities to authorise this user. Press **Enter** to return to the User Authorisation Window if you have only selected some of the available options.

If you use **F15=All** or **F16=Revoke** then you are automatically returned to the User Authorisation Window

Maintain Reserved Words Screen

Use this option to set up and maintain variables used in menus. These variables are termed Reserved Words.



Warning: Application Manager is shipped with a number of reserved words already defined. Please do not change these. Maintain only those which you set up yourselves.

Reserved words must have the format @@nnnn where @@ is the reserved word identifier and nnnn is a four character code.

XA325 Application Manager System: STUDB 30A

Maintain Reserved Words

Reserved Word _____

F3=Exit F4=Browse

Fields:

Reserved Word

Enter the reserved word which is to be maintained.



Select a reserved word and press **Enter**, the Main Reserved Words Screen 2 is displayed.

Maintain Reserved Words Screen 2



To display this screen, select a reserved word and press **Enter**, on the Main Reserved Words Screen.

```
XA325                      Application Manager                      System: STUDB30A
Maintain Reserved Words

Reserved Word  @@CONM                                           *VIEW

Word previously defined in another environment, and cannot be changed

Reserved Word description .  Company Name
Reserved Word Length . . .   35
Position in the LDA . . .    3
Position in the PSDS . . .

F3=Exit  F12=Previous
```

Fields:

Reserved Word Description

The text to associate with this reserved word.

Reserved Word Length

The field length to use.

Position In The LDA

If the value of the field is held within *LDA local data area then enter the field's start position within the LDA.

Position In The PSDS

If the value of the field is held within the Program Status Data Structure then enter the field start position.