

-
-
-
-
-

Chapter 8

Utilities



Day-End Parameters

Use this option to set up the parameters used to submit the Application Manager day-end job.

Maintain Day End Job Parameters Screen



to display this screen, select option 1 from the Utilities Menu.

Use this screen to define the defaults for the day end job.

```

XA901                               Application Manager                               System: STUDB30A
Maintain Day End Job Parameters

Submission Details
Job queue . . . . . QBATCH           library *LIBL           (or *LIBL)
Job priority . . . . . 9
Hold job . . . . . 0                (1=Yes,0=No)

Job Logging Details
Logging level.(0-4) . 4
Severity filter . . . 00
Message level.(0 1 2) 1              (0=*NOLIST,1=*MSG,2=*SEC LVL)
Log CL commands . . . 1              (1=Yes,0=No)
Output for Job log . QPRINT          library *LIBL           (or *LIBL)

Job Completion Message
Message queue . . . . PEARSONC       library *LIBL
(or *NONE)

F3=Exit    F8=Submit
  
```

Fields:

Submission Details

Job Queue

Enter the name of the job queue, and the name of the library in which this job queue resides, to which the day-end job should be submitted.

Job Priority

Enter the priority which the job will assume within the job queue to which the day-end routine will be submitted.

Hold Job

0 - To submit the job in a released state to the job queue.

1 - To submit the job in a HELD state to the job queue.

Job Logging Details

Logging Level (0-4)

Enter the level of logging which the Application Manager day-end job produces.

Severity Filter

Enter the lower cut-off level of message severity which you wish to be logged.

Enter 00 to log all messages regardless of severity.

Message Level (0 1 2)

Enter the type of logging which you require to be taken.

0 - For *NOLIST.

1 - For *MSG.

2 - For *SECLVL.

Log CL Commands

0 - To exclude all CL commands in logging.

1 - To include all CL commands in logging.

Output For Job Log

Enter the name of the output queue, and the name of the library in which it resides, to which the job log output is to be sent.

Job Completion Message

Message Queue

Enter the name of the message queue, and the name of the library in which it resides, to which you wish the job completion message to be sent. Alternatively, you may enter *WRKSTN to send the job completion message to the workstation from which the Application Manager day-end job was submitted. Or you may enter *NONE to inhibit the sending of a job completion message.



Select **F8=Submit** to submit the day-end procedure, a confirmation screen is displayed.

Submit Day-End

If you are processing overnight jobs automatically using Machine Manager, it is recommended that the Application Manager day-end is initiated via that means.

To achieve this create a day-end job with request data:

CALLIPGAMP4/XA803CLP




Note: This command is a supplied standard job within Machine Manager. It is recommended that you set this up as a Machine Manager Auto Day-end job so that the job is regularly run without the need for manual intervention. See the Machine Manager Product Guide for further details.

Initiate Day-End Job Screen

 This screen is displayed when you select **F8** on the previous screen.

This shows the date and time when the day-end procedure was last requested.



```
XAB02CLP      Application Manager      System: STUDB30A
Initiate Day-End Job

Day-end last requested on 4/12/90 at 19:06:15 by QPGMR

There must be no users signed on to Application Manager whilst
the day-end is running.

Press ENTER to submit the Day-End.

F3=Exit
```

 Press **Enter** to submit the day-end job to the job queue specified in the day-end parameters. Or select **F3=Exit** to cancel the job and return to the Utilities Menu.

 *Note: Whilst the day-end job is running, there must be no users signed on to Application Manager.*

The day-end routine:

- Runs the individual application day-end routines, as specified by means of the Maintain Applications option.
- Archives the Application Manager jobs initiated since the last day-end.
- Clears any unfinished jobs in the system.
- Re-organises the Application Manager files.

Work With Synonyms

Use this facility to create additional search words or synonyms when either:

1. You cannot enter the full task description in the 50 characters available. You have omitted or truncated words.
2. The task description contains words for which there are a number of variations, for example plurals.

When you use the search facility from a menu, see the Expert Mode section, you only have the ability to control the word dictionary on a one-to-one basis.

If for example, the task descriptions use the word ITEM, then set up the user-term PRODUCT in the dictionary to search for tasks containing the word ITEM. This means that PRODUCT could not be used to search for another task description word, for example PART.

Use the Work With Synonyms function to define a single word as having many meanings.

Work With Synonyms Selection Screen



Select option 2 from the Utilities Menu.

XA375 Application Manager System: STUDB30A

Work with Synonyms

Word _____

The description of each application-defined task may contain words for which there are a number of variations, for example plurals. These terms must therefore be set up as separate dictionary entries against the task. Enter the word variation to be defined to the dictionary.

F3=Exit

Fields:

Word

Enter the word which you wish to define or re-define.



Press **Enter** to display the Work With synonyms Redefinition Screen.

Work With Synonyms Redefinition Screen



This screen is displayed when you enter a word on the Work With Synonyms Selection Screen and press **Enter**.

An alphabetical list of all words used in Application Task Descriptions is displayed.

```
XA375                      Application Manager                      System: STUDB30A
Work with Synonyms
You have chosen to redefine the word ITEM which currently has the
meaning PRODUCT
Select the word that most closely matches the meaning of this word.
1=Select word
Position list to.. _____
- A
- A/C
- AAA
- ACCRUALS
- ACKNOWLEDG
- ACTUAL
- ADD
- ADDITIONAL
- ADDRESS
- ADDRESSES
- ADIVE
- ADJUST
More...
F3=Exit  F12=Previous
```

Fields:

Untitled

Selection field. Enter 1 against the word which most closely resembles the meaning of the word which you are defining.



Tip: To reposition the display further down the list enter a word in the Position To field.



Press **Enter** to confirm your selection. Select **F3=Exit** to return to the Utilities Menu, select **F12=Previous** to return to the Work With Synonyms Selection Screen.

Generate Search Tasks



Warning: Running the Generate Search Tasks facility removes any words created for the dictionary using the Search Tasks facility from menus or the Work With Synonyms function. See the Work With Synonyms section.

The objectives of the Search Facility are:

1. To provide access to a user's authorised tasks outside of a menu structure.
2. To search only for tasks to which the user is authorised.
3. To allow a user to enter specific search words and to find tasks described in application terms.
4. To build a dictionary of user terms to aid response.
5. To display all tasks which fulfil the search criteria so that the user can select the one required.
6. To call the task automatically if there is only one which fulfils the search criteria.

The search facility works from the application task descriptions as entered in Maintain Tasks, and is based on the individual words which comprise the description. For example, a task with a description of ITEM ENQUIRY fulfils searches on ITEM and ENQUIRY. If your term for ITEM is PRODUCT, then you can specify this when you carry out a search on PRODUCT; then the tasks with ITEM appearing in the description are picked up.

This sets up a one-to-one dictionary.

Note the following:

1. Spelling of task descriptions must be correct.
2. The description must fully identify the processing carried out.
3. Any tailor-made activity on which a search is required should be set up as an application task, not specified on menus as a user-defined function.

Use this option to generate the search word basic dictionary. You only need to run this if the search word dictionary needs to be re-built.

Generate Search Tasks Screen



Select option 3 from the Utilities Menu and press **Enter**.

Use this screen to submit the batch job that rebuilds the search facility.

```
Application Manager                                     System: STUDB30A
Generate Search Tasks

This option will rebuild the Task Search Facility available
from the Application Manager Menu Driver. The Task Search is
based on the individual words that are contained in the
descriptions of each application task. This facility will be
totally rebuilt for all applications. The dictionary of all
task words will also be regenerated. Therefore any user words
added to the dictionary will be lost.

A batch job is submitted to perform the rebuild.

Press enter to perform the generation. Otherwise press F3 or F12.

F3=Exit    F12=Previous
```



Press **Enter** to submit the job, or select **F3** or **F12** to exit to the Utilities Menu.

Verify Allocations


Use this option to clear down application allocation files. This batch job checks that all files are allocated correctly. It de-allocates any jobs that are finished and not de-allocated.

Verify Allocations Screen



Select option 4 from the Utilities Menu.

Use this screen to submit the batch job that checks all jobs are allocated correctly.



Press **Enter** to clear the Application Manager allocation files of any jobs which have been logged (by Application Manager) as having been started, but not finished.



Note: Individual jobs can be de-allocated by using the Active Jobs enquiry, see the Active Jobs section.

Possible reasons for a job still being allocated are:

- A Batch job was cancelled from the job queue.
- A Batch job was cancelled whilst active.
- A total system failure occurs or a hardware malfunction occurs in the attached workstation.



Note: A function during a malfunction and which Application Manager recognises as being finished, for example an RPG or CPF error, is normally deallocated automatically.



Note: When Verify User Allocation has been completed the command CLNUSRALC is automatically issued.

Allocate Applications

Use this function to enquire on the users signed on to a selected application, and to allocate exclusive use of an application to the Data Processing department for save or restore functions. This prevents users signing on to that application, and you can deallocate the application when you no longer need exclusive use.

Allocate Applications Screen



Select option 5 from the Utilities Menu and press **Enter**.

```
XA704                      Application Manager                      System: STUDB30A
Allocate Applications
Reason for Allocation . . . . . APPLIATION BACK-UP IN PROGRESS
Type options, press Enter
1=Select, 2=Allocate, 3=De-allocate
Opt      Application      Status
- **      IPG/400 Base Application      System is not in use.
- IN      03 Inventory Management.      System is not in use.
- OE      03 Sales Order Processing      Some companies are in use.
Bottom.
F3=Exit  F5=Refresh  F7=Allocate all
```

Fields:

Reason For Allocation

If you allocate applications, then enter a message to appear on enquiries, detailing the reason for the allocation (Backup, Restore, System Testing).

Application

The description of the application.

Status

Describes the status of the application.

Opt

Selection field.

Enter 1 to enquire on users of the application, if the application is currently in use. See the Active Jobs section for full details of this enquiry.

Enter 2 to allocate the application for exclusive DP use. If the status is currently System is not in use, select **F7** to allocate all applications.

Enter 3 to deallocate the application when exclusive use is no longer required.



*Note: You may select **F7** to allocate all applications even if applications are being used. This stops users starting any new tasks. Existing tasks are not affected.*

Gold Copy

Use this utility to copy all your menus and panels to a library along with the standard application.

All the data for a selected application is extracted from Application Manager and stored in a library of your choosing. You can then save this library to off-line storage ready for installation on another machine.

See the Saving And Installing Application Data section for a full explanation of the Gold Copy utility.

Application Gold Copy Screen



Select option 6 from the Utilities menu and press **Enter**.

```
XA403CLP      Application Manager      System: STUDB30A
Application Gold Copy

Menu environment . ____
Application ID . . ____
Environment . . . . ____
Release . . . . . ____

Library . . . . . _____

This routine will extract all the application data from Application
Manager and store it in the selected library, ready for installation
on another machine via the AMINSTALL command.
Additionally, if an environment code is entered then the data with
this code will be merged with the standard application, that is the
same application ID/release but with a blank environment.

F3=Exit      F4=Browse
```

Fields:

Menu Environment

Menus for Gold Copy are selected from those belonging to this environment code and belonging to the application specified below.

Application ID

The application ID of the application to be Gold Copied.

Version

The version of the application to be Gold Copied.

Release

The release level of the application to be Gold Copied.

Library

The name of the library to which the application data is to be copied.

Authorisation Violation Log

A log is made each time the number of allowed users for an application is exceeded. You may review the log at anytime using this option.

Display Authorisation Errors Screen



To view the log select option 6 from the Administration menu.

ICF901		Administration Functions				System: STUDB30A		
Display Authorisation Errors								
Application		<----Started----->			Max Allowed	Job Number	Job Name	
Src	ID RI	User Name	Date	Time				
0	M@ V3	Machine Manager	23/03/94	16:38:01	5	205385	VRTDSP01	
0	N@ V3	Network Manager	17/02/94	15:59:32	2	198470	P057CETG	
0	N@ V3	Network Manager	21/02/94	10:10:58	2	199765	P057CETG	
0	XA V3	Application Manager	18/02/94	12:46:47	50	199300	P057CETG	
0	XA V3	Application Manager	30/03/94	14:22:49	50	425294	P021CETS1	
0	XA V3	Application Manager	30/03/94	14:24:38	50	425294	P021CETS1	
0	XA V3	Application Manager	30/03/94	14:24:50	50	425294	P021CETS1	
0	XA V3	Application Manager	30/03/94	14:21:53	50	425458	DSP06	
							More...	
F3=Exit								

The screen shows the application being used and details of the job that was running.



Note: See the section User Code Monitoring for further details.



Note: Many applications are included in the count for Application Manager. If access to one of these applications is denied because the authorised user limit has been exceeded, then a violation is logged against application XA V3.