

-
-
-
-
-

Chapter 1

Control Details



Introduction To Housekeeping

For Housekeeping to be fully functional, you should set up the following parameters:

1. The default print queue and save details. To perform saves you must specify the libraries to hold the resultant save files. The backup method and devices used must also be specified to save to off-line storage.
2. Each library can be given a code to describe its usage. For example a library can be part of a standard application, a programmers development library or a test library.
3. Each library can be given a code to describe the objects that it contains. For example a library can contain source, or program objects or data files.
4. Each library can belong to a pre-defined group to save as a set so you can store at an off-site location for system security.
5. Protect libraries not defined to Housekeeping from the Delete Unknown Libraries command.

Control Information



Select option 1 from the Control Details menu and press **Enter**.

Use this screen to define the default print queue and save details. To perform saves you must specify the libraries to hold the resultant save files. The backup method and devices used must also be specified to save to off-line storage.

HK010 Housekeeping		System: STUDB30A	
Manage Control Information			
ASP Number	-	Last Run:	*** NONE ***
Backup Save File Library Name .	_____		
Off-site Save File Library Name	_____		
Archive Save File Library Name	_____		
Job Queue	QBATCH	Library	*LIBL
Output Queue	QPRINT	Library	*LIBL
A4 Output Queue	QPRINT	Library	*LIBL
Default Diskette Device Name .	_____		
Default Tape Device Name . . .	_____		
Default Cartridge Device Name .	_____		
Tape Capacity	_____	Megabytes	
Cartridge Capacity	0	M M=Megabytes, G=Gigabytes	
Tape Density	*DEVTYPE	*DEVTYPE:1600,3200,6250,10000	
Normal Backup Method	1	1=Select, 2=Mass, 3=Cyclic	
Mass Backup Media	1	1=Cartridge, 3=Tape	
Off-site Backup Media	1	1=Cartridge, 3=Tape	
Number of days in Cycle	_____		
F3=Exit			

Fields:

Asp Number

Enter the auxiliary storage pool from which the system allocates storage for the save files created. The default is to ASP(1), the system auxiliary storage pool.



Note: Leave this parameter blank to save to a disk rather than the ASP.

Backup Save File Library Name

Enter the name of the library which has been specifically created as the location for save files of libraries and folders. See Libraries and Folders sections in the Execute Day-End Functions topic for more details about the saving to save files of libraries and folders.

Off-Site Save File Library Name

Enter the name of the library which has been specifically created as the location for save files of libraries requested for off-site saving. See Off-Site Libraries section in the Execute Day-End Functions topic for more details about saving off-site libraries to save files.

Archive Save File Library Name

Enter the name of the library which has been specifically created as the location for save files of libraries to be archived. See Libraries section in the Execute Day-End Functions topic for more details about saving archived libraries to save files.



Note: The save file library must exist, these are created by the Maintain Library function of Housekeeping.

Job Queue/Library

Enter the job queue, and library name of the library to which this job queue belongs, to which all batch jobs will be submitted.

Output Queue/Library

Enter the print queue, and library name of the library to which this print queue belongs, to be used for standard reports.

A4 Output Queue/Library

Enter the print queue, and library name of the library to which this print queue belongs, to be used for A4 type reports.

Default Diskette Device Name

If media saves are to be to diskette then enter the diskette device description.

Default Tape Device Name

If media saves are to be to tape then enter the tape device description.

Default Cartridge Device Name

If media saves are to be to cartridge then enter the cartridge device description.

Tape Capacity

If tapes are to be used in the saves to media then enter the storage capacity of a tape in megabytes. If you are using tapes with different capacities then enter the capacity of the smallest tape.

Cartridge Capacity

If cartridges are to be used in the saves to media then enter the storage capacity of a cartridge. You can express the capacity in either M mega or G giga bytes.

Tape Density

If tapes are to be used to perform the saves to media then enter the tape density to be used. Valid tape densities are:

16003200625010000or *DEVTYPE

Housekeeping automatically work out the appropriate tape density required.

Normal Backup Method

1—Select. A single library per volume. The user will select the library to be saved and be prompted to load the media volume for that library, once specified.

2 - Mass. Multiple libraries per volume. Libraries will be divided into groups that will save to a single volume. The user then selects a group and nominates the volume ID to be used. Cartridge.

3 - Cycling. Multiple libraries per volume, with storage media used on a day-cycle basis. Save To Media topic contains full details about saving to media.



Note: Folders and off-site libraries will always be saved using the mass backup method.

Mass Backup Media

1 - Cartridge.

3 - Tape.



Note: The option to perform mass backups to diskette is not available.

Off-Site Backup Media

1 - Cartridge.

2 - Diskette.

3 - Tape.

Number Of Days In Cycle

If cyclic saving is to be used, then enter the number of days in each cycle. For example if you enter 5, on the sixth day in the cycle the media used on day one will be re-used.



Note: The save media is freed automatically when cyclic saves are made, therefore Housekeeping does not check if the media contains the latest saves of any libraries. It is recommended that libraries are set to Force save=1 and Save frequency equal to the number of days in the cycle or on a daily basis. Otherwise you could lose your last save of a library. See Libraries section in the Definitions topic and Library Backups - Cyclic Method section in the Save To Media topic.



Press **Enter**.

Library Types



Select option 2 from the Control Details menu and press **Enter**.

Use this screen to give each library a code to describe its usage.

```
HK110          Housekeeping          System: STUDB30 A
Manage Library Types

Type Code . .  A                      *UPDATE

Type in details and press ENTER to update

Description .  Application

F3=Exit  F11=Delete  F12=Previous
```

Fields:

Type Code

Enter the type code of the library.



Press **Enter** to display the description field.

Description

Enter or amend the description associated with this library type.



Note: Library type W (work) has a specific use within Housekeeping. Use this code for temporary or work libraries which are cleared out by the next overnight routine. Once the overnight routine has cleared the library it creates the following source files; QDDSSRC, QRPGRSRC, QCLSRC, QCMDSRC (see - Libraries section in the Execute Day-End Functions topic).

Functions:

F11

Delete this type code. Press **F11** again to confirm.



Press **Enter** to confirm your changes.

Library Contents



Select option 3 from the Control Details option and press **Enter**.

Use this screen to give each library a code to describe the objects it contains.

HK110 Housekeeping System: STUDB30A

Manage Library Contents

Contents Code F *UPDATE

Type in details and press ENTER to update

Description . Files (Data)

F3=Exit F11=Delete F12=Previous

Fields:

Contents Code

Enter a new contents code, an existing contents code.



*Note: To display the Description field, press **Enter**.*

Description

Enter or amend the description which is to be associated with this library contents type.

Functions:

F11

Delete this library contents type, press F11 again to confirm.



Press **Enter** to confirm your changes.

Off Site Save Groups



Select option 4 from the Control Details option and press **Enter**.

Use this screen to enter the pre-defined group for the library.

HK140 Housekeeping System: ST UDB30A

Manage Library Save Groups

Save Group 01 *UPDATE

Type in details and press ENTER to update

Description Save Group 01

Last saved to Save File on 25/02/91 at 17:55:39

Last saved to Media on ... 25/02/91 at 18:10:09

F3=Exit F11=Delete F12=Previous

Fields:

Save Group

Enter a new save group, an existing save group.



*Note: To display the Description field, press **Enter**.*

Description

Enter or amend the description associated with this save group.

Last Saved To Save File

The date this save group was last saved to a save file.

Last Saved To Media

The date this save group was last saved to off-line media.



Note: See Off-Site Libraries section and Select Off-Site Group in the Execute Day-End Functions topic for further information about off-site saves.



Press **Enter** to confirm your changes.

