

-
-
-
-
-

Chapter 2

Definitions



Introduction To Housekeeping Definitions

You use Definitions to set up the various parameters concerning libraries, folders, and media which you have saved or want to save.

The information contained within these definitions is used to control Housekeeping's backup processes. A full explanation of the way in which Housekeeping determines what should be saved, is given in the Execute Day-End Functions Topic .

Libraries

The creation and amendment of library descriptions in Housekeeping is handled via the Libraries facility. As well as maintaining library details required for the Housekeeping utilities, this facility also creates libraries on the system. It is therefore recommended that authority to the Create Library and Delete Library commands is revoked, and all library maintenance is carried out using the Libraries facility. This makes sure there is a full implementation of Housekeeping on machines where the module is used.

To do this sign on as QSECOFR. To remove authority to create libraries enter the command:

```
GRTOBJAUT OBJ(CRTLIB) OBJTYPE(*CMD) USER(*PUBLIC)  
AUT(*EXCLUDE)
```

To remove authority to delete libraries enter the command:

```
GRTOBJAUT OBJ(*DLTLIB) OBJTYPE(*CMD) USER(*PUBLIC)  
AUT(*EXCLUDE)
```

Use the libraries facility to create and amend details of a library including its description, extended text, ownership and security profile.

Manage Libraries



Select option 1 from within Definitions and press **Enter**.

Use this screen to select the library you want to manage.

```
HK100                House keeping                System: STUDB30A
Manage Libraries

Library _____

Note: If you make an entry in the 'Library Name' field and use F4, then
      scanning will start from that point.

F3=Exit  F4=Browse
```

Fields:

Library

Enter the name of the library you want to maintain.



Press **Enter** to display the Manage Library Details Screen.

Manage Library Details Screen

Use this screen to enter the details for the selected library.

```

HK100                               Housekeeping                               System: STUDB30A
Manage Libraries - Modify Library details for an EXISTING LIBRARY

Library  IPGAMF3

Text . . . . . Application Manager File Library
Further text . . . . .
(To describe more
fully the purpose
of the Library)

Owner . . . . . PEARSONC

Library Type . . . . . D      Library Contents Code . . . F
Re-organise Files (1/0) . . . . . 0      Compression Required (1/0) . . . 1
Force Save (1/0) . . . . . 1      Save frequency (days) . . . 1
Off-Site Save Group . . . . . _      Expiry Date . . . . . 99/99/99

Application Code . . . . . _      Release level . . . . . _
Application Source (J/O/U) . . . . . _      Environment . . . . . _

F3=Exit  F4=Browse  F5=Dsp Ctl  F6=Size History  F12=Previous
  
```

Fields:

Text/Further Text

This consists of one line of basic text, with a further six lines of additional text for a full description of the library if required.

Owner

This is the system user ID of the library's owner. For new libraries, OWNER will default to the user ID of the current sign on, but may be changed to any valid user ID. The OWNER field is used by the system in enquiries and reports.

Library Type

This signifies the library type in terms of its purpose, for example, Standard package, development etc. This must exist (see - Library Types section in the Control Details topic).



Note: Library type W (work) has a specific use within Housekeeping. Use this code for temporary or work libraries you want cleared out by the next overnight routine (see - Library Types section in the Control Details topic).

Library Contents Code

This code signifies the library contents; for example, source, programs, files. This must exist (see - Library Contents section in the Control Details topic).

Reorganise Files

The facility to automatically reorganise all physical files in a given library is provided. If file reorganisation is required for this library, enter 1 in this field.

Reorganisation will free any space taken up by deleted data file records.



Note: Machine Manager includes a standard job to reorganise files and may be included as an Auto Day-End job. This facility is also provided from Execute Day-End Functions (see Re-organise Libraries section in the Execute Day-End Functions topic).

Compression Required

You can remove the observability of program objects. This can lead to significant savings in disk utilisation without affecting the performance of the program, (though it does restrict the information provided by program dumps). If compression is required for this library, enter 1 in this field.



Note: Machine Manager includes a standard job to compress files and may be included as an Auto Day-End job. This facility is also provided from Execute Day End Functions (see Compress Libraries section in the Execute Day-End Functions topic).

Force Save

Enter 1 to save this library on a given frequency regardless of whether or not it has been changed.

Save Frequency Types (days)

Specify the frequency with which you would like the library to be saved, expressed as a number of days. The overnight routine will calculate whether a library is due for save, based on its last save date and this save frequency (see Libraries section in the Execute Day-End Functions topic). If a library is due for save, the system will then check if it has changed. If it has changed, the system will recommend a save.

If save frequency is set to a value other than 0 or 999, the system recommends a save if:

- the library is due for saving according to the frequency and has changed.
- or the library is due for saving according to the frequency, no changes have been made but force save is set to 1.

If save frequency is set to 0 or 999, the system will not recommend a save.

Off-Site Save Group

This field specifies the off-site save group to which this library belongs. This must exist (see - Off-Site Save Groups section in the Control Details topic).

This is an optional entry and may be left blank.

Expiry Date (Dmy)

This is the date beyond which this library is not required on the system. A date of 99/99/99 signifies a permanently required library.

Libraries which have exceeded their expiry date will appear on the Passed Expiry Date report (see Passed Expiry Date section in the Documentation topic).

Application Code/ Release Level/ Environment

These fields are for informational purposes only and can be used to identify a library as belonging to a particular Application Manager defined application.

Functions:

F5

To display an enquiry containing control details about the library. This enquiry gives details of last save and sizing, and a list of the media volumes on which the library has been saved (see Control Details section).

F6

To display an enquiry giving the size history of this library in bar chart form. This history can be expressed in actual sizes by selecting F15 from the bar chart display (see Library Size History section).

F11

To delete the library select **F11**, select **F11** again to confirm (see Library Deletion section).



Note: Libraries should only be deleted if they have no further use at all. At this point the library is only flagged for deletion, the next overnight routine will perform a final save to save file, if required, and then the physical deletion of the library.

If you wish to remove a library which is likely to be used in the future, then it should be archived. This differs from library deletion in that two saves to off-site storage are made. This reduces the dependence on a single storage media in the unlikely event that it is faulty.

A library can be flagged for archiving via the Display User Libraries function (see User Libraries section in the Operational Enquiries topic).

F15

If you are creating details for a new library you may wish to use the details relating to an existing library as the base.



Note: If you create the details for a library which does not yet exist Housekeeping will automatically create the library for you.

Control Details (F5)



Select **F5** on the Library Details screen.

```

HK100                                     Housekeeping                               System: STUDB30A
Manage Libraries - Control Details

Library  IPGAMF3      Application Manager Files Library

Last saved to Media Direct on . . . . . * NEVER SAVED *
Last saved to a Save File on . . . . . 24/06/91 at 20:43:07
Last saved to Media from a Save File . . . . . 21/06/91 at 10:04:55
Last Analysed for Size & Last Change on . . . . . 14/06/91 at 20:31:35
Last Changed on . . . . . 14/06/91 at 13:47:36
Size when Last Analysed . . . . . 2 Megabytes

Media Type  Vol Id  Loch  Save Date and Time  Back-up Type
CARTRIDGE  MB0005  ST01  21/06/91 at 10:04:55  MASS
CARTRIDGE  MB0004  ST15  20/06/91 at 10:04:43  MASS
CARTRIDGE  MB0003  ST24  19/06/91 at 7:02:35   MASS

F3=Exit  F12=Previous

Bottom

```

Fields:

Last Saved To Media Direct On

This date and time are updated when Housekeeping is used to save libraries directly.

Last Saved To A Save File On

This date and time are updated when the Housekeeping overnight routine performs a mass save of this library to the designated save file library (see Libraries section in the Execute Day-End Functions topic).

Last Saved To Media From A Save File

This date and time are updated when the Housekeeping save to media routine is performed for this library (see Libraries section in the Save To Media topic).

Last Analysed For Size And Last Change On

This information is maintained by the Housekeeping Re-sizing Routine (see Re-size Libraries section in the Execute Day-End Functions topic) and when a save to save file is performed, if the library's save frequency indicates that the library is due to be saved (see Libraries section in the Execute Day-End Functions topic).

Last Changed On/Size When Last Analysed

This information is maintained by the Housekeeping Re-sizing Routine (see Re-size Libraries section in the Execute Day-End Functions topic) and when a save to save file is performed, if the library's save frequency indicates that the library is due to be saved (see Libraries section in the Execute Day-End Functions topic).




Note: Machine Manager includes a standard job to re-size libraries and may be included as an Auto Day-End job. This facility is also provided from Execute Day-End Functions (see Re-size Libraries section in the Execute Day-End Functions topic).

Details of all current saves to media are then shown in date sequence, with the latest first.

Library Size History (F6)

 Select **F6** on the Library Details screen.



The bar chart displays the library size in Megabytes on each analysis date (date last checked).

 *Note: Machine Manager includes a standard job to re-size libraries and may be included as an Auto Day-End job. This facility is also provided from Execute Day-End Functions (see Re-size Libraries section).*

Functions:

F15

To express the details in actual figures, rather than barchart form.

Library Deletion (F11)



Select **F11** on the Library Details screen.

```
HK100                               Housekeeping                               System: STUDB30A
Manage Libraries - Flag Library for DELETION

Library  IPGMF3      Application Manager Files Library

You have selected to flag the above Library for DELETION.

On taking the option to confirm deletion this Library will be flagged for
deletion and will be deleted from the system in the overnight routines.

This request will be logged as having been made BY . . BRIGHTN
                                                FROM . VRTDSP73
                                                ON . . 4/07/91
                                                AT . . 18:45:42

Do you wish a security copy to be taken prior to deletion ? 1 (1/0)

If a security copy is requested the above Library will not be deleted
from the system until it has been saved to media.

F3=Exit  F11=Confirm Deletion  F12=Previous
```

If you require a security media save before deletion then enter 1. Press **F11** again to confirm deletion of the library. It will not be deleted immediately. This is carried out as part of the next Housekeeping overnight routine, following a security save if required (see Libraries section in the Execute Day-End Functions topic).

Folders

Folders cannot be created or deleted through the Housekeeping utility. But if you wish to save folders to off-line storage media as part of your backup and recovery procedures, then this can be carried out by Housekeeping. Such saves can thus be performed on a TIMELY basis and a history of those saves retained. Each folder may have a name of up to 63 characters. Therefore every folder which is defined to Housekeeping will be assigned a unique 10-character internal reference to aid in the saving of the folder. These references have the prefix FL#, and a system-generated number completes the 10 characters.

Manage Folders Screen



Select option 2 within Definitions and press **Enter**. The purpose of this screen is to select the folder to be maintained.

HK160 Housekeeping System: STUDB30A

Manage Folders

Folder _____

Note: If you make an entry in the 'Folder name' field and use F4, then scanning will start from that point.

F3=Exit F4=Browse

Fields:

Folder

Enter the name of the folder.

Folder Details Screen



Select a folder and press Enter to display the folder details screen is displayed.

If this is a folder being defined for the first time then it will be assigned a unique internal reference number.

```
HK160                               Housekeeping                               System:
Manage Folders - Modify Folder details

Folder  BRIGHTN
Internal/System name  FL#0000114

Make any changes required and press ENTER to update

Folder Description. . Nick Bright Documents
Owner . . . . . GBJBANB0
Save frequency (days)  5
Force Save (1/0). . . 0

F3=Exit  F5=Display Save History  F11=Delete  F12=Previous
```

Fields:

Folder

The name of the selected folder.

Internal/System Name

The unique 10 character internal reference. This is prefixed FL#, a system generated number completes the 10 characters.

Folder Description

Enter the description to be held by Housekeeping.

Owner

This is the system user ID of the folders owner. For new folders, the OWNER will default to the ID of the user creating the folder definition. It may be changed to any valid user ID.

Save Frequency (Days)

Specify here the frequency with which you would like the folder to be saved, expressed as a number of days. The overnight routine, see Folders section in the Execute Day-End Functions topic, will calculate whether a folder is due for save, based on its last save date and this save frequency. (The last save date is the last save to off-line media - this information is held in Housekeeping for each

folder.) If a folder is due for save, the system will then check if it has changed. If it has changed, the system will recommend a save.

If save frequency is set to 0 or 999, the system will not recommend a save.

If save frequency is set to a value other than 0 or 999, the system will recommend a save if:

The folder is due for saving according to the frequency and has changed.

Force Save

Set to 1 to save this folder on a given frequency, regardless of whether or not it has been changed.

Functions:

F5

The save history enquiry displays control information relating to the folder. This enquiry gives details of last save, and a list of the media volumes on which the folder has been saved.



Press **Enter** to confirm your selections.

Save History (F5)



Select **F5** on the folder details screen.

HK160 Housekeeping System: STUDB30A

Manage Folders

Folder **PEARSONC/1**
Internal/System name FL#0000109

Last saved to a Save File on 3/07/91 at 8:30:00
Last saved to Media from a Save File . 2/07/91 at 11:04:48

Media Type	Vol Id	Locn	Save Date and Time	Back-up Type
CARTRIDGE	000H01	FS25	2/07/91 at 11:06:02	MASS
TAPE	000H03	FS27	2/05/91 at 11:06:02	MASS

Bottom

F3=Exit F12=Previous

Fields:

Last Saved To A Save File On

This date and time are updated when the Housekeeping overnight routine performs a mass save of this folder to the designated save file library (see Folders section in the Execute Day-End Functions topic).

Last Saved To Media From A Save File

This date and time are updated when the Housekeeping mass save to media routine is performed on the save file of this folder (see Off-Site Libraries section in the Save To Media topic).



Tip: Details of all current saves to media are then shown in date sequence, with the latest first.

Media



Select option 3 from within Definitions and press **Enter**.

Use this function to record any saves to media you have made without using Housekeeping.

HK103 Housekeeping System: STUDB30A

Manage Media

Library _____

Note: If you make an entry in the 'Library Name' field and use F4, then scanning will start from that point.

F3=Exit F4=Browse

Fields:

Library

Enter the name of the library which was saved.



Select a library.

Manage Media Details Screen

This shows details of existing saves to media recorded by Housekeeping, giving the media type and volume ID, together with the date and time which the save was performed. If you have previously recorded saves of the library using this function they will be displayed with a time of zero. These additional details can be deleted by entering 4 against them, if required. Details of additional saves can also be entered.

HK103 House keeping System: STUDB30.A

Manage Media

Library **IPGAMP3** Application Manager Programme Library

Type option: press ENTER
4=Delete Save details

Opt	Media	Volume Id	Location	Date & Time when Saved
	CARTRIDGE	MB0005	ST01	21/06/91 at 10:06:28
	CARTRIDGE	MB0004	ST15	20/06/91 at 10:06:25
	CARTRIDGE	MB0003	ST24	19/06/91 at 7:04:07

Bottom

To add new save details enter the required details below

Media Type _ 1=Cartridge, 2=Diskette, 3=Tape
Volume Id _____
Location . _____
Date . . . _____

F3=Exit F12=Previous

Fields:

Media

Enter the type of media used to perform the save.

- 1 - Cartridge
- 2 - Diskette
- 3 - Tape

Volume ID

Enter the ID of the media volume used in the save.

Location

Enter the volume location, if required.

Date/Time

Enter the date and time at which the save was performed.



Press **Enter** to validate the new details. The list is re-sequenced to include the new details.