

-
-
-
-
-

Chapter 2

Constructor Toolbar And Menus



Toolbar




Buttons:


New



Prompts you to select the type of component.



Starts a new design. You will be prompted to enter a name for the design. This could be a Business Process as follows:



This name is then added to the bottom of the list in the Windows Menu.

Open



Opens a previously saved design.

Save



Saves your currently active design.

Close



Closes your currently active design. You will be prompted to Save.

Print Preview



Look at the design on screen and then go on to print it.

Print



Print the design.

Hide Or Show Palette



Hides or shows the Component Browser Area.

Undo



Not available for this release.

Cut



Not available for this release.

Copy



Not available for this release.

Paste



Not available for this release.

Arrange



Automatically tidies the components on the Workspace by rearranging them.

Zoom In



Zooms in to the Workspace.

Zoom Out



Zooms out from the Workspace.

Zoom Extents



Makes a single zoom into the Workspace. Constructor works out the extent of the zoom for you so that the entire design fits onto the Workspace.

Enable Or Disable Zoom Window



Enables or disables the zoom window facility. This button toggles on and off. When the button is toggled on then you can draw a box and the contents of this box can then be enlarged. You do

this by holding down the left mouse button and dragging and dropping a frame on to the Workspace. You then use the Zoom In button.

Lock(or Unlock) Workspace



Locks(or Unlocks) the Workspace if you want to ensure that none of the elements of the design can be moved. Note that the context sensitive menus still work when the Workspace is locked.

Validate



Checks that the Business Process which you have defined meets the basic design criteria. Constructor displays a validation listing for you to examine and then correct any errors.

The list tells you whether all the output nodes are connected, whether all the input conditions are satisfied, whether all the necessary connections have been made, and whether all the consumables are present and correct.

Preview and Execute



Note: These options are for Assembled Activities, Subassemblies and Activity Lists. When you design a Business Process the Preview and Execute buttons are replaced by the Walkthrough button. 

Both these take you logically through the whole process, stopping at each Elemental Activity, Business Method or control symbol.

However, Execute actually executes the components. It depends what the component does: it may trigger a server based process or one that is purely local to the PC.

Each time the Preview or Execution stops you get a window of details for that component:

- At the beginning you get the Start Details Window.
- Whenever you hit a User Selected Path control symbol you get the User Selected Path Window.
- Whenever you hit an Elemental Activity or Business Method the component is executed, provided that it is detected. If the Elemental Activity or Business Method does not exist you get the Properties Window.
- At the end you get the End Details Window.

You can amend details for the component or continue.



Warning: When you amend Properties details you update the component details on the design-time database, not just the details for this design. This would be reflected in all future designs for all users of that component.

Walkthrough





Note: This is for a Business Process only.

Walkthrough takes you logically through the whole process, stopping at each element of the design. Each time it hits an Assembled Activity or another Business Process it breaks it down into its lowest level components, including all its control icons. If there are Business Processes within Business Processes then all these break down too. For example you hit a Start Condition control symbol at the beginning of the whole process and then again at the beginning of each subprocess.

Please refer to Nesting Business Processes.

Each time the walkthrough stops you get a window of details:

- Whenever you hit a Start Condition control symbol you get the Start Details Window.
- Whenever you hit a User Selected Path control symbol you get the User Selected Path Window.
- Whenever you hit an Activity symbol you get the Properties Window.
- Whenever you hit an End Condition control symbol you get the End Details Window.

You can amend details for the component or continue.



Warning: When you amend Properties details you update the component details on the design-time database, not just the details for this design. This would be reflected in all future designs for all users of that component.

Stop



Stops the execution of the Business Process or activity.

Help



Online Help text for every aspect of Constructor, including useful tutorials.

Main Menu Bar

The main menu bar has six drop down menu options as follows.


These menu options are not configurable.

File Menu

Menu options:

New

Starts a new design. You will be prompted to enter a name for the design and this is then added to the bottom of the list in the Windows Menu. This could be a Business Process as follows:



Open

Opens a previously saved design.

Save

Saves your currently active design.

SaveAs

Makes an additional copy of your currently active design by saving it with a different name.

SaveAll

Saves all your designs. These are listed under the Windows Menu.

Close

Closes your currently active design. You will be prompted to Save.

CloseAll

Closes all your designs. You will be prompted to Save each one.

Register Components

This is for JBA programmers only.

Displays the Register Components Window.

Export

Displays the Export Selection Window to enable you to create a standalone file, with a .con extension, from one or many files on the design-time database. This compressed, standalone .con file can then be sent, for example by Email, to another user. You could use Export and Import to move Business Processes from one server to another. See Import below.



Note: When you Export or Import a Business Process all the associated components are copied with it, for example any associated Document Types or Data Fields. The only exception is Schedule Rules and you have to copy these separately.

Import

Displays the Import Files Window to enable you to copy across files to the design-time database. These are the types of files that you could copy:

- Business Process Files (.bpr)
- Activity Files (.act)
- Activity List Files (.tsk)
- Subassembly Files (.sas)
- Export Files (.con). See Export above. When you import this file it opens all the files compressed within it.



Note: When you Export or Import a Business Process all the associated components are copied with it, for example any associated Document Types or Data Fields. The only exception is Schedule Rules and you have to copy these separately.

Print

Prints the design. You can change the orientation and this setting is saved for you until you change it again.

Print Preview

Displays the design for you on screen and then you can go on to print it.

Exit

Exits System 21 Constructor.

If you have made any changes to a design then Constructor will prompt you to save those changes.

Edit Menu

Menu Options:

Preferences

Displays the Preferences Window.

View Menu

Menu Options:

Zoom In

Zooms in to the Workspace.

Zoom Out

Zooms out from the Workspace.

Zoom Extents

Makes a single zoom into the Workspace. Constructor works out the extent of the zoom for you so that the entire design fits onto the Workspace.

Zoom Window

Enables or disables the zoom window facility. This option toggles on and off. You can draw a box and the contents of this box can then be enlarged. You do this by holding down the left mouse button and dragging and dropping a frame on to the Workspace. You then use the Zoom In option.

Tools Menu

Menu Options:

Lock

Locks (and Unlocks) the Workspace if you want to ensure that none of the elements of the design can be moved. Note that the context sensitive menus still work when the Workspace is locked.

Validate

Checks that the Business Process which you have defined meets the basic design criteria. Constructor displays a validation listing for you to examine and then correct any errors.

The list tells you whether all the output nodes are connected, whether all the input conditions are satisfied, whether all the necessary connections have been made, and whether all the consumables are present and correct.

Preview and Execute



Note: These options are for Assembled Activities, Subassemblies and Activity Lists. When you design a Business Process the Preview and Execute options are replaced by the Walkthrough option.

Both these take you logically through the whole process stopping at each Elemental Activity, Business Method or control symbol.

However, Execute actually executes the components. It depends what the component does: it may trigger a server based process or one that is purely local to the PC.

Each time the Preview or Execution stops you get a window of details for that component:

- At the beginning you get the Start Details Window.
- Whenever you hit a User Selected Path control symbol you get the User Selected Path Window.
- Whenever you hit an Elemental Activity or Business Method you get the Properties Window.
- At the end you get the End Details Window.

You can amend details for the component or continue.



Warning: When you amend Properties details you update the component details on the design-time database, not just the details for this design. This would be reflected in all future designs for all users of that component.

Walkthrough



Note: This is for a Business Process only.

Walkthrough takes you logically through the whole process stopping at each element of the design. Each time it hits an Assembled Activity or another Business Process it breaks it down into its lowest level components, including all its control icons. If there are Business Processes

within Business Processes then all these break down too. For example you hit a Start Condition control symbol at the beginning of the whole process and then again at the beginning of each subprocess.

Please refer to Nesting Business Processes.

Please refer to the Components Hierarchy Diagram.

Each time the walkthrough stops you get a window of details:

- Whenever you hit a Start Condition control symbol you get the Start Details Window.
- Whenever you hit a User Selected Path control symbol you get the User Selected Path Window.
- Whenever you hit an Activity symbol you get the Properties Window.
- Whenever you hit an End Condition control symbol you get the End Details Window.

You can amend details for the component or continue.



Warning: When you amend Properties details you update the component details on the design-time database, not just the details for this design. This would be reflected in all future designs for all users of that component.

Stop

Stops the execution of the Business Process or activity.


Work Management Menu

Menu Options:




Warning: Please make the following checks before you Activate, Manage Activated Processes or Retrieve.

Whenever you attempt a process which updates the Work Management files on the server, such as the menu options to Activate, Manage Activated Processes or Retrieve you will be presented with the Data Source Window. The Turbo Mode box on this window is checked, by default, to speed up the connection to the server.



However, you must check your ODBC configuration to make sure that the Enable Pre-Fetch During Execute field on the ODBC Performance panel is unchecked (default). If both Turbo Mode and Pre-Fetch are on then items could be lost during processes which update the Work Management files on the server. This is how the window should look.



Activate

This displays the Data Source Window for you to logon to a server and after a successful connection displays the Activate Window. Please see warning above.

Manage Activated Processes

This displays the Data Source Window for you to logon to a server and after a successful connection displays the Business Process Status Window. Please see warning above.

Retrieve

This displays the Data Source Window for you to logon to a server and after a successful connection displays the Retrieve Window. Please see warning above.

Data Fields

Displays the Data Fields Window.

Document Types

Displays the Document Types Window.

Execution Modes

Displays the Execution Modes Window.

Schedule Rules

Displays the Schedule Rules To Edit Window.

Escalation And Delegation

Displays the Escalation And Delegation Window.

Window Menu

Menu Options:

Arrange

You can arrange the windows on the display area in three ways: Cascade, Tile Horizontally and Arrange Icons.

The Arrange Icons option only works when the windows have been minimised and moved around the Workspace.



Note: Below this is a list of currently opened windows.

Help Menu

Menu Options:

Constructor Help

Online Help text to help you understand every aspect of Constructor. Includes useful tutorials.

About

Constructor version number.

Context Sensitive Menus

Just as for standard Windows 95 or Windows NT applications Constructor supplies you with useful context sensitive pop up menus when you click with the right mouse button. The pop up menus vary depending on which part of Constructor you choose to click with the right mouse button. Constructor recognises the context from which the menu was requested.

Please refer to the Components Hierarchy Diagram.

Action Agent Menu



To display this menu please click with the right mouse button on the Action Agent symbol on the Workspace.

Menu Options:

Description

If your cursor is over the centre circle then this displays a pop up of the description entered when the component was first edited.

If your cursor is over the node then this displays a pop up of the description of the node. For example: Node = Cancel.

Properties

Displays the Properties For Action Agent Window.

Delete

Enables you to delete the component. Constructor prompts you to confirm the deletion.

Copy

Select a symbol on the Workspace and copy it to the clipboard. Please refer to Paste.

Cut

Not available for this release.

Paste

Paste a symbol from the clipboard onto the Workspace. First select a symbol and copy it to the clipboard, then select another symbol and paste onto it. You select Yes to replace one symbol with another or No to paste the symbol to a new area on the Workspace.



Tip: You can also drag and drop a symbol from the Component Browser Area onto the Workspace to replace a symbol. This displays the Node Mapper Window so you can re-map the nodes for the new symbol.

Colour

Select Colour - You can select a different colour for the centre of the symbol

Set Default Colour - You can change the colour, for the centre of the symbol, back to the default colour. Note that you cannot change the default colour.

Resequenece Links

Displays the Resequenece Links Window.

Activity Link Menu



To display this menu please click with the right mouse button on a Workspace connection which links components within an activity.

Menu Options:

Description

Displays a pop up of the description produced by Constructor when the link was created.

Edit

Displays Select Start Node Window.

Delete

Enables you to delete the link. Constructor prompts you to confirm the deletion.

Remove Routing Points

Removes any angles in the link and displays it as a straight line.

Orthogonal

Changes a straight line link to one with right angles.

Assembled Activity Menu



To display this menu please click with the right mouse button on the Assembled Activity symbol on the Workspace.

Menu Options:

Description

If your cursor is over the centre circle then this displays a pop up of the description entered when the component was first edited.

If your cursor is over the node then this displays a pop up of the description of the node. For example: Node = Cancel.

Edit

Displays the design containing all the Process Controls, Elemental Activities, Subassemblies and Business Methods which make up this Assembled Activity. A further click with the right mouse button on any of these components will display more context sensitive menus. Click the Business Process button on the toolbar to return to the original activity.

Delete

Enables you to delete the component. Constructor prompts you to confirm the deletion.

Documentation

Launches the Document Viewer utility.

Copy

Select a symbol on the Workspace and copy it to the clipboard. Please refer to Paste.

Cut

Not available for this release.

Paste

Paste a symbol from the clipboard onto the Workspace. First select a symbol and copy it to the clipboard, then select another symbol and paste onto it. You select Yes to replace one symbol with another or No to paste the symbol to a new area on the Workspace.



Tip: You can also drag and drop a symbol from the Component Browser Area onto the Workspace to replace a symbol. This displays the Node Mapper Window so you can re-map the nodes for the new symbol.

Colour

Select Colour - You can select a different colour for the centre of the symbol

Set Default Colour - You can change the colour, for the centre of the symbol, back to the default colour. Note that you cannot change the default colour.

Business Methods Menu



To display this menu please click with the right mouse button on the Business Methods symbol on the Workspace.

Menu Options:

Description

If your cursor is over the centre circle then this displays a pop up of the description entered when the component was first edited.

If your cursor is over the node then this displays a pop up of the description of the node. For example: Node = Cancel.

Conditions

Displays the Conditions Window.

Edit

Displays the source code for the component to enable you to edit the code during the design process. The location of the source code is specified in the Properties Window.

Properties

Displays the Properties Window.

Preview

Enables you to preview the Business Method. It takes you through each stage of the process, displaying windows and giving you a feeling of what the process would look like in a live situation. It does not read or update the database.



Tip: If you want to read or update the database please use the Execute button.

Delete

Enables you to delete the entire component. Constructor prompts you to confirm the deletion.

Consumables

Displays the Consumable Details Window.

Define Menu

Displays the Design Menu Window.

Display Details

Displays the Display Details Window.

Documentation

Launches the Document Viewer utility.

Copy

Select a symbol on the Workspace and copy it to the clipboard. Please refer to Paste.

Cut

Not available for this release.

Paste

Paste a symbol from the clipboard onto the Workspace. First select a symbol and copy it to the clipboard, then select another symbol and paste onto it. You select Yes to replace one symbol with another or No to paste the symbol to a new area on the Workspace.



Tip: You can also drag and drop a symbol from the Component Browser Area onto the Workspace to replace a symbol. This displays the Node Mapper Window so you can re-map the nodes for the new symbol.

Colour

There are two options:

Select Colour - You can select a different colour for the centre of the symbol

Set Default Colour - You can change the colour, for the centre of the symbol, back to the default colour. Note that you cannot change the default colour.

Resequenece Links

Displays the Resequenece Links Window.

Business Process Menu



To display this menu please click with the right mouse button on the Business Process symbol on the Workspace.

Menu Options:

Description

Displays a pop up of the description entered when the Business Process was created.

Edit

Displays the design containing all the Process Controls, Assembled Activities, Elemental Activities and Subassemblies. A further click with the right mouse button on any of these components will display more context sensitive menus. Click on the original window to view the Business Process again.

Please refer to Nesting Business Processes.

Please refer to the Components Hierarchy Diagram.

Delete

Enables you to delete the component. Constructor prompts you to confirm the deletion.

Documentation

Launches the Document Viewer utility.

Copy

Select a symbol on the Workspace and copy it to the clipboard. Please refer to Paste.

Cut

Not available for this release.

Paste

Paste a symbol from the clipboard onto the Workspace. First select a symbol and copy it to the clipboard, then select another symbol and paste onto it. You select Yes to replace one symbol with another or No to paste the symbol to a new area on the Workspace.



Tip: You can also drag and drop a symbol from the Component Browser Area onto the Workspace to replace a symbol. This displays the Node Mapper Window so you can re-map the nodes for the new symbol.

Colour

There are two options:

Select Colour - You can select a different colour for the centre of the symbol

Set Default Colour - You can change the colour, for the centre of the symbol, back to the default colour. Note that you cannot change the default colour.

Resequenece Links

Displays the Resequenece Links Window.

Business Process Link Menu



To display this menu please click with the right mouse button on a Workspace connection which links components within a Business Process.

Menu Options:

Description

Displays a pop up of the description produced by Constructor when the link was created.

Edit

Displays the Select Schedule Window.



Note: This option is available only if the symbol, to which the connection is attached, has execution modes defined on its Properties Work Mgt Window.

Delete

Enables you to delete the link. Constructor prompts you to confirm the deletion.

Remove Routing Points

Removes any angles in the link and displays it as a straight line.

Orthogonal

Changes a straight line link to one with right angles.

Select Start Node



Note: You see this menu option only when you have a top level Business Process calling a second level Business Process for which there is more than one Start Condition for the current Business Object. The current Business Object is the one associated with the link into the nested Business Process. The second level Business Process has a yellow dot on the left side of the circle.



Displays Select Start Node Window. You don't have to use this window. Please refer to Nesting Business Processes.

Component Browser Area Menus



To display this menu please click with the right mouse button in the Component Browser Area.

There are three types of menu:

- The Browser Component Menu.
- The Browser Folder Menu.
- The Browser Search Menu.



Warning: These options do not enable you to copy components from the Component Browser Area to the Workspace. To do this please see Using The Component Browser Area in the Getting Started Tutorial.

Browser Component Menu



Note: This is for reorganising the components within the groups.

Properties

This is available only if the component is an Elemental Activity or a Business Method. Displays the Properties Window.

Copy

Copies a component to the clipboard.

Paste

Pastes a component from the clipboard to a group in the Component Browser Area.

Delete

Deletes a component from the Component Browser Area. You first select the component and then confirm the deletion.

Rename

Renames a component in the Component Browser Area. You select the component and enter the new name.

Escalation And Delegation

This is available only if the component is an Elemental Activity. Displays the Escalation And Delegation Window.

Browser Folder Menu



Note: This is for reorganising the lists of groups.

Add Group

Adds a group into the Component Browser Area at a level beneath the currently selected group. You enter the name of the new group to be displayed.

Remove Group

Removes a group from the Component Browser Area. You select the group to be removed and confirm the removal.

Rename Group

Renames a group from the Component Browser Area. You select the group and enter the new name.


Browser Search Menu



Note: This is primarily for Searching but has other functions as detailed below.

Search

Enter the name for the search in the space provided. This could be the textual name or the shortcut code. Press return and the search results are displayed in place of the Component Browser.



Floating or Left or Right

Select one of these options to move the Component Browser Area to the centre, right or left hand sides of your screen.

Move

This changes the cursor into a four-headed arrow. Use the arrow keys on your keyboard to move the Component Browser Area to the left or right.

Close

Closes the Component Browser Area.

Design Menu Options Menu



To display this menu click with the right mouse button on an item in the Selected Options list on the Design Menu Window.

Menu Options:

Consumables

Displays the Menu Consumable Details Window.

Options

Displays the Right Click Menu Options Window.

Elemental Activity Menu



To display this menu please click with the right mouse button on the Elemental Activity symbol on the Workspace.

Menu Options:

Description

If your cursor is over the centre circle then this displays a pop up of the description entered when the component was first edited.

If your cursor is over the node then this displays a pop up of the description of the node. For example: Node = Cancel.

Conditions

Displays the Conditions Window.

Properties

Displays the Properties Window.

Preview

Enables you to preview the Elemental Activity. It takes you through each stage of the process by displaying the Properties Windows. There are buttons for you to use to select a pathway through the process. It does not read or update the database.



Tip: If you want to read or update the database please use the Execute button.

Delete

Enables you to delete the component. Constructor prompts you to confirm the deletion.

Documentation

Launches the Document Viewer utility.

Copy

Select a symbol on the Workspace and copy it to the clipboard. Please refer to Paste.

Cut

Not available for this release.

Paste

Paste a symbol from the clipboard onto the Workspace. First select a symbol and copy it to the clipboard, then select another symbol and paste onto it. You select Yes to replace one symbol with another or No to paste the symbol to a new area on the Workspace.



Tip: You can also drag and drop a symbol from the Component Browser Area onto the Workspace to replace a symbol. This displays the Node Mapper Window so you can re-map the nodes for the new symbol.

Colour

Select Colour - You can select a different colour for the centre of the symbol

Set Default Colour - You can change the colour, for the centre of the symbol, back to the default colour. Note that you cannot change the default colour.

Resequence Links

Displays the Resequence Links Window.

Escalation And Delegation

Displays the Escalation And Delegation Window.

End Condition Menu



To display this menu please click with the right mouse button on the Process Control tool, on the Workspace, called End Condition.

Menu Options:

Edit

Displays the End Details Window.

Delete

Enables you to delete the component. Constructor prompts you to confirm the deletion.

Colour

Select Colour - You can select a different colour for the centre of the symbol

Set Default Colour - You can change the colour, for the centre of the symbol, back to the default colour. Note that you cannot change the default colour.

Manual Activity Menu



To display this menu please click with the right mouse button on the Manual Activity symbol on the Workspace.

Menu Options:

Description

If your cursor is over the centre circle then this displays a pop up of the description entered when the component was first edited.

If your cursor is over the node then this displays a pop up of the description of the node. For example: Node = Cancel.

Properties

Displays the Properties For Manual Activity Window.

Delete

Enables you to delete the component. Constructor prompts you to confirm the deletion.

Copy

Select a symbol on the Workspace and copy it to the clipboard. Please refer to Paste.

Cut

Not available for this release.

Paste

Paste a symbol from the clipboard onto the Workspace. First select a symbol and copy it to the clipboard, then select another symbol and paste onto it. You select Yes to replace one symbol with another or No to paste the symbol to a new area on the Workspace.



Tip: You can also drag and drop a symbol from the Component Browser Area onto the Workspace to replace a symbol. This displays the Node Mapper Window so you can re-map the nodes for the new symbol.

Colour

Select Colour - You can select a different colour for the centre of the symbol

Set Default Colour - You can change the colour, for the centre of the symbol, back to the default colour. Note that you cannot change the default colour.

Resequenece Links

Displays the Resequenece Links Window.

Manual Activity Panels Menu



To display this menu please click with the right mouse button on the Message Panel or Title Overrides Panel on the Properties for Manual Activity Window.

Menu Options:

Insert Button

This is for the Message Panel only.

Displays the Select Button Window.

Insert Data Field

Displays the Select Data Field Window.

Maintain Data Field

Displays the Data Fields Window.

Cut

Removes any highlighted text.

Copy

Copies any highlighted text to the clipboard.

Paste

Copies text from the clipboard to the Message Panel.

Parallel Path Menu



To display this menu please click with the right mouse button on the Process Control tool, on the Workspace, called Parallel Path.

Menu Options:

Description

If your cursor is over the centre circle then this displays a pop up of the description associated with the Parallel Path.

If your cursor is over the node then this displays a pop up of the description of the node. For example: Node = Cancel.

Edit

Displays the Parallel Path Window.

Delete

Enables you to delete the component. Constructor prompts you to confirm the deletion.

Copy

You can select a symbol on the Workspace and copy it to the clipboard. Please refer to Paste.

Cut

Not available for this release.

Paste

Paste a symbol from the clipboard onto the Workspace. First select a symbol and copy it to the clipboard, then select another symbol and paste onto it. You select Yes to replace one symbol with another or No to paste the symbol to a new area on the Workspace.



Tip: You can also drag and drop a symbol from the Component Browser Area onto the Workspace to replace a symbol. This displays the Node Mapper Window so you can re-map the nodes for the new symbol.

Colour

Select Colour - You can select a different colour for the centre of the symbol

Set Default Colour - You can change the colour, for the centre of the symbol, back to the default colour. Note that you cannot change the default colour.

Resequenece Links

Displays the Resequenece Links Window.

Properties Grid Box Menu



To display this menu please click with the right mouse button on a grid box in the Properties Window.



Note: The choice of menu options available to you depends on the context from which the menu is requested.

Menu Options:

Add

Adds a new row to the grid.

Delete

Deletes the selected row from the grid.

Maintain Mode



Note: Available only from the Execution Modes grid box on the Properties Work Mgt Window.

Displays the Execution Modes Window.

Reason Codes



Note: Available only from the Nodes grid box on the Properties Details Window.

Displays the Define Reason Code Window.

Copy

Copies a cell or row to the clipboard.

SelectAll

Not available for this release.

Export

Transfer the entire contents of the grid box into Microsoft Excel.

Find

Not available for this release.

Customise

View - Displays the Column Window for you to change the column headings and positions.

Font - Change the Font for the headings.

Colour - Change the colour of the foreground and background.

Stripe - Not available for this release.

Reset - Undo any custom changes.

Start Condition Menu



To display this menu please click with the right mouse button on the Process Control tool, on the Workspace, called Start Condition.

Menu Options:

Description

If your cursor is over the centre circle then this displays a pop up of the description entered when the start condition was first edited.

If your cursor is over the node then this displays a pop up of the description of the node. For example: Node = Cancel

Edit

Displays the Start Details Window.

Delete

Enables you to delete the component. Constructor prompts you to confirm the deletion.

Initialise Parameters

Displays the Initialise Data Exchange Area Window.

Documentation

Launches the Document Viewer utility.

Colour

Select Colour - You can select a different colour for the centre of the symbol

Set Default Colour - You can change the colour, for the centre of the symbol, back to the default colour. Note that you cannot change the default colour.

Subassembly Menu



To display this menu please click with the right mouse button on the Subassembly symbol on the Workspace.

Menu Options:

Description

Displays a pop up of the description entered when the Subassembly was created.

Edit

Displays the design containing all the Business Methods. A further click with the right mouse button on any of these components will display more context sensitive menus. Click on the original window to view the Subassembly again.

Delete

Enables you to delete the component. Constructor prompts you to confirm the deletion.

Documentation

Launches the Document Viewer utility.

Copy

Select a symbol on the Workspace and copy it to the clipboard. Please refer to Paste.

Cut

Not available for this release.

Paste

Paste a symbol from the clipboard onto the Workspace. First select a symbol and copy it to the clipboard, then select another symbol and paste onto it. You select Yes to replace one symbol with another or No to paste the symbol to a new area on the Workspace.



Tip: You can also drag and drop a symbol from the Component Browser Area onto the Workspace to replace a symbol. This displays the Node Mapper Window so you can re-map the nodes for the new symbol.

Colour

Select Colour - You can select a different colour for the centre of the symbol

Set Default Colour - You can change the colour, for the centre of the symbol, back to the default colour. Note that you cannot change the default colour.

User Selected Path Menu



To display this menu please click with the right mouse button on the Process Control tool, on the Workspace, called User Selected Path.

Menu Options:

Description

If your cursor is over the centre circle then this displays a pop up of the description entered when the User Selected Path component was first edited.

If your cursor is over the node then this displays a pop up of the description of the node. For example: Node = Cancel.

Edit

Displays the User Selected Paths Details Window.

Delete

Enables you to delete the component. Constructor prompts you to confirm the deletion.

Copy

You can select a symbol on the Workspace and copy it to the clipboard. Please refer to Paste.

Cut

Not available for this release.

Paste

Paste a symbol from the clipboard onto the Workspace. First select a symbol and copy it to the clipboard, then select another symbol and paste onto it. You select Yes to replace one symbol with another or No to paste the symbol to a new area on the Workspace.



Tip: You can also drag and drop a symbol from the Component Browser Area onto the Workspace to replace a symbol. This displays the Node Mapper Window so you can re-map the nodes for the new symbol.

Colour

Select Colour - You can select a different colour for the centre of the symbol

Set Default Colour - You can change the colour, for the centre of the symbol, back to the default colour. Note that you cannot change the default colour.

Workspace Menu



To display this menu please click with the right mouse button on a space on the Workspace.



Note: The number of options displayed varies depending on whether the Workspace is that of a Business Process or Activity.

Menu Options:

New\Start Condition

Places a Start Condition symbol on the Workspace.

New\End Condition

Places an End Condition symbol on the Workspace.

New\Component

Displays the Properties For Component Window for you.

New\User Selected Path

Places a User Selected Path symbol on the Workspace.

New\Parallel Path

Places a Parallel Path symbol on the Workspace.

New\Manual Activity

Displays the Properties For Manual Activity Window for you to create a Manual Activity.

New\Action Agent

Displays the Properties For Action Agent Window for you to create an Action Agent.

New\PC Program

Available for Business Processes only. Displays the Local PC File Or Program Window.

New\Elemental Activities

Displays the Properties For Adding A New Activity Window.

Properties

Displays the Edit Properties Window.

Escalation And Delegation

Displays the Escalation And Delegation Window for a Business Process only.