

-
-
-
-
-

Chapter 2

Explorer Basics



Main Menu Bar

The Main Menu Bar has five drop-down menu options:

- File Menu
- View Menu
- Tools Menu
- Options Menu
- Help Menu.

File Menu

The File Menu is common to all implementations of System 21.

Menu options:

New

The Role Activity Area, on the right hand side of the window is cleared to enable you to create a new Role Menu. You drag activities across from the Application Browser Area on the left. Explorer calls your new Role Menu Role Menu Designer(n), where n is an incremental number. You can change this name when you click Save As from the File Menu.



Note: Your System Administrator may have set up Explorer to prompt you to enter a Role code for the new Role Menu when you save the new name.

Open

Displays the Open Window.

Save

Saves the active Role Menu with the name and location you previously set up using the Save As button. When you save a document for the first time, Explorer displays the Save As Window. If you want to change the name of an existing Role Menu, use the Save As button.

Save As

Displays the Save As Window and enables you to save the current Role Menu in the location of your choice.



Note: Your System Administrator may have set up Explorer to prompt you to enter a Role code for the new Role Menu when you save the new name.

Activity Manager



Note: This option is enabled only when there are one or more activities running.

Displays the Activity Manager Window.

Server Session

Displays the Server Session Window so you can sign on to a Server Session.

Work With Submitted Jobs

Displays a screen which lists the jobs that you have submitted for processing on the server.

Work With Server Prints

Displays a screen which lists the reports that you have submitted for printing on the server, and enables you to control the print queue.

Work With Messages

Displays a window which lists the messages sent to you. You can reply, but cannot enter new messages.

For more information on receiving and sending messages see the Administration Functions section of the System Manager product guide.

Action Keys

Displays the Action Keys Submenu. Enables you to perform actions normally initiated by the use of action keys. If working on an AS/400 then you select the method you prefer. If working on UNIX or NT where action keys are not available then this offers you a way of replicating the performance of the action keys.



Note: The options on the Action Keys Submenu are applicable only when you have logged on to a server and started a session.

Format

Displays a further option called Country which in turn displays the Select Country Window. This enables you to select the code page for your server connections.



Note: This is an advanced option. Please refer to your System Administrator.

Exit

Exits System 21 Explorer. For more information please refer to Opening And Closing Explorer.

Action Keys Submenu



Note: The options on this submenu are applicable only when you have logged on to a server and started a session.

Menu Options:

Reset

Resets the error message.

Server Screen Print

Prints the screen details as they would appear on a character based screen connected to the server. A message is displayed when the print operation is complete.

You must have a printer connected directly to the server, or to a PC connected to the server, running an appropriate print server program.

System Request

Issues a System Request. For more information about System Requests see the System Manager product guide.

Attention

Calls the Operation Assistant Functions. This only works from a Server Session window. For more information about these functions see the System Manager product guide.

View Menu

Menu Options:

Large Icons

Display the activities with large icons. You could also use the button on the Toolbar.

Small Icons

Display the activities with small icons. You could also use the button on the Toolbar.

List

Display the activities as a list. You could also use the button on the Toolbar.

Details

Display the activities with details. You could also use the button on the Toolbar.

Refresh Action List

Refresh the Action List to reflect the latest situation. Completed activities are deleted and newly appointed activities are displayed. A message on the Status Bar tells you that Data Manipulation is in progress.



Note: You can set the list to be refreshed at regular intervals, using the Preferences Options Window.

Tools Menu

Menu Options:

Role Menu Designer

Switches the Explorer between Role Menu Designer mode and User mode. When the Explorer is in Role Menu Designer mode the screen area splits into two. On the left is the area displaying the Application Browser and on the right is the list of activities for the currently selected Role Menu.



Note: If this menu option is disabled then contact your System Administrator who might want to reset it using System Configuration.

Action List



Warning: The Work Management application must be installed on your Server if you want to use the Action Tracker or Action List functions.



Note: This menu option has to be enabled through System Configuration. Please refer to your System Administrator for this.

This option switches on the Action List. This list is displayed at the bottom of the Role Activity Area. This list displays the activities which are outstanding for your Role. For example if you are an Accounts Clerk then there may be a list of activities outstanding for the Accounts Clerk to complete. You may activate an activity by double clicking it in the Action List. When the activity is completed then it is automatically deleted from the list.

Action Tracker

Displays the Action Tracker window. This enables you to view the current status of any Document Type on your database. In most cases these are documents, such as Sales Orders or Picking Notes, but they could also be enquiries. You may also launch a pending Document Type.



Warning: The Work Management application must be installed on your Server if you want to use the Action Tracker or Action List functions.

Document Viewer

Displays the Document Viewer window.



Note: This menu option has to be enabled through System Configuration. Please refer to your System Administrator for this.

Options Menu

Menu Options:

Preferences

Displays the Preferences Window.

Role Codes

Displays the Role Codes Window.

Prompt For App Server Settings

This enables you to force a new logon to a server when you next start an activity.

Normally you logon to each server only once and the connection is maintained for the execution of any number of activities which are connected to that server. If you use this option, you have to logon to a server, using the Application Server Settings Window, every time you select an activity.

Please refer to the Application Server Settings Window.

Help Menu

Menu Options:

JBA System 21 Explorer Help

Displays the online help to assist you in working with System 21 Explorer.

JBA On The Web

If you have Internet Explorer installed, this displays JBA's Web site.

About

Displays System 21 version information.

Toolbar



Note: You can add your own buttons to the toolbar using the System Configuration Toolbar Window.

This is what you have on the toolbar, starting from the left:

Role Menu List



This drop down list box displays the name of the currently selected Role Menu, for example: Telesales Controller. The list displays the Roles available to you as set up by your System Administrator.

Role Menu Designer



This button switches the Explorer between Role Menu Designer mode and User mode. When the Explorer is in Role Menu Designer mode the screen area splits into two. On the left is the area displaying the Application Browser and on the right is the list of activities for the currently selected Role Menu.



Note: If this button is disabled then contact your System Administrator who might want to reset it using System Configuration.

Action List



Warning: The Work Management application must be installed on your Server if you want to use the Action Tracker or Action List functions.



Note: This button has to be enabled through System Configuration. Please refer to your System Administrator for this.

This button switches on the Action List. This list is displayed at the bottom of the Role Activity Area. This list displays the activities which are outstanding for your Role. For example if you are an Accounts Clerk then there may be a list of activities outstanding for the Accounts Clerk to complete. You may activate an activity by double clicking it in the Action List. When the activity is completed then it is automatically deleted from the list.

Change Explorer User



This button displays the Change Explorer User Window. This enables you to change the current user. Users are set up in the database and are authorised to use a number of Roles, which are in turn set up to use a number of activities. Users can be configured, using the User Role Maintenance utilities, to a subset of the available Roles. If there are no users to select then all

Roles are available to you. It is possible for a System Administrator, with System Configuration permissions, to set your current user to match your Windows user.



Note: The next four buttons enable you to change the way in which the activities are displayed on the screen:

Large Icons



Select this button to display the activities with large icons.

Small Icons



Select this button to display the activities with small icons.

List



Select this button to display the activities as a list.

Details



Select this button to display the activities with details.

Action Tracker



Displays the Action Tracker window.

This enables you to view the current status of any Work Management controlled documents on your server. You may also launch a pending operation on a document.



Warning: The Work Management application must be installed on your Server if you want to use the Action Tracker or Action List functions.



Note: This button has to be enabled through System Configuration. Please refer to your System Administrator for this.

Document Viewer



Displays the Document Viewer Window. Please refer to the Document Viewer section of this Online Help.



Note: This button has to be enabled through System Configuration. Please refer to your System Administrator for this.

Currency Conversion



This enables you to use the Ctrl+F1 key combination in System 21 applications to display a tooltip showing the conversion calculations for the field under the mouse pointer.



Note: The Currency Calculator window is also displayed, initially minimised. You can use the Currency Calculator to perform ad hoc calculations and change conversion settings.

Always Prompt For Application Server Settings



This enables you to force a new logon to a server when you next start an activity.

Normally you logon to each server only once and the connection is maintained for the execution of any number of activities which are connected to that server. If you use this option, you have to logon to a server, using the Application Server Settings Window, every time you select an activity.

Please refer to the Application Server Settings Window.

Designer



This enables the System Administrator to tailor the System 21 window display for the Explorer user.



Warning: Designer is intended for the System Administrator only.



Note: You can access Designer only if the Designer field, in the Preferences Window, has been checked. If the Designer field in the Preferences Window is disabled then contact your System Administrator who may want to reset permissions for you.



Note: Only non Visual Component windows can be reformatted in Explorer.

You can access Designer by using the Designer button on the toolbar. However this button may not always be available to you. When you start an activity the Designer button is displayed on the toolbar provided that:

- The window is not a Visual Component.
- The Designer field, in the Preferences Window, has been checked.
- There is only one active session. If you start a second session the Designer button becomes automatically disabled.
- The Server screen contains a magic number.

Action List



To display this window, press the Action List button.



Warning: *The Work Management application must be installed on your Server if you want to use the Action Tracker or Action List functions.*



Note: *This button has to be enabled through System Configuration. Please refer to your System Administrator for this.*

This list displays the activities which are outstanding for your Role. For example if you are an Order Entry Clerk then there may be a list of activities outstanding for the Order Entry Clerk to complete.

Activity	Doc. Type	Reference	Priority	Date & Time	To	Business Process	Activity Code	Activity Proc
 Confirmation of despatch	Pick Note	000254600	High	29/06/98 10:50:43	Role	AE1 ()	CNFDSP	TASK
 Confirmation of despatch	Pick Note	000254700	High	29/06/98 11:15:21	Role	AE1 ()	CNFDSP	TASK
 Confirmation of despatch	Pick Note	000254800	High	29/06/98 12:11:36	Role	AE1 ()	CNFDSP	TASK
 Confirmation of despatch	Pick Note	000254900	High	29/06/98 13:51:26	Role	AE1 ()	CNFDSP	TASK

You may activate an activity by double clicking it in the Action List. When the activity is completed then it is automatically deleted from the list.

Pop Up Menus

Just as for standard Windows 95 or Windows NT applications, Explorer supplies you with useful context sensitive pop up menus.

When you are in the Role Activity Area there are two types of pop up menus which you can display, using the right mouse button:

- When you click with the right mouse button on an activity then the Role Activity Area Pop Up Menu is displayed.
- When you click with the right mouse button on a blank space then the Role Activity Space Area Pop Up Menu is displayed.

Within the Action List there is another pop up menu which you can display when you click with the right mouse button on an activity within the Action List.

Role Activity Area Pop Up Menu



To display this pop up menu, click, with the right mouse button, on an activity in the Role Activity Area.

Menu Options:

Delete

This deletes the activity from the Role Activity Area. It does not delete the application.

Run

This runs the activity.

Shortcut

This puts the activity icon on the desktop for you to use as a shortcut.

Properties

Displays either: the Properties Window For Elemental Activities or the Properties Window For Assembled Or Microsoft Activities, depending on the type of activity for which you click with the right mouse button. This enables you to amend the properties for the activity.

Move up one level

This enables you to move to a higher folder level within the Role Activity Area.

Documentation

Displays Document Viewer Window. Please refer to the Document Viewer section of this online Help.

Role Activity Space Area Pop Up Menu



To display this pop up menu click with the right mouse button on a space in the Role Activity Area.

Menu Options:

New/Folder

This enables you to create a new folder to group your activities in the Role Activity Area.



Tip: If you create a new folder by mistake then right click on the folder and select Delete from the pop up menu.

New/Activity

This gives you a further choice:

Assembled

Displays the Properties Window For Assembled Or Microsoft Activities.

Elemental

Displays the Properties Window for Elemental Activities. This enables you to create a new activity to be displayed in the Role Activity Area. The title of the window is Properties For New Activities.

New/Program

Displays the Add Application to Explorer Window. This enables you to specify a pathway to an external program and put the icon on the list of activities in the Role Activity Area as a shortcut. For example you might want to put the Microsoft Access icon on to your list.

Action List Pop Up Menu



To display this pop up menu, click, with the right mouse button, on an activity in the Action List.

Menu Options:

Run

Runs the action. This enables you to complete the action in the action list. Once the action is completed it is removed from the action list.

Overrides

Displays the Action List Activity Overrides Window. This enables you to override the properties of the action and to reschedule the action.


Explorer Windows

The following windows sections give you detailed information about entering data with Explorer.

Action List Activity Overrides Window



To display this window, click an activity in the action list with the right mouse button, then select Overrides from the displayed pop up menu.



You can override the properties for the activity displayed in the Action List.

Fields:

Recipient Type

Select the type of recipient for this activity, For example, this could be Role, user or email.

Recipient

Select the recipient for this activity. This could be a specific user or a Role.


Priority

Select the priority of the activity.

Action List Activity Overrides Reschedule Window



To display this window, click an activity in the action list with the right mouse button, select Overrides from the displayed pop up menu. Then select the Reschedule panel.



Fields:

Choose whether you want to reschedule the activity.


To reschedule this activity at specific time, choose At Specific Time then enter the date and time in the adjacent fields.

To reschedule this activity after a time period, choose After Elapsed Period, and enter the time period in the adjacent field.

Activity Manager Window




To display this window select Activity Manager from the File menu on the Main Menu Bar. This window is available only when there are one or more activities running.



Session	Activity Description	User ID	Server	Company	Environment
1	Order entry (transcripti...	gbjbarap	STUD140	Z1	QA3



Note: Scroll along the window to see all the columns of information.



Server	Company	Environment	Activity	Program
STUD140	Z1	QA3	OE 031010	

You can display information about sessions you have running under System 21. There are details about the Session, Activity Description, Company, Environment, Server, User ID, Activities and DLLs.

If you double click on one of the sessions the Activity Manager Window closes and the chosen session becomes your current session.



Note: There are no input fields or buttons.

Add Application To Explorer Window



To display this window select New and Program from the Role Activity Space Area Pop Up Menu.

Enter a path for the new application or locate it using the browse button.

Command Line: Browse

Application Name: Cancel

Start in: OK

Help

You can create an activity in the Role Activity Area which runs a new application of your choice.

Fields:

Command Line

Click the Browse button to locate the command line to run the application. This will be an .EXE file.

Application Name

When you select a command line from the browse list this field is completed for you. However, you can override it if you want to.

Start In

This is the directory containing the original item or some related files.

Buttons:

Browse

Browses on available commands.

Cancel

Close the window without adding an application.

OK

Close the window and add an application to Explorer.

Application Server Settings Window



To display this window double click on an activity to go through to the System 21 application.

You can enter logon details. If your details are correct Explorer connects you to the Server system. For example: if you had double clicked on a component called Enter Order then after a successful logon the Enter Order window would be displayed for you to use.

The text at the top of the window tells you which application you are connecting to: for example, This will be used to run Report Generator.

Fields:

Server

Displays the default Server saved from your last System 21 session. Either use the default server name, or select another from the drop down list.

This list is set up for you by your System Administrator, using System Configuration.

User name

Your User name identifies you to the server. You should enter your User ID details.

For future logons System 21 will default to the User ID that you initially entered.

Password

Your password. The password is not displayed on screen - each typed character is represented by an asterisk (*).



Note: If your password has expired, the Change Password Window is displayed, enabling you to change your password.

Company

This group box contains the following radio buttons:

User Default

Select this to accept your user default company. JBA System 21 is multi-company software where each user can have their own default company set up.

Use

Select this and enter a two-character company code if you want to override your user default.

The browse button is available only when you log onto System 21 for a second or subsequent time. This is because the Server builds a list of companies after you log in for the first time. This displays the Select Company Window.



Note: The System Administrator can use the System Configuration Servers Window to set defaults for the Server.

Environment

This group box contains the following radio buttons:

Server Default

Select this to accept the default environment for the server.

Use

Select this and enter an environment code if you want to override the environment for the server.

Save As Default For *SERVERNAME*

Where *SERVERNAME* is the name of the server selected in the Server field above.

Check this box to save the settings for the default server.



Note: The System Administrator can use the System Configuration Servers Window to set defaults for the Server.

Buttons:

OK

Save the changes and close the window.


Cancel

Close the window without saving the changes.

Change Explorer User Window



To display this window select the Change Explorer User button from the Explorer toolbar.



You can change the current user. Users can be configured, using the User Role Maintenance utilities, to a subset of the available Roles.



Tip: Refer also to the Section in this help guide called Explorer User Role Maintenance. There is a tutorial which explains how to create new Role Menus and a new User.

Fields:

User

Select a user. This gives you the Roles that are available to this user. If there are no users to select then all Roles are available to you.



*Note: Your System Administrator may have enabled the * user. This user has access to all the existing Role Menus.*



Note: Your System Administrator may set your current user to default to the Windows user.

Buttons:

OK

Save the changes and close the window.


Cancel

Close the window without saving the changes.

Open Window



To display this window select Open from the File menu on the Main Menu Bar.



You can see all the Role Menus in the current directory and select one to open. The default is the last Role Menu which was opened.

Fields:

Look in

A browser list of directories. You select a directory and a list of all the Role Menu files are displayed below.



Note: Role Menu files are stored as .RMU files.

File Name

You select an .RMU file in the display above and the name is automatically entered in this field.

Files of Type

A list of file types. The default is .RMU files.

Open As Read Only

Checked: The .RMU file is read only and cannot be updated.

Unchecked (default): The .RMU file can be updated.

Buttons:

Up One Level

Move up a level in the directory listing.

Create New Folder

Create a new folder in the Role Menu view. Click with the right mouse button to display normal Windows pop up menus.

List

Display the Role Menus as a list.

Details

Display the Role Menus with details.

Open

Open the Role Menu file specified in the File Name field. This closes the Open Window and displays the Role Menu file in drop down list box on the Explorer toolbar.

Cancel

Close the window without saving the changes.

Preferences Options Window




To display this window select Preferences from the Options menu on the Main Menu Bar and then select the Options tab.



Warning: You may find that some of the fields on this window have been disabled. In order to enable them you need to set permissions using System Configuration. Access to System Configuration is via the System Configuration button. If this button is also disabled then contact your System Administrator.

You can set up general preferences for Explorer.



Fields:

RunQARun

For JBA internal use only.

Launch On Role Menu Change

This Check box has the following options:

Checked - Create a new copy of JBA System 21 Explorer each time that you change your Role.

Unchecked (Default) - Do not create a new copy of JBA System 21 Explorer each time that you change your Role.

Use InfoBase Help Files

Checked (Default) - Use the PC InfoBase Help Text.

Unchecked - Use the Standard Server Text.

Refresh Action List

Check this and select a number of minutes in order to instruct Explorer to update the Action List. Note that when a user executes an activity in an Action List then the list is automatically updated and this happens whether this field is checked or not.



Note: You can also refresh the Action List manually at any time by selecting the Refresh Action List option on the View Menu on the Main Menu Bar.

Server Options

This group box contains the following field:

Your Default Server Is

Select your default Server from this list box. This server is then displayed for you on the Application Server Settings Window when you execute an activity. This is the server used for every operation where there are no other server overrides specified.

Buttons:

Configuration



Warning: This button is available only to the System Administrator.

It runs a stand alone program which enables you to define the options available to the Explorer user. This displays the System Configuration Menu and windows. It is available only if System Configuration has been used to enable the button.

OK

Save the changes and close the panel.

Cancel

Close the window without saving the changes.

Preferences Screen Window




To display this window select Preferences from the Options menu on the Main Menu Bar and then select the Screen tab.



Warning: You may find that some of the fields on this window have been disabled. In order to enable them you need to set permissions using System Configuration. Access to System Configuration is via the System Configuration button. If this button is also disabled then contact your System Administrator.

You can set up screen preferences for Explorer.



Fields:

Panel Group Box

Use the files in this group box to set up how your screen looks.

Use Bold Font

Checked (on) - The text font is set to Arial Monospaced Bold.

Unchecked (off, Default) - The text font is set to Arial Monospaced Normal.

Function Key Text Only

Explorer displays functions that would be assigned to function keys, on a keyboard-only dumb terminal, as buttons. You can choose to hide or display the function key number. For example information that appeared on a dumb terminal as F8=Update can be displayed as a button labelled simply Update. The Function Key Text Only check box gives you control over this process, and has the following options:

- Checked (On Default) - the options are visible as buttons on the display, but with no associated F number. You select the button for the required option.
- Unchecked (off) - the function key options (number and text) are displayed on the button. You select the button for the required option, or you can press the relevant function key.

You can use function keys whether they are displayed or not if you know what they are. Keys F1 - F12 are standard PC keys; to access keys F13 - F24 use the Shift key with the standard PC function keys to increment the value of the function key by twelve. Therefore Shift+F1 equals F13, Shift+F2 equals F14 and so on.

Recognition And Reformatting

Checked (on) - System 21 displays screens edited using System 21 Designer.

Unchecked (off) - System 21 uses its defaults to display data from the server without any Designer changes. These screens will be closer to straightforward character based screens.

Designer

Check this box to enable the Designer facility. This enables the System Administrator to tailor the System 21 window display for the Explorer user.



Warning: Designer is intended for the System Administrator only.



Note: You can access Designer only if the Designer field, in the Preferences Window, has been checked. If the Designer field in the Preferences Window is disabled then contact your System Administrator who may want to reset permissions for you.



Note: Only non Visual Component windows can be reformatted in Explorer.

You can access Designer by using the Designer button on the toolbar. However this button may not always be available to you. When you start an activity the Designer button is displayed on the toolbar provided that:

- The window is not a Visual Component.
- The Designer field, in the Preferences Window, has been checked.
- There is only one active session. If you start a second session the Designer button becomes automatically disabled.
- The Server screen contains a magic number.

System Wide Settings Group Box



Note: You can only reformat non Visual Component windows in Explorer.

This group box has fields which enable you to set options for all the windows which are able to be reformatted. This is different to the Designer facility where you set options only for the active window.

Clip Top

This spin button group box is used to specify how many lines are to be removed from the top of the screens when they are displayed.

The top two lines of a System 21 default screen usually show the program name, company and user, date and time. The appearance can be improved by removing these lines and the freeing up of the pixels improves the resolution of the screen.

If the Company Name is clipped from the screen you can easily check on this in the Activity Manager Window.

The default for the clipping at the top is two lines.

Clip Bottom

This spin button group box is used to specify how many lines are to be removed from the bottom of the screens when they are displayed.

The bottom two lines of a System 21 default screen usually show status information.


The default for the clipping at the top is two lines.

Remove Stops

Checked (Default) - This takes out the row of dots that is included by default in field descriptions. This is what you get:



Unchecked - This leaves in the row of dots that is included by default in field descriptions. This is what you get:



Buttons:

Configuration



Warning: This button is available only to the System Administrator.

It runs a standalone program which enables you to define the options available to the Explorer user. This displays the System Configuration Menu and windows. It is available only if System Configuration has been used to enable the button.

OK

Save the changes and close the window.


Cancel

Close the window without saving the changes.

Preferences Document Viewer Window



To display this window select Preferences from the Options menu on the Main Menu Bar and then select the Document Viewer tab.



You can set up Document Viewer preferences for Explorer. The settings on this window determine what you see when you go into an application window to which a document is linked.



Warning: *You can presently set up only one link per window. If you set up more than one link, even using different fields, Designer recognises only the latest one.*

Call Document Viewer For All Linked Fields

By default this box is unchecked.

If you check this box and then go into an application window, where there is a linked field, the Document Viewer Window is displayed with a list of the registered documents. You can double click on a document to view it.

If you do not check this box and then go into an application window, even if there is a linked field, the Document Viewer Window is not displayed. However, you can click on the Document Viewer button on the toolbar and display it manually.

Hide Viewer If There Are No Valid Keys For Linked Fields

This check box is available only if you check the box above.

If you have a field linked to the Document Viewer this means that when the application window opens the Document Viewer always displays, even if you have no documents registered. This might be inconvenient. This check box enables you to hide the Document Viewer where it finds no valid key. This is particularly useful for input fields.

For example: for your Item Maintenance window you might want to link documents to particular item numbers. You would register the Item Number to form the second part of the index - the Document Key. This means that the individual document displays in the viewer when the Explorer user enters the Item Number. By checking this box you can make sure that the Document Viewer only displays for those Item Numbers which have a linked document.

Single Document Options

Explorer only takes note of this setting if there is one single document linked to an application window.

This radio button has three options:

- Automatically launch and show document viewer - If you select this option then go into an application window, and there is a single document linked, the linked document displays. The document displays within its viewing program as determined by its Document Type.
- Automatically launch and hide document viewer - If you select this option then go into an application window, and there is a single document linked, the linked document displays.
- Show document viewer (Default) - If you select this option then go into an application window, and there is a single document linked, the Document Viewer Window is displayed with the name of the linked document. You can double click on the document to view it.

Buttons:

Configuration



Warning: This button is available only to the System Administrator.

It runs a stand alone program which enables you to define the options available to the Explorer user. This displays the System Configuration Menu and windows. It is available only if System Configuration has been used to enable the button.

OK

Save the changes and close the window.


Cancel

Close the window without saving the changes.

Preferences Constructor Window



To display this window select Preferences from the Options menu on the Main Menu Bar and then select the Constructor tab.



You can set up Constructor preferences for Explorer.

MDI Settings Group Box

When you run Assembled Activities they are displayed on an MDI. Use this field to set the background for the space on which the activities are displayed.

This is a group box with two radio buttons, and two input fields to go with them.

Choose one of the radio buttons first:

- Set Background Colour
- Set Background Bitmap.

You can choose to set either the colour of the MDI background, or where to find the bitmap which you want to use in place of the background. You cannot set both.

Background Colour

This field is enabled only if you select the accompanying radio button called Set Background Colour. Select the colour you want for the MDI background.

Location Of Bitmap

This field is enabled only if you select the accompanying radio button called Set Background Bitmap. Enter the full pathway to the bitmap.

Buttons:

Configuration



Warning: This button is available only to the System Administrator.

It runs a stand alone program which enables you to define the options available to the Explorer user. This displays the System Configuration Menu and windows. It is available only if System Configuration has been used to enable the button.

OK

Save the changes and close the window.

Cancel

Close the window without saving the changes.


Properties Window For Assembled Or Microsoft Activity




To display this window select either an Assembled Activity or a Microsoft Program in the Role Activity Area. Then select Properties from the Role Activity Area Pop Up Menu.

Or:

Select New and Activity and Assembled from the Role Activity Space Area Pop Up Menu.



This is for an Assembled Activity



This is for a Microsoft Program

You can set properties for the activity you select in the Role Activity Area.



Note: You can select from Assembled Activities or Microsoft programs.

Fields:

Title

Edit the name of the activity as displayed in the Role Activity Area.

File

The pathway to the program which the activity runs:

- For an Assembled Activity enter the pathway for the .ACT file.
- For a Microsoft program enter the pathway for the .EXE file.

Buttons:

OK

Save the changes and close the window.

Cancel

Close the window without saving the window.

Properties Window For Elemental Activity



To display this window select an Elemental Activity in the Role Activity Area and then select Properties from the Role Activity Area Pop Up Menu.

Or: Select New and Activity and Elemental from the Role Activity Space Area Pop Up Menu. The title of the window is expanded to Properties For New Activities.

This window has two panels: General and Advanced. It enables you to set properties for the new Elemental Activity or the Elemental Activity you select in the Role Activity Area.

General

Fields:

Title

Edit the name of the activity as displayed in the Role Activity Area.

Activity Type




Note: This field is disabled if you are editing properties for an existing activity.

You can have three types of activity:

- **Application.**
Select this if you want a System 21 activity. You then enter a task code in the Task field. For example: IN 031295.
- **Server Function.**
Select this if you want a server command. You then enter a command in the Command field. For example: WRKSBMJOB. Maximum 40 characters.

- **Server Session.**
Displays the Server Session Window, unless a server is selected from the Advanced panel in which case a server session will be started on the selected server.

Advanced



Fields:

Activity Environment

These radio buttons represent bespoke functionality for the activity. You may have facilities which have been designed specially for your company. If this is so then you would have a radio button, titled with your company's name, which you could check in order to enable these functions instead of the standard JBA functions. Please refer to your System Administrator for confirmation.



Tip: If you want to use the standard JBA functions then ignore this panel altogether and accept, by default, the JBA activity type.

Overrides Group Box

Icon

Optional. Enter the complete pathway to the icon which you want to use, on the Role Activity Area, for this activity.

Server

Optional. The name of the server on which to run the activity. Leave this blank if you want the activity to be run on the default system. Refer also to the Preferences Options Window and the Application Server Settings Window.



Note: The System Administrator can use the System Configuration Servers Window to set defaults for the Server.

User

Optional. This is the name of the user under which you want to run the activity. Leave this blank if you want the activity to be run under the default user.

Company

Optional. This is the name of the company under which you want to run the activity. Leave this blank if you want the activity to be run under the default company.

Environment

Optional. This is the name of the environment under which you want to run the activity. Leave this blank if you want the activity to be run under the default environment.

Prompt For App Server Setting

Select this to force a new logon to a server using the Application Server Settings Window every time you select this activity. Please refer to the Application Server Settings Window.

If you leave this blank, you logon to each server only once and the connection is maintained for the execution of any number of activities which are connected to that server.

Buttons:**OK**

Save the changes and close the window.


Cancel

Close the window without saving the window.

Role Codes Window



To display this window select Options and Role Codes from the Main Menu Bar.



You can define Role codes for existing Role Menus. If you want to make full use of the Work Management facility then you must assign Role codes to Role Menus. Use this window if you have an existing Role Menu for which a Role code has not yet been assigned.

In this window you can change the Role code but you cannot change the Role Menu. To change the Role code you first select it and then click the Edit button.

Buttons:

Exit

Close the window and save the changes.

Edit

Puts the Role code into Edit mode.


Select Company Window



To display this window, click the browse button, in the Company group box on the Application Server Settings window.



Note: The browse button is available only when you log onto System 21 for a second or subsequent time.



This list of companies is built by the server after you log in for the first time.

You can highlight the required Company and click on the Select button, or simply double-click on the Company.

Fields:

Company No.

Displays the company code.

Company Name

Displays the company name.

Buttons:

Select

Confirm the highlighted choice, save changes and close the window.


Cancel

Close the window without saving changes.

Select Country Window



To display this window select Format and then Country from the File menu on the Main Menu Bar.



You can display a window list of language drivers for your keyboard. You can highlight the required Country and click on the OK button, or simply double-click on the Country.

You should select the same nationality as that specified in the Country field of the International section of Windows Control Panel.

Buttons:

OK


Confirm the highlighted choice, save changes and close the window.

Cancel


Close the window without saving changes.

Server Session Window

 To display this window select Server Session from the File menu on the Main Menu Bar.



You can sign on to an AS/400 Server Signon Session.



Fields:

Server

Select the server.

Buttons:

Connect

Connect to a Server Session.

Cancel

Close the window without connecting to a Server Session.