

-
-
-
-
-

Chapter 7

Explorer Document Viewer



Getting Started With Document Viewer

This section gives you all the information you need to get started, including tutorials.

Prerequisites

In order for the Document Viewer to work you must have Internet Explorer, Version 3 or above, installed on your machine.

Document Viewer is assigned to a Microsoft Web browser and makes use of the Internet to link with certain documents.

What Is Document Viewer?



Note: Although Document Viewer is classified as part of Explorer, it is also used within Constructor and can be used as a stand alone facility, integrated into third-party links through an ActiveX interface.

Document Viewer enables you to maintain a database of documents which can then be accessed in a variety of ways.

The Document Viewer database is a list of references to documents and does not hold the documents themselves. The actual documents may be held anywhere on your system.

Document Viewer also links to Technical Reference. You can configure Explorer to show these links using the System Configuration Document Viewer Window.

The Documents you can view may be:

- PC files of any type, including .EXE files, and for this you need an appropriate viewing program on your machine. For example if the document is a bitmap you might want Microsoft Paint to be the viewing program.
- Web URL files. For this you need Internet Explorer installed on your machine. Document Viewer will not work at all without this.

About Indexes

Each document has to be registered to the database using a two level index:

- 1st Level - Document Category
- 2nd level - Document Key.



Note: These indexes are not unique to each document because each index may have any number of documents registered against it.

The database may be a local Access MDB or remote ODBC.

Documents linked through Designer have to be registered manually using the Register A Document Window.

Links from Elemental Activities and from Technical Reference create the index automatically with a Document Category of ConstructorACT.

Accessing Document Viewer

You can access Document Viewer by:

- Clicking the Document Viewer button on the Explorer Toolbar. 
- Selecting the Document Viewer option from the Tools Menu on the Explorer Main Menu Bar.
- Selecting the Documentation option from the pop up menu when you right click on an activity in the Explorer Role Activity Area. You can also right click, in the same way, on an Activity or Business Process in Constructor. Please refer to the Help in Constructor itself.



Note: If these options are disabled then contact your System Administrator who might want to reset them using System Configuration.


This Is What You See First

The first window you always see is the Document Viewer Window with its own Toolbar and Menu Bar.



Note: If you have used the Toolbar button to access this window it will be partially overlaid with the Open Window. This is so that you can change the index. The Open Window is the active window.

You see these elements, in this order, starting from the top of the screen and going down to the bottom: Title Bar; Main Menu Bar; Toolbar; List View; Status Bar. They are described below.



Title Bar



This is at the top of the screen.

Main Menu Bar

There are five options: File, Edit, Mail, View, and Help menus. They are standard Windows drop down menus.



Tip: There is a separate Help section where each menu on the Menu Bar is explained in detail.

Toolbar



These are mostly standard Windows buttons.



Tip: There is a separate Help section where each button on the Toolbar is explained in detail.

List View

The Document Viewer displays all the documents in a list view below the toolbar.

Status Bar



The Status Bar is the area at the bottom of the screen and tells you when documents are being loaded and what index is being used.

Tutorials

This is what you can do:

- Maintain the database of documents.
- Create a link to:
 - An application window
 - An Elemental Activity
 - A third-party program.
- Show the link to Technical Reference.
- Set an alias path option.

If you are new to Document Viewer or if your Document Viewer database is empty then please do this:

1. Read through the section called Maintain The Database to get a general understanding.
2. Go to the section called Create A Link To An Application Window. This will take you through the first steps.

Maintain The Database



Note: Please refer to the System Configuration Document Viewer Window for the database pathway details.

The Document Viewer database is a list of references to documents which can then be referenced in various ways. You have to maintain this database yourself, it is not done automatically.

You add new documents by registering them, using a two level index:

- 1st Level - Document Category
- 2nd level - Document Key.

After registering the documents you can then use them, delete them or edit their details.

This is what you do:

Step 1

Display the Document Viewer Window in one of these ways:

- Click the Document Viewer button on the Explorer Toolbar.  The details are partially overlaid by the Open Window. You see, on the Open Window, the Category and Key for the last list viewed. This is the index. You can select another index if you want to and then click OK. This returns you to the Document Viewer Window and refreshes the list.
- Select the Document Viewer option from the Tools Menu on the Explorer Main Menu Bar. The details for the last list viewed is displayed for you.

Step 2

Note the list view in the Document Viewer Window. You see only those documents registered with one particular index. It tells you the document name, its size, when it was modified and what type of program is used to view it.

Step 3

These are your options now. They are described below:

- Registering
- Viewing
- Editing
- Deleting
- Changing Index
- Changing Document Types.



Tip: If your database is completely empty then you need to start registering. Finish reading this section then go to the section called Create A Link To An Application Window. This will take you through the first steps.

Registering

If you want to register a new document for this index then select Register from the File menu and display the Register A Document Window. Please refer to the Help section for this window. This adds a new document to the list.

Viewing

Double click on any document to view it.

Editing

If you want to edit a document you can right click on any document in the list and select Edit Document from the pop up menu. This displays the Register A Document Window for you to edit the details.

Deleting

If you want to delete a document you can right click on any document in the list and select Delete Document from the pop up menu. This deletes a document reference from the Document Viewer database. The document disappears from the list.



Note: The Document Viewer database is a list of references to documents and does not hold the documents themselves. Therefore when you delete here, you delete only the reference to the document and not the document itself. The actual documents may be held anywhere on your system.

Changing Index

Select Open from the File menu. Select new index details on the Open Window. This refreshes the list with documents for the new index.

Changing Document Types

Each document has an icon in front of its name in the list. This icon reflects the Document Type. For example the icon may reflect a .TXT type of document. If you want to change the Document Type use the Register A Document Window to edit the details.

However, if you want to maintain the list of Document Types then select Document Types from the Edit menu to display the Document Types Window. Please refer to the Help section for this window. Click the New button to add to the list.

Create A Link To An Application Window

This involves setting up a link from a field on a System 21 Window to the Document Viewer, so that when the Explorer user displays this window the Document Viewer is invoked. The document could be, for example: a letter, an invoice, a diagram or a catalogue item. The example used below sets up a link to an item number in the Item Number Maintenance program.



Tip: Before you start you must be familiar with Designer and the procedures to maintain the database using Document Viewer.



Tip: When you are working through these steps it will help if you keep this in mind:

- The Document Category is entered by you, both in Designer and Document Viewer
- The Document Key is entered by you in Document Viewer but it links automatically to the contents of the field.

This is what to do:

Step 1

Go into Document Viewer and register any number of documents for a single index.




Note: You do not have to do this first but this is the most logical way. This means anticipating what data will be displayed in a field. Please refer to the Help instructions to Maintain The Database.

Make a note of the Document Category and Document Key you use.

For example, you might use these for a test:

- Document Category - demo.
- Document Key - one of your existing item numbers, like this A100017.

You could choose documents relating to the item, such as product details or picture.

The image shows a 'Register a Document' dialog box. It has a title bar with a red icon and the text 'Register a Document'. The dialog contains several fields: 'Document Category' with a dropdown menu showing 'demo'; 'Document Key' with a dropdown menu showing 'A10017'; 'File' with a text box containing 'c:\testdv\actmgr.bmp' and a browse button (...); 'Document Type' with a dropdown menu showing 'BMP Bitmap Image'. Below these is a section titled 'Alias Path Options' containing a checked checkbox 'Enable Alias Paths' and a dropdown menu showing 'aliasdv=c:\testdv'. At the bottom is a section titled 'Effectivity Dates' containing an unchecked checkbox 'Assign Dates To Document', and two date pickers labeled 'From' and 'To'. At the very bottom are three buttons: 'Ok', 'Cancel', and 'Help'.

Tip: Ideally you should set up an Alias Path Option. Don't worry about this now. Either ignore it or select a pathway that matches that of your File pathway. To find out more later read the tutorial section called Set An Alias Path Option.

Close Document Viewer.

Step 2

Go into System 21 and go to the window on which you want to set up a link.

For example go to the Item Maintenance Window where the item details are displayed after you have entered the number. You can use any item number just for the purposes of getting into the window.

Step 3

Go into Designer.

Step 4

Decide which System 21 field to use to link to a document. You can have an input or output field.

For this example choose the output field where the item number is displayed.

If, during your testing, you see the Document Viewer displayed unexpectedly with the message: There are no documents for the current selection, then please just minimise it to make viewing easier. It does not mean that you have a problem. It is recalling an old link for which the documents have since been deleted.

Items

Item Maintenance

Item..... A10017

Pallet Conv

Volume

Weight

Effectivity start..... 15/02/00

Item type.....?

Item class.....?

Item group major...?

Item group minor...?

Division.....?

Sub-division.....?

Purchase unit.....?

Stock unit.....?

Issue unit.....?

VAT code.....?

Discount group.....?

Inventory source...?

Sales analysis flag... 1

Flag item for deletion. 0 0=No,1=Yes

Purchase pack.....

Stock->purchase conv.....

Issue->stock conv.....

Weight per selling unit..

Kit Parent Only (or Non-Kit)

End date 0/00/00

F3:Exit F4:Prompt F12:Previous F21:Text entry F24:More keys



Warning: You can presently set up only one link per window. If you set up more than one link, even using different fields, Designer recognises only the latest one.

Click with the right mouse button on your chosen field and select the Document Link option from the pop up menu. This displays the Document Link Window.

Enter the Document Category.

For this example enter demo.

Document Link

Document Category: demo

OK Cancel

Step 5

Select Save from the Project Menu in Designer and then close Designer and Item Maintenance.

Step 6

Test this out by going back into Item Maintenance. When System 21 displays your window it recognises that there is a document link. Remember that you specified the Document category so it checks for a match. Then it uses whatever is displayed in your chosen field to make a match for the Document Key. If there is a match for both parts of the index then the Document Viewer is displayed and you can view any documents registered for your chosen index.




Note: Whatever is displayed in the System 21 field, when you set up the link, is not important. The match takes place against the data that is

displayed in the linked field at runtime.

Step 7

You might test a link to an input field.

For example to the Item Description field. You could register a document this time with a Document Key of testdescription. Then Document Viewer would be displayed when you, as a user, entered testdescription in the field.



Item Maintenance

Item..... A10017

testdescription

Pallet Conv

Volume

Weight

Effectivity start..... 15/02/00

Purchase pack.....

Item type.....?

Item class.....?

Item group major...?

Item group minor...?

Division.....?

Sub-division.....?

Purchase unit.....?

Stock unit.....?

Issue unit.....?

VAT code.....?

Discount group.....?

Inventory source...?

Sales analysis flag... 1

Flag item for deletion. 0 0=No,1=Yes

Kit Parent Only (or Non-Kit)

End date 0/00/00

Stock->purchase conv.....

Issue->stock conv.....

Weight per selling unit..

F3:Exit F4:Prompt F12:Previous F21:Text entry F24:More keys

Step 8

Please note these points:

- If you are not happy with a link then you can override it by setting up a new one.
- To delete a link completely you must delete the index from the database. Please see your Database Administrator for this. However, you can delete the document in Document Viewer and this will remove the document from the list in Document Viewer at runtime.
- You can change the way in which the document is displayed. You can choose to hide the viewer and whether to automatically launch the document. Please refer to the Preferences Document Viewer Window. If this window is disabled then please refer to your System Administrator who may want to reset the configuration for you.
- See your System Administrator for available categories which have already been set up on the Document Viewer database. For example, you may want to link the viewer to an invoice bitmap, and you may have a category on your database called Invoices, which contains all the bitmaps of invoices. So in this instance you might enter Invoices as your Document Category.
- The linking facility also works when the Visual Components are running.

Create A Link To An Elemental Activity

This involves setting up a link from an Elemental Activity to the Document Viewer so that when the user runs the activity the Document Viewer is invoked. The document could be, for example, company procedures associated with that activity.



Note: You can also create a link, to an Elemental Activity or Business Process in Constructor, in the same way. Please refer to the Help in Constructor itself.

This is what to do:

Step 1


Click with the right mouse button on an Elemental Activity in the Explorer Role Activity Area. Select the Documentation option from the pop up menu. This displays the Document Viewer Window.

Step 2

Document Viewer creates an index for you:

- The Document Category will always be ConstructorACT
- The Document Key will be the Task Code for the activity.

Select Register from the Document Viewer File Menu and register any number of documents. All you have to do is to select the document(s).



Step 3

Please note these points:

- If you know the Task Code in advance then you might prefer to register the document before setting up the link.
- You might see a document in the list which you have not set up, referring to TechnicalReference.exe. This is nothing to worry about, just ignore it for now. This is explained in the Help section called Show The Link To Technical Reference.
- Ideally you should set up an Alias Path Option. Don't worry about this now. Either ignore it or select a pathway that matches that of your File pathway. To find out more later read the tutorial section called Set An Alias Path Option.

Create A Link To A Third Party Program

You can link to Document Viewer from external sources using either OLE or DDE Communications.

OLE Communications

You can insert commands into your VB programs, using either the LaunchViewer or the Show Document commands. This is documented in the following file:

C:\Program Files\JBASys21\ExpSamples \DocViewTest\DocView.doc

DDE Communications

JBA issue a Word macro template which you can use. This enables you to create an Explorer Toolbar button which registers the word document in Document Viewer.

C:\Program Files\JBASys21\ExpSamples \DocViewTest\DocumentViewer.txt

Show The Link To Technical Reference

Step 1

Note that when you right click on an Elemental Activity in Explorer, or Constructor, you can select the Documentation option and set up a link to launch the Document Viewer when the user runs the activity. Please refer to the Help section called Create A Link To An Elemental Activity.

When Document Viewer launches in this way it also makes an automatic link to the Technical Reference facility. This makes available the details for the activity.

Step 2

Document Viewer treats the whole facility as a single document, creating an index for you with details taken from the activity:

- The Document Category will always be ConstructorACT
- The Document Key will be the Task Code for the activity.

However, note that the Task Code is also used for the Document name in the Document Viewer list view. You don't have to select any documents.

Step 3

You don't set up the link to Technical Reference but you can choose whether or not to show its existence. To show this you check the box called Show Links To Technical Documentation on the System Configuration Document Viewer Window.

If you keep this box checked then this link from the Document Viewer to the Technical Reference is displayed in the Document Viewer Window. Document Viewer displays the link to Technical Reference as a single document and displays it with a filing cabinet symbol.



The example below shows what you would see in the Document Viewer where OE032220 is a Task Code.

Example:

Document	Size	Modified	Viewer
 OE032220			C:\PROGRAM FILES\WBASYS21\TechnicalReference.exe

Set An Alias Path Option

Why would you want to do this?

When you register a document, using the Register A Document Window, you have to specify a file pathway. If you have a number of documents this registration process can take some time. If you decide to move those documents at any time, for any reason, then you would have to delete those documents and then register them all over again or manually edit the database.

However, if when registering you specify an alias pathway this means that you can later move your documents. All you have to do then is to change the alias pathway. The path changes to all the documents which have been registered with that alias are then re-established with the new definition and you don't have to delete them and register them all over again.

How to do it

Follow these steps:

Step 1

Check where your documents are held. For example, they might be in:

C:\Documents\Reports

C:\Documents\Forms

C:\Documents\Memos

Step 2

Go into System Configuration File Paths Window and find the Document Viewer Documents field. You type in here a list of alias names and pathways. You invent the alias name but the pathway must match, or partially match, the directory pathway where your documents are currently stored.

For example, if you have this in the File field:

C:\Documents\Reports\Demo.bmp

then you need to select an alias with a matching path like this:

demoalias=c:\Documents\Reports

or with a partially matching path like this:

demoalias=c:\Documents

For example, type this list, without using any spaces and pressing Enter at the end of each line:

aliasr=c:\Documents\Reports

aliasf=c:\Documents\Forms

aliasm=c:\Documents\Memos

Select Save Ini from the File Menu.

Step 3

Restart Document Viewer to reflect the configuration changes.

Step 4

Go into Document Viewer.

Select the Register option from the File Menu and display the Register A Document Window.

You can register any number of documents and select aliases for them. The aliases which you entered at Step 2 above will be displayed in a drop down list in the Enable Alias Paths field.

For example, you might register a set of report documents and enter these pathways in the File field:

c:\Documents\Reports\rep1.bmp
c:\Documents\Reports\rep2.bmp
c:\Documents\Reports\rep3.bmp
c:\Documents\Reports\rep4.bmp

For each of these documents you select the following alias.

aliasr=c:\Documents\Reports

Then you could follow the same procedure for the forms and the memos.

This would give you three batches of documents, where each batch has its own alias.

Step 5

You can check the registered documents on the jbadv.mdb database.



Tip: Use Windows Explorer and double click on
c:\Program Files\JBASys21\v352\Data\Jbadv.mdb
for version 352.

Note that each document has an entry to associate it with the alias.

Step 6

If you wanted to you could now move your files.

For example, move these documents:

c:\Documents\Reports\rep1.bmp
c:\Documents\Reports\rep2.bmp
c:\Documents\Reports\rep3.bmp
c:\Documents\Reports\rep4.bmp

To these new locations:

c:\Warehouse\Documents\Reports\rep1.bmp
c:\Warehouse\Documents\Reports\rep2.bmp
c:\Warehouse\Documents\Reports\rep3.bmp
c:\Warehouse\Documents\Reports\rep4.bmp

Step 7

All you need to do is to change the alias from this:

aliasr=c:\Documents\Reports

to this:

aliasr=c:\Warehouse\Documents\Reports

You can now use your documents as normal and Document Viewer will know where to find them.

Document Viewer Menu Bar

The Document Viewer Menu Bar has five drop down menu options:

- File Menu
- Edit Menu
- Mail Menu - for future development.
- View Menu
- Help Menu.



Note: If any of these options are disabled then please refer to your System Administrator who may want to reset the configuration for you.

File Menu

Menu options:

Open

Displays the Open Window.

Register

Displays the Register A Document Window.

Exit

Close Document Viewer.

Edit Menu

Menu options:

Document Types

Displays the Document Types Window.

View Menu

Menu options:

Toolbar

Show or hide the Document Viewer Toolbar.

Status Bar

Show or hide the Document Viewer Status Bar.

Help Menu

Menu options:

Document Viewer Help

Displays the online help to assist you in working with Document Viewer for System 21 Explorer.

Document Viewer Toolbar



Use the Toolbar option on the View Menu to display the Toolbar. If the option is disabled then please refer to your System Administrator, who may want to reset the configuration for you.

Buttons:

Open



Displays the Open Window.

View The Selected Document



View the document in its viewing program as defined on the Document Types Window.

Print The Selected Document



Print a copy of the document.

Up One Level



Available when you view Web page documents. Takes you up one logical level.

Navigate Backwards



Available when you view Web page documents. Takes you back one page down the viewing pathway.

Navigate Forwards



Available when you view Web page documents. Takes you forward one page along the viewing pathway.

Large Icons



Display the documents with large icons.

Small Icons



Display the documents with small icons.

List



Display the documents as a list.

Details



Display the documents with details.

Document Viewer Pop Up Menus

Just as for standard Windows 95 or Windows NT applications, Document Viewer supplies you with useful context sensitive pop up menus.

These menus often duplicate features that you see on buttons or other menus.

You display the pop up menus when you click with the right mouse button.

There are two pop up menus:

- Document Viewer Window Pop Up Menu
- Document Types Window Pop Up Menu.

Document Viewer Window Pop Up Menu



To display this you click with the right mouse button on a document in the list on the Document Viewer Window.

Menu Options:

Delete Document

Deletes a document reference from the Document Viewer database. The document disappears from the list.



Note: The Document Viewer database is a list of references to documents and does not hold the documents themselves. Therefore when you delete here, you delete only the reference to the document and not the document itself. The actual documents may be held anywhere on your system.

Edit Document

Displays the Register A Document Window for you to edit the details.

Document Types Window Pop Up Menu



To display this you click with the right mouse button on parts of the Document Types Window. When you click on a space you only get the New option. When you click on an item in the list, under the name column, you get the Remove and Edit options.

Menu Options:

New Type

Displays the New Document Types Window.

Remove Type

Removes an item from the list view.

Edit Type

Displays the Define New Document Types Window for you to edit the details.

Document Viewer Windows


There are five windows:

- Document Types Window
- Define New Document Types Window
- Document Viewer Window
- Open Window
- Register A Document Window.

Document Types Window



To display this window select the Document Types option of the Edit Menu on the Document Viewer Menu Bar.



You can maintain a list of Document Types and their details. Each document in the Document Viewer has to have a Document Type.

Fields:

There is a list view showing all the Document Types which have been set up in Document Viewer. The view displays the Name of the Document Type, its Description and the type of program which you use to view it.

For example:

TXT Text files Notepad



*Note: If the Viewing Program says *ASSOCIATE this means that the Microsoft Windows default is used for viewing that type of document.*



Tip: To find out what the default is go into your Windows Explorer, take View/Options from the menu and select the File Types panel. The details at the bottom tell you what the file opens with.

If you want to change anything in the list you must first highlight the list item. You can then:

- Click the Edit button to display the Define New Document Types Window and edit the details.

- Click the Remove button to remove the item from the list.
- Click the New button to display the New Document Types Window and enter new details, which are then displayed as a new list item.

Buttons:

New Type

Displays the New Document Types Window.

Remove

Removes an item from the list view.

Edit

Displays the Define New Document Types Window for you to edit the details.

OK

Save the changes and close the window.

Cancel

Close the window without saving the changes.

Define New Document Types Window



To display this window click the New Type button on the Document Types Window.

Define New Document Types

Document Name:

Document Description:

Viewer Type

☐ Use Document Association

☐ Use As A URL

☐ Use Internet Browser To View

☒ Use External Viewing Program

...

Icon File Name: ...

Ok Cancel

You can set up a new Document Type.

Fields:

Document Name

Your name for the Document Type. For example you might put TXT for text files.

Document Description

Your description of the Document Type. For example you might put Text Files.

Viewer Type

This is a radio button with four options:

Use Document Association

Use the Microsoft Windows default for viewing this type of document. For example a .BMP file would probably use Paint as its viewer. This displays a Document Type of *ASSOCIATE on the Document Types Window. However, if you want to define a viewer just for Document Viewer purposes, use instead the option called Use External Viewing Program.



Tip: To find out what the default is go into your Windows Explorer, take View/Options from the menu and select the File Types panel. The details at the bottom tell you what the file opens with.

Use As A URL

Use this to launch a Web page with Document Viewer.



Tip: To try this out go into Register A Document Window. In the Document File field type www.jba.co.uk. Ignore the Unregistered Document message. Select Web in the Document Type field. A new document appears in the Document List with URL type. Double click on the Document to launch the Web page.

Use Internet Browser To View

In order to use the Document Viewer you have to have Internet Explorer, Version 3 or above, installed on your machine. Document Viewer is assigned to a Microsoft Web browser. Choose this option to use the Document Viewer browser to view a document on the Internet.

Use External Viewing Program

Use a program of your choice to view a document rather than the Microsoft Windows default viewer. Browse on a list of viewing programs.

Icon File Name

Browse to find an .ICO file. This icon is displayed next to the name of the document in this window and the Document Types Window for all documents with this Document Type.

Buttons:

OK

Save the changes and close the window.

Cancel


Close the window without saving the changes.


Document Viewer Window



To display this window:

- Select Document Viewer from the Tools menu on the Main Menu Bar
- Select the Document Viewer option from the Tools Menu on the Explorer Main Menu Bar
- Select the Documentation option from the pop up menu when you right click on an activity in the Explorer Role Activity Area. You can also right click on an Activity or Business Process in Constructor. Please refer to the Help in Constructor itself.





This is the main Document Viewer window. Use this window to maintain a list of documents on the Document Viewer database.



Tip: Please refer to Getting Started for the tutorial called Maintain The Database for a full explanation.

Not all the list is displayed at once, you see only those documents registered with one particular index.

The details for the last list viewed is displayed for you.



Note: If you have used the Toolbar button to access this window it will be partially overlaid with the Open Window. This is so that you can change the index. The Open Window is the active window.

This window has these elements:

- Title Bar
- Menu Bar
- Toolbar
- List View
- Status Bar.




Tip: Please refer to Getting Started to understand how to use them.

Open Window



To display this window:

- Select the Open button on the Document Viewer Toolbar
- Select the Open option from the File Menu on the Explorer Main Menu Bar
- Go into the Document Viewer Window using the Toolbar button and the Open Window overlays the Document Viewer Window.



Tip: If this is the first time you have used Document Viewer please read the Getting Started section of this Help.

You can open a list of documents which are then displayed in the Document Viewer Window. Enter the index details, consisting of the Document Category and the Document Key.

The list you see in the Document Viewer Window shows all the documents for just that one index.



Tip: You can use this window at any time to check on the current index.



Note: If you enter new index details the Document Viewer Window will remind you that there are no documents yet registered for this index. You can then go on to register some using the Register A Document Window.

Fields:

Document Category

This is the first part of the index.

Document Key

This is the second part of the index.

Buttons:

OK

Save the changes and close the window.

Cancel

Close the window without saving the changes.

Register A Document Window



To display this window select the Register option on the File Menu on the Document Viewer Menu Bar.

You can enter document details to register them with the Document Viewer database and specify a range of dates, for which the Document Viewer will become active, for that document.

Fields:

Document Category

By default this displays the Category displayed on the Document Viewer Window.

What you enter here varies depending on how you want to view the document.

- You may want to set up a link using Designer, in which case you have to make sure this name here matches that entered in the Document Link Window in Designer. It could be any name you want to enter.
- You may want to link a document to an Elemental Activity in Explorer, or Constructor. These links automatically set up a Document Category called ConstructorACT. You have no choice here.
- You may want to show any automatic link to Technical Reference. These links also automatically set up a Document Category called ConstructorACT. You have no choice here.

Document Key

By default this displays the Key displayed on the Document Viewer Window.

For any link which has been set up using Designer this field relates specifically to a value used in a System 21 application. For example you may enter an item number here and then go on to attach a document link to an Item field. When the user enters this item number the Document Viewer is invoked.

If the Document Category is called ConstructorACT the Document Key will be a Task Code.

Document File

Browse to enter the complete file pathway for the document.

Document Type

This is displayed for you when you enter the Document File. If you get an Unregistered Document message then you can select from the drop down list.



Tip: You can enter a World Wide Web page reference as a Document. To try this out type `www.jba.co.uk` in the Document File field. Ignore the Unregistered Document message. Select Web in the Document Type field. A new document appears in the Document List with URL type. Double click on the Document to launch the Web page.

Alias Path Options

Enable Alias Paths

Check this box and select an alias path option from the drop down list. If this box is checked it means that Document Viewer recognises that there is an alias for the pathway specified in the File field.



Note: This list is created by the System Administrator using System Configuration.

Please refer to Getting Started With Document Viewer. There is a tutorial called Set An Alias Path Option.

The alias path must match, or partially match, that in the File path.

For example, if you have this in the File field:

`c:\Documents\Reports\demo.bmp`

then you need to select an alias with a matching path like this:

`demoalias=c:\Documents\Reports`

or with a partially matching path like this:

`demoalias=c:\Documents`

Effectivity Dates

This group box has one check box and two fields, From and To. The two fields become enabled only when you check the check box.

Assign Dates To Document

Check the box to assign dates. This enables the From and To fields.

From/To

For both these fields click the calendar button  and select a date from the calendar.



Buttons:

OK

Save the changes and close the window.

Cancel

Close the window without saving the changes.