

-
-
-
-
-

Chapter 10

Explorer Email Server Agent



What Is Email Server Agent?



Warning: The Work Management application must be installed on your server if you want to use the Email Server Agent.

The Email Server Agent forwards email messages generated by the Work Management Engine. It periodically asks Explorer to tell it all the Action List items for the role *EMAIL. The Email Server Agent executes each activity in turn, sending the text that would have been shown on the screen as a MAPI compliant email.

The Email Server Agent is designed to run unattended and should be installed onto a network server rather than a user's machine.

A MAPI-compliant email system, such as Microsoft Exchange or Windows Messaging, must be installed before using the Email Server Agent.



Note: The PC running the Email Server Agent must have a configured and operational MAPI Compliant Client, such as a Windows Messaging Client.

Activities placed on the action list for the *EMAIL role are Manual Activities with a Recipient Type set to Email. Please refer to Using Email in the Work Management Help.

The information sent back to the Email Server Agent for each action list entry of type Email contains the Email address but not the message. To retrieve the message text the Email Server Agent must run a server task via Explorer; this server task will return the message text to Explorer, which will in turn return it to the Email Server Agent. The Email is sent once the message text is received.

All prominent actions carried out by the Email Server Agent are written to a log file JBAMailLact.log. All errors are written to a different log file, JBAMailLerr.log.

Email Server Agent And Windows 95

The Email Server Agent uses Microsoft Active Messaging version 1.1. Since Microsoft Exchange version 4.0, or lower, does not support Active Messaging, if you are using Windows 95 you will have to do one of the following to use the Email Server Agent:

- Install the DLL's from the Exchange 4.0 Server release rather than the original Exchange 4.0 client released with Windows 95.
- Install any version of Exchange greater than 4.0.
- Download the Explorer installation program, EXUPDUSA.EXE from <ftp://ftp.microsoft.com/softlib/MSLFILES/>.



Note: This is effectively an Exchange 4.0 Service Pack. First make a complete backup, then run the update.

The Explorer installation program tries to register the active messaging component OLEMSG32.DLL. This fails under Windows 95 if your version of Microsoft Exchange does not support Active Messaging.

After you have upgraded Microsoft Exchange, you must manually register Olemsg32.dll using the REGSVR32 command. If Olemsg32.dll has not been registered correctly, you get a Failure To Create MAPI Session Error when starting the Email Server Agent.

Using The Email Server Agent

Step 1 Starting Explorer

Before you can start the Email Server Agent you must first start Explorer. To start Explorer, click on JBA System 21 Explorer in your program list. Within Explorer select the Email role menu. If this role menu does not exist, you must create it with a role code of *EMAIL.




*Note: All email messages generated by the Work Management Engine are sent to role code *EMAIL. Therefore if you use any role other than ones with a *EMAIL role code, no messages are processed.*

The Action List for this role will contain all the email activities. To display the action list, press the Action List button.



Note: If you have not accessed any activities, you must logon to the server using the displayed Application Server Settings Window. This should be the system which contains the Work Management Email data.



Step 2 Starting The Email Server Agent

Start the Email Server Agent by clicking on Email Server Agent in your program list.



Choose Profile

Profile Name: IBM AS/400

New...

OK Cancel Help Options >>

 Tip: You can configure profiles from the Windows Settings\Control Panel\Mail option.

First, press the Stop button and exit the Email Server Agent, then shut down Explorer.

When you restart the Work Management server, you must also restart Explorer and the Email Server Agent.

Main Menu Bar

The main menu bar only has one option - Options.

Options Menu

Menu Option:

Maintenance

Displays the Maintenance Window. This enables you to clear the action and error logs and remove the error details files.


Email Server Agent Windows

The following windows sections give you detailed information, about using Email Server Agent, for each window.

Choose Profile Window



To display this window, click the Start button from the Email Server Agent Window.



Fields And Buttons:

Profile Name

Select the Windows Messaging profile.

New

Create a new Windows Messaging profile.

OK

Save the changes and proceed with starting the Email Server Agent.

Cancel

Close the window without starting the Email Server Agent.

Help

Displays help on this window.

Options

Displays the options group box.

Options

Set As Default Profile

Check this to set the selected profile as the default profile for the Email Server Agent.


Show Logon Screens For All Information Services

Check this to show all the logon information for all the services this profile connects to, for example, for the mail box and mail server.

Email Server Agent Window



To display this window, click on the Email Server Agent Option in your program list.



Fields:

Pending

The Pending list displays all messages waiting to be sent by the Email Server Agent.

Timing

The Email Server Agent periodically makes a request to Explorer to refresh its action list so that any new messages can be processed.

Action List Refresh Interval

Select the number of seconds between the requests to Explorer for an action list refresh.

Launch Wait Interval

Select the interval between retrieving all the action list Email entries and starting the server task to retrieve the message information. This interval should be long enough to allow Explorer to complete the action list refresh.

Logging

Actions

This displays all prominent actions carried out by the Email Server Agent.

Errors

This displays any errors detected by the Email Server Agent.

Buttons:

Start

Starts the Email Server Agent processing the action list entries.

Stop

Stops the Email Server Agent processing the action list entries.

Actions

View

Displays the log file for the selected action.

Clear

Clears the list.



Note: This does not clear the log file. You must use the Maintenance Window to clear the log file.

Errors

View

Displays the log file for the selected error.

Clear

Clears the list.



Note: This does not clear the log file. You must use the Maintenance Window to clear the log file.

Retry

If the error requires the message to be resent then this button is enabled when you select an error item. You must enter the Email address to which the message should be resent.




Tip: The Retry information is held in individual error detail files, these files have an extension .EML

Maintenance Window



To display this window, select the Maintenance option, from the Options menu.



This enables you to clear the Email Server Agent log files.

Fields:

Information

This group box displays the number of entries and size of the action log, JBAMailLact.log, and the error log, JBAMailLerr.log. It also shows the number and total size of the error details files, .eml files.

Clear Actions Log

Check this box to clear the action log, JBAMailLact.log.

Clear Error Log

Check this box to clear the error log, JBAMailLerr.log.

Remove Error Detail Files

Check this box to clear all error details files. These are files with .EML extension.

Buttons:

OK

Clears the selected logs and error files.

Cancel

Closes the window without clearing any logs or saving any changes.

