

-
-
-
-
-

Chapter 3

Technical Reference Windows



Database Window



To display the window, select Database from the Inquiry Menu when you are viewing the Objects Window.

This is a database inquiry driven by the Object Name. The Database Window has six different panels.

The availability of the panels varies according to the attribute of the object:

- If the attribute is PF (physical file) then you can view the Structure, Dependencies and Attributes panels.
- If the attribute is LF (logical file) then you can view the Index, Select Omit, Join and Attributes panels.

There are no buttons on any of the panels.

Structure Panel

Database: Attribute: Configurator Parameters for advanced pricing (@APPARMS)								
Structure	Index	Select Omit	Join	Dependencies	Attributes			
Format	Field	Description	Length	Type	Decimals	Refer	Edit	
▶ APPARMR	@SOCD	Stockpoint	15	A	0	SOCD		
APPARMR	@CONT	Contract	15	A	0	CONT		
APPARMR	@PRTP	Pricing type	3	A	0	PRTP		
APPARMR	@DIS1	Discount 1	3	A	0	DIS1		
APPARMR	@DIS2	Discount 2	3	A	0	DIS2		
APPARMR	@DIS3	Discount 3	3	A	0	DIS3		
APPARMR	@DIS4	Discount 4	3	A	0	DIS4		
APPARMR	@DSC1	Fixed Discount 1	5	P	2	DSC1	J	
APPARMR	@NGR1	Nett/Gross 1	1	A	0	NGR1		
APPARMR	@DSC2	Fixed Discount 2	5	P	2	DSC2	J	
APPARMR	@NGR2	Nett/Gross 2	1	A	0	NGR2		
APPARMR	@DSC3	Fixed Discount 3	5	P	2	DSC3	J	


For physical files only.

Shows the file structure broken down into field level.



Tip: You could then select one of the elements and select View Where Used to find out what programs use this field.


Index Panel



For logical files only.

Shows the file index broken down into key parts. The sequence shows the way in which the keys are sorted. For example: A means alphabetically sorted.

Select Omit Panel



For logical files only.

This displays a rule which was used by the JBA Database Designers to create a logical view over the System 21 data.



Note: This is not a Technical Reference rule.

These columns make up the rule:

Rule

Name of rule. For example: Select Omit.

Field

Name of field.

Comparison


This is an operand. These are the possible ones:

- AL all
- RA range
- GT greater than
- EQ equals
- LS list
- LT less than
- GE greater than or equals
- LE less than or equals

Value


This can be an alphanumeric string, a literal (single quotes) or a numeric (no quotes).

Join Panel



Available for future use.

Dependencies Panel




For physical files only.

Shows all logical files which are dependent on the physical file you selected for the inquiry.



Tip: You could go on to do a View Where Used inquiry on one of the logical files in the list and then a Database inquiry.

Attributes Panel



The screenshot shows a software window titled "Database: Dependencies: Employee Expenses External Text". It features a tabbed interface with tabs labeled "Structure", "Index", "Select Omit", "Join", "Dependencies", and "Attributes". The "Attributes" tab is currently selected. Within this tab, there are four labeled input areas: "Type:" with a dropdown menu showing "Table"; "Library/Owner:" with a text box containing "OSLJCF3"; "Maintenance:" with an empty text box; and "Unique" with a checked checkbox.

For physical and logical files.

This shows the attributes of the file you selected.

Fields:

Type

What type of object the file is.

Library/Owner

Where the file is held in the standard product.

Maintenance



Note: This relates to the index. Please refer to the Index panel for the Database Window.

How the indexes are maintained - usually for a logical file:

- Immediate means updated at once.
- Delay means updated at the end of a programming job.
- Rebuild means that if you open an index it is rebuilt at that time, for the duration of the job.

Unique



Note: This relates to the index. Please refer to the Index panel for the Database Window.

If the box is checked it means there is only one record on the database with that index.

For example: only one record in the Item Master File with the Item Number A10009.

Files Used By Window



To display this window select Files Used from the Enquiry Menu when you are viewing the Menu Options Window.

Files Used By: Company profile maintenance (AC010) (Interactive Selection)					
	File	Library	Attribute	Description	Usage
▶	AC010FT	OSLACD3	DSPF	Company Profile Maintenance Invite	I O
	ACP19L01	OSLD2F3	LF	Comparison rules by cono rule	U
	ACP90L01	OSLD2F3	LF	Company Defaults by Company	OU
	ACPWAL01	OSLD2F3	LF	Company defaults work file	OU
	COMPFILE	OSLD1F3	LF	OEP05: CONO (DTLC = 0)	I

You can view all the files used by the program which you selected on the Menu Options Window. This tells you the file name, description and whether the program uses it for Input, Output or Update.




Tip: You could then go on to view the Database details for each file.

Find Window



To display this window select Find from the View Menu.



You can search for any piece of text within the Description field of the database.

Fields:

Enter Search Expression

Enter any number of characters and Technical Reference matches against the entire Description column. The search is not case sensitive and can also match against characters in the middle of a description.

Technical Reference moves your pointer to the row where the text is found.

Buttons:

Cancel

Close the window without searching.


OK

Starts the search.

Interactive/Batch Activity Selection Window



On the Menu Options Window there is an Interactive Column and a Batch Column. If there is a program name in both columns then when you select View Where Used, Programs Used or Files Used on the Inquiry Menu, the Interactive/Batch Activity Selection Window is displayed for you to make a choice.



This window enables you to choose whether you want to enquire on the Interactive Activity or Batch Activity.

Fields:

Interactive Activity

This displays the name of the activity for you. You can change it.

Batch Activity

This displays the name of the activity for you. You can change it.

Buttons:

Interactive

Click to go on to inquire on the interactive program.

Cancel

Close the window without going on to make an inquiry.

Batch

Click to go on to inquire on the batch program.

Menu Options Window



This window is always displayed when you first open Technical Reference. If you subsequently close it, you can open it again using the Menu Options option on the Inquiry Menu.

Technical Reference Generic_V351.mdb C:\Program Files\JBASys21\Data - [Menu O...							
File Edit View Inquiry Window Help							
App	Env	Rel	Activity	Description	Interactive	Batch	
AC		03	0001	Company profile maintenance	AC010		
AC		03	0002	Start EDI/validation sleeper	AC900S		
AC		03	0003	Start comparison sleeper	AC900S		
AC		03	0004	Start release/EDI update sleeper	AC900S		
AC		03	0005	End EDI/validation sleeper.	AC900E		
AC		03	0006	End comparison sleeper.	AC900E		
AC		03	0007	End release/EDI update sleeper.	AC900E		
AC		03	0101	Maintain Comparison Rules	AC060CLP		
AC		03	1000	Customer Defaults Maintenance	AC015		
AC		03	1001	Contract maintenance	AC020		
AC		03	1003	Contract price maintenance	AC020		
AC		03	1070	Authority task for Maintain Cumulative Quantity	AC070		
AC		03	1080	Severity Messages Maintenance	AC901		
AC		03	2010	Process New Schedules	AC410		
AC		03	2020	Review Invalid Schedules from EDI	AC420		
AC		03	2030	Manual Schedule Maintenance	AC430		
AC		03	2040	Schedule Enquiry	AC518		
AC		03	2050	Despatch Enquiry	AC575		
AC		03	2060	Contract Prices	AC575		
AC		03	2999	AUthority task for deletion within Schedule Manipu	AC496		
AC		03	3000	Contract enquiry	AC525		
AC		03	3010	Reset Cumulative Despatched Audit Report		AC610	
AC		03	3020	Retrospective Invoice Report	AC605	AC606CLP	
AC		03	3030	SCHEDULE HISTORY PURGE	AC910	AC911	
AC		03	3040	Schedule History Report	AC620	AC621CLP	
AC		03	3050	Schedule details - invite screen	AC615	AC616CLP	
AC		03	3060	Outstanding Schedule Analysis Report	AC601	AC601CLP	
AG		03	0100	Single key receiving	AG100		
AG		03	0110	Exception report		AG200	
AG		03	0130	Receipts Diary	AG210		
AG		03	0140	Build Expected Receipts	AG230	AG230CLP	
AG		03	0150	Receipt Exception Handling	AG250		

This window displays the database details sorted into menu option order and positioned at the first menu option. It has a single list view but no fields or buttons.

This is the meta data behind System 21 activity processing.

This window is one of the two main Technical Reference windows. From here you can go on to use all the facilities. The other main window is called Objects Window.

List View Columns:

App

Application Code.

Env

Environment Code for the application.

Rel

Release level for the application.

Activity

Activity Code. This is an internal JBA reference which links application menu choices to programs.



Note: Constructor uses the Activity Codes to link to Technical Reference. When Constructor initiates an activity on the server it will move the pointer to the correct position on the Technical Reference view.

Description

Description of the program.

Interactive

Interactive program name.

Batch

Batch program name.

Objects Window



This window is always displayed when you first open Technical Reference. If you subsequently close it, you can open it again using the Objects option on the Inquiry Menu.

Technical Reference Generic_V351.mdb C:\Program Files\JBASys21\Data - [Objects]				
File Edit View Inquiry Window Help				
Object Name	Library	Type	Attribute	Description
@CPIUS2	OSLS2F3	*FILE	PF	Service Management V3 CPI User File
@CPIUSA	OSLD1F3	*FILE	PF	Sales Analysis V3.0 CPI User File
@CPIUSH	OSLSHP3	*FILE	PF	Scheduling CPI User File
@CPIUSH	OSLD2F3	*FILE	PF	Scheduling Version 3 CPI User File
@CPIUSL	OSLSLF3	*FILE	PF	OSL Sales Ledger version 2. CPI User File
@CPIUTP	OSLD2F3	*FILE	PF	Transport Planning CPI User File
@CPIUTP	OSLTPP3	*FILE	PF	Transport Planning CPI User File
@CPIUTS	OSLD2F3	*FILE	PF	Telesales version 3 CPI User File
@CPIUUS	OSLUSF3	*FILE	PF	US Sales Tax Version 3 CPI User File
@CPIUVS	OSLD2F3	*FILE	PF	Vendor Sheduling V3 - Developm CPI User File
@CPIUWH	OSLD2F3	*FILE	PF	Warehousing version 3 CPI User File
@CPIUWT	OSLD2F3	*FILE	PF	World Trade V 3.0 CPI User File
@GLSTD	OSLPDP3	*FILE	PF	Field Definitions for PM100
@HLPDSP	IPGCFP4	*FILE	PF	Outfile for DSPOBJD
@MSCOSTDS	OSLPDP3	*FILE	PF	Standard costing Data Structure
@MSSTD	OSLPDP3	*FILE	PF	Standard fields used in COPY members
@PSDS	IPGCFP4	*FILE	PF	File for program status data structure
AC001	OSLACD3	*PGM	RPG	Company Validation
AC010	OSLACD3	*PGM	RPG	Company Profile Maintenance Invite
AC010FT	OSLACD3	*FILE	DSPF	Company Profile Maintenance Invite
AC015	OSLACD3	*PGM	RPG	Customer defaults maint. invite
AC015FT	OSLACD3	*FILE	DSPF	Customer defaults maintenance invite
AC020	OSLACD3	*PGM	RPG	Contract maintenance invite
AC020FT	OSLACD3	*FILE	DSPF	Contract maintenance invite
AC025	OSLACD3	*PGM	RPG	Contract header maintenance
AC025FT	OSLACD3	*FILE	DSPF	Contract header maintenance
AC030	OSLACD3	*PGM	RPG	Release defaults maintenance
AC030FT	OSLACD3	*FILE	DSPF	Release defaults maintenance
AC035	OSLACD3	*PGM	RPG	DCI defaults maintenance
AC035FT	OSLACD3	*FILE	DSPF	DCI Defaults maintenance
AC040	OSLACD3	*PGM	RPG	Release comparison rules.
AC040FT	OSLACD3	*FILE	DSPF	Release comparison rules display file.

This window displays the database details sorted into object order and positioned at the first object. It has a single list view but no fields or buttons.



Note: These are Server application programs only, not Visual Basic programs.

This window is one of the two main Technical Reference windows. From here you can go on to use all the facilities of Technical Reference. The other main window is called Menu Options Window.

List View Columns:

Object Name

Object name on the database.

Library

Library where object is held.

Type

*FILE or *PGM

Attribute

Relates to the object:

PF Physical file

LF Logical file

RPG Program file

DSPF Display file

Description

Description of the object.

Position To Window



To display this window select Position To from the View Menu.

The image shows two screenshots of the 'Position To' dialog box. The top screenshot shows the 'Enter Object Name' field with 'OK' and 'Cancel' buttons. The bottom screenshot shows the 'Enter App,Rel,Activity e.g. GL031310' field with 'OK' and 'Cancel' buttons.

You can move your pointer to a new position in the database by searching for either:

- An Object - if you are viewing the Objects Window.
- An Application, Release and Activity - if you are viewing the Menu Options Window.

Fields:

Enter Object Name

It performs a match against the Object column, starting at the beginning of the object name.

For example: if you entered GL for the search then it would not match against the object CIPGGGL. Instead it would position you at GL001.

Enter App, Rel, Activity

It performs a match against the App, Rel and Activity column. For example to find the General Ledger application, release 3, activity 1310, enter GL031310.

Buttons:

Cancel

Close the window without searching.


OK

Starts the search.

Programs Used By Window



To display this window select Programs Used from the Inquiry Menu when you are viewing the Menu Options Window.



Program	Description
AC030	Release defaults maintenance
AC700	Company Prompt
AS010	Company Profile Maintenance Invite
IN998	Record locking processing
XA998CLP	Send Dump Message from Standard *PSSR.
XA999	Dump *LDA & PSDS used in standard *PSSR.
XAS215CL	Common Function help text - Display help text ctl.

You can view all the names of the programs that are called by the original program which you selected on the Menu Options Window.



Tip: You could then select a program from the list and go on to view the programs which this calls. You can keep doing this to find the complete calling pathway. Or, you could select a program from one of the lists and view the Files Used.

Sort Window



To display this window, select the Sort option from the View menu.



You can sort the displayed data by any of the columns.

Fields:

Enter Sort Column

Enter the full name of the column by which you want to sort the displayed data.

Buttons:

Cancel

Close the window without performing the sort.

OK

Starts the sort.

Where Used By Window



To display this window select View Where Used on the Inquiry Menu.

Where Used By: Release defaults maintenance [AC030]		
Program	Description	Library
AC010	Company Profile Maintenance Invite	OSLACD3
AC015	Customer defaults maint. invite	OSLACD3
AC025	Contract header maintenance	OSLACD3

You can find out how a physical file is used and what are its logical file dependencies.

For example: You might initially select option View Where Used for an object called FLP30, using the Objects Window. You then see that FLP30 is used by Program GL088 (Post General Journals), amongst others, and it is input to that program.

Objects					
Object Name	Library	Type	Attribute	Description	
FLP30	OSLGLF3	*FILE	PF	Free Form Text File	
FLP43KL1	OSLGLF3	*FILE	LF	User defined view extension	
FLP45AL1	OSLGLF3	*FILE	LF	User defined budget period balances (Archive)	

Where Used By: Free Form Text File - (FLP30) (OSLGLF3)		
Program	Description	
GL088	Post General Journals	
GL135	General ledger account number enquiry - part II.	
GL230	Maintain help text.	
GL466	Undo General Ledger Postings	
GL925CLP	GL Company Purge Utility III	
GL993	Purge transaction records	

FLP11	OSLGLF3	*FILE	PF	Document Header Work File	
FLP12	OSLGLF3	*FILE	PF	Transaction Details Interface	

Where Used By: Post General Journals (GL088)		
Program	Description	Library
GL467	Amend Journal	OSLGLD3
GL625CLP	Journal Uplift CLP	OSLGLD3
GL988	Post to Posting-inhibited Accounts	OSLGLD3

FLPUK2E	OSLGLF3	*FILE	PF	VAT Codes Extension File	
FLPUK2E1	OSLGLF3	*FILE	LF	VAT Codes Extension File	
FLPUK3	OSLGLF3	*FILE	PF	VAT Period Balances	
FLPUK4	OSLGLF3	*FILE	PF	VAT Transactions	
FLPUK5	OSLGLF3	*FILE	PF	VAT Calendar	
FLPUK7	OSLGLF3	*FILE	PF	Dataplan Interface	

Columns:

Program

Name of the program.

Description

Program description.

Library

Library where object is held. This column is not displayed for all programs.

