

-
-
-
-
-

Chapter 5

Adding Components To The Installation



Why Add Components?

The installation software for Explorer and Constructor can now copy files from the Installation Directory to the Destination Directory. This is so you can add your own components to the installations.

You might want to do this for example, to install Translated Language Files and Role Menus, without altering the installation.

How To Add Components

To copy files to the right subdirectory you must reproduce a directory structure in the Installation Directory to match that in the Destination Directory, for the components which you want to add.



Note: You do not have to copy the entire structure: you copy only those parts which are needed for the components you want to add. For example, if you wanted to add a Help file then you only need to create that part of the directory structure which supports Help files.

Installation Directory

Your Installation Directory is the folder where Setup.exe is located.

For example:

- For Explorer this would be the directory EXP352v (where v is the version identifier).
- For Constructor this could be the directory CON352v (where v is the version identifier).

Then please create:

- EXP352\Explorer (where v is the version identifier)
- CON352\Constructor (where v is the version identifier).

Destination Directory

Your Destination Directory is the location to which you decide to install Explorer. The default location is C:\Program Files\JBASys21\.

Copying

Please note that during the copying process the following happens:

- If the file does not exist in the Destination Directory then it is created.
- If the file already exists in the Destination Directory then it is overwritten.

The next sections detail the directories that are created for a default installation of Explorer and Constructor.

Explorer



Tip: Please bear in mind that files contained in the subdirectories could be overwritten during the copying process:

Please check the default directory:

C:\Program Files\JBASys21

And within this there are the following subdirectories:

Data

Fonts

DVRes

Help

ExpSamples

- DesignerCallBeforeAfter
- DesignerCustomButtons
- DocViewTest
- ExternalCommsToExplorer
- Installation
- ToolBarUserButtons

V352

- Data
- Help
- Rmu

This is what will happen:

Files within \Explorer will be copied to the main Destination Directory which by default is: C:\Program Files\JBASys21.

Now create subdirectories within \Explorer as follows:

Create \Explorer\Help and files will be copied to C:\Program Files\JBASys21\Help.

Create \Explorer\Version and files will be copied to C:\Program Files\JBASys21\V352 and any subfolders that are created will be copied.

Create \Explorer\Fonts and files will be copied to C:\Program Files\JBASys21\Fonts.

Create \Explorer\DVRes and files will be copied to C:\Program Files\JBASys21\DVRes.

Create \Explorer\Data and files will be copied to C:\Program Files\JBASys21\Data.

Create \Explorer\ExpSamples and files will be copied to C:\Program Files\JBASys21\ExpSamples and any subfolders that are created will be copied.

Create \Explorer\Windows System and files will be copied to the Windows system32 directory for NT and Windows system directory for 95.

Create \Explorer\Windows and files will be copied to the Windows system directory for both NT and 95.

Create \Explorer\WinReg and files will be copied and registered to the Windows system32 directory for NT and Windows system directory for 95. However this is only for

those components that can be registered using the Regsvr32 command: that is .DLL and .OCX files but not .EXE files.

ExpReg files will be copied and registered to the main Destination Directory C:\Program Files\JBASys21. However this is only for those components that can be registered using the Regsvr32 command: that is .DLL and .OCX files but not .EXE files.

Constructor



Tip: Please bear in mind that files contained in the subdirectories could be overwritten during the copying process:

Please check the default directory.

C:\Program Files\JBASys21\

And within this there are the following subdirectories:

Help

ConSamples

- act
- Bpr
- Company (and within this is Tier1 and Tier2)
- Customer (and within this is Tier1 and Tier2)
- Database (and within this is Access)
- Desc (and within this is Tier1 and Tier2)
- Item (and within this is Tier1 and Tier2)
- Order (and within this is Tier1 and Tier2)
- Runtime
- Shared (and within this there are: Classes, Forms, Modules, Resource, Typelib)
- Test

EPM352

- Data
- Scor (and within this there are: Benchmarks, BestPractice, Other)

This is what will happen:

Files directly contained in \Constructor will be copied to the main Destination Directory which by default is: C:\Program Files\JBASys21.

Now create subdirectories within \Constructor as follows:

Create \Constructor\Help and files will be copied to C:\Program Files\JBASys21\Help.

Create \Constructor\ConSamples and files will be copied to C:\Program Files\JBASys21\ConSamples and any subfolders that are created will be copied.

Create \Constructor\Epm and files will be copied to C:\Program Files\JBASys21\Epm352 and any subfolders that are created will be copied.

Create \Constructor\Windows System files will be copied to the Windows system32 directory for NT and Windows system directory for 95.

Create \Constructor\Windows and files will be copied to the Windows system directory for both NT and 95.

Create \Constructor\WinReg and files will be copied and registered to the Windows system32 directory for NT and Windows system directory for 95. However this is only for those components that can be registered using the Regsvr32 command: that is .DLL and .OCX files but not .EXE files.

Create \Constructor\ConReg and files will be copied and registered to the main Destination Directory C:\Program Files\JBASys21. However this is only for those components that can be registered using the Regsvr32 command: that is .DLL and .OCX files but not .EXE files.

Examples

If you want to install JBAExp.fra, the translation file for JBAExp.exe, you would place it in a directory as follows,

Exp352E\Explorer\JBAExp.fra

Where E is the version. The file would be installed to:

C:\Program Files\JBASys21\JBAExp.fra

If you want to install a new ABC Admin.rmu role menu, you would place it in a directory as follows,

Exp352E\Explorer\Version\Rmu\ABC Admin.rmu

The file would be installed to:

C:\Program Files\JBASys21\V352\Rmu\ABC Admin.rmu

The original ABC Admin.rmu file would be overwritten.