

- 
- 
- 
- 
- 

## Chapter 1

### System 21 Client Workspace



# Introduction

The JBA Client Workspace provides a single point of access to JBA System 21 applications and applications that run under Microsoft Windows.

JBA Client Workspace is highly configurable by the end user. Soft Menus (user configurable menu systems) and Workspace Designer (the facility to change the look and operation of screens) allow an unprecedented amount of customisation to meet the specific needs of the user.

In addition the Quick List facility can give users direct access to the tasks they perform on a daily basis without requiring any negotiation of the menu system.

## Prerequisites

Please note that System 21 Client Workspace supports only the configuration detailed separately on the latest System 21 Configuration Information Sheet issued by JBA International, although individual configurations can be agreed by or with clients and JBA Branches for local support of the product.

# Controls

Client Workspace uses both standard Windows elements and a range of bespoke function keys and buttons.

# Windows Controls

It is assumed that you are familiar with the standard elements of the Windows interface - controls for opening and closing windows, scroll bars, buttons and icons and so on.

Items that can be selected include Buttons, Check Boxes, Option Buttons (sometimes known as Radio Buttons), icons, fields and field descriptions.

You select an item by clicking on it, usually with the left mouse button. If the item is a button or an icon its display characteristics may change on selection - it may take on a recessed or pressed look.

Some elements of the Windows interface are less well known, and a brief listing of the elements used in Client Workspace is given below.

For more information about Windows you should consult the Windows documentation.

## Spin Buttons



A Spin Button is a control consisting of two arrows, one pointing upward and one pointing down, usually associated with a field containing numeric characters.

Select the upward arrow to increment the associated numeric field, and the downward arrow to decrement the number.

## Option Buttons

- ☒ **None**
- ☐ **Description**
- ☐ **Variable Field**

Option button groups represent a group of mutually exclusive options. You can select only one option at a time, and if you already have one option selected your current selection replaces it. The selected option button has a coloured dot in the centre of it.

Option Buttons are sometimes called Radio Buttons.

## Check Boxes



A check box presents non-exclusive options - you can select as many check box options as needed. When you select a check box, a cross appears in it and the function it is associated with is enabled.

## Drop-Down Lists

A drop-down list appears initially as a rectangular window containing the current selection. When you select the down arrow in the square box at the right a list of available choices appears. If there are more items than can fit in the window, scroll bars are provided.

## Standard Keys

A range of function keys and buttons are used in the System 21 Applications that run within Client Workspace. Some function keys or buttons appear regularly throughout the system, and have the same use whenever they occur. These are detailed below.

Other function keys or buttons are used according to the particular requirements of the procedure you are using.

### **F1**

This is not displayed on the screens, but can be used instead of the Help key.

### **F2=Extended Help**

Used to call up extended help from a field level help window.

### **F3=Exit**

Generally takes you out of the option you are running and returns you to the main menu.

### **F4=Prompt**

Used to prompt on data entry fields.

### **F5=Refresh**

Generally used to refresh data on the screen - any data just typed in will be replaced by the data originally on the screen.

### **F8=Update**

Generally used to update files and/or submit batch jobs (for example, reports) at the end of a procedure.

### **F11=Delete**

Used as a delete facility within certain options. To help avoid accidental deletion of data, it is usually necessary to press F11 twice, or select the button twice, to perform a deletion.

### **F12=Previous**

Returns you to the previous screen or function within the option.

### **F24=More Keys**

Displays more function keys at the base of the screen when there are too many to be displayed at one time.

Under Client Workspace you can either select the onscreen button (for example, Previous) or you can use the function key listed above. To access key numbers above F12, press shift to increment the value of the F key by 12. For example, Shift + F1 equals F13; Shift + F8 equals F20.

# Displaying The Client Workspace

Client Workspace is accessed through the JBA Applications Program Group.

## The JBA Applications Program Group

The installation procedure creates a JBA Applications Program Group on your desktop. This contains the following icons:

- JBA System 21 Classic Menu.
- JBA System 21 Class Menu.
- JBA System 21 Class Menu - Style.
- JBA System 21 Class Menu - Service.
- JBA System 21 Class Menu - Job Mgmt.
- JBA System 21 Class Menu - Drinks.

Selecting any of these icons will display Client Workspace with the appropriate soft menu loaded.

- On-Line Help.

Selecting this icon displays the Getting Started With System 21 online InfoBase.

- Readme

Selecting this icon will display Windows Notepad with the Readme.txt file loaded. This file contains late breaking information about the program.

- UnInstall Client Workspace


Selecting this icon will remove Client Workspace and its associated files from your computer.

The menu examples used in this manual are from the JBA System 21 Classic Menu icon.



# Logging On

To start System 21, double-click on the required icon in your Windows Explorer listing: the logon window is displayed.



The Client Workspace Logon window displays the following fields:

## Fields:

### System

A drop-down list of servers available to you. On an AS400, System 21 determines what servers are available by querying the router your PC is attached to. On a Unix server these details are contained in the System 21 initialization files.

When the Logon window is displayed this field contains the default System specified in your System 21 initialization files - this is saved from your last System 21 session.

Either use the default system name, or select another from the drop-down list.



*Note: You will be able to log on to different host sessions later on by using the Host session option on the System menu.*

### User Id

Your User Id identifies you to the server. The first time you use System 21, this field defaults to the dummy sign on USERID. You should enter your User Id details.

For future logons System 21 will default to the User Id that you initially entered.

### Password

Your password. This field is always blank at Logon - enter your password. The password is not displayed on screen - each typed character is represented by an asterisk (\*).



***Warning: If your password has expired, the Change Password window is displayed, allowing you to change your password.***

## **Buttons:**

### **Logon**

Selecting the Logon button initiates the Logon procedure.

The Logon button is only available for use once you have entered the details required in the System, User Id and Password fields; prior to this it is greyed out.

### **Exit**

If you are sure that you do not want to proceed with the Logon select this button to exit. No further confirmation is provided and you are returned to the Windows desktop.

### **Help**

Select this button to view the available help.

### **Configuration**



*Note: The Configuration group box is usually hidden and is intended for the System Administrator only.*

### **Server**

Displays the Server Configuration window and is intended for the System Administrator only.

### **Preferences**

Displays the Preferences window and is for the System Administrator only.

### **Hide Configuration**



*Note: This is a check box field.*

Hides the Configuration group box.

## Logging Off

There are different options for logging off the system, depending on whether or not you have run a host session from the System menu option on the main menu bar.

First exit all tasks or applications, and end any host sessions before logging off from Client Workspace; no window should be open or iconised on the Workspace. An application or task has been exited when the window that contains it is closed. Generally this is done by selecting the Exit button.




***Warning: You should never close a window containing an application or task using the Exit option on the System menu. The process will still be running at the server, and this may lead to data loss.***

To end a logon host session:

- Return to the sign-on panel.
- Close the sign-on panel by selecting the control button at the top left hand corner of the screen  and selecting Close from the drop down menu. This returns you to the Client Workspace.

To log off from the Workspace select the Exit option from the System menu. The Exit Client Workspace window is displayed:

Click the OK button to end the Client Workspace or click the Cancel button to return to Client Workspace.



## Elements Of The Client Workspace

The screen area of the Client Workspace comprises the following components:

- Drop-down menu bar.
- Toolbar and toolbar icons.
- Workspace work area.
- Status bar.
- Error Messages.
- Operating System Context Menu.
- Emulator Context Menu.

## Drop-Down Menu Bar

The System 21 Client Workspace menus are configurable using the Soft Menus Utility. The menu files produced by this utility, once saved, are specified in the menu Files field in the Paths Window.

You can specify any valid SMU file to be the initial menu; you may wish an operator to go directly to the Purchase Order Management processing menu, for example. In this case the command line would be JBAS21P.EXE PMP (PMP.SMU being the soft menu file for Purchase Order Processing).

Once you have signed on to the System, the menu specified in the Command Line for the selected JBA System 21 Icon, is shown as a menu bar at the top of the window:

The Client Workspace uses a drop-down menu system, similar to other Windows applications. There are two systems of menus available for System 21:

- Classic Menus - tasks are grouped by application and area. The hierarchy is as follows:
  - Application area
  - Application
  - Type of task within application (for example Processing or Inquiry)
  - Specific task.
- Class based menus - tasks are grouped by the type of information within an application you wish to work with, as follows:
  - Application area
  - Application
  - Information area (for example Customers or Inventory)
  - Type of task for this information area (for example, Print, View, or Edit).

The menus can be customised using the Soft Menus Maintenance utility provided with Client Workspace.

## The Client Workspace Toolbar



*The Standard Client Workspace Toolbar*

The JBA System 21 Client Workspace Toolbar is displayed above. If System 21 Workspace Designer has been enabled, when a window with a Screen Identifier is displayed, the Workbench icon is added to the standard Client Workspace toolbar:



This icon switches the Workspace into Workbench mode displaying the toolbar and tools that allow you to reformat Workspace screens.

For more information about Workspace Designer see the JBA System 21 Workspace Designer product guide.

The Client Workspace Toolbar displays the following icons:

### Icons:

#### Reset



Selecting the Reset icon clears screen level error messages. The shortcut key for this is the right CTRL key.

#### Enter



Selecting the Enter icon is the same as pressing the Enter key, and is usually used to accept the data entered in a screen.

#### Previous Page



Selecting the Previous Page icon takes you to the previous screen in a multi-screen entry sequence (such as editing a company profile).

A message is displayed when you reach the beginning of the available data. The shortcut key for this is the Page Up key.

#### Next Page



Selecting the Next Page icon takes you to the next screen in a multi-screen entry sequence (such as editing a company profile).

A message is displayed when you reach the end of the available data. The shortcut key for this is the Page Down key.

#### Screen Print



Selecting the Screen Print icon prints the onscreen details as if they were displayed on a character-based terminal running at the server.

A message is displayed when the print operation is complete.

You must have a printer connected directly to the server, or to a PC connected to the server running an appropriate print server program.

### **Change Color**



Selecting the Change Color icon displays the Change Colors window allowing you to change the colour of different items in the Workspace. If you change the colour of an individual field all other fields with the same initial display characteristics are also changed. For more information see the Change Color Window.

### **Task Manager**



Selecting the Task Manager icon displays a window that displays information about the sessions you have running under System 21, and allows you to select the company within which you wish to work.

Your default company is set in your System 21 User Profile at the server. The new company will be used by any new tasks that you start. Tasks that started before your selection are not affected.

For more information about user profiles, please consult the Administration Functions section of the System Manager product guide.

### **Work With Messages**



Selecting the Work With Messages icon displays a window listing messages that have been sent to you. You can reply, but cannot enter new messages.

For more information on receiving and sending messages see the Administration Functions section of the System Manager product guide.

### **Work With Submitted Jobs**



Selecting the Work With Submitted Jobs button displays a screen listing the jobs that you have submitted for processing on the server.

### **Work With Host Prints**



Selecting the Work With Host Prints button displays a screen listing reports that you have submitted for printing on the server, and allows you to control the print queue.

### **Application Help**



Selecting the Application Help icon displays InfoBase help text. Initially you see the help text relating to your current application, but from here you can get to any information you need on the entire range of System 21 applications.

## InfoBase Help



Selecting the InfoBase Help icon displays help text about Client Workspace and how to use the InfoBase. By selecting the InfoBase button you can view the help text for the entire range of System 21 applications.

## Roles



Reserved for future development.

## Quick List



Selecting the Quick icon displays the Quick List window, a speedy way of displaying frequently used tasks.

## Workbench




Selecting the Workbench icon accesses the Workspace Designer program. This icon is only displayed if Workbench has been enabled on the client PC and at the Server.



## Displaying Windows In The Workspace

The Workspace is the area below the toolbar (white on a standard windows system). This is where task and application windows are opened and iconised.

When the system detects several windows, it centres them on the screen on top of one another.



You can change this by:

- Clicking and dragging the windows to separate the overlapping windows.
- Using the Cascade and Tile options from the Window drop-down menu on the main menu bar.

Selecting the minimize button at the top right hand side of a window iconises it.



You can have up to eight windows open, dependent on the system resources available, and they can be ordered as icons in the Workspace. To arrange iconised windows select the Arrange option from the Window drop-down menu on the main menu bar.

If there are insufficient resources available to open another session either a message will be displayed alerting you, or in some circumstances, such as a lack of DOS memory (the RAM in the first megabyte below 640K) a communications error could occur. If you are aware that your DOS memory is low, possibly because you have a number of network drivers loaded, you can edit the MaxSessions setting in the JBAS21P.INI file to lower the number of sessions allowed.


This file is located in the main System 21 directory, usually \JBAS21. To set the maximum number of settings to (for example) four, the line should read: MaxSessions=4.

## Navigating in Client Workspace

Use the TAB key to move forward from field to field. Use Shift-TAB to move back to the previous field. If data already exists in a field, it is highlighted and may be amended by replacing. The arrow (←→↑↓) keys work like TAB keys.

Click once in a field with the left mouse button to enter data in insert mode.

To select an option from a window list click once in the selection field and double-click on the displayed Select option (usually Select=1). When you double-click on the Select option, the line is outlined briefly and the associated number is entered in the Selection field.



The screenshot shows a window titled "Item Master Scan". It contains a table with two main columns: "Select Item Reference" and "Description". The "Select" column has checkboxes next to item references. The "Description" column contains text descriptions for each item. At the bottom left, there is a label "1=Select" and two buttons: "Previous" and "Extended".

| Select                   | Item Reference | Description                        |
|--------------------------|----------------|------------------------------------|
| <input type="checkbox"/> | 1BT            | PM/V3-0706 : ALBACORE              |
| <input type="checkbox"/> | 10-TCLR        | 10-tonne Cooler                    |
| <input type="checkbox"/> | 100            | Neil's standard item ----->        |
| <input type="checkbox"/> | 1000           | parent item                        |
| <input type="checkbox"/> | 1000620        | Cryo bag 280x200                   |
| <input type="checkbox"/> | 101            | Neil's batch item                  |
| <input type="checkbox"/> | 1010           | aaaaaaaa bbbbbbbb cccccccc         |
| <input type="checkbox"/> | 102            | Neil's another standard item-----> |
| <input type="checkbox"/> | 1021301        | test pale back                     |
| <input type="checkbox"/> | 1100           | sub-parent item 1                  |

1=Select

Previous Extended

Details from the chosen option are entered directly into the appropriate field on the screen, confirming your choice:

**View Where bought**

Item - Where Bought ?

Item?  PM/V3-0706 : ALBACORE

1=Summary,2=Detail Item class

Qty  Alternative item Purchasing UoM EA

| Supplier    | Name                           | Supplier Item Ref |
|-------------|--------------------------------|-------------------|
| *<br>TEL001 | Taylor Engineers (Rothley) Ltd | TAY-1BT           |
| 750.00000 * | GBP .00 D 30                   | 16/01/97 0        |

1=Text, 2=History

## Status Bar



*Client Workspace Status Bar*

The Status Bar is the area at the bottom of the main window, and is split into three sections.

The first section displays help for Icon properties.

The second section shows progress messages, alerting you to System activity.

The third section is reserved for the mailbox. If the letter symbol is displayed this means that there is a system message waiting for you. If there is no message waiting the section will be blank. Please note that this has nothing at all to do with your electronic mail messages.

## Error Messages

Most error messages are displayed in separate windows:



Some error messages are displayed in text form on the bottom line of the screen. You will not be able to continue input until you clear this kind of error message, which you do by selecting the Reset icon on the toolbar, or by pressing the right CTRL key.

## The Operating System Context Menu

This is provided by Windows NT and 95 and is not within JBA's control. This appears when you right click from within any Windows entry field. You are presented with the standard Windows options: Undo; Cut; Copy; Paste; Delete; SelectAll.

## The Emulator Context Menu

This menu is displayed when you right click with the cursor when you are working in a Client Workspace emulator session.

This menu enables you to select a part of the screen, copy it to the clipboard and then paste it to another application such as Word. Your selection can be of any size, however, you can capture only the textual parts.

You can use this to capture your data exactly as you see it on the screen and incorporate it into your correspondence or keep it on file.

### **How To Select Part Of The Screen**

Click once on any text with the left mouse button. A blue broken box appears around the text. Resize that box, from the left side of the box, with the right mouse button, by clicking and dragging. When you release the right mouse button the menu is displayed automatically. Then use either the Copy option on the menu to copy to the clipboard or Reset to reset your selection.

### **How To Select All The Text On The Screen**

Click once on the right mouse button to display the menu and then select SelectAll from the menu. Then use either the Copy option on the menu to copy to the clipboard or Reset to reset your selection.

### **Menu Options**

#### **Copy**

Select this to copy the selected text to the clipboard. Then open another application, for example Word, and paste the text into your document.

#### **SelectAll**

Select this to select all the text on the current window. Then use either the Copy option on the menu to copy to the clipboard or Reset to reset your selection.

#### **Reset**

This has two uses: select this to restore the data in a highlighted field after accidentally overwriting it, or to undo your selection of text.

#### **About Emulator**

Select this to find the Emulator version number.

### **Emulator Keys**

| <b>PC</b>        | <b>AS/400</b>                                                     |
|------------------|-------------------------------------------------------------------|
| Shift and Fn     | F(n+12) for example Shift F1 is F13                               |
| Shift and Escape | Attention                                                         |
| Control          | Undo typing and also clears the type ahead buffer                 |
| Control and Z    | Reset                                                             |
| Shift Return     | Field Exit (deletes text to the right of the cursor, also formats |



|                    |                         |
|--------------------|-------------------------|
|                    | numbers in some fields) |
| Shift KeyPad and + | Field Exit Plus         |
| Shift KeyPad and - | Field Exit Minus        |
| Shift Pause        | Print Screen            |
| Alt Print Screen   | System Request          |
| Scroll Lock        | Host Help               |

# Client Workspace Menus

The main menu bar in Client Workspace is divided into two categories.

## **Client Workspace Menus**

These menu options run procedures that are either part of the Workspace, or are run on the server directly from the Workspace. They are:


- The System Menu.
- The Window Menu.
- The Help Menu.

## **Application Menu**

All System 21 Applications are run from this menu option. The structure of this option depends on the menu style implemented on your system.

## The System Menu

The System Menu is common to all implementations of System 21.



### Menu options:

#### Initial Menu

Returns the Application Menu to its starting point.

#### Task Manager

Displays the Task Manager window. This displays a list of the sessions you have running under System 21 and allows you to change the company and environment within which you wish to work.

Your default company is set in your System 21 User Profile at the server.

You can also enter the three-character Environment Code for the environment you wish to process.

For more information about environments and their usage please refer to the Administration Functions section of the System Manager product guide

For more information about user profiles, please consult the Administration Functions section of the System Manager product guide.

The new environment or company will be used by any new tasks that you start. Tasks that started before your selection are not affected.

#### Host Session



*Note: The action taken by this option depends on whether you have checked the Host select checkbox on the Preferences window.*

If the box has been checked then this option displays the Select Host System window before displaying the sign-on panel for a manual logon. This will enable you to sign on to another host session.

If the box has not been checked then this option does not display the Select Host System window but displays the sign-on panel straightaway for a manual logon. This will enable you to sign on to another session but only using the same host.



*Note: This option does not work if there are not enough Windows resources available. Client Workspace enables you to have a maximum of eight tasks running simultaneously.*

### **Work With Submitted Jobs**

Displays a screen listing the jobs that you have submitted for processing on the server.

### **Work With Host Prints**

Displays a screen which lists the reports that you have submitted for printing on the server, and allows you to control the print queue.

### **Preferences**

Displays the Preferences Window.

### **Quick List**

Displays the Quick List Window.

### **Action Keys**

Displays the Action Keys menu.

### **Format**

Displays the Format menu.

### **Exit**

Exits System 21 Client Workspace. For more information see the Logging Off section of this product guide.

## Action Keys Menu

Selecting the Action Keys option on the System menu displays the Action Keys Menu.

| Action keys | Reset                     |
|-------------|---------------------------|
|             | <u>E</u> nter             |
|             | <u>N</u> ext page         |
|             | <u>P</u> revious page     |
|             | <u>H</u> ost screen print |
|             | <u>S</u> ystem request    |
|             | <u>A</u> ttention         |

The Action Keys Menu has the following options:

### Reset

Reset the fields to their entry value.

### Enter

This is the same as pressing the Enter key, and is usually used to accept the data entered in a screen.

### Previous Page

Takes you to the previous screen in a multi-screen entry sequence (such as editing a company profile).

A message is displayed when you reach the beginning of the available data. The shortcut key for this is the Page Up key.

### Next Page

Takes you to the next screen in a multi-screen entry sequence (such as editing a company profile).

A message is displayed when you reach the end of the available data. The shortcut key for this is the Page Down key.

### Host Screen Print

Selecting the Screen Print icon prints the screen details as they would appear on a character-based screen connected to the server.

A message is displayed when the print operation is complete.

You must have a printer connected directly to the server, or to a PC connected to the server running an appropriate print server program.

### System Request

Issue a System Request. For more information about System Requests see the System Manager product guide.

### Attention

Call the Operation Assistant Functions. This only works from a Select Host System window. For more information about these functions see the System Manager product guide.

## Format Menu

Selecting the Format option on the System menu displays the Format menu.



The Format menu displays the following options:

### **Menu Options:**

#### **Colors**

Displays the Change Colors window.

#### **Country**

Displays the Keyboard ID window.

## Window Menu

Selecting the Window option on the System 21 main menu displays the Window Menu.



The Window menu displays the following options:

### **Menu Options:**

#### **Cascade**

Layers windows on your screen so that the title bar of each window is visible.

#### **Tile**

Resizes windows and arranges them side by side.

#### **Arrange**


Arranges iconised applications along the bottom of the Client Workspace.

#### **Window List**

Displays the Window List window.

## Help Menu

System 21 provides online help to assist you in working with System 21 applications. Selecting the Help option on the System 21 main menu displays the Help menu.



The Help menu displays the following options:

### Menu Options:

#### Contents

This option displays a list of Contents, and menu options and buttons to move around the help. Click once on the required option to gain further details.

#### Host Help


Displays help text from the server.

#### About The Client Workspace Interface

Displays the System 21 Client Workspace product information window.



## The Server Configuration Window



The Server Configuration window enables you to connect to a server and protocol, maintain a list of available servers and protocols and automatically update the .INI file.

This window is available only from the Server button on the Client Workspace logon window. However, the Server button is not always enabled.

The first time that you logon to Client Workspace you have no connection to a host and have to establish one yourself. You do this by clicking the Server button to display the Server Configuration window. When you save any changes you make on this window the .INI file is automatically updated.

## How To Add A Server

This is what you do:

Step 1 - Type in the server name in the Connection Type group box.



*Note: This is case sensitive.*

Step 2 - Select a protocol.



*Note: There are two protocols for the AS/400 server.*

*In order to use the TCP/IP protocol it must have been already setup in Windows and must have a valid TCP/IP address assigned.*

*In order to use AS/400 alone, a valid router must have already been connected to the desired host prior to starting Client Workspace.*

Step 3 - This information you have entered is sufficient to connect Client Workspace with the Server. However, additional information may be added first. To do this, click on the Advanced button to display the Advanced window, where you will find further help.

Step 4 - Click the Add button to update Client Workspace. The new server appears in the list of configured servers in the multiple drop-down list.

Step 5 - Click the Save button to save the changes you have made to the .INI file and return to the Logon window, where the last server added will appear as the System[TEXT MISSING?].

## How To Edit/Update Server Details

This is what you do:

Step 1 - Select a server from the list.



*Note: You cannot edit the Server name itself. To do this you would have to delete the server and its details and enter it afresh.*

Step 2 - Click on the Edit button to display the server and its protocol in the Connection Type group box.



*Note: The Add and Delete buttons become disabled and the Edit button changes to Update.*

Step 3 - Select another Protocol from the drop-down list in the Connection Type group box.

Step 4 - Click on the Advanced button if you wish to edit the Advanced details.



*Note: These details are optional. Once you change the Protocol accompanying a server these details no longer apply.*

Step 5 - Click on the Update button to update Client Workspace. The new server and its protocol appears in the list of configured servers in the multiple drop-down list.

Step 6 - Click the Save button to save the changes you have made to the .INI file and return to the Logon window where the last server configured will appear as the System[TEXT MISSING?].

## How To Delete A Server

This is what you do:

Step 1 - Select a server from the list.

Step 2 - Click on the Delete button. A confirmation prompt is displayed.

Step 3 - Confirm the deletion.

Step 4 - Click the Save button to save the changes you have made to the .INI file and return to the Logon window where the last server configured will appear as the System[TEXT MISSING?].

## How To Control Subsequent Access To Configuration

The Server button on the Logon window remains enabled until you decide to hide it; to do this you set the Hide Configuration check box on the Logon Window. JBA recommend that you do this so that on the next and any subsequent occasion, when you log on, the host will be configured for you.



*Note: The Hide Configuration check box hides the whole of the Configuration group box. This means that it hides not only the Server button but also the Preferences button and the Hide Configuration field itself, all on the Logon window.*

In future, you may wish to override this disabling of the Server button and to do this you check the Hide Configuration check box on the System window. The System window is available from a button on the Preferences window. The Preferences window is available from the Preferences option on the System menu.



*Note: The Hide Configuration check box is available in two places: on the Logon Window (unless you have hidden it) and the System window.*

## Fields And Buttons

The Server Configuration window displays the following fields and buttons:

### Fields:

#### Server and Protocol

The only fields on this window are for the Server and Protocol and there are two types of display:

- A multiple drop-down list box displaying all the servers and protocols which have been configured. You can select from this list by double clicking in the usual way.
- A ConnectionType group field containing the Server field and the Protocol drop-down list box. Note that you can enter a Server name here, but can only select a Protocol to accompany the server.

### Buttons:

#### Add

Adds a server to the list of configured servers.

#### Edit/Update

Enables you to edit the details for an already configured server.



*Note: The name on the button changes from Edit to Update during the editing process.*

#### Delete

Deletes a server from the list of configured servers.

#### Advanced

Displays the Advanced window. You can enter further details for a server.



*Note: These details are optional. Once you change the Protocol accompanying a server these details no longer apply.*

#### Save

Save the changes you have made to the .INI file and return to the Logon window.


#### Cancel

Return to the Logon window without updating the .INI file.

#### Help

Displays help about configuration for the System Administrator.

## The Advanced Window



The Advanced window is available from the Advanced button on the Server Configuration window. You can enter further details for a server.

### Fields:

#### Preferred User

Enter a User name to add to the list used in Client Workspace for User selection. It is used as the default for this server. It may be overridden at any time.

#### Environment Default

This option button group has the following choices:

- From .INI file - The environment on the server will be taken from the settings in the .INI file.
- From Host - The environment on the server will default from the setting for your User Id on the server.

### Buttons:

#### Ok

Return to the Server Configuration window and hold the advanced details ready to save.

#### Cancel


Return to the Server Configuration window without holding the advanced details.

#### Help

Displays help about advanced configuration for the System Administrator.

## The Task Manager Window

The Task Manager window is displayed when you select the Task Manager option from the System menu, select the More button on the Window List window or select the Task Manager icon on the Toolbar.



| Session | Task Description | Company | Environment | Server | Task |
|---------|------------------|---------|-------------|--------|------|
|         |                  |         |             |        |      |

OK    Current Company: Z1 UK Demonstration Co    Environment: BTU

The Task Manager window displays information about sessions you have running under System 21, and provides details about the Session, Task Description, Company, Environment, Server and Tasks.

If you double click on one of the sessions, the Task Manager window closes, and your chosen session becomes the current session.

In addition the following fields and buttons are displayed:

### Fields:

#### Current Company

Displays the current company for the highlighted task by default. You can select a new company from the drop-down list. If you select a new company it will not affect sessions already started, but will be implemented from the next session.

#### Environment

Displays the environment for the highlighted task by default. You can select a new environment by typing into the field. If you select a new environment it will not affect sessions already started, but will be implemented from the next session.

### Buttons:

#### OK

Save the displayed Company and Environment. If you have made any changes then a confirmation message is displayed and you can click OK to confirm the changes or Cancel to disregard them.




## The Select Host System Window

Selecting the Host Session option on the System menu may display the Select Host System window.



*Note: This window is available to you only if the Host Select checkbox is checked on the Preferences window.*



This window enables you to start another emulation session with a different host. You can choose to sign on as a different user depending on whether you press the Connect or the Auto SignOn button.

The Select Host System window displays the following fields:

### Fields:

#### System

Displays a drop down list of Host Systems from which you can select.



*Note: Only sessions of the same protocol as the selected system will be displayed.*

### Buttons:

#### Connect

Displays the sign on panel for you to enter another User (mandatory), Password (mandatory), Program/Procedure (optional), Menu (optional) and Current Library (optional) and then connects you to the new host system.

#### Auto SignOn

Automatically connects you to the new host system using your current user id and password.




**Warning:** *It uses the user id with which you logged on to the system. It does not use the preferred user id for the new host system.*

#### Close

Close the Select Host System window without starting another emulation session.

# The Preferences Window

Selecting the Preferences option on the System menu may display the Preferences window.



The Preferences window displays the following fields:

## Fields:

### Reformatting

This group box contains the following options:

#### **Panel Recognition & Reformatting**

This Check box has the following options:

- Checked (on) - System 21 displays bespoke screens created using System 21 Workspace Designer.
- Unchecked (off) - System 21 uses its defaults to display data from the server. These screens will be closer to straightforward character-based screens.

Screen reformatting needs to be switched off to enable some queries to run effectively, since the bespoke screens may be missing some of the required information.



*Note: The state of this checkbox has no effect on your ability to go into Workspace Designer yourself and reformat screens. Your access to Workspace Designer is determined outside Client Workspace. Please refer to your System Administrator if you need access.*

#### **Design option buttons**



*Note: These are available to you only if you have been given access to the Designer facility. Please see your System Administrator.*

The option buttons give you the following choices:

- Design Company Recognition Files.
- Design User Recognition Files.

This is a toggle for Workspace Designer, specifying whether the screen recognition files designed are to be written to the directory specified in the Paths Window or Company Recognition Files field or to that specified in the Paths Window or User Recognition Files field.

### **Display**

The Display group box contains the following fields:

#### **Function Key Text Only**

Client Workspace displays functions that would be assigned to function keys on a keyboard-only dumb terminal as buttons. You can elect to hide or display the function key number. For example information that appeared on a dumb terminal as **F8=Update** can be displayed as a button labelled simply **Update**. The Function Key Text Only Check box gives you control over this process, and has the following options:

Checked (Default.) - The options are visible as buttons on the display, but with no associated F number. You select the button for the required option.

Unchecked - the function key options (number and text) are displayed on the button. You can select the button for the required option, or press the relevant function key.

You can use function keys whether they are displayed or not, if you know what they are. Keys F1 - F12 are standard PC keys; keys F13 - F24 are accessed by using the Shift key in conjunction with the standard PC function keys to increment the value of the function key by 12 (Shift + F1 equals F13, Shift + F2 equals F14 and so on).

#### **Type Ahead**

Checked (Default) - The facility to type ahead is enabled.

Unchecked - The facility to type ahead is disabled.

#### **Font**

Select your font from this drop-down list:

- Normal Arial Monospaced
- Normal Arial Monospaced CE (Central European characters)
- Normal Arial Monospaced zero-dot (for clarity this font displays a dot in the centre of the zero, to distinguish it from the letter o)
- Bold Arial Monospaced
- Bold Arial Monospaced CE (Central European characters)
- Bold Arial Monospaced zero-dot (for clarity this font displays a dot in the centre of the zero, to distinguish it from the letter o).

### **Manual Logon**

This group box determines how you perform a manual logon when you use the Host session option on the System menu.

This group box contains the following checkbox:

#### **Host Select**

Checked (Default) - Display the Select Host System window before displaying the sign-on panel for a manual logon. This will enable you to sign on to another host session.

Unchecked - Do not display the Select Host System window but display the sign-on panel straightaway for a manual logon. This will enable you to sign on to another session but only using the same host.

### **Help Files**

This group box contains the following checkbox:

#### **Show Server Help**

Checked - This connects you to the help text on the server when you click on a Help button on one of the application screens.

Unchecked (Default) - This connects you to the InfoBase help text when you click on a Help button on one of the application screens. Initially you see the help text relating to your current application but from here you can get to any information you need for the System 21 applications.

### **Buttons:**

#### **System**

Displays the System window. This button is enabled only when Panel recognition and reformatting (one of the fields above) is checked. It is used to set default values controlling how screens are displayed.

#### **Colors**

Displays the Change Color window.

#### **Paths**

Displays the Paths window.

#### **Ok**

Save the changes and close the Preferences window.

#### **Cancel**


Close the Preferences window without saving the changes .

#### **Help**

Selecting this Help button displays help text about Preferences and how to use the InfoBase. By further selecting the InfoBase button you can view the help text for the entire range of System 21 applications.

## The Paths Window

Selecting the Paths button on the Preferences window displays the Paths Window.



The Paths window displays the following fields:

### Fields:

The path to the Screen Recognition files used to reformat System 21 screens. Usually in a directory named SRFILES.

#### Company Recognition Files

The path to the company-wide Screen Recognition files used to reformat System 21 screens.

#### User Recognition Files

The path to the Screen Recognition files used to reformat System 21 screens for this specific user. In the event of there being data for a screen in both Recognition file directories, this one takes precedence.

#### Menu Files

The path to your Soft Menu (.SMU) files. Usually in a directory named SMU.

#### Help Files

The path to any Help (.HLP) files you wish to make links to using Workspace Designer.

### Buttons:

#### Ok


Save the changes and close the Paths Window.

#### Cancel

Close the Paths window without saving the changes.

## The System Window

Selecting the System button on the Preferences window displays the System window.



*Note: The changes you make on this window take effect in the following ways:*

- Panel Options, Title Style, Resources take effect when you press Ok
- Screen Details, Precision, Session Options, Startup Options details take effect when you next log on to the system.

The System window displays the following fields:

### Fields:

#### Panel Options

This group box contains the following options:


#### **Remove Stops**

This Check box has the following options:

Checked (Default) - This takes out the row of dots that is included by default in field descriptions. This is what you get:



Unchecked - This leaves in the row of dots that is included by default in field descriptions. This is what you get:



## Clip Top

This spin button group box is used to specify how many lines are to be removed from the top of the screen when it is displayed.

The top two lines of a System21 default screen usually show the program name, company and user, date and time. The appearance can be improved by removing these lines and the freeing up of the pixels improves the resolution of the screen.

If the Company Name is clipped from the screen you can easily check on this in Task Manager on the System menu.

The default for the clipping at the top is two lines.



*Note: You can clip from both top and bottom of individual windows by using Client Workspace Designer.*

## Title Style

This option button group box determines what you see as the title of the task. These are your options:

None - You get the system default stored on the server.

Description - (Only available when reformatting screens within Workspace Designer.) You get whatever you enter in the Title field on the Screen Definitions window in Workspace Designer.

Variable Field - (Only available when reformatting screens within Workspace Designer.) You get the title of the the first field to have the Title field checked on the Field Details window in Workspace Designer.

## Screen Details



*Note: These details take effect only when you next log on to the system.*

The Screen Details group box contains the following fields:

### Frame Size

This spin button enables you to determine the initial startup frame size as a portion of the screen. The default is 0.9, covering 90% of the screen. For lower screen resolutions, it may be preferable to set this to 1.0 for full screen.

### Session Size

This spin button enables you to determine the initial startup session frame size as a portion of the Workspace. The default is 0.9, covering 90% of the Workspace. Setting this to 1.0 effectively makes the session as large as the Workspace can make it.

## Resources

The Resources group box contains the following fields:

### System

This spin button allows you to set the percentage of Windows resources required for Client Workspace to run.

### Application

This spin button allows you to set the percentage of resources required for an executable to be run from Client Workspace. If, for example, you have configured your soft menus to run the windows Calculator or Diary, they will only run if available resources exceed this figure.

System Resources are small segments of memory used by Windows for graphics objects and the Windows kernel. Every bitmap and so on must be allocated out of the graphics segment. Once it is used Windows cannot display any more objects and therefore will not allow any more programs to be run. System 21 will not start any new sessions if System Resources are lower than 40%. The figures for System and Application resources (above) are set by default to 45% - you can adjust this figure downwards, but should be aware that Windows 3.n tends to become unstable with less than 35% resources free. Windows 95 allocates more memory for resources so this problem is largely confined to Windows 3.n.

### **Precision**



*Note: These settings are defaulted to give Client Workspace its most efficient performance. You can adjust these settings to clear certain persistent problems. Please be aware that the higher the setting made, the greater the impact on performance.*



*Note: These details take effect only when you next log on to Client Workspace.*

The Precision group box contains the following fields:

#### **Tick Count**

The default for this field is 50. The possible range is 50 to 1000.

If the screen is left unattended for periods of time, the protocol link will reduce its 'ticks', which inform the host that the PC is still in communication. Sometimes, if the tick count is too low, the connection may be dropped. If this happens regularly, increase the figure displayed in the spin box, bit by bit, until the connection link is maintained satisfactorily.

#### **Entry Field Conversion**

##### **Windows NT**



**Tip:** If you have Windows NT then just ignore this field completely. It is not used by the system.

##### **Windows 3.n or 95**

If you have Windows 3.n or 95 then it is possible that you might at some time experience a problem where the cursor moves away to the right during data entry, especially with windows with large numbers of entry fields. You can adjust the number in this field to counteract the problem.

The higher the number displayed in the spin box the less problem you will have with the Runaway cursor but the more machine resources you will use up. Conversely the lower the number displayed in the spin box the more problem you have with the Runaway cursor but the less machine resources you will use up.

Experiment with the number to get a balance between clearing the runaway cursor problem and not exploiting your machine's resources. If the setting is too high some entry fields may disappear or lose some clarity so you would then need to lower it and experience some moving cursor problems. As a rough guide work out how many entry fields you are likely to have on display at any one time, remembering to include all your current sessions, and set the number to one that is slightly larger.

The default for this field is 32. The possible range is zero to 512.

### **Session Options**





*Note: These details take effect only when you next log on to the system.*

The Session Options group box contains the following fields:

### **Max Sessions**

This spin button enables you to determine the number of Maximum sessions that can be opened within the Workspace before a limit check error is displayed preventing further sessions being opened. Opening extra sessions is resource intensive, and can result in GPFs or other memory type issues too. This can be set from 1 to 8, but the recommended range is 2 to 8. If Resource or Memory limitations are noticeable on a particular PC, lowering this setting to 3 or 4 effectively tailors the product to the PC. Note: 8 is the maximum number allowed, setting this higher will not provide more sessions, and may have knock-on effects.



*Note: Client Workspace is as resource and memory intensive as most common big name applications. Running Client Workspace alongside these applications will increase the risk of the PC reaching its processing limits. Opening many sessions on the PC will reduce this still further. For a UNIX host, the main limitation is the number of DOS file handles - CWS is restricted as the TCP/IP connections take up file handles too.*



Tip: JBA recommend that each PC be tested for its limitations, and then set so that in normal use, this is not reached. With other desired tasks running, see how many sessions can be opened. If 8 sessions is not achievable, then set the MaxSessions to the number of sessions obtained. If insufficient sessions can be opened for desired use, then other applications will have to be closed to allow this functionality to be within the limitations of the PC. Increasing the PC specification will raise the limitation, allowing more applications to be run, and more sessions to be opened.

### **Startup options**



*Note: These details take effect only when you next log on to the system.*

The Startup Options group box contains the following fields:

### **Hide Configuration**

Use this check box to display or hide the Configuration group box, containing the Server button, the Preferences button and the Hide Configuration field, on the Logon window. When the Configuration group box is hidden the user is prevented from Configuring the servers when logging on to the system. JBA recommend that you keep this group box hidden.



*Note: The Hide Configuration check box is available on the Logon Window until it becomes hidden along with the Server and Preferences buttons.*

### **Buttons:**

**Ok**

Save the changes and close the System window.

**Cancel**


Close the System window without saving the changes.

**Help**

Selecting this Help button displays help text about Client Workspace and how to use the InfoBase. By further selecting the InfoBase button you can view the help text for the entire range of System 21 applications.

## The Quick List Window

The Quick List Window is displayed by selecting the Quick List icon from the toolbar.



The Quick List Window displays the following fields and buttons:

### Fields:

#### Quick List

This untitled scrollable area at the top left hand of the window contains a list of tasks. By selecting a task in the list and clicking OK you can immediately display that task.

#### Auto Save

This check box has two states:

Checked - The last 20 tasks are saved automatically. As new tasks are added the oldest in the list (those at the top) are removed.

Unchecked - Tasks must be added by displaying the task, then displaying the Quick List window and selecting the Add button. Tasks must be removed using the Delete button.

### Buttons:

#### Add

Add the task currently selected in the application window.

#### Delete

Delete the task currently selected in the Quick List.

#### Ok

Run the task currently selected in the Quick List.

#### Close


Close the Quick List window without running, adding or deleting a task.

## The Change Color Window

Display the Change Colors window by selecting the Colors option on the Format menu, the Change Color icon on the toolbar or the Colors button on the Preferences window

You can change the colour of fields (input text) and field descriptions (output text). You can also change the background colours for these items.

In the screen below, the text for the standard Input Text field type is set to black.



The Change Colors window displays the following fields:

### Fields:

#### Field Types

A scrollable list of the available field/field description types is shown. To select a type, highlight it either by clicking once on the required definition, or by using the cursor keys to move up and down the list.

#### Color Wheel

The Color Wheel is a visual representation of the entire spectrum made up by dithering (mixing pixels of one colour with those of another) the sixteen Windows colours. Click anywhere in the wheel to select the area of the spectrum to work with.

#### Color Slider

The Color Slider is a visual representation of the range of the element of the spectrum currently selected in the Color Wheel.

Click anywhere in the slider to assign a color to the selected field type.

#### Foreground/Background

This option button group allows you to select whether the foreground or the background of the selected text type is affected by the colour settings.

#### Solid Colors

You can set the colour to any one of the sixteen default Windows colours, or to a colour made up of one or more of them. These intermediary colours are achieved by dithering - mixing pixels of one colour with those of another. Selecting this check box restricts you to the basic sixteen colours.

### **Buttons:**

#### **Close**

Close the Change Colors window and save changes.

#### **Default**

Return all fields to their default display settings.

#### **Undo**

Undo the last change made to the colour settings.

#### **Undo All**

Return all settings to their values on displaying the Change Colors window.

Selecting the Close button commits you to using the currently selected colours. To change colours again you must repeat the Change Colors process.

## The Keyboard Id Window

Selecting the Country option on the Format menu displays the Keyboard Id window.



The Keyboard Id window displays a window list of language drivers for your keyboard. You can highlight the required Keyboard Id and click on the OK button, or simply double-click on the Keyboard Id.

You should select the same nationality as that specified in the Country field of the International section of Windows Control Panel.

### Buttons:

#### Ok


Confirm the highlighted choice, save changes and close the Keyboard Id window.

#### Cancel

Close the Keyboard Id window without saving changes.

## The Window List Window

The Window List window is displayed when you select the Window List option from the Window menu.



The Window List window is a cut-down version of the Task Manager window, showing information about the Sessions you have running under System 21.

The Window List window displays the following buttons:

### Buttons:

#### Ok

Remove the Window List window from the display.

#### More

Display the Task Manager window.

# GUI Applications

For more information about these applications see their respective product guides.