

Working with Data in Excel

Download Companion Excel Sheet

[] indicate sheet names in the companion Excel workbook

[Getting Started]

Shortcuts

То	Windows	Mac
Find and replace	CTRL + F	+F
Move to the edge of the data region	CTRL+ Arrow key	+Arrow key
Select to the edge of the data region	CTRL+SHIFT+Arrow key	+SHIFT+Arrow key
Select entire column	CTRL+SPACEBAR	CTRL+SPACEBAR
Select entire row	SHIFT+SPACEBAR	SHIFT+SPACEBAR
Enter value into all selected cells	CTRL+ENTER	^+RETURN

Best Practices and Tidy Data

- Think of each row as an "observation" and each column as a "variable" or "field".
- Avoid color or other formatting alone to encode data.
- Only one table per sheet.
- Each observation should be of the same type (e.g. a student, or a NC county in a given year).
- Try saving your data as a .csv (comma separated values) file. This saves one sheet without formatting.

Working with Text

- LEFT() Extracts a specified number of characters from a variable, counting from the left
 - RIGHT() same as above, but counting from the right
- TRIM() Removes all whitespace aside from single spaces between words
- CONCATENATE() combines multiple strings into a single string

Paste Special: Making Functions Permanent

• Right-click: Copy

Right-click: Paste Special>Values

Paste [Transpose]

Right-click: Copy

Right-click: Paste Special>Transpose

Common Problems: [Splitting] on Delimiters


The Text to Columns tool (Data Tab>) lets you split a cell into multiple cells based on width or a special character (delimiter).

	Α	В	С	D	E	F	G	Н	I
1	Addresses					Addresses			
2	208 Raleigh St., Chapel Hill, NC, 27514			_	208 Raleigh St.	Chapel Hill	NC	27514	
3	203 South Road, Chapel Hill, NC, 27514				203 South Road	Chapel Hill	NC	27514	
4	335 South Columbia St., Chapel Hill, NC, 27599				335 South Columbia St.	Chapel Hill	NC	27599	

Common Problems: Filling [Blanks]

When dealing with human-readable text, we often have categories listed once with the implication that all lines before the next category fall into this group. For example, Bertie Rudolph is a Freshman.

- (PC) Home Tab, Editing > Find & Select > Go to Special > Blanks > OK
- (Mac) Edit Menu>Find>Go To...>Special...>Blanks>OK
- Type =, then hit the up directional arrow. Hit CTRL+Enter (PC) or CMD+Enter (Mac)



[VLOOKUP]

The VLOOKUP function provides a way to merge or join additional data into a dataset, using a common code or value.

Δ	Α	В	С	D	E	F	G	Н
1	=VLOOKUP(A3,F3:G9,2,FALSE)							
2	Code	Test	Outcome			Code	Name	
3	21325	1	Α			84571	Sanora Gea	n
4	44591	1	В			21111	Lynetta Do:	stal
5	21111	2	В			21470	Chin Bissor	1
6	57257	2	С	•		21325	Phung Goff	ney
7				•		57257	Lou lacovel	li
8					•	11174	Wilmer Fal	kner
9						44591	Loura Good	night

=VLOOKUP(A3,\$F\$3:\$G\$9,2,FALSE)

<u>Parameter</u>	<u>Value</u>	<u>Description</u>
lookup_value	A3	value in our main table that we're looking to match in the other table
table_array	\$F\$3:\$G\$9	the <i>other table</i> we need information from (lock references with \$: \$F\$3:\$G\$9)
col_index_num	2	the <i>column from the other table</i> we're looking for
[range_lookup]	FALSE	whether you want approximate matches (TRUE) or exact matches (FALSE)

Exercise: [Ex Main], [Ex Lookup]

Introduction to PivotTables

Pivot Tables IPEDS.xlsx

Windows: Insert Tab>PivotTable

Mac: Go to Data Tab>PivotTable>Create Manual PivotTable...


PivotTables create cross-tabulations displaying values split out across categories displayed as row and/or column headings.

Adding data: Click and drag to areas at the bottom of "PivotTable Fields". Remove by dragging back to list.

Columns and Rows: The categories on the edges of the table

• Multiple categories on a single axis will be nested

Values: The *numbers* shown in the cells of the table (each cell represents the combination of its column and row categories.)



In most cases, there will be **many** rows in your dataset represented by one cell in your PivotTable, so we need to summarize or aggregate the data. In the example above, there are many public or private universities in each state.

Aggregation of Values


Click on a field in the Values area and choose "Value Field Settings" to change the default aggregation



- "Summarize Values By" determines the mathematical function used to summarize the cells
 - Frequencies are available via the Count function. Note: this will not count missing values.
 Exercise: Compare Frequency of <u>Control of Institution</u> using Count on <u>Control of Institution</u> and a Count on <u>Applicants Total</u>.
 - 1. Drag Control of Institution to Rows.
 - 2. Drag Control of Institution to Values, and make sure it is summarized by "Count of"
 - 3. Drag Applicants Total to Values, and make sure it is summarized by "Count of"
- "Show Values As" allows more complex calculations based on other cells (e.g. percent of total)
- Mac: Click the "i" icon on the Value. "Show Values As" is located under the "Options>>" tab.

Sorting and Filtering Columns and Rows

Use the arrows at the right of "Row Labels" and "Column Labels"



- "More Sort Options" provides advanced sorting by Values (Mac: Not Available)
- Filter with the check boxes next to unique values (Mac: Not Available)
 - Advanced filtering available in "Label Filters" and "Value Filters"

Filters

• Filters: Dragging a field to the Filters area will create a drop-down filter at the top of the sheet.

PivotTable Exercises

- 1. What are the Enrolled Totals in public and private schools (see Control of institution)?
- 2. Which <u>Geographic Region</u> has the highest average <u>ACT Composite 75th percentile score</u>? How many regions have average scores below the national (Grand Total) average?
- 3. Which category of Degree of Urbanization contains the most public (Control of Institution) universities?
 - a. What percent of the <u>Applications total</u> go to each of the top two <u>Degrees of Urbanization</u>? (Hint: Use the Show Values As tab in Value Field Settings)

Next Steps:

Other Useful Tools:

- Power Query (Windows-only): Loading and filtering large datasets
 - Data Tab> Get & Transform
- Data Validation: Control data entry to prevent errors
 - Data Tab> Data Validation
- Macros: Record and re-use processes, or write your own code

Getting Help:

- Lynda.com provides training videos (free to UNC affiliates) on a wide variety of Excel functions
- <u>Matt Jansen</u> (<u>guides.unc.edu/mattjansen</u>) of the Davis Library Research Hub is available for one-on-one consultations.

Data Sources:


- World Development Indicators (Excel_Workshop.xlsx)
- <u>IPEDS</u> (Pivot_Tables_IPEDS.xlsx), accessed <u>here</u>.

PivotTable Exercise SOLUTIONS BELOW

SOLUTIONS

DISCLAIMER: For many of these questions, there are multiple ways to get to the correct values. These are merely one way you could get the desired results.


1. What are the Enrolled Totals in public and private schools (see Control of institution)?



Instructions:

- Drag Control of institution to Row Labels to layout the table.
- Drag <u>Enrolled total</u> to Values.
- Click Enrolled total in Values and select Value Field Settings...
 - o Change Summarize Values by to **Sum** instead of the default Count.


2. Which <u>Geographic Region</u> has the highest average <u>ACT Composite 75th percentile score</u>? How many regions have average scores below the national (Grand Total) average?




Instructions:

- Drag <u>Geographic region</u> to Row Labels.
- Drag ACT Composite 75th percentile score to Values.
- Click <u>ACT Composite 75th percentile score</u> in Values and select Value Field Settings...
 - Change Summarize Values by to Average.
- Sort the table by clicking the arrow icon in the corner of **Row Labels** on the table itself (see arrow)

Click More Sort Options, then select Descending (Z to A) and set to <u>Average of ACT Composite 75th percentile score</u>




3. Which category of <u>Degree of Urbanization</u> contains the most public (<u>Control of Institution</u>) universities?



Instructions:

- Drag Degree of Urbanization to Row Labels. Drag ID number to Values.
- Click ID number in Values, then Value Field Settings>Summarize Values by to set aggregation to Count.
 - Note: ANY variable that doesn't have missing values will work here. The Count aggregation is
 essentially counting the number of filled cells in the given categories. So some values will have
 slightly different counts due to empty cells.
- Drag Control of Institution to Report Filter. Use the Filter appearing at the top of the screen to select Public.
- Use the Row Labels arrow, then More Sort Options to sort by Count of ID number.
- a. What percent of the <u>Applications total</u> go to each of the top two <u>Degrees of Urbanization</u>? (Hint: Use the Show Values As tab in Value Field Settings)



Instructions

- Assume that we keep the Public filter active. Leave the earlier work in place.
- Drag <u>Applicants total</u> to Values and place it under <u>Count of ID number</u>.
- Click Applicants total and select Value Field Settings.
 - Under Summarize Values by, choose Sum
 - Under Show Values As, choose % of Column Total