VS-06 Dissemination and Service Delivery

Table of contents

VS-06 Dissemination and Service Delivery . . . 1
1. Purpose and value created . . . 1
2. Position and state transition . . . 2
3. Stages . . . 2
4. The four process types . . . 6
5. Actors and roles . . . 14
6. Capabilities, processes, and functions . . . 15
7. Principles . . . 18
8. Interfaces, services, and events . . . 19
9. Key performance indicators . . . 21
10. Examples . . . 21

VS-06 Dissemination and Service Delivery

1. Purpose and value created

VS-06 is the exit point of the statistical value chain. It takes approved statistical products and makes them available to policy makers, researchers, journalists, businesses, and the public through trusted, secure channels: publications, open data, APIs, dashboards, deliveries to international organisations, data spaces, and secure access to microdata for research. It does not change the statistics. It protects them with final disclosure control, formats them for each channel, documents them, releases them at the same moment for everyone, and helps users interpret them correctly. The value created is **impact and accessibility**: statistics that users can find, trust, and use responsibly, which turns statistical output into societal value through informed decisions, evidence-based policy, and transparency.

Composing and approving statistical products is not part of VS-06; it belongs to VS-05. VS-06 only disseminates products that have already been approved and registered. The technical platforms for portals, APIs, dashboards, and secure research environments are provided by VS-09.

> **i** Signature discipline: accessibility, trust, and the release gate
>
> Accurate, timely, and understandable delivery through secure channels, gated by **final statistical disclosure control**: no release without confidentiality clearance. Documentation and user services support responsible use. Equal access to released statistics, through managed release timing and embargo discipline, and accessibility, through formats, languages, and machine-readability, are explicit obligations.

VS-06 corresponds to the business domain **Dissemination** (see *Steady-State Architecture, Business domains*). This section describes the business layer of that domain for all four process types: Design, Implementation, Execution, and Management.

PLACEHOLDER: ArchiMate view VS-06 (a) value stream and capabilities

---

2. Position and state transition

VS-06 is the sixth and last primary value stream. It receives approved statistical products from VS-05 and has no downstream primary value stream. Its handover is to users outside the NSI, and its feedback path runs to VS-10.

VS-06 takes data from State #4 (approved version) to State #5. Before VS-06, the product is an approved, registered version that is still restricted and usually market-sensitive. It carries the metadata that VS-05 attached: component lineage, composition method, propagated accuracy, coherence results, the approval record, and the confidentiality status. VS-06 applies the final disclosure control for release, beyond the initial disclosure control of VS-04 and the standards check of VS-05. After VS-06, the output is released data, documented for correct interpretation and available through the agreed channels. Once users take it into their own environment, it becomes consumed data (boundary position #6), outside the NSI's control. The quality gate, the minimum metadata set, and the protection of State #5 are described in *State #5: Released Data* and are not repeated here.

From	To	Gate	Event out
#4 Statistics (approved)	#5 Released Data	Gate of State #5 (approved source, final disclosure control, de-identification, documentation, format and accessibility, release authorisation, timing and equal access, metadata)	*Statistics Released*

PLACEHOLDER: ArchiMate view VS-06 (c) state handover and events: the approved product (#4) from VS-05, the dissemination service at the boundary (final disclosure control and formatting, publication, access, user support, monitoring), Released Data (#5) under NSI control, and Consumed Data (#6) with users outside the NSI, with usage and feedback flowing back to VS-06.5 and VS-10

3. Stages

The stages describe the value that VS-06 adds in every release cycle. Together they form the execution process type of VS-06. In a mature steady state, the strategy, the disclosure rules, and the channels have been designed and built in advance (see attribute 4). Execution then focuses on running the release, serving users, and monitoring use, with final disclosure control as the gate that must be passed before anything is published.

Stage	Name	Value added
VS-06.1	Plan Dissemination and Access Strategy	Target users, channels, formats, and release timing are set for the release
VS-06.2	Prepare Data for Dissemination	The output is disclosure-safe and in the right format for each channel
VS-06.3	Publish and Provide Access Services	Users can find and access the output, equally and on time (State #5)
VS-06.4	Support and Engage Users	Users understand and use the output correctly
VS-06.5	Monitor Usage and Feedback	The NSI knows how its output is used and valued

Each stage below is described with its activities. The column *SAF process* shows the business process from *Business Processes* that the activity belongs to. The column *Other reference* shows the principles, capabilities, or external frameworks that the activity applies.

VS-06.1 Plan Dissemination and Access Strategy

Value created: *The right channels, formats, and timing confirmed for this release.*

Execution starts when the *Statistical Product Registered* event arrives from VS-05. In a mature steady state, the Design process *Design Dissemination and Access Strategy* has already set the strategy. Each cycle therefore confirms the plan for this release rather than creating it. The team confirms the channels, the formats, and the slot in the release calendar for the product. It verifies the embargo and equal-access arrangements, and confirms the target user groups and the communication plan. A significant change, such as a new channel or a policy change, goes back to design instead of being solved during the cycle.

Activity	Key outputs	SAF process	Other reference
Confirm channels, formats, and release calendar slot for the product	Confirmed release plan	PRD-2.1 Design outputs and dissemination	1.5.1 Publication management
Verify embargo and equal-access arrangements	Confirmed access arrangements	PRD-2.1 Design outputs and dissemination	4.1.5 Accountability
Confirm target user groups and the communication plan	Confirmed audience and communication plan	PRD-2.1 Design outputs and dissemination	1.5.2 Promotion to use
Flag plan changes for design review	Plan change exception (if any)	PRD-2.1 Design outputs and dissemination	GAMSO Quality Management

VS-06.2 Prepare Data for Dissemination

Value created: *Products made disclosure-safe and formatted for each channel.*

This stage prepares the product for release. Final disclosure control is applied: suppression, rounding, or perturbation for tables and dashboards, beyond the protection applied upstream, and de-identification for any released microdata. The release is then checked against the disclosure-risk criteria of the gate of State #5. Nothing proceeds if the criteria are not met: a release that fails is returned for additional protection, because confidentiality is not negotiable at the boundary to State #5. The product is then formatted for each channel (publication, API or dataset, dashboard) and loaded into the output systems, where it stays under embargo. The documentation, metadata, and methodology notes are assembled according to the documentation standard.

Activity	Key outputs	SAF process	Other reference
Apply final disclosure control to tables and dashboards	Disclosure-controlled outputs	PRD-6.4 Apply disclosure control	SAF-P11; 1.3.7 Statistical disclosure; GSBPM 6.4
De-identify any released microdata to the designed standard	De-identified microdata	PRD-6.4 Apply disclosure control	SAF-P11
Check the release against the disclosure-risk criteria	Disclosure clearance, or return for further protection	PRD-6.4 Apply disclosure control; DLM-2 Promote data through a quality gate	SAF-P11
Format the product for each channel and load it into the output systems under embargo	Channel-ready products	PRD-7.1 Update output systems; PRD-7.2 Produce dissemination products	

Activity	Key outputs	SAF process	Other reference
Assemble documentation, metadata, and methodology notes	Release documentation package	PRD-7.2 Produce dissemination products; OVA-2 Metadata Management	SAF-P09

VS-06.3 Publish and Provide Access Services

Value created: *Statistics released to users through trusted, secure channels, equally and on time.*

This stage executes the release. The product and its metadata are published through the confirmed channels: portal or publication, API and open data, dashboards, deliveries to international organisations, and data offerings in data spaces where applicable. Release timing follows the calendar, with embargo and equal access enforced: no privileged early access outside policy. All channels come from the same released version, so a user gets the same figure everywhere. Access to microdata is mediated through a secure research environment: researchers are authorised, their project is assessed, a project-specific dataset is prepared, and every result is checked before it leaves the environment. The release is promoted according to the communication plan, together with VS-10. A persistent, identified release version is recorded with lineage to the approved product, and the *Statistics Released* event is published.

Activity	Key outputs	SAF process	Other reference
Publish products and metadata through the confirmed channels (portal, API, dashboards)	Published release	PRD-7.2 Produce dissemination products; PRD-7.3 Release dissemination products	1.5.3 Facilitate data access
Manage release timing, embargo, and equal access	Managed release, embargo log	PRD-7.3 Release dissemination products	1.5.1 Publication management; 4.1.5 Accountability
Publish data offerings in data spaces where applicable	Data space offering	DSP-2 Publish data offerings	
Authorise researchers and assess project applications	Research access authorisation	MDS-1 Authorise institutions and researchers; MDS-2 Assess access applications	2.2.4 Data services; COL-04
Provide mediated access in a secure research environment, or privacy-preserving analysis where data cannot be moved	Research dataset, research access provision	MDS-3 Prepare research datasets; MDS-4 Provide a secure processing environment; MDS-5 Facilitate privacy-preserving analysis	SAF-P10, SAF-P11
Check research output before it leaves the environment	Released or returned research output	MDS-7 Check and release output	SAF-P11
Promote the release according to the communication plan, with VS-10	Promotion carried out	PRD-7.4 Promote dissemination products	1.5.2 Promotion to use
Register the release version with lineage and publish the *Statistics Released* event	Release version, event notification	DLM-3 Register and catalogue data	SAF-P07

PLACEHOLDER: VS-06 release architecture: the approved product passes final disclosure control and formatting, then the disclosure-risk decision; on "yes" it is released through portal or publication, API and open data, dashboards, and the secure research environment to users (#6); on "no" it is returned for more protection

VS-06.4 Support and Engage Users

Value created: *Users helped to find, understand, and correctly use the statistics.*

This stage supports users after release. Documentation, metadata, and user guides are made available with the release. The helpdesk answers queries, and training or guidance is provided for correct interpretation and use. Researchers in the secure environment receive their own support, including help with output checking. Engagement activities, together with VS-10, gather questions and needs. Errata and clarifications are issued according to the correction policy. The aim is responsible use: helping users avoid misinterpreting estimates and their uncertainty.

Activity	Key outputs	SAF process	Other reference
Provide documentation, metadata, and user guides with the release	Published documentation	PRD-7.5 Provide user support; OVA-2 Metadata Management	SAF-P09
Operate the helpdesk and respond to user queries	Query responses	PRD-7.5 Provide user support	3.4.1 Services management
Provide training and guidance for correct interpretation	User guidance	PRD-7.5 Provide user support	
Support researchers with data, methods, and output checking	Researcher support	MDS-6 Support researchers	COL-04
Gather questions and needs through engagement activities, with VS-10	Engagement log	PRD-7.4 Promote dissemination products	
Issue errata and clarifications according to the correction policy	Corrections (if any)	PRD-7.3 Release dissemination products; DLM-7 Revise data	4.1.5 Accountability

VS-06.5 Monitor Usage and Feedback

Value created: *Insight into how statistics are used and valued, feeding continuous improvement.*

This last stage closes the loop with users. Usage is tracked across channels: downloads, API calls, dashboard views, and publication reads. User satisfaction and feedback are collected, and the insights are analysed to understand reach, value, and unmet needs. For research access, the use of the data against the conditions of use is monitored, and finished projects are closed, with their datasets and project-specific pseudonymisation keys disposed of. The insights go back to Design, to VS-10, and across the value chain. An example is demand for a new breakdown, which would have to start in earlier value streams.

Activity	Key outputs	SAF process	Other reference
Track usage across channels (downloads, API calls, views)	Usage statistics	PRD-8.1 Gather evaluation inputs; DLM-8 Monitor data quality, lineage and use	
Collect user satisfaction and feedback	Feedback log	PRD-8.1 Gather evaluation inputs	GSBPM 8

Activity	Key outputs	SAF process	Other reference
Analyse reach, value, and unmet needs	Usage insight report	PRD-8.1 Gather evaluation inputs; PRD-8.2 Conduct evaluation	
Monitor research use against the conditions of use, and close finished projects	Research compliance record, project closure record	MDS-8 Monitor use and compliance; MDS-9 Close projects	SAF-P11
Route insights to Design, VS-10, and the wider chain	Improvement and engagement inputs	PRD-8.1 Gather evaluation inputs	4.1.4 Improvement management

4. The four process types

The sub-processes below are specific to VS-06. Each refines one or more SAF business processes, listed as *Refines*, which keeps it traceable to *Business Processes*. Sub-processes marked *(standard)* work as described in Standard activities in every value stream; only the VS-06 specifics are listed.

Design: provides metadata

Without a designed strategy and release policy, release becomes ad hoc, with a risk of confidentiality breaches or unequal access, and management has no baseline to measure accessibility and impact against.

Design sub-process	Refines	Main outputs
Design Dissemination and Access Strategy	PRD-1.2 Consult and confirm needs; PRD-2.1 Design outputs and dissemination	User segmentation, channel and format strategy, release calendar and access policy, product-channel map
Design Disclosure Control and De-identification for Release	PRD-2.1 Design outputs and dissemination; PRD-2.5 Design processing and analysis; DLM-4 Classify and protect data	Release disclosure-control rules, de-identification standard, disclosure-risk criteria, channel protection design
Design Channels, Formats, and Documentation	PRD-2.1 Design outputs and dissemination; OVA-2 Metadata Management	Format and accessibility standard, API and dataset specification, service design, documentation standard
Design User Support, Promotion, and Feedback Model	PRD-2.1 Design outputs and dissemination; DLM-7 Revise data	User support model, communication plan, usage and feedback model, correction policy
Design Release Governance and Audit Framework	PRD-2.1 Design outputs and dissemination; DLM-1 Plan and design data assets; DLM-4 Classify and protect data	Release approval policy, equal-access controls, versioning and lineage policy, access control design

Design Dissemination and Access Strategy

Refines: PRD-1.2 Consult and confirm needs; PRD-2.1 Design outputs and dissemination.

The starting point is deciding who the products are for and how they will be reached. This sub-process defines the target user groups and their needs, together with VS-10. It defines the access channels and release formats: open data, API, research access, publications, and dashboards. It sets the release calendar and the equal-access and embargo policy. Each product is mapped to its channels and formats.

Activity	Key outputs	SAF process	Other reference
Define target user groups and their needs, with VS-10	User segmentation	PRD-1.2 Consult and confirm needs; PRD-2.1 Design outputs and dissemination	2.2.5 User research
Define access channels and release formats (open data, API, research access, publications, dashboards)	Channel and format strategy	PRD-2.1 Design outputs and dissemination	1.5.3 Facilitate data access
Define the release calendar and the equal-access and embargo policy	Release calendar and access policy	PRD-2.1 Design outputs and dissemination	1.5.1 Publication management; 4.1.5 Accountability
Map each product to its channels and formats	Product-channel map	PRD-2.1 Design outputs and dissemination	

Design Disclosure Control and De-identification for Release

Refines: PRD-2.1 Design outputs and dissemination; PRD-2.5 Design processing and analysis; DLM-4 Classify and protect data.

This sub-process designs the final confidentiality protection applied before release. It specifies the disclosure-control rules for tables and dashboards (suppression, rounding, perturbation), over and above the protection already applied upstream. It sets the de-identification standard for any released microdata and the disclosure-risk criteria that a release must meet. Different channels get different treatment: more detailed microdata, for example, is only available in a secure research environment.

Activity	Key outputs	SAF process	Other reference
Define final disclosure-control rules for tables and dashboards	Release disclosure-control rules	PRD-2.5 Design processing and analysis	SAF-P11; 1.3.7 Statistical disclosure
Define the de-identification standard for released microdata	De-identification standard	PRD-2.5 Design processing and analysis; DLM-4 Classify and protect data	SAF-P11; 3.3.1 Privacy management
Define the disclosure-risk criteria a release must meet	Disclosure-risk criteria	PRD-2.1 Design outputs and dissemination	SAF-P11
Design differential treatment by channel (open access or secure research access)	Channel protection design	PRD-2.1 Design outputs and dissemination; DLM-4 Classify and protect data	SAF-P10; 2.2.4 Data services

Design Channels, Formats, and Documentation

Refines: PRD-2.1 Design outputs and dissemination; OVA-2 Metadata Management.

This sub-process designs the delivery mechanics, using the platforms that VS-09 provides. It specifies the publication formats and accessibility standards: machine-readable formats, languages, and web accessibility. It specifies the API and dataset structures, for example in SDMX, the dashboards and visualisations, and the access model of the secure research environment. It also sets the documentation standard that every release must meet: methodology notes, metadata, and user guides.

Activity	Key outputs	SAF process	Other reference
Specify publication formats and accessibility standards	Format and accessibility standard	PRD-2.1 Design outputs and dissemination	
Specify API and dataset structures	API and dataset specification	PRD-2.1 Design outputs and dissemination; OVA-2 Metadata Management	SDMX; CSDA Dissemination
Specify dashboards, visualisations, and the research access model	Service design	PRD-2.1 Design outputs and dissemination	2.2.4 Data services
Define the documentation standard for every release	Documentation standard	OVA-2 Metadata Management	SAF-P09

Design User Support, Promotion, and Feedback Model

Refines: PRD-2.1 Design outputs and dissemination; DLM-7 Revise data.

This sub-process designs how users are supported and heard. It specifies the user support model (documentation, helpdesk, training) and the approach to promoting and communicating releases, together with VS-10. It defines the usage and feedback model: what is measured, such as usage and satisfaction, how feedback is collected, and how it goes back into improvement. The correction and erratum policy completes the design.

Activity	Key outputs	SAF process	Other reference
Define the user support model (documentation, helpdesk, training)	User support model	PRD-2.1 Design outputs and dissemination	3.4.1 Services management
Define the promotion and communication approach for releases, with VS-10	Communication plan	PRD-2.1 Design outputs and dissemination	1.5.2 Promotion to use; 3.1.4 Communication management
Define the usage and feedback model	Usage and feedback model	PRD-2.1 Design outputs and dissemination	
Define the correction, erratum, and re-release policy	Correction policy	DLM-7 Revise data	4.1.5 Accountability

Design Release Governance and Audit Framework

Refines: PRD-2.1 Design outputs and dissemination; DLM-1 Plan and design data assets; DLM-4 Classify and protect data.

This last design sub-process makes sure that releases are governed, equitable, and auditable. It defines the release approval and sign-off workflow and the equal-access controls, so that nobody gets early access outside policy. It sets the release versioning policy (identity, revisions and corrections, retention) and the lineage requirements from each release back to its approved product. Role-based access control for the access services is designed in line with SAF-P10.

Activity	Key outputs	SAF process	Other reference
Define the release approval and sign-off workflow	Release approval policy	PRD-2.1 Design outputs and dissemination	4.1.5 Accountability
Define equal-access controls and embargo governance	Equal-access controls	PRD-2.1 Design outputs and dissemination	1.5.1 Publication management; 4.1.5 Accountability

Activity	Key outputs	SAF process	Other reference
Define release versioning and lineage requirements	Versioning and lineage policy	DLM-1 Plan and design data assets	CSDA Traceability
Design role-based access control for the access services	Access control design	DLM-4 Classify and protect data	SAF-P10; 3.3.4 Logical identity and access control

PLACEHOLDER: VS-06 design process decomposition: inputs (approved products from VS-05, user needs via VS-10, confidentiality and access law via VS-07, framework standards), the five design sub-processes in order, and the design document each produces (channel and format strategy, release disclosure-control rules, service and documentation specifications, support and feedback model, release governance policy)

Implementation: provides the execution process

Implementation builds, configures, and tests the dissemination and access pipeline on the platforms provided by VS-09. Nothing is published in production until this is complete.

Implementation sub-process	Refines	Main outputs
Build Publication and Access Channels	PRD-3.3 Reuse or build dissemination components; MDS-4 Provide a secure processing environment	Configured publication, open-data, API, and dashboard services; research access service; standard exchange interfaces
Configure Disclosure Control and Release Tooling	PRD-3.2 Reuse or build processing and analysis components; PRD-3.4 Configure workflows	Configured disclosure-control tooling, de-identification component, release disclosure gate, release management tooling
Build Documentation, Support, and Usage Monitoring Services	PRD-3.3 Reuse or build dissemination components; PRD-3.4 Configure workflows; DLM-3 Register and catalogue data	Documentation services, user support services, usage and feedback tooling, release version store, event publication
Test and Validate the Pipeline *(standard)*	PRD-3.5 Test production systems; PRD-3.6 Test statistical business process; PRD-3.7 Finalise production systems	Test reports; integration test from product intake through preparation, disclosure control, and release to access and support; accessibility test (formats, languages, machine-readability); security and disclosure test (access controls, no output breaches the disclosure-risk criteria); release rehearsal (managed timing, embargo, equal access)

Build Publication and Access Channels

Refines: PRD-3.3 Reuse or build dissemination components; MDS-4 Provide a secure processing environment.

This sub-process turns the channel and format designs into operational services. The publication channels (website or publication system), the API and open-data services, the dashboards, and access to the secure research environment are built or configured on the VS-09 platforms, according to the designed formats and accessibility standards. Dataset and metadata exchange compliant with SDMX is configured, and access controls are applied according to the designed model.

Activity	Key outputs	SAF process	Other reference
Build or configure publication channels and the open-data and API services	Configured publication and API services	PRD-3.3 Reuse or build dissemination components	1.1.3 Build statistics product
Build or configure dashboards and visualisation services	Configured dashboards	PRD-3.3 Reuse or build dissemination components	
Configure access to the secure research environment	Research access service	MDS-4 Provide a secure processing environment	SAF-P10
Configure dataset and metadata exchange compliant with SDMX	Standard exchange interfaces	PRD-3.3 Reuse or build dissemination components	SDMX; CSDA Dissemination

Configure Disclosure Control and Release Tooling

Refines: PRD-3.2 Reuse or build processing and analysis components; PRD-3.4 Configure workflows.

The designed disclosure-control rules and release policy are implemented. Disclosure-control tooling is configured to apply the designed suppression, rounding, and perturbation to tables and dashboards, and to de-identify released microdata. Disclosure-risk checks are enforced before publication. Release tooling is configured for release at a managed time, embargo handling, and enforcement of equal access.

Activity	Key outputs	SAF process	Other reference
Configure final disclosure-control tooling (suppression, rounding, perturbation)	Configured disclosure-control tooling	PRD-3.2 Reuse or build processing and analysis components	SAF-P11
Configure microdata de-identification to the designed standard	De-identification component	PRD-3.2 Reuse or build processing and analysis components	SAF-P11
Enforce disclosure-risk checks before publication	Release disclosure gate	PRD-3.4 Configure workflows; DLM-2 Promote data through a quality gate	SAF-P11
Configure release at a managed time, embargo handling, and equal-access enforcement	Release management tooling	PRD-3.4 Configure workflows	1.5.1 Publication management; 4.1.5 Accountability

Build Documentation, Support, and Usage Monitoring Services

Refines: PRD-3.3 Reuse or build dissemination components; PRD-3.4 Configure workflows; DLM-3 Register and catalogue data.

This sub-process implements the services for users and the feedback loop. Documentation and metadata services make sure that every release is accompanied by methodology notes, reference metadata, and user guides. Helpdesk and training support are set up according to the support model. Usage monitoring and feedback collection capture usage statistics, satisfaction, and feedback, and route them into the improvement loop and to VS-10. The release version store is built so that each release is identified, immutable, and traceable to its approved product, and event notifications are configured to signal a release.

Activity	Key outputs	SAF process	Other reference
Build documentation and metadata services for every release	Documentation services	PRD-3.3 Reuse or build dissemination components; OVA-2 Metadata Management	SAF-P09
Set up helpdesk and training support	User support services	PRD-3.3 Reuse or build dissemination components	3.4.1 Services management
Implement usage monitoring and feedback collection	Usage and feedback tooling	PRD-3.4 Configure workflows	
Build the release version store and configure the *Statistics Released* event	Release version store, event publication	PRD-3.4 Configure workflows; DLM-3 Register and catalogue data	SAF-P07; CSDA Traceability

PLACEHOLDER: VS-06 implementation pipeline: the five design artefacts feeding the three build sub-processes, followed by technical testing, accessibility and disclosure tests, and a release rehearsal, resulting in an operational dissemination pipeline and operational procedures

Execution: provides the statistical data

Execution runs the stages of VS-06 for every release. The stages and their activities are described in attribute 3. A cycle starts when an approved product is registered; the release itself takes place at the slot in the release calendar. Support and monitoring of usage continue after the release. Execution applies the designs and the solution as they are; a new channel or a policy change goes back to Design. Every release attempt ends in one of two outcomes: released at the planned moment, or returned for further protection. Unlike earlier gates, the disclosure criteria allow no conditional acceptance.

Aspect	VS-06
Trigger	*Statistical Product Registered*
Cadence	Per release, following the release calendar; support and monitoring are continuous
Performed by	ROL-17 Release manager, ROL-16 Disclosure control specialist, ROL-22 Dissemination and service manager, ROL-03 Data steward
Input	Approved #4 version with its metadata and approval record
Output	Released data version (#5) in its channel representations, user support, usage and feedback data
Control point	Gate of State #5: disclosure-risk criteria in VS-06.2; release authorisation and release slot before VS-06.3
Exception path	Failed disclosure criteria: return for further protection; error in content: back to VS-05 or VS-04 as a new approved version, released again with an erratum; plan change: back to Design

Management: provides quality reports

Management runs alongside and after execution. It also makes sure that every release is compliant and equitable, and it feeds recommendations to VS-10 as well as to Design.

Management sub-process	Refines	Main outputs
Monitor Process Performance *(standard)*	OVA-4 Process Data Management; PRD-8.1 Gather evaluation inputs	Process performance dashboard; release calendar adherence report; paradata on channels used, the moment each release went live, embargo handling, and the number of support queries
Assess Dissemination Quality	OVA-1 Quality Management; DLM-8 Monitor data quality, lineage and use	Accessibility report, punctuality report, reach and clarity report, quality trend analysis
Manage Release and Channel Lifecycle	OVA-2 Metadata Management; DLM-5 Store and version data; DLM-7 Revise data; DLM-8 Monitor data quality, lineage and use; DLM-10 Archive and preserve data	Channel version register, metadata quality report, release store audit, metadata lineage audit
Audit and Compliance Reporting *(standard)*	OVA-1 Quality Management; OVA-4 Process Data Management; MDS-8 Monitor use and compliance	Produced with VS-07: disclosure compliance summary (every release passed the gate; released microdata meets the de-identification standard); equal-access compliance report (release timing and embargo respected, no privileged early access); accessibility compliance report; security compliance report covering access controls and the integrity of the secure research environment
Continuous Improvement *(standard)*	PRD-8.2 Conduct evaluation; PRD-8.3 Agree an action plan	Improvement recommendations, for example new or better channels and formats, clearer documentation where users misunderstand it, a leaner release process, better accessibility, and demand for new statistics or breakdowns; recommendations go to Design, to VS-10, and, where the need starts earlier, across the chain; trends watched: punctuality, reach, satisfaction, support queries

Assess Dissemination Quality

Refines: OVA-1 Quality Management; DLM-8 Monitor data quality, lineage and use.

Beyond process performance, the quality of dissemination itself is evaluated against the criteria set in Design. Each release and the service as a whole are assessed on several dimensions. Accessibility covers formats, languages, machine-readability, and compliance with web accessibility standards. Timeliness and punctuality are measured against the release calendar. Reach and relevance compare usage with expectations and check the coverage of user groups. Clarity looks at whether users interpret the figures correctly, judged from queries and feedback. Quality indicators are produced per release and per cycle, and trends are tracked. This follows the Data Quality capability of CSDA and SAF capability 2.1.3 *Statistical quality management.*

Activity	Key outputs	SAF process	Other reference
Assess the accessibility compliance of releases	Accessibility report (per cycle)	OVA-1 Quality Management	2.1.3 Statistical quality management
Assess timeliness and punctuality against the release calendar	Punctuality report	OVA-1 Quality Management	CSDA Data Quality
Assess reach, relevance, and clarity from usage and feedback	Reach and clarity report	DLM-8 Monitor data quality, lineage and use	2.1.3 Statistical quality management
Identify quality trends across releases and cycles	Quality trend analysis	OVA-1 Quality Management	2.1.3 Statistical quality management

Manage Release and Channel Lifecycle

Refines: OVA-2 Metadata Management; DLM-5 Store and version data; DLM-7 Revise data; DLM-8 Monitor data quality, lineage and use; DLM-10 Archive and preserve data.

Dissemination channels, formats, and the releases they carry must stay current, complete, and well governed. This sub-process manages the life cycle of channels, formats, and documentation standards: it versions them, manages transitions such as an API version upgrade, and retires obsolete channels. It verifies that every release carries full documentation, its disclosure record, and its lineage, as a compliance check on SAF-P09. It governs the release version store: retention, immutability, handling of corrections, and reconciliation of catalogue entries with what is actually published. Lineage from approved product to released data is tracked.

Activity	Key outputs	SAF process	Other reference
Manage the life cycle and versions of channels, formats, and documentation standards	Channel version register	OVA-2 Metadata Management	3.4.1 Services management
Verify metadata completeness: documentation, disclosure record, lineage	Metadata quality report	OVA-2 Metadata Management	SAF-P09
Govern the release version store: retention, immutability, corrections, reconciliation with the catalogue	Release store audit	DLM-5 Store and version data; DLM-7 Revise data; DLM-10 Archive and preserve data	CSDA Traceability
Track metadata lineage from approved product to released data	Metadata lineage audit	DLM-8 Monitor data quality, lineage and use	CSDA Traceability

PLACEHOLDER: VS-06 management feedback loop: releases and usage data from Execution flowing through the five management sub-processes, with dashboards to the process owner, quality reports to the quality manager, compliance reports to VS-07, and improvement recommendations back to Design and user insight to VS-10

Metadata per process type

Metadata is what enables responsible use: every released product carries the documentation, methodology, and reference metadata users need. The table shows the data metadata each process type of VS-06

contributes; the paradata are listed in Standard activities in every value stream. VS-06 also records as paradata the accessibility test outcomes in Implementation, and the adherence to the release calendar, the embargo handling, and the publication run identifiers in Execution.

Process type	Data metadata produced
Design	Dissemination and access strategy, channel and format specifications, release and disclosure policy, documentation standards
Implementation	Channel configurations, API and dataset templates, disclosure-control parameters, documentation templates
Execution	Documentation per release, record of the final disclosure control applied, channels and formats published, release timestamp, metadata of the access services
Management	Usage statistics, accessibility assessments, user satisfaction measures, release quality reports

PLACEHOLDER: VS-06 business object lifecycle: design artefacts govern implementation assets, which produce the pipeline that releases the approved product (#4) as Released Data (#5), consumed as Consumed Data (#6), generating disclosure records, documentation, and usage data that management assesses and feeds back to design

5. Actors and roles

VS-06 is where the NSI meets the users of its statistics. The table shows the actors and the reference roles involved. Specialised role names used in an NSI map onto these reference roles (see *Role names in the value streams*); for example, the dissemination manager, the channel and service designer, the open-data and API product owner, and the user support lead in the original VS-06 description are all ROL-22 Dissemination and service manager. Access for researchers is organised in the collaboration COL-04 *Research access partnership*.

Actor or role	ID	Process type	Responsibility in VS-06
Data user	ACT-05	External	Consumes released data: policy makers, researchers, journalists, businesses, the public
International statistical organisation	ACT-07	External	Receives deliveries under agreed transmission programmes
Process owner	ROL-01	Management	Accountable for the end-to-end performance of VS-06
Data owner	ROL-02	Management	Accountable for State #5: confidentiality, equal access, and the quality of the release
Data steward	ROL-03	Execution	Maintains release documentation, catalogue entries, and errata
Data custodian	ROL-04	Execution	Operates release channels, integrity protection, and the embargo log

Actor or role	ID	Process type	Responsibility in VS-06
Disclosure control specialist	ROL-16	Design, Execution	Designs the final disclosure-control rules and de-identification standards, and applies and signs off the final disclosure control
Dissemination and service manager	ROL-22	Design, Execution	Designs the dissemination and access strategy, the service portfolio, the channels, formats, APIs, dashboards, and secure research access; operates the open-data, API, and dashboard services; leads documentation, helpdesk, and training
Data engineer	ROL-10	Implementation	Builds and configures publication channels, APIs, and access services on VS-09 platforms
Platform engineer	ROL-11	Implementation	Configures release tooling, access controls, and disclosure-control tooling
Test manager	ROL-12	Implementation	Plans and carries out testing of the release pipeline: technical, accessibility, and security tests
Release manager	ROL-17	Execution	Manages the release: timing, embargo, equal access, and publication across channels
Quality manager	ROL-18	Management	Monitors usage and accessibility indicators, produces quality reports, and drives continuous improvement
Compliance officer	ROL-19	Management	Ensures data protection, confidentiality, and equal-access compliance with VS-07, and produces audit reports
Relationship manager	ROL-23	Execution	Promotes releases and gathers user feedback, with VS-10

6. Capabilities, processes, and functions

Capability foundations

The table shows which capabilities from the SAF capability model VS-06 relies on, and what role they play. NSIs can use it to map the value stream to their own organisation.

Capability group	Capabilities	Role in VS-06
1.1 Statistical design and build	1.1.2 Design statistics product, 1.1.3 Build statistics product	Design dissemination products and services, and build the release and access pipeline
1.3 Processing	1.3.7 Statistical disclosure	Apply final disclosure control before release
1.5 Dissemination	1.5.1 Publication management, 1.5.2 Promotion to use, 1.5.3 Facilitate data access, 1.5.4 Statistical information management	Release according to the calendar with equal access, promote releases, and make data and metadata available through several channels
2.1 Data management	2.1.1 Data lifecycle management, 2.1.2 Metadata management, 2.1.3 Statistical quality management	Manage released data and its metadata, and the quality of release and access
2.2 Research	2.2.4 Data services, 2.2.5 User research	Provide microdata for research, and understand user needs with VS-10
3.2 Computerisation and automation	3.2.1 Application development, 3.2.2 Functional management	Build and maintain publication channels, APIs, and dashboards, with VS-09 platforms
3.3 Security and privacy	3.3.1 Privacy management, 3.3.2 Security planning, 3.3.4 Logical identity and access control	Apply final disclosure control and secure access to released data and microdata
3.4 Customer and chain interaction	3.4.1 Services management	Design and manage the dissemination services and their service levels
4.1 Strategy and leadership	4.1.1 Strategy and governance, 4.1.2 Policy and planning, 4.1.4 Improvement management, 4.1.5 Accountability	Govern release, manage the equal-access policy, plan improvements, report on compliance

Stages, processes, and functions

The table shows which SAF business processes realise each stage of VS-06 and which business functions they mainly use.

Stage	Realised by processes	Main functions
VS-06.1 Plan Dissemination and Access Strategy	PRD-2.1 Design outputs and dissemination	FUN-3.1 Design and build statistical products; FUN-3.6 Disseminate statistics
VS-06.2 Prepare Data for Dissemination	PRD-6.4 Apply disclosure control; PRD-7.1 Update output systems	FUN-3.5 Protect statistical confidentiality; FUN-3.6 Disseminate statistics
VS-06.3 Publish and Provide Access Services	PRD-7.2 Produce dissemination products; PRD-7.3 Release dissemination products; MDS-1 Authorise institutions and researchers; MDS-2 Assess access applications; MDS-3 Prepare research datasets; MDS-4 Provide a secure processing environment; MDS-5 Facilitate privacy-preserving analysis; MDS-7 Check and release output; DSP-2 Publish data offerings	FUN-3.6 Disseminate statistics; FUN-8.1 Manage research access; FUN-8.2 Prepare research data; FUN-8.3 Operate secure research environments; FUN-8.4 Control research output; FUN-8.5 Enable privacy-preserving analysis; FUN-9.1 Manage data space participation

Stage	Realised by processes	Main functions
VS-06.4 Support and Engage Users	PRD-7.4 Promote dissemination products; PRD-7.5 Provide user support; MDS-6 Support researchers	FUN-3.6 Disseminate statistics; FUN-8.3 Operate secure research environments; FUN-10.9 Manage users and services
VS-06.5 Monitor Usage and Feedback	PRD-8.1 Gather evaluation inputs; MDS-8 Monitor use and compliance; MDS-9 Close projects	FUN-8.1 Manage research access; FUN-8.3 Operate secure research environments; FUN-10.9 Manage users and services

PLACEHOLDER: ArchiMate view VS-06 (b) stages realised by processes and functions

Framework mappings

This reference table maps each process type of VS-06 to the SAF business processes, the international frameworks (GSBPM, GAMSO, CSDA), and the SAF capability model. It is intended for architects and auditors; the rest of this section does not depend on it.

Process type	SAF business processes	GSBPM	GAMSO	CSDA	SAF capabilities
Design	PRD-1.2, PRD-2.1, PRD-2.5, DLM-1, DLM-4, DLM-7, OVA-2	Phase 1 Specify Needs (1.2), Phase 2 Design (2.1, 2.5)	Production (design activities), Capability Management	Data Governance, Metadata Management, Dissemination	1.1.2 Design statistics product, 2.1.2 Metadata management, 3.3.1 Privacy management
Implementation	PRD-3.2 to PRD-3.7, DLM-2, DLM-3, OVA-2, MDS-4	Phase 3 Build (3.2 to 3.7)	Capability Management	Dissemination (set-up), Data Governance (configuration)	1.1.3 Build statistics product, 3.2.1 Application development, 3.2.2 Functional management
Execution	PRD-2.1, PRD-6.4, PRD-7.1 to PRD-7.5, PRD-8.1, PRD-8.2, DLM-2, DLM-3, DLM-7, DLM-8, OVA-2, MDS-1 to MDS-9, DSP-2	6.4 Apply disclosure control; Phase 7 Disseminate (7.1 to 7.5); Phase 8 Evaluate for usage monitoring; 2.1 in its recurrent form	Production (execution), Corporate Support (communication)	Dissemination (execution)	1.3.7 Statistical disclosure, 1.5.1 to 1.5.4, 2.1.2 Metadata management, 2.2.4 Data services, 3.3.1 Privacy management

Process type	SAF business processes	GSBPM	GAMSO	CSDA	SAF capabilities
Management	OVA-1, OVA-2, OVA-4, DLM-5, DLM-7, DLM-8, DLM-10, MDS-8, PRD-8.1 to PRD-8.3	Phase 8 Evaluate; overarching Quality Management and Metadata Management	Corporate Support (Quality Management, Communication), Capability Management (improvement)	Data Quality, Data Governance, Traceability	2.1.3 Statistical quality management, 4.1.4 Improvement management, 4.1.5 Accountability

7. Principles

The following principles govern VS-06 most directly.

Principle	Statement	Application in VS-06
SAF-P01	Actively participate in open-source communities to maintain collective control over statistical processes	Dissemination platforms, APIs, and visualisation tooling are built with open-source communities, and the NSI contributes back, so that it keeps collective control over critical delivery capabilities instead of depending on vendors.
SAF-P07	Implement loosely coupled processes and systems	VS-06 consumes approved products through the State #4 interface without knowledge of how they were composed, and exposes released data through stable, versioned access services.
SAF-P08	Data is shared property	Released data is made broadly and equally available to all authorised users through open and standard channels, which maximises reuse while respecting confidentiality.
SAF-P09	No data without metadata and classification	Every released product carries the metadata, methodology notes, and documentation users need to interpret it correctly. Released datasets come with structural and reference metadata, for example in SDMX.
SAF-P10	Security by design	Access controls, secure channels, and integrity protection are built into the publication and access services from the start, including secure research environments for sensitive microdata.
SAF-P11	Privacy by design	Final disclosure control and de-identification are applied before release. The disclosure risk of every released product and microdata file is assessed and cleared by design.

Principles that apply across the process types

SAF-P11 is the release gate: disclosure control is designed in *Design Disclosure Control and De-identification for Release* and *Design Release Governance and Audit Framework*, implemented in *Configure Disclosure Control and Release Tooling*, and applied in VS-06.2 before anything is published. SAF-P08 and SAF-P09 drive open, well-documented release with equal access. SAF-P10 governs the access services and secure research environments in VS-06.3 and VS-06.4. SAF-P07 governs the State #4 intake interface from VS-05 and the access interface for released data to external users.

8. Interfaces, services, and events

Boundary interfaces

VS-06 has two boundary interfaces: intake from VS-05, and release to users outside the NSI.

Boundary	Handed over	Required metadata	Trigger	Responsibility transfer
VS-05 → VS-06 (intake)	Approved statistical product (#4, approved)	Component lineage, composition method, propagated accuracy, coherence results, approval record, confidentiality status, product version identifier, classification	*Statistical Product Registered*	VS-05 keeps custody of the product version; VS-06 takes responsibility for final disclosure control, release, and service delivery on receipt of the event
VS-06 → users and society (release)	Released data (#5): published statistics, de-identified microdata, access services	Final disclosure-control record, documentation and methodology notes, reference and structural metadata, channels and formats, release timestamp, release version identifier, lineage to the approved product	*Statistics Released*	The NSI publishes and serves; external users consume the data as #6, outside NSI control. Usage and feedback flow back to VS-06.5 and VS-10

Business services

Service	Offered to	Realised in	Interfaces
Dissemination preparation service	Release teams, for approved products from VS-05	VS-06.2 Prepare Data for Dissemination	Intake of the approved #4 version on *Statistical Product Registered*
Publication and open-data service	Data users, the public, businesses	VS-06.3 Publish and Provide Access Services	Web publication and bulk open-data download with machine-readable metadata; equal-access release timing enforced

Service	Offered to	Realised in	Interfaces
API and dashboard service	Researchers, developers, analysts	VS-06.3 Publish and Provide Access Services	SDMX-compliant API to query released series, datasets, and metadata; interactive dashboards fed from the released datasets
Secure research access service	Accredited researchers	VS-06.3 Publish and Provide Access Services	Mediated access to de-identified microdata in a controlled environment, with output checking
User support service	All data users	VS-06.4 Support and Engage Users	Documentation, helpdesk, training
Usage and feedback service	Process owners, VS-10, the wider chain	VS-06.5 Monitor Usage and Feedback	Usage statistics, feedback log, usage insight reports
Design and strategy service	Dissemination and service managers, channel designers	All Design sub-processes of VS-06	Design documents, release and disclosure policy

Business events

Event	Triggers or marks
Design artefacts published	Start of Implementation after a design change
Pipeline production-ready	End of Implementation; Execution can start
Statistical Product Registered	Start of VS-06.1 for that product (received from VS-05)
Disclosure gate passed / failed	Outcome of the disclosure-risk check in VS-06.2; failure returns the product for further protection
Statistics Released	Completion of the release in VS-06.3; the data is available to users
Usage and feedback received	Input for VS-06.5 and VS-10
Improvement recommendations issued	Input for Design and VS-10 from *Continuous Improvement*

PLACEHOLDER: VS-06 event choreography between VS-05, NSI teams, users, and process management across Design, Implementation, Execution (product registered, final disclosure control, gate passed and release with managed timing or gate failed and return for protection, documentation and support, usage and feedback), and Management (usage and punctuality, accessibility, compliance reports, improvement recommendations to Design and VS-10)

Interaction with the supporting value streams

Value stream	Provides to VS-06	Receives from VS-06
VS-07 Governance and Compliance	Data protection and confidentiality law compliance, release and equal-access policy oversight	Disclosure, equal-access, accessibility, and security compliance reports
VS-08 Innovation and Methodological Development	New methods and tools, for example for disclosure control and dissemination	Improvement needs

Value stream	Provides to VS-06	Receives from VS-06
VS-09 Infrastructure and Platform Enablement	Portals, APIs, dashboards, secure research environments	Capacity and channel availability requirements
VS-10 Customer and Stakeholder Engagement	User needs and segmentation, communication with stakeholders	Usage data, feedback, and user insight

9. Key performance indicators

The key performance indicators are collected per release cycle in *Monitor Process Performance*. They feed the dashboard that the process owner reviews.

KPI	Description	Measurement
On-time release rate	Share of releases published exactly in their calendar slot	Per release, per cycle
Disclosure gate pass rate	Share of releases passing the disclosure-risk gate on the first run	Per release, per cycle
Channel availability	Uptime of API and access services	Per channel
Usage and reach	Downloads, API calls, and dashboard views per release	Per release, per channel
User satisfaction	Satisfaction measure from feedback	Per cycle
Support response time	Time to resolve user queries	Per cycle

10. Examples

Labour market statistics. The dissemination strategy targets policy makers with a press release and commentary on the release date, researchers with an API and downloadable series, and the public with an interactive dashboard. The release calendar is published in advance. For the Q3-2026 release, the team confirms the date and slot, the press embargo for accredited media, and the channels, with no change to the strategy this cycle. At 09:00 on the release date, the figures go live at the same moment on the website, the API, and the dashboard. Accredited media that received the embargoed copy under agreement may publish at the same moment. No figure is available before the release time.

Open data and API. The team configures an SDMX-based API and a bulk open-data download for the labour market series on the NSI's VS-09 platform, with rate limiting and machine-readable metadata. A public dashboard is fed from the same released datasets, so every channel shows the same figures.

Research microdata. Researchers who access de-identified business microdata in the secure research environment receive the data dictionary, methodology notes, and an onboarding session. The helpdesk handles requests for output checking, so that the results researchers export also meet the disclosure rules.

Toolkit: SAF-TK-V06 VS-06 maturity checklist and scenarios