VS-06 Dissemination and Service Delivery

Table of contents

1. Purpose and value created . . . 1
2. Position and state transition . . . 2
3. Stages . . . 3
    - VS-06.1 Plan Dissemination and Access Strategy . . . 3
    - VS-06.2 Prepare Data for Dissemination . . . 4
    - VS-06.3 Publish and Provide Access Services . . . 5
    - VS-06.4 Support and Engage Users . . . 5
    - VS-06.5 Monitor Usage and Feedback . . . 6
4. The four process types . . . 7
    - Design: provides metadata . . . 7
    - Implementation: provides the execution process . . . 10
    - Execution: provides the released statistics and services . . . 13
    - Management: provides quality reports . . . 13
    - Metadata and paradata per process type . . . 17
5. Actors and roles . . . 17
6. Capabilities, processes, and functions . . . 19
    - Capability foundations . . . 19
    - Stages, processes, and functions . . . 20
    - Framework mappings . . . 20
7. Principles . . . 21
8. Interfaces, services, and events . . . 23
9. Key performance indicators . . . 25
10. Toolkit . . . 25

1. Purpose and value created

VS-06 is the exit point of the statistical value chain. It takes approved statistical products and makes them available to users through trusted, secure channels: publications, open data, APIs, dashboards, deliveries to international organizations, and access to research datasets in a secure environment. VS-06 does not change the statistics. It protects them with final disclosure control, formats them for each channel, publishes them at the announced moment, and supports users in their correct use. The value created is **impact, accessibility, and trust**. Users receive accurate, documented statistics at a moment that is the same for everyone, and no respondent can be identified.

VS-06 corresponds to the business domain **Dissemination** (see *Steady-State Architecture, Business domains*). This section describes the business layer of that domain for all four process types: Design, Implementation, Execution, and Management.

- **Release manager, dissemination staff, or user support:** the stages in attribute 3, which describe what happens in each release cycle.
- **Dissemination and service manager or disclosure control specialist:** the Design processes in attribute 4.
- **System builder or IT staff:** the Implementation processes in attribute 4.
- **Quality or compliance manager:** the Management processes in attribute 4.

- **Manager who wants the big picture:** attributes 1, 2, and 8. Examples and end-to-end scenarios are part of the SAF Toolkit.

> **i** Signature discipline: accessibility, trust, and responsible use
>
> VS-06 converts statistical output into value for society. The guarantee is accurate, timely, and understandable delivery through trusted channels. It is gated by final statistical disclosure control: nothing is released without confidentiality clearance. Equal access is an explicit obligation, which means managed release timing and strict embargo rules. Accessibility is an explicit obligation too: formats, languages, and machine-readability. Documentation and user support make responsible use of the statistics possible.

> **i** Metadata inherited from VS-05
>
> VS-06 receives approved products together with the metadata VS-05 attached: the component lineage, the composition method, the propagated accuracy, the coherence results, the approval record, and the confidentiality status. VS-06 applies the final disclosure control for release, which comes on top of the initial control of VS-04 and the check of VS-05. It formats the product for each channel and publishes it. It protects, formats, and delivers the statistics; it does not alter them.

> **i** Reliance on the supporting value streams
>
> Dissemination depends strongly on the supporting value streams. VS-07 makes sure that all dissemination complies with data protection and confidentiality law. VS-09 provides the portals, APIs, and secure research environments. VS-10 makes sure that the dissemination services meet the real needs of users. The usage data and feedback collected in VS-06.5 flow back to VS-10 and across the chain.

PLACEHOLDER: ArchiMate view VS-06 (a) value stream and capabilities

2. Position and state transition

VS-06 is the sixth and last primary value stream. It receives approved products when VS-05 publishes the *Statistical Product Registered* event. It has no downstream primary value stream. Its handover is to external users, and its feedback path runs to VS-10.

VS-06 takes data from State #4, with the status *approved*, to State #5. Before VS-06, the product is approved but still confidential and not yet public. After VS-06, it is released data: final disclosure control has been applied, the product is documented for correct interpretation, and it is published or delivered through trusted channels. Once released, the data is used outside the NSI as boundary position #6, *Consumed Data*, beyond the NSI's direct control. The quality gate, the minimum metadata set, and the protection of State #5 are described in *State #5: Released Data* and are not repeated here.

If nothing changes between the approved #4 version and the release, the same artifact can be marked as released instead of being registered again. The release steps still take place and are recorded: release authorization, the final disclosure check, and the release itself (see *Applying the steady states pragmatically*). VS-06 also covers controlled access to microdata for research, using the processes for microdata services, and the exchange of data in data spaces. **[VC24]**

From	To	Gate	Event out
#4 Statistics (status *approved*)	#5 Released Data	Gate of State #5 (release authorization, final disclosure control, documentation and metadata, channel conformance, equal access)	*Statistics Released*
#5 Released Data	#6 Consumed Data (boundary position)	No gate; use outside the NSI	Usage and feedback return to VS-06.5 Monitor Usage and Feedback and VS-10 Customer and Stakeholder Engagement

PLACEHOLDER: ArchiMate view VS-06 (c) state handover and events: approved Statistics (#4) inside the NSI, the release service at the boundary (final disclosure control, formatting, managed release), Released Data (#5) in public and controlled channels, and Consumed Data (#6) outside the NSI

3. Stages

The stages describe the value that VS-06 adds in every release cycle. Together they form the execution process type of VS-06. In a mature steady state, the dissemination strategy, the disclosure rules, and the channels have been designed and built in advance (see attribute 4). Execution then focuses on running the release, serving users, and monitoring use, with final disclosure control as the gate that must be passed before anything is published.

Stage	Name	Value added
VS-06.1	Plan Dissemination and Access Strategy	The right channels, formats, and timing are confirmed for this release **[VC23]**
VS-06.2	Prepare Data for Dissemination	Products are disclosure-safe and formatted for each channel
VS-06.3	Publish and Provide Access Services	Statistics are released through trusted channels, equally and on time (State #5)
VS-06.4	Support and Engage Users	Users can find, understand, and correctly use the statistics
VS-06.5	Monitor Usage and Feedback	It is known how the statistics are used and valued, which feeds improvement

Each stage below is described with its activities. The column *SAF process* shows the business process from *Business Processes* that the activity belongs to. The column *Other reference* shows the principles, capabilities, or external frameworks that the activity applies.

VS-06.1 Plan Dissemination and Access Strategy

Value created: *The right channels, formats, and timing confirmed for this release.*

The stage starts when VS-05 publishes the *Statistical Product Registered* event. In a mature steady state, the dissemination strategy has been designed already. Execution in each cycle therefore confirms the plan

for the product rather than creating a new one. The team confirms the channels, formats, and slot in the release calendar. It verifies the arrangements for embargo and equal access, including any pre-release access that the law allows. It confirms the target user groups and the communication plan, together with VS-10. A significant change, such as a new channel or a change of policy, goes back to Design instead of being solved during the cycle.

Activity	Key outputs	SAF process	Other reference
Confirm channels, formats, and the release calendar slot for the product	Confirmed release plan	PRD-7.1 Update output systems	1.5.1 Publication management
Verify the arrangements for embargo and equal access	Confirmed access arrangements	PRD-7.3 Release dissemination products	4.1.5 Accountability
Confirm target user groups and the communication plan	Confirmed audience and communication	PRD-7.4 Promote dissemination products	1.5.2 Promotion to use
Flag changes to the plan for design review	Plan change exception (if any)	OVA-1 Quality Management	GAMSO Quality Management

VS-06.2 Prepare Data for Dissemination

Value created: *Products made disclosure-safe and formatted for each channel.*

This stage prepares the product for release. Final disclosure control is applied. For tables and dashboards this means suppression, rounding, or perturbation on top of the protection already applied upstream. For released microdata, it means de-identification to the designed standard. The release is checked against the disclosure-risk criteria, and nothing proceeds if the criteria are not met. The product is then formatted for each channel: publication, dataset or API, dashboard, or transmission to an international organization. The documentation, metadata, and methodology notes are assembled according to the documentation standard. For research access, the research dataset for an approved project is prepared from State #3 or #4.

Activity	Key outputs	SAF process	Other reference
Apply final disclosure control to tables and dashboards	Disclosure-controlled outputs	PRD-6.4 Apply disclosure control	SAF-P11 Privacy by design; 1.3.7 Statistical disclosure
De-identify released microdata and prepare research datasets for approved projects	De-identified microdata, research datasets	PRD-6.4 Apply disclosure control; MDS-3 Prepare research datasets	SAF-P11 Privacy by design
Check the release against the disclosure-risk criteria (gate)	Disclosure clearance	DLM-2 Promote data through a quality gate	SAF-P11 Privacy by design
Format the product for each channel and assemble documentation and metadata	Channel-ready products and documentation	PRD-7.2 Produce dissemination products	SAF-P09 No data without metadata and classification

> **!** Release gate
>
> No product is published until it passes the disclosure-risk criteria. A release that fails the gate is returned for additional protection. Confidentiality is not negotiable at the boundary of State #5.

VS-06.3 Publish and Provide Access Services

Value created: *Statistics released to users through trusted, secure channels, equally and on time.*

This stage carries out the release. The product and its metadata are published through the confirmed channels: the portal and publications, open data and APIs, and dashboards. Deliveries to international organizations are transmitted under the agreed programs, and data offerings in data spaces are published and exchanged under usage control. Accredited researchers receive mediated access to research datasets in a secure processing environment, and their results are checked before they leave it. Release timing is managed according to the calendar, with embargo and equal access enforced: no privileged early access outside the policy. The release is promoted according to the communication plan, together with VS-10. A persistent, identified released version is recorded with lineage to the approved product, and the *Statistics Released* event is published.

Output: Released Data (State #5), published statistics, de-identified microdata, and access services. Its structure and minimum metadata set are described in *State #5: Released Data*.

Activity	Key outputs	SAF process	Other reference
Publish products and metadata through the confirmed channels: portal, open data, API, dashboards	Published release	PRD-7.3 Release dissemination products	1.5.1 Publication management; 1.5.3 Facilitate data access
Transmit deliveries to international organizations and exchange offerings in data spaces	Transmitted deliveries, data space exchanges	PRD-7.3 Release dissemination products; DSP-2 Publish data offerings; DSP-4 Exchange data under usage control	4.1.6 Collaboration
Provide mediated access in a secure processing environment and check outputs before release	Research access, checked research outputs	MDS-4 Provide a secure processing environment; MDS-7 Check and release output	SAF-P10 Security by design; 2.2.4 Data services
Manage release timing, embargo, and equal access	Managed release	PRD-7.3 Release dissemination products	4.1.5 Accountability
Promote the release according to the communication plan (with VS-10 Customer and Stakeholder Engagement)	Promotion carried out	PRD-7.4 Promote dissemination products	1.5.2 Promotion to use
Record the released version with lineage and publish the *Statistics Released* event	Registered release, event notification	DLM-3 Register and catalog data; DLM-5 Store and version data	SAF-P07 Implement loosely coupled processes and systems

PLACEHOLDER: VS-06 channel architecture: the disclosure-cleared product fanning out to publications and portal, open data and API, dashboards, transmissions to international organizations, data space offerings, and the secure processing environment for accredited researchers, all at one managed release moment

VS-06.4 Support and Engage Users

Value created: *Users helped to find, understand, and correctly use the statistics.*

This stage supports users after release. Documentation, metadata, and user guides are made available with the release. The service desk answers questions from users. Training and guidance help users interpret the figures correctly. Researchers working in the secure environment are supported in using the data and the environment correctly. Engagement activities, together with VS-10, collect questions and needs. Errata and clarifications are issued according to the correction policy. The aim is responsible use: helping users avoid misreading estimates and their uncertainty.

Activity	Key outputs	SAF process	Other reference
Provide documentation, metadata, and user guides with the release	Published documentation	PRD-7.5 Provide user support	SAF-P09 No data without metadata and classification; 1.5.4 Statistical information management
Operate the service desk and answer questions from users	Answers to users	PRD-7.5 Provide user support	3.4.1 Services management
Provide training and guidance for correct interpretation, including support for researchers	User guidance	PRD-7.5 Provide user support; MDS-6 Support researchers	
Issue errata and clarifications according to the correction policy	Corrections (if any)	PRD-7.5 Provide user support; DLM-7 Revise data	4.1.5 Accountability

VS-06.5 Monitor Usage and Feedback

Value created: *Insight into how statistics are used and valued, feeding continuous improvement.*

This last stage closes the loop with users. Use is tracked across channels: downloads, API calls, dashboard views, and publication reads. The use of research datasets and the compliance of researchers with the conditions of access are monitored, and research projects are closed in a controlled way when they end. User satisfaction and feedback are collected. The insights are analyzed to understand reach, value, and unmet needs. They are routed back to Design, to VS-10, and across the value chain. An example is demand for a new breakdown, which can only be met in earlier value streams.

Activity	Key outputs	SAF process	Other reference
Track use across channels: downloads, API calls, views	Usage statistics	PRD-7.4 Promote dissemination products; DLM-8 Monitor data quality, lineage and use	2.2.5 User research
Monitor the use of research data and close research projects	Use and compliance records, closed projects	MDS-8 Monitor use and compliance; MDS-9 Close projects; DSP-5 Monitor compliance and report	SAF-P11 Privacy by design
Collect user satisfaction and feedback	Feedback log	PRD-8.1 Gather evaluation inputs	2.2.5 User research
Analyze reach, value, and unmet needs, and route insights to Design, VS-10 Customer and Stakeholder Engagement, and the chain	Usage insight report	PRD-8.2 Conduct evaluation	4.1.4 Improvement management

4. The four process types

VS-06 runs through four process types. They do not form a linear sequence but a governance cycle: each process type produces its own output, and that output feeds the others. Design produces metadata, Implementation produces the execution process, Execution produces the released statistics and services, and Management produces quality reports that feed back into Design. The generic pattern is described in the Overview of this chapter.

The sub-processes below are specific to VS-06. Their names describe the work in the context of dissemination. Each sub-process refines one or more SAF business processes, which are listed under its heading as *Refines*. This keeps every VS-06 sub-process traceable to the reference process model in *Business Processes*.

Design: provides metadata

The design process type produces the **metadata artifacts** that govern all other process types. In VS-06 these are the dissemination and access strategy, the release and disclosure policy, the channel and format specifications, the documentation standard, and the model for user support. Without them, release becomes ad hoc, with a risk of confidentiality breaches or unequal access, and management has no baseline to measure accessibility and impact against. Design runs when a channel or service is introduced, when a policy changes, or when Management feeds back an improvement.

Design sub-process	Refines	Main outputs
Design the Dissemination and Access Strategy	PRD-2.1 Design outputs and dissemination; DSP-1 Join a data space	User segmentation, channel and format strategy, release calendar and access policy, product-channel map
Design Disclosure Control and De-identification for Release	PRD-2.1 Design outputs and dissemination; PRD-2.5 Design processing and analysis; MDS-1 Authorize institutions and researchers	Release disclosure rules, de-identification standard, disclosure-risk criteria, protection per channel
Design Channels, Formats, and Documentation	PRD-2.1 Design outputs and dissemination; PRD-2.6 Design production systems and workflows	Format and accessibility standard, API and dataset specification, service design, documentation standard
Design User Support, Promotion, and Feedback Model	PRD-2.1 Design outputs and dissemination	User support model, communication plan, usage and feedback model, correction policy
Design Release Governance and Audit Framework	PRD-2.1 Design outputs and dissemination; DLM-1 Plan and design data assets; DLM-4 Classify and protect data	Release approval policy, equal-access controls, versioning and lineage policy, access control design

Design the Dissemination and Access Strategy

Refines: PRD-2.1 Design outputs and dissemination; DSP-1 Join a data space.

The starting point is the decision on who the products are for and how they will be reached. This sub-process defines the target user groups and their needs, together with VS-10. It defines the access channels and release formats: open data, APIs, research access, publications, dashboards, transmissions to international organizations, and participation in data spaces. It sets the release calendar and the policy for equal access and embargo. Each product is mapped to its channels and formats. The strategy keeps open access as the default and restricted access as the exception that needs a reason.

Activity	Key outputs	SAF process	Other reference
Define target user groups and their needs (with VS-10 Customer and Stakeholder Engagement)	User segmentation	PRD-2.1 Design outputs and dissemination	2.2.5 User research
Define access channels and release formats, including data spaces	Channel and format strategy	PRD-2.1 Design outputs and dissemination; DSP-1 Join a data space	1.5.3 Facilitate data access
Define the release calendar and the policy for equal access and embargo	Release calendar and access policy	PRD-2.1 Design outputs and dissemination	4.1.5 Accountability
Map each product to its channels and formats	Product-channel map	PRD-2.1 Design outputs and dissemination	SAF-P08 Data is shared property

Design Disclosure Control and De-identification for Release

Refines: PRD-2.1 Design outputs and dissemination; PRD-2.5 Design processing and analysis; MDS-1 Authorize institutions and researchers.

This sub-process designs the final confidentiality protection before release. It specifies the disclosure-control rules for tables and dashboards, on top of the protection already applied upstream. It specifies the standard for de-identifying released microdata. It sets the disclosure-risk criteria that every release must meet. Protection is designed per channel. For example, more detailed microdata is only available in a secure research environment, and only to institutions and researchers authorized for it. The rules for checking research outputs before they leave the environment are part of this design.

Activity	Key outputs	SAF process	Other reference
Define the final disclosure-control rules for tables and dashboards	Release disclosure rules	PRD-2.5 Design processing and analysis	SAF-P11 Privacy by design; 1.3.7 Statistical disclosure
Define the de-identification standard for released microdata	De-identification standard	PRD-2.5 Design processing and analysis	SAF-P11 Privacy by design
Define the disclosure-risk criteria that every release must meet	Disclosure-risk criteria	PRD-2.1 Design outputs and dissemination	SAF-P11 Privacy by design
Design protection per channel, authorization of researchers, and output checking	Protection per channel, authorization criteria	MDS-1 Authorize institutions and researchers	SAF-P10 Security by design

Design Channels, Formats, and Documentation

Refines: PRD-2.1 Design outputs and dissemination; PRD-2.6 Design production systems and workflows.

This sub-process designs how products are delivered. It specifies the publication formats and the accessibility standards: machine-readable formats, languages, and web accessibility. It specifies the structures of APIs and datasets, for example according to SDMX. It specifies the dashboards and visualizations, and the model for access to the secure research environment. It sets the documentation standard: the methodology notes, metadata, and user guides that must come with every release. The design builds on the platforms that VS-09 provides.

Activity	Key outputs	SAF process	Other reference
Specify publication formats and accessibility standards	Format and accessibility standard	PRD-2.1 Design outputs and dissemination	1.5.1 Publication management
Specify the structures of APIs and datasets, for example SDMX	API and dataset specification	PRD-2.6 Design production systems and workflows	CSDA Dissemination
Specify dashboards, visualizations, and the model for research access	Service design	PRD-2.6 Design production systems and workflows	3.4.4 Self-service
Define the documentation standard that accompanies every release	Documentation standard	PRD-2.1 Design outputs and dissemination	SAF-P09 No data without metadata and classification

Design User Support, Promotion, and Feedback Model

Refines: PRD-2.1 Design outputs and dissemination.

This sub-process designs how users are supported and heard. It specifies the model for user support: documentation, service desk, and training. It specifies the approach to promoting releases and communicating about them, together with VS-10. It designs the model for monitoring use and collecting feedback: what is measured, how feedback is collected, and how it flows back into improvement. It sets the policy for corrections, errata, and re-release. Together these make sure that users are not left alone with the figures once they are published.

Activity	Key outputs	SAF process	Other reference
Define the user support model: documentation, service desk, training	User support model	PRD-2.1 Design outputs and dissemination	3.4.1 Services management
Define the promotion and communication approach (with VS-10 Customer and Stakeholder Engagement)	Communication plan	PRD-2.1 Design outputs and dissemination	1.5.2 Promotion to use; 3.1.4 Communication management
Define the model for monitoring use and collecting feedback	Usage and feedback model	PRD-2.1 Design outputs and dissemination	2.2.5 User research
Define the policy for corrections, errata, and re-release	Correction policy	PRD-2.1 Design outputs and dissemination	4.1.5 Accountability

Design Release Governance and Audit Framework

Refines: PRD-2.1 Design outputs and dissemination; DLM-1 Plan and design data assets; DLM-4 Classify and protect data.

This last design sub-process makes sure that releases are governed, equal, and auditable. It defines the workflow for release authorization and sign-off. It defines the controls for equal access, so that no one gets privileged early access outside the policy. It defines the versioning policy for releases: identification, revisions and corrections, and retention. It defines the lineage from each release back to its approved product. Role-based access controls for the access services are designed in line with SAF-P10.

Activity	Key outputs	SAF process	Other reference
Define the workflow for release authorization and sign-off	Release approval policy	PRD-2.1 Design outputs and dissemination	4.1.5 Accountability
Define equal-access controls and embargo governance	Equal-access controls	PRD-2.1 Design outputs and dissemination	4.1.5 Accountability
Define the versioning and lineage requirements for releases	Versioning and lineage policy	DLM-1 Plan and design data assets	CSDA Traceability
Design role-based access control for the access services	Access control design	DLM-4 Classify and protect data	SAF-P10 Security by design; 3.3.4 Logical identity and access control

PLACEHOLDER: VS-06 design process decomposition: inputs (user needs from VS-10, approved products, confidentiality law, platforms of VS-09), the five design sub-processes in order, and the design artifact each produces, which together govern Implementation, Execution, and Management

Implementation: provides the execution process

The implementation process type takes the metadata artifacts from Design and **builds, configures, and tests** the dissemination and access pipeline until it is ready for production, on the platforms that VS-09 provides. Nothing is published operationally until this process type is complete. Components are reused where possible and built only where needed, in line with SAF-P01. Dissemination platforms, SDMX tools, and disclosure-control software shared in the NSI community are good candidates for reuse.

Implementation sub-process	Refines	Main outputs
Build Publication and Access Channels	PRD-3.3 Reuse or build dissemination components; PRD-3.4 Configure workflows; MDS-4 Provide a secure processing environment	Publication and API services, dashboards, research access, SDMX exchange
Configure Disclosure-Control and Release Tooling	PRD-3.2 Reuse or build processing and analysis components; PRD-3.4 Configure workflows	Disclosure-control tooling, de-identification component, release gate, release management tooling
Build Documentation, Support, and Usage-Monitoring Services	PRD-3.3 Reuse or build dissemination components; PRD-3.4 Configure workflows; DLM-3 Register and catalog data; DLM-5 Store and version data	Documentation services, user support services, usage and feedback tooling, release store, events
Test and Validate the Pipeline	PRD-3.5 Test production systems; PRD-3.6 Test statistical business process; PRD-3.7 Finalize production systems	Test reports, accessibility and disclosure reports, release rehearsal, production-ready pipeline

Build Publication and Access Channels

Refines: PRD-3.3 Reuse or build dissemination components; PRD-3.4 Configure workflows; MDS-4 Provide a secure processing environment.

This sub-process turns the channel and format designs into operational services. The publication channels, such as the website and the publication system, are built or configured on the platforms of VS-09. The

open-data and API services and the dashboards are configured according to the designed formats and accessibility standards. Access to the secure research environment is configured, with the designed controls. Exchange of datasets and metadata according to SDMX is configured, as are the connectors for transmission to international organizations and for data spaces. Access controls are applied according to the designed model.

Activity	Key outputs	SAF process	Other reference
Build or configure publication channels and the open-data and API services	Configured publication and API services	PRD-3.3 Reuse or build dissemination components	SAF-P01 Actively participate in open-source communities to maintain collective control over statistical processes
Build or configure dashboards and visualization services	Configured dashboards	PRD-3.3 Reuse or build dissemination components	3.4.4 Self-service
Configure access to the secure research environment	Research access service	MDS-4 Provide a secure processing environment	SAF-P10 Security by design
Configure SDMX exchange and the connectors for transmission and data spaces	Standard exchange interfaces	PRD-3.4 Configure workflows	CSDA Dissemination

Configure Disclosure-Control and Release Tooling

Refines: PRD-3.2 Reuse or build processing and analysis components; PRD-3.4 Configure workflows.

In this sub-process the designed disclosure rules and release policy are implemented. The disclosure-control tooling is configured to apply the designed suppression, rounding, and perturbation to tables and dashboards. De-identification of released microdata is configured to the designed standard. The disclosure-risk checks are enforced as a gate before publication, so a release cannot proceed without clearance. The release tooling is configured for release at a managed moment, for embargo handling, and for enforcing equal access. Every release action is logged, so that equal access can be demonstrated afterwards.

Activity	Key outputs	SAF process	Other reference
Configure the final disclosure-control tooling: suppression, rounding, perturbation	Configured disclosure-control tooling	PRD-3.2 Reuse or build processing and analysis components	SAF-P11 Privacy by design; 1.3.7 Statistical disclosure
Configure de-identification of microdata to the designed standard	De-identification component	PRD-3.2 Reuse or build processing and analysis components	SAF-P11 Privacy by design
Enforce the disclosure-risk checks before publication	Release disclosure gate	PRD-3.4 Configure workflows	SAF-P11 Privacy by design
Configure release at a managed moment, embargo handling, and equal-access enforcement	Release management tooling	PRD-3.4 Configure workflows	4.1.5 Accountability

Build Documentation, Support, and Usage-Monitoring Services

Refines: PRD-3.3 Reuse or build dissemination components; PRD-3.4 Configure workflows; DLM-3 Register and catalog data; DLM-5 Store and version data.

This sub-process implements the services for users and the feedback loop. Documentation and metadata services are built, so that every release comes with methodology notes, reference metadata, and user guides. The service desk and training are set up according to the support model. Monitoring of use and collection of feedback are implemented, so that usage statistics, satisfaction, and feedback are captured and routed into the improvement loop and to VS-10. The release store is built so that each release is identified, immutable, and traceable to its approved product. Event notifications are configured to signal each release.

Activity	Key outputs	SAF process	Other reference
Build documentation and metadata services for every release	Documentation services	PRD-3.3 Reuse or build dissemination components	SAF-P09 No data without metadata and classification
Set up the service desk and training	User support services	PRD-3.4 Configure workflows	3.4.1 Services management
Implement monitoring of use and collection of feedback	Usage and feedback tooling	PRD-3.3 Reuse or build dissemination components	2.2.5 User research
Build the release store and configure the *Statistics Released* event	Release store, event publication	DLM-3 Register and catalog data; DLM-5 Store and version data	CSDA Traceability

Test and Validate the Pipeline

Refines: PRD-3.5 Test production systems; PRD-3.6 Test statistical business process; PRD-3.7 Finalize production systems.

Before the pipeline goes into production, it must be thoroughly verified. Technical testing covers all components: publication channels, APIs, dashboards, research access, disclosure-control tooling, release tooling, and the services for documentation and support. Integration testing checks the end-to-end flow from the *Statistical Product Registered* event through preparation, disclosure control, and release to access and support. An accessibility test confirms that formats meet the accessibility standard. A security and disclosure test confirms the access controls and that no output breaches the disclosure-risk criteria. A release rehearsal confirms that managed timing and embargo work as designed. The sub-process ends with putting the production system into use and documenting the operational procedures.

Activity	Key outputs	SAF process	Other reference
Test all individual components	Unit test reports	PRD-3.5 Test production systems	
Test integration: end-to-end flow from intake to access and support	Integration test report	PRD-3.5 Test production systems	
Run the accessibility test: formats, languages, machine-readability	Accessibility test report	PRD-3.6 Test statistical business process	
Run the security and disclosure test: access controls, disclosure-risk criteria	Security and disclosure test report	PRD-3.5 Test production systems	SAF-P10 Security by design, SAF-P11 Privacy by design
Run a release rehearsal: managed timing, embargo, equal access	Release rehearsal report	PRD-3.6 Test statistical business process	
Finalize the production system and document operational procedures	Operational procedures manual, production-ready pipeline	PRD-3.7 Finalize production systems	

PLACEHOLDER: VS-06 implementation pipeline: the five design artifacts feeding the three build sub-processes on VS-09 platforms, followed by technical testing, accessibility testing, security and disclosure testing, and release rehearsal, resulting in a production-ready dissemination pipeline and operational procedures

Execution: provides the released statistics and services

Execution runs the stages of VS-06 in every release cycle. The stages and their activities are described in attribute 3. A cycle starts when VS-05 publishes the *Statistical Product Registered* event, when a delivery to an international organization is due, or when an approved research project needs its dataset. VS-06.1 to VS-06.3 run per release; VS-06.4 and VS-06.5 run continuously after it. Execution applies the designs and the solution as they are; a new channel or a policy change goes back to Design. Every release ends in one of three outcomes: released on time, released with a documented delay, or returned for additional protection.

Aspect	VS-06
Trigger	*Statistical Product Registered*; a due transmission to an international organization; an approved research project
Cadence	Per release, according to the release calendar; continuous for support and monitoring
Performed by	ROL-17 Release manager, ROL-22 Dissemination and service manager, ROL-16 Disclosure control specialist, ROL-23 Relationship manager
Input	Approved product version (#4, *approved*), release calendar, channel specifications
Output	Released Data (#5), access services, documentation, usage and feedback data
Control point	Gate of State #5 in VS-06.2 Prepare Data for Dissemination, before VS-06.3 Publish and Provide Access Services
Exception path	Failed disclosure gate back for additional protection; an error found after release handled through the correction policy and DLM-7 Revise data; a breach of embargo escalated to ROL-19 Compliance officer

Management: provides quality reports

The management process type runs alongside and after execution. It monitors the performance of the dissemination pipeline, assesses the accessibility and impact of releases, makes sure that every release is compliant and equal, and feeds improvements back into Design and to VS-10. This closes the governance cycle.

Management sub-process	Refines	Main outputs
Monitor Process Performance	OVA-4 Process Data Management; PRD-8.1 Gather evaluation inputs	Process performance dashboard, punctuality report, paradata records
Assess Dissemination Quality	OVA-1 Quality Management; DLM-8 Monitor data quality, lineage and use	Accessibility report, punctuality report, reach and clarity report, trend analysis
Manage Release and Channel Lifecycle	OVA-2 Metadata Management; DLM-5 Store and version data; DLM-7 Revise data; DLM-10 Archive and preserve data	Channel version register, metadata quality report, release store audit

Management sub-process	Refines	Main outputs
Audit and Compliance Reporting	OVA-1 Quality Management; OVA-4 Process Data Management; MDS-8 Monitor use and compliance; DSP-5 Monitor compliance and report	Disclosure, equal-access, accessibility, and security compliance reports to VS-07 Governance and Compliance
Continuous Improvement	PRD-8.2 Conduct evaluation; PRD-8.3 Agree an action plan	Improvement recommendations, improvement tracking log

Monitor Process Performance

Refines: OVA-4 Process Data Management; PRD-8.1 Gather evaluation inputs.

The operational performance of VS-06 must be tracked systematically across release cycles. The process owner and the quality manager collect and aggregate the key performance indicators (see attribute 9). They monitor adherence to the release calendar, because punctuality is a visible commitment to users. They track paradata: which channels were used, when each release went live, how embargoes were handled, and how many questions from users followed. This information feeds dashboards that give the process owner a current view of the health of the domain. The approach follows the Quality Management capability of GAMSO.

Activity	Key outputs	SAF process	Other reference
Collect and aggregate the key performance indicators per release cycle	Process performance dashboard	OVA-4 Process Data Management; PRD-8.1 Gather evaluation inputs	GAMSO Quality Management
Monitor adherence to the release calendar	Release calendar adherence report	OVA-4 Process Data Management	
Track paradata: channels, timing, embargo handling, questions from users	Paradata records	OVA-4 Process Data Management	
Produce process performance dashboards	Dashboard for the process owner	OVA-4 Process Data Management	

Assess Dissemination Quality

Refines: OVA-1 Quality Management; DLM-8 Monitor data quality, lineage and use.

Beyond process performance, the quality of dissemination itself is evaluated against the criteria from Design. Accessibility covers formats, languages, machine-readability, and compliance with web accessibility rules. Timeliness and punctuality are measured against the release calendar. Reach and relevance compare use with expectations and with the coverage of user groups. Clarity is judged from questions and feedback: do users interpret the figures correctly? Quality indicators are produced per release and per cycle, and trends are tracked. This follows the Data Quality capability of CSDA and SAF capability 2.1.3 *Statistical quality management*.

Activity	Key outputs	SAF process	Other reference
Assess the accessibility compliance of releases	Accessibility report (per cycle)	OVA-1 Quality Management	2.1.3 Statistical quality management
Assess timeliness and punctuality against the release calendar	Punctuality report	OVA-1 Quality Management	CSDA Data Quality
Assess reach, relevance, and clarity from use and feedback	Reach and clarity report	DLM-8 Monitor data quality, lineage and use	2.2.5 User research

Activity	Key outputs	SAF process	Other reference
Identify quality trends across releases and cycles	Quality trend analysis	DLM-8 Monitor data quality, lineage and use	2.1.3 Statistical quality management

Manage Release and Channel Lifecycle

Refines: OVA-2 Metadata Management; DLM-5 Store and version data; DLM-7 Revise data; DLM-10 Archive and preserve data.

The channels, formats, and releases must stay current, complete, and well governed. This sub-process governs the life cycle of channels, formats, and documentation standards. It versions them, manages transitions such as an upgrade of an API version, and retires channels that are no longer needed. It verifies that every release carries its full documentation, disclosure record, and lineage, as a compliance check on SAF-P09. It governs the release store: retention, immutability, the handling of corrections, and the reconciliation of catalog entries with what is actually published. Released statistics are part of the national record, so their transfer to long-term preservation is also governed here.

Activity	Key outputs	SAF process	Other reference
Govern the life cycle and versions of channels, formats, and documentation	Channel version register	OVA-2 Metadata Management	SAF-P03 Active life cycle management
Verify metadata completeness: documentation, disclosure record, lineage	Metadata quality report	OVA-2 Metadata Management	SAF-P09 No data without metadata and classification
Govern the release store: retention, immutability, corrections	Release store audit	DLM-5 Store and version data; DLM-7 Revise data	CSDA Traceability
Transfer releases to long-term preservation according to retention rules	Archive transfer record	DLM-10 Archive and preserve data	3.1.8 Information management and archive management

Audit and Compliance Reporting

Refines: OVA-1 Quality Management; OVA-4 Process Data Management; MDS-8 Monitor use and compliance; DSP-5 Monitor compliance and report.

This sub-process produces the evidence that VS-06 operates within legal, regulatory, and organizational requirements. Disclosure compliance reports confirm that every release passed the disclosure-risk gate and that released microdata meets the de-identification standard. Equal-access compliance reports confirm that release timing and the embargo policy were respected. Accessibility compliance reports confirm that formats met the accessibility standard. Research access reports confirm that researchers and data space partners complied with their conditions of use. Security compliance reports verify the access controls and the integrity of the secure research environment. These reports, produced together with VS-07, meet the obligation of SAF capability 4.1.5 *Accountability* and feed VS-07.5 *Audit, Certify and Report Compliance*.

Activity	Key outputs	SAF process	Other reference
Produce disclosure compliance reports: every release passed the gate	Disclosure compliance summary	OVA-1 Quality Management	SAF-P11 Privacy by design

Activity	Key outputs	SAF process	Other reference
Report on equal-access compliance: timing, embargo	Equal-access compliance report	OVA-4 Process Data Management	4.1.5 Accountability
Report on accessibility compliance	Accessibility compliance report	OVA-1 Quality Management	4.1.5 Accountability
Report on compliance of researchers and data space partners with conditions of use	Research and data space compliance report	MDS-8 Monitor use and compliance; DSP-5 Monitor compliance and report	SAF-P11 Privacy by design
Report on security compliance: access controls, integrity of the research environment	Security compliance report (per cycle)	OVA-1 Quality Management	SAF-P10 Security by design; 3.3.3 Security incident management

Continuous Improvement

Refines: PRD-8.2 Conduct evaluation; PRD-8.3 Agree an action plan.

This last management sub-process closes the governance cycle by analyzing performance, usage, and feedback and driving improvements. Trends across release cycles are examined: is punctuality holding, is reach growing, is satisfaction improving, and are questions from users decreasing? Improvement opportunities are identified. Examples are adding or improving channels and formats, rewriting documentation that users find unclear, streamlining the release process, improving accessibility, and signaling demand for new statistics or breakdowns. Recommendations are fed back to the design sub-processes, to VS-10, and, where a need starts earlier in the chain, to the value stream concerned. They are prioritized by impact and feasibility and tracked through the following cycles. This is SAF capability 4.1.4 *Improvement management* in practice.

Activity	Key outputs	SAF process	Other reference
Analyze trends in use, satisfaction, and quality across cycles	Improvement recommendations report	PRD-8.2 Conduct evaluation	4.1.4 Improvement management
Identify improvement opportunities: channels, documentation, accessibility, release process	Updated design inputs	PRD-8.2 Conduct evaluation	4.1.4 Improvement management
Feed recommendations back to the design sub-processes, to VS-10 Customer and Stakeholder Engagement, and to the chain	Design and engagement feedback (closing the cycle)	PRD-8.3 Agree an action plan	4.1.4 Improvement management
Prioritize improvements by impact and feasibility	Improvement tracking log	PRD-8.3 Agree an action plan	GAMSO Capability Management
Track the implementation of accepted improvements	Improvement tracking log	PRD-8.3 Agree an action plan	GAMSO Capability Management

PLACEHOLDER: VS-06 management feedback loop: releases, usage, and feedback flowing through the five management sub-processes, with dashboards to the process owner, accessibility and punctuality reports to the quality manager, compliance reports to VS-07, user needs to VS-10 and the chain, and improvement recommendations back to Design

Metadata and paradata per process type

In VS-06, metadata is what makes responsible use possible: every release must carry the documentation, methodology, and reference metadata that users need. The table shows what each process type contributes. Data metadata describes the released products. Process metadata, also called paradata, describes how the process itself ran: who, when, and with which tools.

Process type	Data metadata produced	Process metadata (paradata) produced
Design	Dissemination and access strategy, channel and format specifications, release and disclosure policy, documentation standards	Log of design decisions, policy version, review and approval records
Implementation	Channel configurations, API and dataset templates, disclosure-control parameters, documentation templates	Build log, test results, accessibility test outcomes, deployment approvals
Execution	Documentation per release, record of disclosure control applied, channel and format published, release timestamp, metadata of access services	Operator identity, adherence to the release calendar, embargo handling, publication run identifiers
Management	Usage statistics, accessibility assessments, user satisfaction measures, release quality reports	Usage dashboards, feedback logs, improvement decisions, audit findings

PLACEHOLDER: VS-06 business object lifecycle: design artifacts govern implementation assets, which produce the pipeline that turns approved Statistics (#4) into Released Data (#5), generating disclosure records, release records, and usage data that management assesses and feeds back to design and VS-10

5. Actors and roles

VS-06 is the value stream where the NSI meets its users. The table shows the actors and the reference roles involved. Specialized role names used in an NSI map onto these reference roles (see *Role names in the value streams*); for example, the dissemination manager, the channel designer, the open-data and API product owner, and the user support lead are ROL-22 Dissemination and service manager, and the communications officer is ROL-23 Relationship manager. VS-05, which supplies the approved products, is a neighboring value stream and not an actor; the relation is governed by the handover interface in attribute 8. The relation with accredited researchers is organized in the collaboration COL-04 *Research access partnership*. **[VC20]**

Actor or role	ID	Process type	Responsibility in VS-06 Dissemination and Service Delivery
Data user	ACT-05	External	Uses released data: policy makers, researchers, media, businesses, and the public
International statistical organization	ACT-07	External	Receives transmissions under agreed programs, for example Eurostat or the OECD
Process owner	ROL-01	Management	Accountable for the end-to-end performance of VS-06 Dissemination and Service Delivery
Data owner	ROL-02	Management	Accountable for State #5; decides on access to restricted and research data
Data steward	ROL-03	Execution	Registers releases, maintains catalog entries, applies access controls
Data custodian	ROL-04	Execution	Operates the release store, the secure research environment, retention, and archiving
Metadata and data architect	ROL-08	Design	Designs the structures of APIs and datasets and the reference metadata
Data engineer	ROL-10	Implementation	Builds and configures publication channels, APIs, and access services
Platform engineer	ROL-11	Implementation	Configures release tooling, access controls, and disclosure-control tooling on the platforms of VS-09 Infrastructure and Platform Enablement
Test manager	ROL-12	Implementation	Plans and carries out technical, accessibility, security, and release testing
Disclosure control specialist	ROL-16	Design, Execution	Designs and applies final disclosure control and de-identification; checks research outputs
Release manager	ROL-17	Execution	Manages the release: timing, embargo, equal access, and publication
Quality manager	ROL-18	Management	Monitors usage and accessibility indicators, produces quality reports, and drives continuous improvement

Actor or role	ID	Process type	Responsibility in VS-06 Dissemination and Service Delivery
Compliance officer	ROL-19	Management	Ensures compliance with data protection, confidentiality, and equal access, together with VS-07 Governance and Compliance
Dissemination and service manager	ROL-22	Design, Execution	Designs the dissemination strategy and channels; operates open-data, API, and dashboard services and user support
Relationship manager	ROL-23	Execution	Promotes releases, maintains relationships with key users, and collects feedback, together with VS-10 Customer and Stakeholder Engagement

6. Capabilities, processes, and functions

Capability foundations

The table shows which capabilities from the SAF capability model VS-06 relies on, and what role they play. NSIs can use it to map the value stream to their own organization.

Capability group	Capabilities	Role in VS-06 Dissemination and Service Delivery
1.1 Statistical design and build	1.1.2 Design statistics product, 1.1.3 Build statistics product	Design dissemination products and services, and build the release and access pipeline
1.3 Processing	1.3.7 Statistical disclosure	Apply final disclosure control and de-identification [**VC21**]
1.5 Dissemination	1.5.1 Publication management, 1.5.2 Promotion to use, 1.5.3 Facilitate data access, 1.5.4 Statistical information management	Publish, promote, and give access to statistics, and manage their documentation [**VC21**]
2.1 Data management	2.1.1 Data lifecycle management, 2.1.2 Metadata management, 2.1.3 Statistical quality management	Manage released data and its metadata, and the quality of release and access
2.2 Research	2.2.4 Data services, 2.2.5 User research	Provide research access to microdata and understand user needs
3.2 Computerization and automation	3.2.1 Application development, 3.2.2 Functional management	Build and maintain publication channels, APIs, and dashboards, with the platforms of VS-09 Infrastructure and Platform Enablement

Capability group	Capabilities	Role in VS-06 Dissemination and Service Delivery
3.3 Security and privacy	3.3.1 Privacy management, 3.3.2 Security planning, 3.3.4 Logical identity and access control	Secure access to released data and research environments
3.4 Customer and chain interaction	3.4.1 Services management, 3.4.2 Contact management, 3.4.4 Self-service	Operate user services, the service desk, and self-service channels
4.1 Strategy and leadership	4.1.2 Policy and planning, 4.1.4 Improvement management, 4.1.5 Accountability, 4.1.6 Collaboration	Govern release, manage the policy for equal access, plan improvements, report on compliance, cooperate in international transmission

Stages, processes, and functions

The table shows which SAF business processes realize each stage of VS-06 and which business functions they mainly use. It follows the mapping in *Business Processes, Mapping to value stream stages*. The activity tables in attribute 3 can name additional supporting processes. **[VC25]**

Stage	Realized by processes	Main functions
VS-06.1 Plan Dissemination and Access Strategy	PRD-2.1 Design outputs and dissemination	FUN-3.1 Design and build statistical products; FUN-3.6 Disseminate statistics
VS-06.2 Prepare Data for Dissemination	PRD-6.4 Apply disclosure control; PRD-7.1 Update output systems	FUN-3.5 Protect statistical confidentiality; FUN-3.6 Disseminate statistics
VS-06.3 Publish and Provide Access Services	PRD-7.2 Produce dissemination products; PRD-7.3 Release dissemination products; MDS-1 Authorize institutions and researchers; MDS-2 Assess access applications; MDS-3 Prepare research datasets; MDS-4 Provide a secure processing environment; MDS-5 Facilitate privacy-preserving analysis; MDS-7 Check and release output; DSP-2 Publish data offerings	FUN-3.6 Disseminate statistics; FUN-8.1 Manage research access; FUN-8.2 Prepare research data; FUN-8.3 Operate secure research environments; FUN-8.4 Control research output; FUN-8.5 Enable privacy-preserving analysis; FUN-9.1 Manage data space participation
VS-06.4 Support and Engage Users	PRD-7.4 Promote dissemination products; PRD-7.5 Provide user support; MDS-6 Support researchers	FUN-3.6 Disseminate statistics; FUN-8.3 Operate secure research environments; FUN-10.9 Manage users and services
VS-06.5 Monitor Usage and Feedback	PRD-8.1 Gather evaluation inputs; MDS-8 Monitor use and compliance; MDS-9 Close projects	FUN-8.1 Manage research access; FUN-8.3 Operate secure research environments; FUN-10.9 Manage users and services

PLACEHOLDER: ArchiMate view VS-06 (b) stages realized by processes and functions

Framework mappings

This reference table maps each process type of VS-06 to the SAF business processes, the international frameworks (GSBPM, GAMSO, CSDA), and the SAF capability model. It is intended for architects and

auditors; the rest of this section does not depend on it.

Process type	SAF business processes	GSBPM	GAMSO	CSDA	SAF capabilities
Design	PRD-2.1, PRD-2.5, PRD-2.6, DLM-1, DLM-4, MDS-1, DSP-1	Phase 2 Design (2.1, 2.5, 2.6)	Production (design activities), Capability Management	Data Governance, Metadata Management, Dissemination	1.1.2 Design statistics product, 1.5.1 Publication management, 2.1.2 Metadata management
Implementation	PRD-3.2 to PRD-3.7, DLM-3, DLM-5, MDS-4	Phase 3 Build (3.2 to 3.7)	Capability Management	Dissemination (set-up), Data Governance (configuration)	1.1.3 Build statistics product, 3.2.1 Application development, 3.2.2 Functional management
Execution	PRD-6.4 (final), PRD-7.1 to PRD-7.5, PRD-8.1, PRD-8.2, DLM-2, DLM-3, DLM-5, DLM-7, DLM-8, MDS-3, MDS-4, MDS-6 to MDS-9, DSP-2, DSP-4, DSP-5	6.4 Apply disclosure control; Phase 7 Disseminate (7.1 to 7.5); 8.1 Gather evaluation inputs	Production (execution)	Dissemination (execution)	1.3.7 Statistical disclosure, 1.5.1 to 1.5.4, 2.2.4 Data services
Management	OVA-1, OVA-2, OVA-4, DLM-5, DLM-7, DLM-8, DLM-10, MDS-8, DSP-5, PRD-8.1 to PRD-8.3	Phase 8 Evaluate; overarching Quality Management and Metadata Management	Corporate Support (Quality, Data, and Metadata Management), Capability Management (improvement)	Data Quality, Data Governance, Traceability	2.1.3 Statistical quality management, 4.1.4 Improvement management, 4.1.5 Accountability

7. Principles

The following principles govern VS-06 most directly.

Principle	Statement	Application in VS-06 Dissemination and Service Delivery
SAF-P01	Reuse before open source, open source before buying, buying before building	Dissemination platforms, APIs, SDMX tools, and disclosure-control software are reused across products first. Where new tooling is needed, open-source solutions developed with other NSIs come before purchase or own development. **[VC3]**
SAF-P07	Implement loosely coupled processes and systems	Dissemination uses approved products through the interface of State #4 without knowing how they were composed. It exposes released data through stable, versioned access services.
SAF-P08	Data is shared property	Released data is made broadly and equally available to all users through open and standard channels. Open access is the default; restricted access is the exception that needs a reason.
SAF-P09	No data without metadata and classification	Every release carries the metadata, methodology notes, and documentation that users need to interpret it correctly. Released datasets come with structural and reference metadata, for example according to SDMX.
SAF-P10	Security by design	Access controls, secure channels, and integrity protection are built into publication and access services, including the secure research environment for sensitive microdata.
SAF-P11	Privacy by design	Final disclosure control and de-identification are applied before release. The disclosure risk of every released product and microdata file is assessed and cleared by design.

i Principles that apply across the process types

Several principles apply to all four process types. SAF-P11 is the release gate: disclosure control is designed in *Design Disclosure Control and De-identification for Release*, implemented in *Configure Disclosure-Control and Release Tooling*, and applied in VS-06.2 before anything is published. SAF-P08 and SAF-P09 drive open, well-documented, and equal release. SAF-P10 governs the access services and the secure research environment in VS-06.3 and VS-06.4. SAF-P07 governs the intake of approved products from VS-05 and the access interface for external users.

8. Interfaces, services, and events

Boundary interfaces

VS-06 is loosely coupled (SAF-P07) to its upstream neighbor and to external users. Specifying each boundary explicitly makes the loose-coupling contract concrete and testable: the handover artifact, the metadata it must carry, the event that triggers it, and the point where responsibility transfers. As the last primary value stream, VS-06 has no downstream primary value stream. Its handover is to external users, and its feedback path runs to VS-10.

Boundary	Handed over	Required metadata	Trigger	Responsibility transfer
VS-05 Statistical Product Composition → VS-06 Dissemination and Service Delivery (intake)	Registered approved product version (#4, *approved*)	Component lineage, composition method, propagated accuracy, coherence results, approval record, confidentiality status, product version identifier, classification	*Statistical Product Registered*	VS-05 Statistical Product Composition keeps custody of the product version; VS-06 Dissemination and Service Delivery takes responsibility for preparation, release, and service delivery on receipt of the event
VS-06 Dissemination and Service Delivery → users and society (release)	Released Data (#5): published statistics, de-identified microdata, access services	Record of final disclosure control, documentation and methodology notes, reference and structural metadata, channel and format, release timestamp, release version identifier, lineage to the approved product	*Statistics Released*	The NSI publishes and serves; external users use the data as #6 Consumed Data, outside the NSI's control. Usage and feedback return to VS-06.5 Monitor Usage and Feedback and VS-10 Customer and Stakeholder Engagement

Business services

Service	Offered to	Realized in	Interfaces
Dissemination preparation service	Release teams	VS-06.2 Prepare Data for Dissemination	Disclosure-control tooling, channel formatting
Publication and open data service	Data users, the public, businesses	VS-06.3 Publish and Provide Access Services	Web publication and bulk download of open data with machine-readable metadata; release timing for equal access enforced

Service	Offered to	Realized in	Interfaces
API and dashboard service	Researchers, developers, analysts	VS-06.3 Publish and Provide Access Services	API compliant with SDMX for released series and datasets with their metadata; interactive dashboards fed from released datasets
Secure research access service	Accredited researchers	VS-06.3 Publish and Provide Access Services	Mediated access to de-identified microdata in a controlled environment, with output checking
Transmission and data space service	International statistical organizations, data space partners	VS-06.3 Publish and Provide Access Services	Agreed transmission channels, data space connectors
User support service	All data users	VS-06.4 Support and Engage Users	Documentation, service desk, training
Usage and feedback service	Process owners, VS-10 Customer and Stakeholder Engagement, the chain	VS-06.5 Monitor Usage and Feedback	Usage dashboards, feedback channels
Design and strategy service	Dissemination and service managers	All Design sub-processes of VS-06 Dissemination and Service Delivery	Design documents, policy advice

Business events

Event	Triggers or marks
Design artifacts published	Start of Implementation after a design change
Pipeline production-ready	End of Implementation; Execution can start
Statistical Product Registered	Start of VS-06.1 Plan Dissemination and Access Strategy for that product (published by VS-05 Statistical Product Composition)
Disclosure cleared / *Disclosure gate failed*	Outcome of VS-06.2 Prepare Data for Dissemination; failure returns the product for additional protection
Statistics Released	Completion of VS-06.3 Publish and Provide Access Services at the announced moment; start of use as #6
Erratum issued	Correction of a release under the correction policy
Feedback received	Input for VS-06.5 Monitor Usage and Feedback and VS-10 Customer and Stakeholder Engagement
Improvement recommendations issued	Input for Design from *Continuous Improvement*

PLACEHOLDER: VS-06 event choreography between VS-05, the release teams, external users, VS-10, and process management across Design, Implementation, Execution (plan, prepare and clear, release at the announced moment, support, monitor), and Management (key performance indicators, accessibility, compliance, improvement recommendations)

Interaction with the supporting value streams

Value stream	Provides to VS-06	Receives from VS-06
VS-07 Governance and Compliance	Data protection and confidentiality policy, release policy, audit	Disclosure, equal-access, and accessibility compliance evidence
VS-08 Innovation and Methodological Development	New disclosure-control methods, new forms of dissemination	Unmet user needs and improvement needs
VS-09 Infrastructure and Platform Enablement	Portals, APIs, secure research environments, release store	Availability and capacity requirements, in particular at release moments
VS-10 Customer and Stakeholder Engagement	User needs, user groups, communication with users	Usage data, feedback, and user questions

9. Key performance indicators

The key performance indicators are collected per release cycle in *Monitor Process Performance*. They feed the dashboard that the process owner reviews.

KPI	Description	Measurement
On-time release rate	Share of releases published exactly at the announced moment	Per release, per cycle
Disclosure gate pass rate	Share of releases that pass the disclosure-risk gate on the first run	Per release, per cycle
Channel availability	Availability of APIs and access services	Per channel
Use and reach	Downloads, API calls, and dashboard views per release	Per release, per channel
User satisfaction	Satisfaction measure from feedback	Per cycle
Support response time	Time to resolve questions from users	Per cycle

10. Toolkit

Examples from NSI practice, the maturity checklist, and end-to-end scenarios for VS-06 are part of the SAF Toolkit.

Toolkit: SAF-TK-V06 VS-06 Dissemination and Service Delivery companion [**VC17**]