

ASSIGNMENT – 8

- 1> Write a NumPy program to test whether none of the elements of a given array is zero.
- 2> Write a NumPy program to test whether any of the elements of a given array is non-zero.
- 3> Write a NumPy program to test a given array element-wise for finiteness (not infinity or not a Number).
- 4> Write a NumPy program to test whether two arrays are element-wise equal within a tolerance.
- 5> Write a NumPy program to create an element-wise comparison (greater, greater_equal, less and less_equal) of two given arrays.
- 6> Write a NumPy program to create an array of the integers from 30 to 70.
- 7> Write a NumPy program to create a 3x3 identity matrix.
- 8> Write a NumPy program to generate a random number between 0 and 1.
- 9> Write a NumPy program to find the number of rows and columns of a given matrix.
- 10> Write a NumPy program to create a 3x3 identity matrix, i.e. diagonal elements are 1, the rest are 0.
- 11> Write a NumPy program to concatenate element-wise two arrays of string.
Expected Output:
Array1:
['Python' 'PHP']
Array2:
['Java' 'C++']
new array:
['Python Java' 'PHP C++']
- 12> Write a NumPy program to capitalize the first letter, lowercase, uppercase, swapcase, title-case of all the elements of a given array.
Expected Output:
Original Array:
['python' 'PHP' 'java' 'C++']
Capitalized: ['Python' 'Php' 'Java' 'C++']
Lowered: ['python' 'php' 'java' 'c++']
Uppered: ['PYTHON' 'PHP' 'JAVA' 'C++']
Swapcased: ['PYTHON' 'php' 'JAVA' 'c++']
Titlecased: ['Python' 'Php' 'Java' 'C++']

13> Write a NumPy program to display all the dates for the month of March, 2017.

14> Write a NumPy program to get the dates of yesterday, today and tomorrow.

15> Write a NumPy program to count the number of days of specific month.

16> Write a NumPy program to convert a list of numeric value into a one-dimensional NumPy array.

Expected Output:

Original List: [12.23, 13.32, 100, 36.32]

One-dimensional NumPy array: [12.23 13.32 100. 36.32]

17> Write a NumPy program to create a 3x3 matrix with values ranging from 2 to 10.

Expected Output:

[[2 3 4]

[5 6 7]

[8 9 10]]

18> Write a NumPy program to reverse an array (first element becomes last).

Original array:

[12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33
34 35 36 37]

Reverse array:

[37 36 35 34 33 32 31 30 29 28 27 26 25 24 23 22 21 20 19 18 17 16
15 14 13 12]

19> Write a NumPy program to find common values between two arrays.

Expected Output:

Array1: [0 10 20 40 60]

Array2: [10, 30, 40]

Common values between two arrays:

[10 40]

20> Write a NumPy program to get the unique elements of an array.

Expected Output:

Original array:

[10 10 20 20 30 30]

Unique elements of the above array:

[10 20 30]

Original array:

[[1 1]

[2 3]]

Unique elements of the above array:

[1 2 3]

21> Write a NumPy program compare two given arrays.

Array a: [1 2]

Array b: [4 5]

a > b

[False False]

a >= b

[False False]

a < b

[True True]

a <= b

[True True]

22> Write a Pandas program to get the powers of an array values element-wise.

Note: First array elements raised to powers from second array

Sample data: {'X':[78,85,96,80,86],
'Y':[84,94,89,83,86], 'Z':[86,97,96,72,83]}

Expected Output:

X Y Z

0 78 84 86

1 85 94 97

2 96 89 96

3 80 83 72

4 86 86 83

23> Write a Pandas program to get the first 3 rows of a given DataFrame.

Sample Python dictionary data and list labels:

exam_data = {'name': ['Anastasia', 'Dima', 'Katherine', 'James', 'Emily',
'Michael', 'Matthew', 'Laura', 'Kevin', 'Jonas'],
'score': [12.5, 9, 16.5, np.nan, 9, 20, 14.5, np.nan, 8, 19],
'attempts': [1, 3, 2, 3, 2, 3, 1, 1, 2, 1],
'qualify': ['yes', 'no', 'yes', 'no', 'no', 'yes', 'yes', 'no', 'no', 'yes']}
labels = ['a', 'b', 'c', 'd', 'e', 'f', 'g', 'h', 'i', 'j']

Expected Output:

First three rows of the data frame:

attempts name qualify score

a 1 Anastasia yes 12.5

b 3 Dima no 9.0

c 2 Katherine yes 16.5

24> Write a Pandas program to count the number of rows and columns of a DataFrame.

Sample Python dictionary data and list labels:

exam_data = {'name': ['Anastasia', 'Dima', 'Katherine', 'James', 'Emily',
'Michael', 'Matthew', 'Laura', 'Kevin', 'Jonas'],
'score': [12.5, 9, 16.5, np.nan, 9, 20, 14.5, np.nan, 8, 19],
'attempts': [1, 3, 2, 3, 2, 3, 1, 1, 2, 1],
'qualify': ['yes', 'no', 'yes', 'no', 'no', 'yes', 'yes', 'no', 'no', 'yes']}
labels = ['a', 'b', 'c', 'd', 'e', 'f', 'g', 'h', 'i', 'j']

Expected Output:

Number of Rows: 10

Number of Columns: 4

25> Write a Pandas program to select the rows the score is between 15 and 20 (inclusive).

Sample Python dictionary data and list labels:

```
exam_data = {'name': ['Anastasia', 'Dima', 'Katherine', 'James', 'Emily',  
'Michael', 'Matthew', 'Laura', 'Kevin', 'Jonas'],  
'score': [12.5, 9, 16.5, np.nan, 9, 20, 14.5, np.nan, 8, 19],  
'attempts': [1, 3, 2, 3, 2, 3, 1, 1, 2, 1],  
'qualify': ['yes', 'no', 'yes', 'no', 'no', 'yes', 'yes', 'no', 'no', 'yes']}  
labels = ['a', 'b', 'c', 'd', 'e', 'f', 'g', 'h', 'i', 'j']
```

Expected Output:

Rows where score between 15 and 20 (inclusive):

```
attempts name qualify score
```

```
c 2 Katherine yes 16.5
```

```
f 3 Michael yes 20.0
```

```
j 1 Jonas yes 19.0
```

26> Write a Pandas program to calculate the sum of the examination attempts by the students.

Sample Python dictionary data and list labels:

```
exam_data = {'name': ['Anastasia', 'Dima', 'Katherine', 'James', 'Emily',  
'Michael', 'Matthew', 'Laura', 'Kevin', 'Jonas'],  
'score': [12.5, 9, 16.5, np.nan, 9, 20, 14.5, np.nan, 8, 19],  
'attempts': [1, 3, 2, 3, 2, 3, 1, 1, 2, 1],  
'qualify': ['yes', 'no', 'yes', 'no', 'no', 'yes', 'yes', 'no', 'no', 'yes']}  
labels = ['a', 'b', 'c', 'd', 'e', 'f', 'g', 'h', 'i', 'j']
```

Expected Output:

Sum of the examination attempts by the students:

```
19
```

27> Write a Pandas program to calculate the mean score for each different student in DataFrame.

Sample Python dictionary data and list labels:

```
exam_data = {'name': ['Anastasia', 'Dima', 'Katherine', 'James', 'Emily',  
'Michael', 'Matthew', 'Laura', 'Kevin', 'Jonas'],  
'score': [12.5, 9, 16.5, np.nan, 9, 20, 14.5, np.nan, 8, 19],  
'attempts': [1, 3, 2, 3, 2, 3, 1, 1, 2, 1],  
'qualify': ['yes', 'no', 'yes', 'no', 'no', 'yes', 'yes', 'no', 'no', 'yes']}  
labels = ['a', 'b', 'c', 'd', 'e', 'f', 'g', 'h', 'i', 'j']
```

Expected Output:

Mean score for each different student in data frame:

```
13.5625
```

28> Write a Pandas program to change the name 'James' to 'Suresh' in name column of the DataFrame.

Sample Python dictionary data and list labels:

```
exam_data = {'name': ['Anastasia', 'Dima', 'Katherine', 'James', 'Emily',  
                    'Michael', 'Matthew', 'Laura', 'Kevin', 'Jonas'],  
            'score': [12.5, 9, 16.5, np.nan, 9, 20, 14.5, np.nan, 8, 19],  
            'attempts': [1, 3, 2, 3, 2, 3, 1, 1, 2, 1],  
            'qualify': ['yes', 'no', 'yes', 'no', 'no', 'yes', 'yes', 'no', 'no', 'yes']}  
labels = ['a', 'b', 'c', 'd', 'e', 'f', 'g', 'h', 'i', 'j']
```

Expected Output:

Change the name 'James' to \?Suresh\?:

attempts name qualify score

a 1 Anastasia yes 12.5

b 3 Dima no 9.0

.....

i 2 Kevin no 8.0

j 1 Jonas yes 19.0

29> Write a Pandas program to delete the 'attempts' column from the DataFrame.

Sample Python dictionary data and list labels:

```
exam_data = {'name': ['Anastasia', 'Dima', 'Katherine', 'James', 'Emily',  
                    'Michael', 'Matthew', 'Laura', 'Kevin', 'Jonas'],  
            'score': [12.5, 9, 16.5, np.nan, 9, 20, 14.5, np.nan, 8, 19],  
            'attempts': [1, 3, 2, 3, 2, 3, 1, 1, 2, 1],  
            'qualify': ['yes', 'no', 'yes', 'no', 'no', 'yes', 'yes', 'no', 'no', 'yes']}  
labels = ['a', 'b', 'c', 'd', 'e', 'f', 'g', 'h', 'i', 'j']
```

Expected Output:

Delete the 'attempts' column from the data frame:

name qualify score

a Anastasia yes 12.5

b Dima no 9.0

.....

i Kevin no 8.0

j Jonas yes 19.0

30> Write a Pandas program to insert a new column in existing DataFrame.

Sample Python dictionary data and list labels:

```
exam_data = {'name': ['Anastasia', 'Dima', 'Katherine', 'James', 'Emily',  
                    'Michael', 'Matthew', 'Laura', 'Kevin', 'Jonas'],  
            'score': [12.5, 9, 16.5, np.nan, 9, 20, 14.5, np.nan, 8, 19],  
            'attempts': [1, 3, 2, 3, 2, 3, 1, 1, 2, 1],  
            'qualify': ['yes', 'no', 'yes', 'no', 'no', 'yes', 'yes', 'no', 'no', 'yes']}
```

```
labels = ['a', 'b', 'c', 'd', 'e', 'f', 'g', 'h', 'i', 'j']
```

Expected Output:

New DataFrame after inserting the 'color' column

attempts name qualify score color

a 1 Anastasia yes 12.5 Red

b 3 Dima no 9.0 Blue

.....

i 2 Kevin no 8.0 Green

j 1 Jonas yes 19.0 Red

31> Write a Pandas program to rename columns of a given DataFrame.

Sample data:

Original DataFrame

col1 col2 col3

0 1 4 7

1 2 5 8

2 3 6 9

New DataFrame after renaming columns:

Column1 Column2 Column3

0 1 4 7

1 2 5 8

2 3 6 9

32> Write a Pandas program to select rows from a given DataFrame based on values in some columns.

Sample data:

Original DataFrame

col1 col2 col3

0 1 4 7

1 4 5 8

2 3 6 9

3 4 7 0

4 5 8 1

Rows for column1 value == 4

col1 col2 col3

1 4 5 8

3 4 7 0

- 33> Write a Pandas program to count city wise number of people from a given of data set (city, name of the person).
Sample data:
city Number of people
0 California 4
1 Georgia 2
2 Los Angeles 4
- 34> Write a Pandas program to add, subtract, multiple and divide two Pandas Series.
Sample Series: [2, 4, 6, 8, 10], [1, 3, 5, 7, 9]
- 35> Write a Pandas program to compare the elements of the two Pandas Series.
Sample Series: [2, 4, 6, 8, 10], [1, 3, 5, 7, 10]
- 36> Write a Pandas program to convert a dictionary to a Pandas series.
Sample Series:
Original dictionary:
{'a': 100, 'b': 200, 'c': 300, 'd': 400, 'e': 800}
Converted series:
a 100
b 200
c 300
d 400
e 800
dtype: int64
- 37> Write a Pandas program to convert a NumPy array to a Pandas series.
Sample Series:
NumPy array:
[10 20 30 40 50]
Converted Pandas series:
0 10
1 20
2 30
3 40
4 50
dtype: int64
- 38> Write a Pandas program to convert all the string values to upper, lower cases in a given pandas series. Also find the length of the string values.

- 39> Write a Pandas program to remove whitespaces, left sided whitespaces and right sided whitespaces of the string values of a given pandas series.
- 40> Write a Pandas program to find the index of a substring of DataFrame with beginning and end position.
- 41> Write a Pandas program to check whether alpha numeric values present in a given column of a DataFrame.
- 42> Write a Pandas program to check whether only numeric values present in a given column of a DataFrame.
- 43> Write a Pandas program to check whether only lower case or upper case is present in a given column of a DataFrame.
- 44> Write a Pandas program to check whether only space is present in a given column of a DataFrame.
- 45> Write a Pandas program to get the length of the string present of a given column in a DataFrame.
- 46> Write a Pandas program to get the length of the integer of a given column in a DataFrame.
- 47> Write a Pandas program to convert a specified character column in upper/lower cases in a given DataFrame.
- 48> Write a Pandas program to split a string of a column of a given DataFrame into multiple columns.