Thyrocare

Tests you can trust

Name : Suryakanth (60Y/M)

Date : 01 Mar 2025

Test Asked : Aarogyam D Plus Profile With Utsh

Report Status: Complete Report

100% NABL ACCREDITATION

First National Diagnostic Chain to have **100% of its Labs with NABL Accreditation#**

98% Reports released within **06 Hours** of sample reaching the lab+

9 out of 10 Doctors Trust that Thyrocare reports are Accurate & Reliable*

1200+ Tests & Profiles

Temperature-Controlled Sample Logistics

Unique Barcode Tracking

Fully Automated Machines Inspected Daily

Abnormal Values Re-Checked Twice

Reports Verified By Expert MD Pathologists Stationed at Every Lab

Your reports are digitally verifiable

Scan the QR code inside the report to check authenticity of reported values

QR code will remain active for 30 days from report release date

Accredited by

NABL From 2005

ISO 9001: 2015 - From 2015

CAP From 2007

PROCESSED AT :
Thyrocare
1st Floor, 889 HSR layout
Sector-7 (BDA), No 1159, Bangalore

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation#

NAME : SURYAKANTH (60Y/M)
REF. BY : SELF
TEST ASKED : AAROGYAM D PLUS PROFILE WITH UTSH

SAMPLE COLLECTED AT :
163, SHREE VILLA, 11TH MAIN, RBI LAYOUT, JP NAGAR 7TH PHASE, BANGALORE - 560078

Report Availability Summary

Note: Please refer to the table below for status of your tests.

5 Ready | **0** Ready with Cancellation | **0** Processing | **22** Cancelled in Lab

TEST DETAILS	REPORT STATUS
AAROGYAM D PLUS PROFILE WITH UTSH	Ready with Cancellation
FASTING BLOOD SUGAR(GLUCOSE)	Ready
CHLORIDE	Cancelled in Lab
FERRITIN	Cancelled in Lab
FOLATE	Cancelled in Lab
FRUCTOSAMINE	Cancelled in Lab
HOMOCYSTEINE	Cancelled in Lab
HIGH SENSITIVITY C-REACTIVE PROTEIN (HS-CRP)	Cancelled in Lab
LIPASE	Cancelled in Lab
Lipoprotein (a) [Lp(a)]	Cancelled in Lab
MAGNESIUM	Cancelled in Lab
SERUM COPPER	Cancelled in Lab
SERUM ZINC	Cancelled in Lab
SODIUM	Cancelled in Lab
TESTOSTERONE	Cancelled in Lab
COMPLETE URINE ANALYSIS	Ready
HBA PROFILE	Ready
HEMOGRAM - 6 PART (DIFF)	Ready
LIVER FUNCTION TESTS	Cancelled in Lab
IRON DEFICIENCY PROFILE	Cancelled in Lab
KIDPRO	Cancelled in Lab

PROCESSED AT :
Thyrocare
1st Floor, 889 HSR layout
Sector-7 (BDA), No 1159, Bangalore

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation#

NAME : SURYAKANTH (60Y/M)
REF. BY : SELF
TEST ASKED : AAROGYAM D PLUS PROFILE WITH UTSH

SAMPLE COLLECTED AT :
163, SHREE VILLA, 11TH MAIN, RBI LAYOUT, JP NAGAR 7TH PHASE, BANGALORE - 560078

Report Availability Summary

Note: Please refer to the table below for status of your tests.

5 Ready | **0** Ready with Cancellation | **0** Processing | **22** Cancelled in Lab

TEST DETAILS	REPORT STATUS
LIPID PROFILE	Cancelled in Lab
T3-T4-USTSH	Cancelled in Lab
VITAMIN D TOTAL AND B12 COMBO	Cancelled in Lab
URINE MICROALBUMIN	Ready
APOLIPROTEIN RATIO	Cancelled in Lab
AMYLASE	Cancelled in Lab
BLOOD KETONE (D3HB)	Cancelled in Lab

PROCESSED AT :

Thyrocare
1st Floor, 889 HSR layout
Sector-7 (BDA), No 1159, Bangalore

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation#

NAME : SURYAKANTH (60Y/M)
REF. BY : SELF
TEST ASKED : AAROGYAM D PLUS PROFILE WITH UTSH

SAMPLE COLLECTED AT :
163, SHREE VILLA, 11TH MAIN, RBI LAYOUT, JP NAGAR 7TH PHASE, BANGALORE - 560078

Summary Report

Tests outside reference range

TEST NAME	OBSERVED VALUE	UNITS	Bio. Ref. Interval.
COMPLETE HEMOGRAM			
MEAN CORPUSCULAR HEMOGLOBIN(MCH)	32.2	pq	27.0-32.0
RED CELL DISTRIBUTION WIDTH (RDW-CV)	16.9	%	11.6-14
RED CELL DISTRIBUTION WIDTH - SD(RDW-SD)	61	fL	39-46
DIABETES			
AVERAGE BLOOD GLUCOSE (ABG)	140	mg/dL	90-120
HbA1c	6.5	%	< 5.7

Disclaimer: The above listed is the summary of the parameters with values outside the BRI. For detailed report values, parameter correlation and clinical interpretation, kindly refer to the same in subsequent pages.

PROCESSED AT :
Thyrocare
1st Floor, 889 HSR layout
Sector-7 (BDA), No 1159,
Bangalore

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation#

NAME : SURYAKANTH (60Y/M)
REF. BY : SELF
TEST ASKED : COMPLETE URINE ANALYSIS,URINE MICROALBUMIN

SAMPLE COLLECTED AT :
163, SHREE VILLA, 11TH MAIN, RBI LAYOUT, JP NAGAR 7TH PHASE, BANGALORE - 560078

TEST NAME	TECHNOLOGY	VALUE	UNITS
DIABETES SCREEN (URINE)			
URINARY MICROALBUMIN	PHOTOMETRY	< 5.5	µg/mL
Bio. Ref. Interval. : Adults: Less than 25 µg/ml			
Method : Fully Automated Immuno Turbidometry			
CREATININE - URINE	PHOTOMETRY	92.91	mg/dL
Bio. Ref. Interval. : Male: 39 - 259 mg/dl Female: 28 - 217 mg/dl			
Method : Creatinine Jaffe Method, Rate-Blanked and Compensated			
URI. ALBUMIN/CREATININE RATIO (UA/C)	CALCULATED	5.9	µg/mg of Creatinine
Bio. Ref. Interval. : Adults : Less than 30 µg/mg of Creatinine			
Method : Derived from Albumin and Creatinine values			

Please correlate with clinical conditions.

Sample Collected on (SCT) : 28 Feb 2025 21:47
Sample Received on (SRT) : 01 Mar 2025 13:22
Report Released on (RRT) : 01 Mar 2025 17:59
Sample Type : URINE
Labcode : 0103041482/P4106
Barcode : CF993975

Dr Ishant Anand MD(Path)

Scan QR code to verify authenticity of reported results; active for 30 days from release time.

PROCESSED AT :
Thyrocare
1st Floor, 889 HSR layout
Sector-7 (BDA), No 1159,
Bangalore

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation#

NAME : SURYAKANTH (60Y/M)
REF. BY : SELF
TEST ASKED : COMPLETE URINE ANALYSIS

SAMPLE COLLECTED AT :
163, SHREE VILLA, 11TH MAIN, RBI LAYOUT, JP NAGAR 7TH PHASE, BANGALORE - 560078

TEST NAME	METHODOLOGY	VALUE	UNITS	Bio. Ref. Interval.
Complete Urinogram				
Physical Examination				
VOLUME	Visual Determination	3	mL	-
COLOUR	Visual Determination	PALE YELLOW	-	Pale Yellow
APPEARANCE	Visual Determination	CLEAR	-	Clear
SPECIFIC GRAVITY	pKa change	1.02	-	1.003-1.030
PH	pH indicator	5	-	5-8
Chemical Examination				
URINARY PROTEIN	PEI	ABSENT	mg/dL	Absent
URINARY GLUCOSE	GOD-POD	ABSENT	mg/dL	Absent
URINE KETONE	Nitroprusside	ABSENT	mg/dL	Absent
URINARY BILIRUBIN	Diazo coupling	ABSENT	mg/dL	Absent
UROBILINOGEN	Diazo coupling	Normal	mg/dL	<=0.2
BILE SALT	Hays sulphur	ABSENT	-	Absent
BILE PIGMENT	Ehrlich reaction	ABSENT	-	Absent
URINE BLOOD	Peroxidase reaction	ABSENT	-	Absent
NITRITE	Diazo coupling	ABSENT	-	Absent
LEUCOCYTE ESTERASE	Esterase reaction	ABSENT	-	Absent
Microscopic Examination				
MUCUS	Microscopy	ABSENT	-	Absent
RED BLOOD CELLS	Microscopy	ABSENT	cells/HPF	0-5
URINARY LEUCOCYTES (PUS CELLS)	Microscopy	ABSENT	cells/HPF	0-5
EPITHELIAL CELLS	Microscopy	ABSENT	cells/HPF	0-5
CASTS	Microscopy	ABSENT	-	Absent
CRYSTALS	Microscopy	ABSENT	-	Absent
BACTERIA	Microscopy	ABSENT	-	Absent
YEAST	Microscopy	ABSENT	-	Absent
PARASITE	Microscopy	ABSENT	-	Absent

(Reference : *PEI - Protein error of indicator, *GOD-POD - Glucose oxidase-peroxidase**)**

Sample Collected on (SCT) : 28 Feb 2025 21:47
Sample Received on (SRT) : 01 Mar 2025 13:22
Report Released on (RRT) : 01 Mar 2025 17:59
Sample Type : URINE
Labcode : 0103041482/P4106
Barcode : CF993975

Dr Ishant Anand MD(Path)

PROCESSED AT :
Thyrocare
1st Floor, 889 HSR layout
Sector-7 (BDA), No 1159,
Bangalore

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation#

NAME : SURYAKANTH (60Y/M)
REF. BY : SELF
TEST ASKED : HBA PROFILE,HEMOGRAM

SAMPLE COLLECTED AT :
163, SHREE VILLA, 11TH MAIN, RBI LAYOUT, JP NAGAR 7TH PHASE, BANGALORE - 560078

TEST NAME	TECHNOLOGY	VALUE	UNITS
HbA1c - (HPLC)			
	H.P.L.C	**6.5**	**%**

Bio. Ref. Interval. :

Bio. Ref. Interval.: As per ADA Guidelines	Guidance For Known Diabetics
Below 5.7% : Normal	Below 6.5% : Good Control
5.7% - 6.4% : Prediabetic	6.5% - 7% : Fair Control
>=6.5% : Diabetic	7.0% - 8% : Unsatisfactory Control
	>8% : Poor Control

Method : Fully Automated H.P.L.C method

AVERAGE BLOOD GLUCOSE (ABG)	**CALCULATED**	**140**	**mg/dL**

Bio. Ref. Interval. :

90 - 120 mg/dl : Good Control
121 - 150 mg/dl : Fair Control
151 - 180 mg/dl : Unsatisfactory Control
> 180 mg/dl : Poor Control

Method : Derived from HBA1c values

Please correlate with clinical conditions.

Sample Collected on (SCT) : 28 Feb 2025 21:47
Sample Received on (SRT) : 01 Mar 2025 13:22
Report Released on (RRT) : 01 Mar 2025 16:31
Sample Type : EDTA Whole Blood
Labcode : 0103079995/P4106
Barcode : CF993973

Dr Ishant Anand MD(Path)

PROCESSED AT :
Thyrocare
1st Floor, 889 HSR layout
Sector-7 (BDA), No 1159,
Bangalore

Thyrocare
Tests you can trust

Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703 9870666333 wellness@thyrocare.com

First National Diagnostic Chain to have 100% of its Labs with NABL Accreditation#

NAME : SURYAKANTH (60Y/M)
REF. BY : SELF
TEST ASKED : HBA PROFILE,HEMOGRAM

SAMPLE COLLECTED AT :
163, SHREE VILLA, 11TH MAIN, RBI LAYOUT, JP NAGAR 7TH PHASE, BANGALORE - 560078

TEST NAME	METHODOLOGY	VALUE	UNITS	Bio. Ref. Interval.
HEMOGLOBIN	SLS-Hemoglobin Method	14.6	g/dL	13.0-17.0
Hematocrit (PCV)	CPH Detection	45.5	%	40.0-50.0
Total RBC	HF & EI	4.54	X 10^6/µL	4.5-5.5
Mean Corpuscular Volume (MCV)	Calculated	100.2	fL	83.0-101.0
Mean Corpuscular Hemoglobin (MCH)	**Calculated**	**32.2**	**pq**	**27.0-32.0**
Mean Corp.Hemo. Conc (MCHC)	Calculated	32.1	g/dL	31.5-34.5
Red Cell Distribution Width - SD (RDW-SD)	**Calculated**	**61**	**fL**	**39-46**
Red Cell Distribution Width (RDW - CV)	**Calculated**	**16.9**	**%**	**11.6-14**
RED CELL DISTRIBUTION WIDTH INDEX (RDWI)	Calculated	373	-	*Refer Note below
MENTZER INDEX	Calculated	22.1	-	*Refer Note below
TOTAL LEUCOCYTE COUNT (WBC)	HF & FC	8.28	X 10^3 / µL	4.0 - 10.0
DIFFERENTIAL LEUCOCYTE COUNT				
Neutrophils Percentage	Flow Cytometry	49.6	%	40-80
Lymphocytes Percentage	Flow Cytometry	35.7	%	20-40
Monocytes Percentage	Flow Cytometry	8.2	%	2-10
Eosinophils Percentage	Flow Cytometry	6	%	1-6
Basophils Percentage	Flow Cytometry	0.5	%	0-2
Immature Granulocyte Percentage (IG%)	Flow Cytometry	0.1	%	0-0.5
Nucleated Red Blood Cells %	Flow Cytometry	0.01	%	0.0-5.0
ABSOLUTE LEUCOCYTE COUNT				
Neutrophils - Absolute Count	Calculated	4.11	X 10^3 / µL	2.0-7.0
Lymphocytes - Absolute Count	Calculated	2.96	X 10^3 / µL	1.0-3.0
Monocytes - Absolute Count	Calculated	0.68	X 10^3 / µL	0.2 - 1.0
Basophils - Absolute Count	Calculated	0.04	X 10^3 / µL	0.02 - 0.1
Eosinophils - Absolute Count	Calculated	0.5	X 10^3 / µL	0.02 - 0.5
Immature Granulocytes (IG)	Calculated	0.01	X 10^3 / µL	0-0.3
Nucleated Red Blood Cells	Calculated	0.01	X 10^3 / µL	0.0-0.5
PLATELET COUNT	HF & EI	252	X 10^3 / µL	150-410
Mean Platelet Volume (MPV)	Calculated	10	fL	6.5-12
Platelet Distribution Width (PDW)	Calculated	10.1	fL	9.6-15.2
Platelet to Large Cell Ratio (PLCR)	Calculated	24.3	%	19.7-42.4
Plateletcrit (PCT)	Calculated	0.25	%	0.19-0.39

Remarks : Alert!!! RBCs:Mild anisopoikilocytosis. Predominantly normocytic normochromic with ovalocytes. Platelets:Appear adequate in smear.

***Note - Mentzer index (MI), RDW-CV and RDWI are hematological indices to differentiate between Iron Deficiency Anemia (IDA) and Beta Thalassemia Trait (BTT). MI >13, RDWI >220 and RDW-CV >14 more likely to be IDA. MI <13, RDWI <220, and RDW-CV <14 more likely to be BTT. Suggested Clinical correlation. BTT to be confirmed with HB electrophoresis if clinically indicated.**

Method : Fully automated bidirectional analyser (6 Part Differential SYSMEX XN-1000)

(Reference : *FC- flowcytometry, *HF- hydrodynamic focussing, *EI- Electric Impedence, *Hb- hemoglobin, *CPH- Cumulative pulse height**)**

Sample Collected on (SCT) : 28 Feb 2025 21:47
Sample Received on (SRT) : 01 Mar 2025 13:22
Report Released on (RRT) : 01 Mar 2025 16:31
Sample Type : EDTA Whole Blood
Labcode : 0103079995/P4106
Barcode : CF993973

Dr Ishant Anand MD(Path)

NAME : SURYAKANTH (60Y/M)
REF. BY : SELF
TEST ASKED : BLOOD SUGAR (F)

SAMPLE COLLECTED AT :
163, SHREE VILLA, 11TH MAIN, RBI LAYOUT, JP NAGAR 7TH PHASE, BANGALORE - 560078

TEST NAME	TECHNOLOGY	VALUE	UNITS
FASTING BLOOD SUGAR(GLUCOSE)	PHOTOMETRY	84.21	mg/dL

Bio. Ref. Interval. :-

As per ADA Guideline: Fasting Plasma Glucose (FPG)	
Normal	70 to 100 mg/dl
Prediabetes	100 mg/dl to 125 mg/dl
Diabetes	126 mg/dl or higher

Note :
The assay could be affected mildly and may result in anomalous values if serum samples have heterophilic antibodies, hemolyzed , icteric or lipemic. The concentration of Glucose in a given specimen may vary due to differences in assay methods, calibration and reagent specificity. For diagnostic purposes results should always be assessed in conjunction with patients medical history, clinical findings and other findings.

Please correlate with clinical conditions.

Method:- GOD-PAP METHOD

~~ End of report ~~

Sample Collected on (SCT) : 28 Feb 2025 21:47
Sample Received on (SRT) : 01 Mar 2025 13:23
Report Released on (RRT) : 01 Mar 2025 15:55
Sample Type : FLUORIDE PLASMA
Labcode : 0103080185/P4106
Barcode : CF993974

Dr Ishant Anand MD(Path)

Scan QR code to verify authenticity of reported results; active for 30 days from release time.

CUSTOMER DETAILS

As declared in our data base

Name: SURYAKANTH **Age:** 60Y **Sex:** M

Barcodes/Sample_Type	:	CF993972 (SERUM),CF993973 (EDTA),CF993974 (FLUORIDE),CF993975 (URINE
Labcode	:	0503087109,0103079995,0103080185,0103041482
Ref By	:	SELF
Sample_Type/Tests	:	SERUM:AAROGYAM D PLUS PROFILE WITH UTSH EDTA:HBA PROFILE , HEMOGRAM - 6 PART (DIFF) FLUORIDE:FBS URINE:URINE MICROALBUMIN , COMPLETE URINE ANALYSIS
Sample Collected At	:	163, SHREE VILLA, 11TH MAIN, RBI LAYOUT, JP NAGAR 7TH PHASE, BANGALORE - 560078
Sample Collected on (SCT)	:	28 Feb 2025 21:47
Report Released on (RRT)	:	01 Mar 2025 15:55
Amount Collected	:	-

Thyrocare,D-37/1,MIDC,Turbhe,Navi Mumbai - 400703. | Phone:022 - 6712 3400 |www.thyrocare.com | info@thyrocare.com

CONDITIONS OF REPORTING

- The reported results are for information and interpretation of the referring doctor only.
- It is presumed that the tests performed on the specimen belong to the patient; named or identified.
- Results of tests may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.
- Should the results indicate an unexpected abnormality, the same should be reconfirmed.
- Only such medical professionals who understand reporting units, reference ranges and limitations of technologies should interpret results.
- This report is not valid for medico-legal purpose.
- Neither Thyrocare, nor its employees/representatives assume: (a) any liability, responsibility for any loss or damage that may be incurred by any person as a result of presuming the meaning or contents of the report, (b) any claims of any nature whatsoever arising from or relating to the performance of the requested tests as well as any claim for indirect, incidental or consequential damages. The total liability, in any case, of Thyrocare shall not exceed the total amount of invoice for the services provided and paid for.
- Thyrocare Discovery video link :- https://youtu.be/nbdYeRgYyQc

EXPLANATIONS

- Majority of the specimen processed in the laboratory are collected by Pathologists and Hospitals we call them as "Clients".
- **Name** - The name is as declared by the client and recored by the personnel who collected the specimen.
- **Ref.Dr** - The name of the doctor who has recommended testing as declared by the client.
- **Labcode** - This is the accession number in our laboratory and it helps us in archiving and retrieving the data.
- **Barcode** - This is the specimen identity number and it states that the results are for the specimen bearing the barcode (irrespective of the name).
- **SCP** - Specimen Collection Point - This is the location where the blood or specimen was collected as declared by the client.
- **SCT** - Specimen Collection Time - The time when specimen was collected as declared by the client.
- **SRT** - Specimen Receiving Time - This time when the specimen reached our laboratory.
- **RRT** - Report Releasing Time - The time when our pathologist has released the values for Reporting.
- **Reference Range** - Means the range of values in which 95% of the normal population would fall.

SUGGESTIONS

- Values out of reference range requires reconfirmation before starting any medical treatment.
- Retesting is needed if you suspect any quality shortcomings.
- Testing or retesting should be done in accredited laboratories.
- For suggestions, complaints, clinical support or feedback, write to us at **customersupport@thyrocare.com** or call us on **022-3090 0000**



*+T&C Apply, #As on 5th December 2024, *As per a survey on doctors' perception of laboratory diagnostics (IJARIIT,2023)*