
PRODUCT REFERENCE MANUAL

UNIT ELECTRONICS · DEVLAB ECOSYSTEM

# DevLab I2C D-Pad Module

**MPN: UE0173**

Version 1.1.0




I2C D-Pad module with four directional controls.

D-PAD | I2C | DEVLAB ECOSYSTEM

DOCUMENT MAP

# Contents


**Description**
Applications
Available Documentation

**1 The Board**
1.1 Board Identification
1.2 Board Views

**2 Ratings**
2.1 Electrical Limits
2.2 Interface Characteristics

**3 Functional Overview**
3.1 Integration Boundary

**4 Connectors and Pinout**

**5 Board Operation**
5.1 Before Connecting
5.2 I2C Bus Check

**6 Mechanical Information**
6.1 Top View
6.2 Bottom View
6.3 Dimensional Data

**7 Company Information**

**8 Reference Documentation**

**9 Appendix**
9.1 Schematic Status
9.2 Document Control
9.3 Data Requiring Confirmation

# Description

The DevLab I2C D-Pad Module (MPN **UE0173**) is an I2C directional input module in the UNIT Electronics DevLab family. The product-specific board views and any released drawings are collected under `hardware/`.

## Applications

- Directional input in an I2C-based prototype.
- Evaluation of the module with a compatible host controller.

## Available Documentation

A product-specific schematic was not present in the selected source package. See Chapter 8 for the available source files. Confirm the electrical interface against the product-specific pinout or schematic before connecting the board.


# 1 The Board

## 1.1 Board Identification


| Item | Identification |
|---|---|
| Product | DevLab I2C D-Pad Module |
| Manufacturer Part Number (MPN) | UE0173 |
| Function | Directional input |

## 1.2 Board Views

The following views come from the selected UE0173 source package. They show component placement and board orientation; use a dimensioned drawing for mechanical tolerances.




*DevLab I2C D-Pad Module top view.*




*DevLab I2C D-Pad Module bottom view.*

# 2 Ratings

The selected UE0173 source package does not establish a complete set of electrical ratings in this reference. Do not use values from another DevLab module as substitutes.

## 2.1 Electrical Limits

Supply range, I/O voltage limits, and current consumption require confirmation from the product-specific schematic and component data before integration.

## 2.2 Interface Characteristics

Confirm the I2C address, bus speed, pull-up arrangement, and connector orientation with the released UE0173 pinout or firmware documentation. An I2C scan only identifies responding addresses; it does not verify the device protocol.

# 3 Functional Overview

The DevLab I2C D-Pad Module provides directional input for an I2C-based system. The supplied board views identify the physical module, while the product-specific schematic and firmware documentation are needed to establish its internal signal path and command set.

## 3.1 Integration Boundary

Use the available UE0173 pinout, schematic, and firmware release to determine power, connector mapping, address, and commands. Until these are confirmed, treat the generic I2C scanner in `software/` as a bus diagnostic only.

# 4 Connectors and Pinout

A released pinout drawing for the UE0173 I2C D-Pad Module was not present in the selected source package. The top and bottom views in Section 6 show the visible board labels, but they do not establish connector numbering, voltage limits, or signal direction. Verify these details against the product-specific schematic before connecting a cable or designing a carrier.

# 5 Board Operation

## 5.1 Before Connecting

Check the product-specific UE0173 pinout or schematic for power, ground, SDA, and SCL. The board views alone do not establish voltage limits or connector numbering.


## 5.2 I2C Bus Check

After confirming the wiring and supply limits, use the generic Arduino or MicroPython I2C scanner in `software/examples/i2c/`. Set the host SDA and SCL pins for your controller. A responding address confirms only that a device acknowledged on the bus; it does not identify the module or validate its measurement protocol.

# 6 Mechanical Information


The supplied board views identify the component and underside layouts of the UE0173 I2C D-Pad Module. Use the labeled drawings for fit checks; do not infer dimensions by scaling a render.

## 6.1 Top View




*UE0173 I2C D-Pad Module top view.*

## 6.2 Bottom View




*UE0173 I2C D-Pad Module bottom view.*

## 6.3 Dimensional Data

A controlled dimensioned drawing is not available in the selected source package. Verify the board outline, mounting pattern, component heights, and connector clearances before designing an enclosure or carrier.

# 7 Company Information

| Item | Information |
|---|---|
| Company / brand | UNIT Electronics |
| Board ecosystem | DevLab |
| Product family | Atom |
| Website | UNIT Electronics |
| Address | Salvador 19, Cuauhtémoc, 06000 Mexico City, CDMX, Mexico |

The product repository and controlled technical references are listed in the next chapter.

# 8 Reference Documentation

| Reference | Location |
| --- | --- |
| Product repository | UE0173 I2C D-Pad Module |
| Top view | 3D board view |
| Bottom view | 3D board view |

A product-specific pinout drawing was not included in the selected source package.

# 9 Appendix

## 9.1 Schematic Status

A product-specific schematic was not included in the selected source package.

## 9.2 Document Control

| Item | Value |
|---|---|
| Product | DevLab I2C D-Pad Module |
| MPN | UE0173 |
| Source | UNIT Electronics selected product source package |

## 9.3 Data Requiring Confirmation

Electrical limits, I2C commands, and mechanical tolerances must be verified against product-specific released documentation.