MatCnn InstantVision Toolbox for MatLab User's Guide

Eutecus, Inc.

MatCnn InstantVision Toolbox for MatLab User's Guide: 1.0

Eutecus, Inc.

1936 University Avenue Suite #360

Berkeley, CA, US, 94704

Tel. 1-510-540-9603

Fax 1-510-315-2326

http://www.eutecus.com

info@eutecus.com

Copyright © 2005 Eutecus, Inc.

Table of Contents

1. Introduction	1
2. Getting Started	2
2.1. Installation	
2.2. Definitions	
2.3. Running a CNN simulation	
2.4. Examples	
2.4.1. Binary edge detection	
2.4.2. CNN Simulation with a Linear Template	
2.4.3. Sample CNN Simulation with a Nonlinear "AB - type" Template	
2.4.4. Sample CNN Simulation with a Nonlinear "D - type" Template	
3. Quick Reference	
3.1. Quick Reference for MatCNN - Analogic CNN Simulation Toolbox for MA	
LAB	

1. Introduction

The MatCnn IV Toolbox for MatLab is an easy and flexible test environment for single-layer Cellular Neural/Nonlinear Network (CNN) based simulations.

2. Getting Started

2.1. Installation

Adding MatCnn to the Matlab environment requires to easy steps:

- 1. unpack the files in an arbitrary directory
- 2. add this directory with subfolders to the Matlab Path (File menu \ Set Path on the Matlab interface.)

The MatCnn Toolbox has been developed and tested only on MATLAB 4.2 and upper Matlab releases.

It uses the Image Processing Toolbox. Without this toolbox some functions will not work.

2.2. Definitions

The MatCnn IV Toolbox for Matlab builds on top of Matlab using the numerical and visualization environment to provide functions specialized to Cellular Neural Network (CNN) simulations. This subsection gives a short list of the basic CNN terminology:

CNN	Cellular Neural (nonlinear) Network is a r	egular

(rectangular, hexagonal etc.) array of mainly identical dynamical systems, called cells which satisfies two properties: (i) most interactions are local within a finite radius r, and (ii) all state

values are continuous valued signals

base cell The general processing unit of the CNN array:

an N-th order dynamical system. In circuit theory and modeling in most cases a first order cell is used consisting of a linear capacitor, a linear resistor, a constant current source and additional voltage controlled current sources (i.e. the interconnections from the neighboring cells). The voltage measured on the linear capacitor is the state value of the base cell. Each cell has its own input and output (the latter is calculated through the output characteristics from the state

value, see later).

output characteristics A general nonlinear (in most cases: sigmoid-

type) function defining the output - state con-

nection of a single cell.

CNN layers and images In its most general form a CNN array is three

dimensional, but can also be interpreted as a multi-layer two dimensional processing array. If the CNN array is rectangular then all CNN base processing units can be assigned to an image pixel. In this interpretation 5 different "images" can describe a CNN layer, namely the input, state, output, bias, and mask images. The input, state and output image consist of the input, state and output values of all cells in space at a given time. The bias image (also referred to as the bias map) is a space variant description of the constant cell current that can vary from cell to cell in space. The mask image is binary and defines whether a certain cell should operate or not in an analog or logical CNN operation.

A template specifies the interaction between each cell and all its neighboring cells in terms of their input, state, and output variables. The inter-cell interaction could be linear, nonlinear or delay type.

Analogic is a contraction for analog and logic computation. An analogic algorithm stands for a sequence of analog and logical operations solving a defined (image) processing task.

The first algorithmically programmable analog array computer having a real time and supercomputing power on a single chip [3]. In a CNN Universal Chip the CNN nucleus contains the analog and logic elements. In addition, five other peripheral units convert this cell nucleus to a universal cell. The base cell is completed with a local analog memory (LAM), a local logical memory (LLM), a local analog output unit (LAOU), a local logical unit (LLU) and a local communication and control unit (LCC). The LLC receives the switch configuration (functionality of the universal cell) from the global switch control register (SCR) and controls the switches in the cell. The LAM and LLM memories facilitate the implementation of several algorithmic steps on signal arrays without global input/output. LAOU and LLM make possible to combine these values. The templates (the analog instructions) are stored in the global analog program register (APR) and local logic functions are available from global logic program register (LPR). Each cell is controlled by the global analogic programming unit (GAPU) consisting of the SCR, APR, LPR and

template

analogic algorithm

CNN Universal Machine

ACU (analogic control unit).

2.3. Running a CNN simulation

To run a CNN simulation and visualize the result in MATCNN the following steps should be followed:

• set the CNN environment and template library

The environment always has to be set. If the template library is not specified the default library of the MatCnn is 'temlib.m'

• initialize the input and state images assigned to the CNN model

The input initialization is optional (depends on the template), but the state layer should always be initialized. In this phase noise can also be added to the images for test purposes (see CImNoise).

• specify whether the bias and mask image will be used

```
UseBiasMap = 1; % use the bias image
UseMask = 0; % do not use the mask image
```

If the UseBiasMap global is set to 1 the BIAS image should be initialized, similarly when the UseMask global is set to 1 the MASK image should also be initialized. The SetEnv MatCnn script sets these global variables to zero.

specify CNN boundary condition

The boundary condition specified can be constant ($-1 \le Boundary \le 1$), zero flux (Boundary = 2) and torus (Boundary = 3).

• Set the simulation parameters (time step and number of iteration steps)

The default values for TimeStep = 0.2 and IterNum = 25, that correspond approximately to 5t (when R = 1 and C = 1) analog transient length, guarantee that in a non-propagating CNN transient all cells will reach the steady state value. However, for a number of templates different settings should be used.

load the template that completely determines the CNN model

```
e.g: \label{eq:e.g:boadTem('EDGE')} \mbox{LoadTem('EDGE')}; \quad \mbox{% load the EDGE template from the specified library}
```

All templates of a project or algorithm can be stored in a common library (M-file). The LoadTem function activates the given one from the specified library that will determine the CNN model of the simulation.

• run the simulation with the specified template

The ODE of the CNN model is simulated using the forward Euler formula.

• visualize the result

Since the CNN is primarily referred to as a visual microprocessor, and the inputs and outputs are images, in most cases it might be helpful to visualize these images using different magnification rates, palettes etc. The user can exploit the capabilities of MATLAB's graphical interface and the Image Processing Toolbox when evaluating the CNN performance.

2.4. Examples

2.4.1. Binary edge detection

A simple example using the EDGE template from the default template library to perform edge detection on a black and white image (road.bmp) stored in user's directory. The output is visualized and saved as roadout.bmp

```
SetEnv;
INPUT1 = LBmp2CNN('Road');
STATE = INPUT1;
Boundary = -1;
TimeStep = 0.1;
IterNum = 50;
LoadTem('EDGE');
RunTem;
CNNShow(OUTPUT);
SCNN2Bmp('RoadOut', OUTPUT);
```

2.4.2. CNN Simulation with a Linear Template

This example performs diffusion:

```
% set CNN environment
SetEnv;
                   % default environment
TemGroup='TemLib'; % default template library
% load images, initialize layers
load pic2;
                  % loads the image from pic2.mat to the INPUT1
STATE = INPUT1;
% set boundary condition
Boundary = 2;
                   % zero flux boundary condition
% run linear template
LoadTem('DIFFUS');
                  % loads the DIFFUS template (linear)
TimeStep = 0.2;
IterNum = 50;
RunTem;
                   % runs the CNN simulation
% show result
```





Input


O: Diffus

2.4.3. Sample CNN Simulation with a Nonlinear "AB - type" Template

This example performs gradient detection:

```
% set CNN environment
SetEnv
                               % default environment
TemGroup = 'TemLib';
                               % default template library
% load images, initialize layers
 load pic2;
                               % loads the image from pic2.mat to the INPUT1
STATE = INPUT1;
% set boundary condition
Boundary = 2; % run nonlinear AB template
                               % zero flux boundary condition
LoadTem('GRADT');
                               % loads the GRADT template (nonlinear "AB-type")
TimeStep = 0.4;
 IterNum = 15;
                               % runs the CNN simulation
RunTem;
% show result
subplot(211); cnnshow(INPUT1);
xlabel('Input');
                                     % displays the input
 subplot(212); cnnshow(OUTPUT);
                                     % displays the output
 xlabel('0: Grad');
```





Input

2.4.4. Sample CNN Simulation with a Nonlinear "D - type" Template

This example performs median filtering:

```
% set CNN environment
                                   % default environment
% default template library
 SetEnv
 TemGroup = 'TemLib';
% load images, initialize layers
                                   \mbox{\ensuremath{\upsigma}} loads the image from pic2.mat to the INPUT1
 load pic2;
STATE = INPUT1; % put noise in the image
 * set boundary condition
Boundary = 2;
* run nonlinear D template
                                   % zero flux boundary condition
 LoadTem('MEDIAN');
                                   % loads the MEDIAN template (nonlinear "D-type")
 TimeStep = 0.02;
 IterNum = 50;
                                   % runs the CNN simulation
RunTem;
% show result
 subplot(211); cnnshow(INPUT1);
xlabel('Input');
subplot(212); cnnshow(OUTPUT1);
                                            % displays the input
                                            % displays the output
  xlabel('0: Median');
```







O: Median

3. Quick Reference

3.1. Quick Reference for MatCNN - Analogic CNN Simulation Toolbox for MATLAB

Version: 1.6, last modified on 2005/06/14 03:06:00 by histvan

Basic scripts and functions

setenv set CNN environment and initialize global variables (script)

showenv show global variables of the CNN environment (script)

load the specified CNN template (function)

showtem show the actual template loaded into the CNN environment (script)

runtem run the specified CNN template (function)

temexec execute template operation (script)

temexecf execute template operation (function)

logexec execute logical function (function)

cnnshow show a CNN-type intensity image (function)

cnnmshow show multiple CNN-type intensity images (function)

temlib default CNN template library (script)

transfer transfer in between two CNN-type image memories (function)

CNN based image processing functions

f_bmorph binary morphology

f_breconstr binary object reconstruction

f_dfilt linear and nonlinear diffusion based filtering

f_edge edge detection

f_fuzzy fuzzy decomposition

f_histmod histgoram modification

f_mean mean filtering

f_segment gray-scale image segmentation

f_sfilt statistic filtering

f_skele skeletonization

f_sort sized based binary object sorting

f_thres thresholding

f_var variance filtering

Miscellaneous functions

cnn2gray convert a CNN-type image to a gray-scale intensity image

gray2cnn convert a gray-scale intensity image to a CNN-type image

cbound add a specified boundary to a CNN-type image

cimnoise put noise in a CNN-type image

scnn2bmp save a CNN-type image to disk in BMP format

lbmp2cnn load a BMP file from disk and convert it to a CNN-type image

scnn2avi save a CNN-type image into an avi stream

lavi2cnn load an avi frame and convert it to a CNN-type image

Basic MEX-files

tlinear CNN template simulation (1st nbr)

tlinear2 linear CNN template simulation (2nd nbr)

tnlinab nonlinear AB-type CNN template simulation (1st nbr)

tnlind nonlinear D-type CNN template simulation (2nd nbr)

Special MEX-files implementing nonlinear filters

histogram modification (CNN t.s. and digital)

tmedian median (ranked order) CNN template simulation

tmedianh median (ranked order) CNN t.s. (for switch analysis)

tanisod single layer models

tanisod2 multi-layer models

ordstat order statistic (OS) filters (digital)

modfilt mode filters (digital)

Notes:

 There is no upper level support from the MATCNN environment for this functions.

MATCNN demos

d_lin linear CNN template demo

d_nlinab nonlinear AB-type template demo

d_nlind nonlinear D-type template demo

d_algo analogic CNN algorithm demo (combining linear and nonlinear

templates)

d_algo_ftol analogic CNN algorithm demo (fault tolerance test)

d_func demo of all functions in the toolbox

d_matcnn runs all MATCNN demos

showdpic show demo pictures of MATCNN (see MAT-files)