



# PRÁCTICA 4

## EJERCICIO 6

HÉCTOR LAVANDEIRA FERNÁNDEZ  
SOFTWARE Y ESTÁNDARES PARA LA WEB  
UO277303@uniovi.es

## Tabla de contenidos

|   |    |
|---|----|
| Validación de los documentos HTML.....  | 2  |
| Validación de las hojas de estilo ..... | 8  |
| Comprobación de la adaptabilidad .....  | 9  |
| Comprobación de la accesibilidad.....   | 14 |

# Validación de los documentos HTML

## Ejercicio6.php

1. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 5, column 5; to line 5, column 28](#)

```
head>< <meta charset="UTF-8" /><
```

2. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 6, column 5; to line 6, column 64](#)

```
8" />< <meta name="author" content="Héctor Lavandeira Fernández" /><
```

3. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 7, column 5; to line 7, column 76](#)

```
z" />< <meta name="viewport" content="width=device-width, initial-scale=1.0" /><<
```

4. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 11, column 5; to line 11, column 67](#)

```
< <link rel="stylesheet" type="text/css" href="Ejercicio6.css" /></hea
```

## CrearBD.php

1. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 5, column 5; to line 5, column 28](#)

```
head>< <meta charset="UTF-8" /><
```

2. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 6, column 5; to line 6, column 64](#)

```
8" />< <meta name="author" content="Héctor Lavandeira Fernández" /><
```

3. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 7, column 5; to line 7, column 76](#)

```
z" />< <meta name="viewport" content="width=device-width, initial-scale=1.0" /><<
```

4. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 11, column 5; to line 11, column 67](#)

```
< <link rel="stylesheet" type="text/css" href="Ejercicio6.css" /></hea
```

5. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 31, column 3; to line 31, column 57](#)

```
'post'>< <input type='submit' name='crearBD' value='Crear BD' /></fo
```

## CrearTabla.php

- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
[From line 5, column 5; to line 5, column 28](#)  
`head<␣<meta charset="UTF-8" /><␣<`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
[From line 6, column 5; to line 6, column 64](#)  
`8" /><␣<meta name="author" content="Héctor Lavandeira Fernández" /><␣<`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
[From line 7, column 5; to line 7, column 76](#)  
`z" /><␣<meta name="viewport" content="width=device-width, initial-scale=1.0" /><␣<`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
[From line 11, column 5; to line 11, column 67](#)  
`<␣<␣<link rel="stylesheet" type="text/css" href="Ejercicio6.css" /><␣</hea`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
[From line 31, column 3; to line 31, column 63](#)  
`'post'><␣<input type='submit' name='crearTabla' value='Crear tabla' /><␣</fo`

## InsertarDatos.php

- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
[From line 6, column 5; to line 6, column 28](#)  
`head<␣<meta charset="UTF-8" /><␣<`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
[From line 7, column 5; to line 7, column 64](#)  
`8" /><␣<meta name="author" content="Héctor Lavandeira Fernández" /><␣<`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
[From line 8, column 5; to line 8, column 76](#)  
`z" /><␣<meta name="viewport" content="width=device-width, initial-scale=1.0" /><␣<`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
[From line 12, column 5; to line 12, column 67](#)  
`<␣<␣<link rel="stylesheet" type="text/css" href="Ejercicio6.css" /><␣</hea`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
[From line 33, column 9; to line 33, column 57](#)  
`><␣<input type='text' id='dni' name='dni' required/><␣<`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
[From line 35, column 9; to line 35, column 63](#)  
`><␣<input type='text' id='nombre' name='nombre' required/><␣<`

7. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
[From line 37, column 9; to line 37, column 69](#)

```
>< <input type='text' id='apellidos' name='apellidos' required/><
```

8. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
[From line 39, column 9; to line 39, column 60](#)

```
>< <input type='email' id='mail' name='mail' required/><
```

9. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
[From line 41, column 9; to line 41, column 66](#)

```
>< <input type='tel' id='telefono' name='telefono' required/><
```

10. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
[From line 43, column 9; to line 43, column 61](#)

```
>< <input type='number' id='edad' name='edad' required/><
```

11. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
[From line 47, column 13; to line 47, column 52](#)

```
<input type='radio' id='m' name='sexo' /><
```

12. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
[From line 49, column 13; to line 49, column 52](#)

```
<input type='radio' id='f' name='sexo' /><
```

13. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
[From line 52, column 9; to line 52, column 63](#)

```
>< <input type='number' id='nvinf' name='nvinf' required/><
```

14. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
[From line 54, column 9; to line 54, column 65](#)

```
>< <input type='number' id='tiempo' name='tiempo' required/><
```

15. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
[From line 58, column 13; to line 58, column 57](#)

```
<input type='radio' id='s' name='tareaCorr' /><
```

16. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
[From line 60, column 13; to line 60, column 57](#)

```
<input type='radio' id='n' name='tareaCorr' /><
```

17. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
[From line 67, column 9; to line 67, column 73](#)

```
>< <input type='number' id='valoracion' name='valoracion' required/><<
```

18. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
[From line 69, column 9; to line 69, column 74](#)

```
<< <input type='submit' name='insertarDatos' value='Insertar datos' />< </fo
```

## BuscarDatos.php

- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
From line 6, column 5; to line 6, column 28  
head>< <meta charset="UTF-8" />< <
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
From line 7, column 5; to line 7, column 64  
8" />< <meta name="author" content="Héctor Lavandeira Fernández" />< <
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
From line 8, column 5; to line 8, column 76  
z" />< <meta name="viewport" content="width=device-width, initial-scale=1.0" /><<
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
From line 12, column 5; to line 12, column 67  
< < <link rel="stylesheet" type="text/css" href="Ejercicio6.css" /><</hea
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
From line 33, column 9; to line 33, column 48  
>< <input type='text' id='dni' name='dni' />< <in
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
From line 34, column 3; to line 34, column 61  
'dni' />< <input type='submit' name='buscar' value='Buscar por DNI' />< </fo

## ModificarDatos.php

- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
From line 6, column 5; to line 6, column 28  
head>< <meta charset="UTF-8" />< <
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
From line 7, column 5; to line 7, column 64  
8" />< <meta name="author" content="Héctor Lavandeira Fernández" />< <
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
From line 8, column 5; to line 8, column 76  
z" />< <meta name="viewport" content="width=device-width, initial-scale=1.0" /><<
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
From line 12, column 5; to line 12, column 67  
< < <link rel="stylesheet" type="text/css" href="Ejercicio6.css" /><</hea
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
From line 33, column 9; to line 33, column 48  
>< <input type='text' id='dni' name='dni' /><<
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
From line 36, column 9; to line 36, column 63  
>< <input type='text' id='nombre' name='nombre' required/><

7. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 38, column 9; to line 38, column 69](#)

```
>< <input type='text' id='apellidos' name='apellidos' required/><
```

8. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 40, column 9; to line 40, column 60](#)

```
>< <input type='email' id='mail' name='mail' required/><
```

9. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 42, column 9; to line 42, column 66](#)

```
>< <input type='tel' id='telefono' name='telefono' required/><
```

10. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 44, column 9; to line 44, column 61](#)

```
>< <input type='number' id='edad' name='edad' required/><
```

11. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 48, column 13; to line 48, column 70](#)

```
<input type='radio' id='m' name='sexo' value='Masculino'><
```

12. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 50, column 13; to line 50, column 69](#)

```
<input type='radio' id='f' name='sexo' value='Femenino'><
```

13. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 53, column 9; to line 53, column 63](#)

```
>< <input type='number' id='nvinf' name='nvinf' required/><
```

14. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 55, column 9; to line 55, column 65](#)

```
>< <input type='number' id='tiempo' name='tiempo' required/><
```

15. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 59, column 13; to line 59, column 68](#)

```
<input type='radio' id='s' name='tareaCorr' value='Si'><
```

16. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 61, column 13; to line 61, column 68](#)

```
<input type='radio' id='n' name='tareaCorr' value='No'><
```

17. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 68, column 9; to line 68, column 73](#)

```
>< <input type='number' id='valoracion' name='valoracion' required/><<
```

18. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 70, column 9; to line 70, column 71](#)

```
<< <input type='submit' name='modificar' value='Modificar datos'>< </fo
```

## EliminarDatos.php

- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
From line 6, column 5; to line 6, column 28  
head>↵ <meta charset="UTF-8" />↵ <
  - Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
From line 7, column 5; to line 7, column 64  
8" />↵ <meta name="author" content="Héctor Lavandeira Fernández" />↵ < Trailing slashes directly preceded by unquoted attribute
  - Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
From line 8, column 5; to line 8, column 76  
z" />↵ <meta name="viewport" content="width=device-width, initial-scale=1.0" />↵↵
  - Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
From line 12, column 5; to line 12, column 67  
↵ ↵ <link rel="stylesheet" type="text/css" href="Ejercicio6.css" />↵</hea
  - Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
From line 33, column 9; to line 33, column 48  
>↵ <input type='text' id='dni' name='dni' />↵ <in
  - Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
From line 34, column 3; to line 34, column 57  
'dni' />↵ <input type='submit' name='eliminar' value='Eliminar' />↵ </fo
- hub.com/validator/validator/wiki/Markup->-Void-elements#trailing-slashes-directly-preceded-by-unquoted-attribute-values

## GenerarInforme.php

- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
From line 6, column 5; to line 6, column 28  
head>↵ <meta charset="UTF-8" />↵ <
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
From line 7, column 5; to line 7, column 64  
8" />↵ <meta name="author" content="Héctor Lavandeira Fernández" />↵ <
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
From line 8, column 5; to line 8, column 76  
z" />↵ <meta name="viewport" content="width=device-width, initial-scale=1.0" />↵↵
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
From line 12, column 5; to line 12, column 67  
↵ ↵ <link rel="stylesheet" type="text/css" href="Ejercicio6.css" />↵</hea
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
From line 32, column 3; to line 32, column 63  
'post'>↵ <input type='submit' name='informe' value='Generar informe' />↵ </fo



## ImportarCSV.php

- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
[From line 6, column 5; to line 6, column 28](#)  
`head><meta charset="UTF-8" /><`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
[From line 7, column 5; to line 7, column 64](#)  
`8" /><meta name="author" content="Héctor Lavandeira Fernández" /><`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
[From line 8, column 5; to line 8, column 76](#)  
`z" /><meta name="viewport" content="width=device-width, initial-scale=1.0" /><<`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
[From line 12, column 5; to line 12, column 67](#)  
`<<<link rel="stylesheet" type="text/css" href="Ejercicio6.css" /></hea`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
[From line 33, column 9; to line 33, column 56](#)  
`><input type='file' id='archivo' name='archivo' /><in`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
[From line 34, column 3; to line 34, column 57](#)  
`hivo'><input type='submit' name='cargar' value='Cargar CSV' /></fo`

## ExportarCSV.php

- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
[From line 6, column 5; to line 6, column 28](#)  
`head><meta charset="UTF-8" /><`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
[From line 7, column 5; to line 7, column 64](#)  
`8" /><meta name="author" content="Héctor Lavandeira Fernández" /><`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
[From line 8, column 5; to line 8, column 76](#)  
`z" /><meta name="viewport" content="width=device-width, initial-scale=1.0" /><<`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
[From line 12, column 5; to line 12, column 67](#)  
`<<<link rel="stylesheet" type="text/css" href="Ejercicio6.css" /></hea`
- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).  
[From line 32, column 3; to line 32, column 57](#)  
`'post'><input type='submit' name='exportar' value='Exportar' /></fo`

## Validación de las hojas de estilo

Ir a: Su Hoja de Estilo validada


Resultados del Validador CSS del W3C para Ejercicio6.css (CSS versión 3 + SVG)

**¡Enhorabuena! No error encontrado.**


¡Este documento es CSS versión 3 + SVG válido!

# Comprobación de la adaptabilidad

## Ejercicio6.php

 <https://uo277303.github.io/sew/Ejercicio-6/Ejercicio6.html>

Resultados de prueba




**La página tiene usabilidad en móviles**  
Resulta sencillo navegar por esta página en dispositivos móviles. [Más información](#)


VER PÁGINA PROBADA



## CrearBD.php

 <https://uo277303.github.io/sew/Ejercicio-6/CrearBD.html>

Resultados de prueba




**La página tiene usabilidad en móviles**  
Resulta sencillo navegar por esta página en dispositivos móviles. [Más información](#)

VER PÁGINA PROBADA


 iPhone 5 320x568




 iPad Mini 768x1024



CrearTabla.php

 <https://uo277303.github.io/sew/Ejercicio-6/CrearTabla.html>


Resultados de prueba




**La página tiene usabilidad en móviles**

Resulta sencillo navegar por esta página en dispositivos móviles. [Más información](#)

VER PÁGINA PROBADA

 **iPhone 5** 320x568 ▾

 **iPad Mini** 768x1024 ▾

### Creación y gestión de una base de datos

[Crear BD](#) [Crear tabla](#)

[Insertar datos](#)

[Buscar datos](#)

[Modificar datos](#)

[Eliminar datos](#)

[Generar informe](#)

### Creación y gestión de una base de datos


[Crear BD](#) [Crear tabla](#) [Insertar datos](#) [Buscar datos](#) [Modificar datos](#)

[Eliminar datos](#) [Generar informe](#) [Importar CSV](#) [Exportar CSV](#)


#### Crear una nueva tabla en la base de datos

[Crear tabla](#)

InsertarDatos.php

 <https://uo277303.github.io/sew/Ejercicio-6/InsertarDatos.html>


Resultados de prueba




**La página tiene usabilidad en móviles**

Resulta sencillo navegar por esta página en dispositivos móviles. [Más información](#)

VER PÁGINA PROBADA

 **iPhone 5** 320x568 ▾

 **iPad Mini** 768x1024 ▾

### Creación y gestión de una base de datos

[Crear BD](#) [Crear tabla](#)

[Insertar datos](#)

[Buscar datos](#)

[Modificar datos](#)

[Eliminar datos](#)

[Generar informe](#)

### Creación y gestión de una base de datos

[Crear BD](#) [Crear tabla](#) [Insertar datos](#) [Buscar datos](#) [Modificar datos](#)

[Eliminar datos](#) [Generar informe](#) [Importar CSV](#) [Exportar CSV](#)

#### Insertar datos en la base de datos


DNI:

Nombre:


Apellidos:

Email:

BuscarDatos.php

 <https://uo277303.github.io/sew/Ejercicio-6/BuscarDatos.html>


Resultados de prueba




La página tiene usabilidad en móviles

Resulta sencillo navegar por esta página en dispositivos móviles. [Más información](#)

VER PÁGINA PROBADA

 iPhone 5 320x568 ▾

 iPad Mini 768x1024 ▾

Creación y gestión de una base de datos

[Crear BD](#)[Crear tabla](#)

[Insertar datos](#)

[Buscar datos](#)

[Modificar datos](#)

[Eliminar datos](#)

[Generar informe](#)

Creación y gestión de una base de datos

[Crear BD](#)[Crear tabla](#)[Insertar datos](#)[Buscar datos](#)[Modificar datos](#)

[Eliminar datos](#)[Generar informe](#)[Importar CSV](#)[Exportar CSV](#)


Buscar en la base de datos

Introduce un DNI:


Buscar por DNI

Datos del usuario con dni 1

ModificarDatos.php

 <https://uo277303.github.io/sew/Ejercicio-6/ModificarDatos.html>


Resultados de prueba




La página tiene usabilidad en móviles

Resulta sencillo navegar por esta página en dispositivos móviles. [Más información](#)

VER PÁGINA PROBADA

 iPhone 5 320x568 ▾

 iPad Mini 768x1024 ▾

Creación y gestión de una base de datos

[Crear BD](#)[Crear tabla](#)

[Insertar datos](#)

[Buscar datos](#)

[Modificar datos](#)

[Eliminar datos](#)

[Generar informe](#)

Creación y gestión de una base de datos

[Crear BD](#)[Crear tabla](#)[Insertar datos](#)[Buscar datos](#)[Modificar datos](#)

[Eliminar datos](#)[Generar informe](#)[Importar CSV](#)[Exportar CSV](#)

Modificar datos de la base de datos


Introduce un DNI:

Nombre:


Apellidos:

Email:


EliminarDatos.php


 <https://uo277303.github.io/sew/Ejercicio-6/EliminarDatos.html>

Resultados de prueba

**La página tiene usabilidad en móviles**  
Resulta sencillo navegar por esta página en dispositivos móviles. [Más información](#)

VER PÁGINA PROBADA

 **iPhone 5** 320x568 ▾

 **iPad Mini** 768x1024 ▾

### Creación y gestión de una base de datos

[Crear BD](#) [Crear tabla](#)

[Insertar datos](#)

[Buscar datos](#)

[Modificar datos](#)

[Eliminar datos](#)

[Generar informe](#)

### Creación y gestión de una base de datos

[Crear BD](#) [Crear tabla](#) [Insertar datos](#) [Buscar datos](#) [Modificar datos](#)

[Eliminar datos](#) [Generar informe](#) [Importar CSV](#) [Exportar CSV](#)


### Eliminar datos de la base de datos

Introduce un DNI:


Eliminar

Los datos de la tabla PruebasUsabilidad son:


GenerarInforme.php


 <https://uo277303.github.io/sew/Ejercicio-6/GenerarInforme.html>

Resultados de prueba

**La página tiene usabilidad en móviles**  
Resulta sencillo navegar por esta página en dispositivos móviles. [Más información](#)

VER PÁGINA PROBADA

 **iPhone 5** 320x568 ▾

 **iPad Mini** 768x1024 ▾

### Creación y gestión de una base de datos

[Crear BD](#) [Crear tabla](#)

[Insertar datos](#)

[Buscar datos](#)

[Modificar datos](#)

[Eliminar datos](#)

[Generar informe](#)

### Creación y gestión de una base de datos

[Crear BD](#) [Crear tabla](#) [Insertar datos](#) [Buscar datos](#) [Modificar datos](#)

[Eliminar datos](#) [Generar informe](#) [Importar CSV](#) [Exportar CSV](#)


### Generar informe con los datos de la BD

Generar informe


Edad media: 36.1667

Porcentaje de hombres: 50

ImportarCSV.php

 <https://uo277303.github.io/sew/Ejercicio-6/ImportarCSV.html>

Resultados de prueba



**La página tiene usabilidad en móviles**

Resulta sencillo navegar por esta página en dispositivos móviles. [Más información](#)

VER PÁGINA PROBADA

### Creación y gestión de una base de datos

[Crear BD](#) [Crear tabla](#)

[Insertar datos](#)

[Buscar datos](#)

[Modificar datos](#)

[Eliminar datos](#)

[Generar informe](#)

[Importar CSV](#)

[Exportar CSV](#)

### Creación y gestión de una base de datos

[Crear BD](#) [Crear tabla](#) [Insertar datos](#) [Buscar datos](#) [Modificar datos](#)

[Eliminar datos](#) [Generar informe](#) [Importar CSV](#) [Exportar CSV](#)

#### Importar datos con un fichero .csv


Selecciona el archivo CSV

[Examinar...](#) No se ha seleccionado ningún archivo.


Cargar CSV

Los datos del fichero se han cargado correctamente

ExportarCSV.php

 <https://uo277303.github.io/sew/Ejercicio-6/ExportarCSV.html>

Resultados de prueba



**La página tiene usabilidad en móviles**

Resulta sencillo navegar por esta página en dispositivos móviles. [Más información](#)

VER PÁGINA PROBADA

iPhone 5 320x568

### Creación y gestión de una base de datos

[Crear BD](#) [Crear tabla](#)

[Insertar datos](#)

[Buscar datos](#)

[Modificar datos](#)

[Eliminar datos](#)

[Generar informe](#)

[Importar CSV](#)

[Exportar CSV](#)

### Creación y gestión de una base de datos

[Crear BD](#) [Crear tabla](#) [Insertar datos](#) [Buscar datos](#) [Modificar datos](#)

[Eliminar datos](#) [Generar informe](#) [Importar CSV](#) [Exportar CSV](#)

#### Exportar datos a un archivo .csv

Exportar

Los datos de la base se han exportado correctamente

## Comprobación de la accesibilidad





Ejercicio6.php

Address:

Styles: OFF ☐ ON ☒

### Summary

Summary Details Reference Order Structure Contrast

|   |  |
|---|--|
|  0<br>Errors |  0<br>Contrast Errors |
|  0<br>Alerts |  1<br>Features        |

[AChecker](#) » URL (<https://uo277303.github.io/sew/Ejercicio-6/Ejercicio6.html>)

Sign up for occasional emails about accessibility/product information.

Name

Email

**NO ERRORS**

WARNINGS

Congratulations! No known problems.



Does your content change frequently?



Does your website have too many pages to keep up with?

Upgrade to have ACHECKS monitor your entire domain and get reports regularly!

CrearBD.php

Address: 303.github.io/sew/Ejercicio-6/CrearBD.html →

Styles: OFF ☐ ON ☒

Summary

Summary


Details

Reference


Order

Structure


Contrast

 0


Errors

 0

Contrast Errors

 0

Alerts

 1

Features

AChecker » URL (https://uo277303.github.io/sew/Ejercicio-6/CrearBD.html)

Sign up for occasional emails about accessibility/product information.

Name

Email

SUBMIT

NO ERRORS

WARNINGS

Congratulations! No known problems.

✓ Does your content change frequently?

✓ Does your website have too many pages to keep up with?

Upgrade to have ACHECKS monitor your entire domain and get reports regularly!



CrearTabla.php

Address: 3.github.io/sew/Ejercicio-6/CrearTabla.html →

Styles: OFF ☒ ON

Summary

Summary


Details

Reference


Order

Structure


Contrast

 0


Errors

 0

Contrast Errors

 0

Alerts

 1

Features

AChecker » URL (https://uo277303.github.io/sew/Ejercicio-6/CrearTabla.html)

Sign up for occasional emails about accessibility/product information.

Name

Email

SUBMIT

NO ERRORS

WARNINGS

Congratulations! No known problems.

✓ Does your content change frequently?

✓ Does your website have too many pages to keep up with?


Upgrade to have ACHECKS monitor your entire domain and get reports regularly!


InsertarDatos.php


Address:  →


Styles: OFF ☒ ON


Summary


 Summary


 Details


 Reference


 Order


 Structure

 Contrast

 0  
Errors

 0  
Contrast Errors

 0  
Alerts

 18  
Features

AChecker » URL (https://uo277303.github.io/sew/Ejercicio-6/InsertarDatos.html)

Sign up for occasional emails about accessibility/product information.

Name

Email

SUBMIT

NO ERRORS

WARNINGS

Congratulations! No known problems.

✓ Does your content change frequently?

✓ Does your website have too many pages to keep up with?


Upgrade to have ACHECKS monitor your entire domain and get reports regularly!


BuscarDatos.php


Address:  →


Styles: OFF ☐ ON ☒


Summary


 Summary


 Details


 Reference


 Order


 Structure

 Contrast

 0  
Errors

 0  
Contrast Errors

 0  
Alerts

 2  
Features

AChecker » URL (https://uo277303.github.io/sew/Ejercicio-6/BuscarDatos.html)

Sign up for occasional emails about accessibility/product information.

Name

Email

SUBMIT

NO ERRORSWARNINGS

Congratulations! No known problems.

✓ Does your content change frequently?

✓ Does your website have too many pages to keep up with?

Upgrade to have ACHECKS monitor your entire domain and get reports regularly!

ModificarDatos.php

Address:  →

Styles: OFF ☒ ON

Summary

Summary


Details

Reference


Order

Structure


Contrast

 0


Errors

 0

Contrast Errors

 0

Alerts

 18

Features

AChecker » URL (<https://uo277303.github.io/sew/Ejercicio-6/ModificarDatos.html>)

Sign up for occasional emails about accessibility/product information.

Name

Email

SUBMIT

NO ERRORS WARNINGS

Congratulations! No known problems.

✓ Does your content change frequently?

✓ Does your website have too many pages to keep up with?

Upgrade to have ACHECKS monitor your entire domain and get reports regularly!

EliminarDatos.php

Address:  →

Styles: OFF ☒ ON

Summary

Summary

Details

Reference

Order

Structure

Contrast

0  
Errors

0  
Contrast Errors

0  
Alerts

2  
Features

AChecker » URL (https://uo277303.github.io/sew/Ejercicio-6/EliminarDatos.html)

Sign up for occasional emails about accessibility/product information.

Name

Email

SUBMIT

NO ERRORS

WARNINGS

Congratulations! No known problems.

✓ Does your content change frequently?

✓ Does your website have too many pages to keep up with?

Upgrade to have ACHECKS monitor your entire domain and get reports regularly!

GenerarInforme.php

Address:  →

Styles: OFF ☒ ON

Summary

Summary


Details

Reference


Order

Structure


Contrast

 0


Errors

 0

Contrast Errors

 0

Alerts

 1

Features

AChecker » URL (<https://uo277303.github.io/sew/Ejercicio-6/GenerarInforme.html>)

Sign up for occasional emails about accessibility/product information.

Name

Email

SUBMIT

NO ERRORS

WARNINGS

Congratulations! No known problems.

✓ Does your content change frequently?

✓ Does your website have too many pages to keep up with?

Upgrade to have ACHECKS monitor your entire domain and get reports regularly!





ImportarCSV.php

Address: [github.io/sew/Ejercicio-6/ImportarCSV.html](https://github.io/sew/Ejercicio-6/ImportarCSV.html) →

Styles: OFF ☐ ON ☒

### Summary

Summary Details Reference Order Structure Contrast

|   |  |
|---|--|
|  0<br>Errors |  0<br>Contrast Errors |
|  0<br>Alerts |  2<br>Features        |

[AChecker](#) » URL (<https://uo277303.github.io/sew/Ejercicio-6/ImportarCSV.html>)

Sign up for occasional emails about accessibility/product information.

Name

Email

SUBMIT

NO ERRORS

WARNINGS

Congratulations! No known problems.



Does your content change frequently?



Does your website have too many pages to keep up with?

Upgrade to have ACHECKS monitor your entire domain and get reports regularly!

ExportarCSV.php

Address:  →

Styles: OFF ☐ ON ☒

Summary

Summary

Details

Reference

Order

Structure

Contrast

✖

0

Errors

○●

0

Contrast Errors

⚠

0

Alerts

✓

1

Features

AChecker » URL (https://uo277303.github.io/sew/Ejercicio-6/ExportarCSV.html)

Sign up for occasional emails about accessibility/product information.

Name

Email

SUBMIT

NO ERRORS

WARNINGS

Congratulations! No known problems.

✓

 Does your content change frequently?

✓

 Does your website have too many pages to keep up with?

Upgrade to have ACHECKS monitor your entire domain and get reports regularly!