## Substation Scan 2024-03-28 MP x

Substation Scan 2024-03-20 MP X										
26 dB	264 °C ■ 59	264 °C ■ 59	max 264 °C	20 dB	25 dB  25 dB  59  59  14:55 26/03/2024 20	28 dB	264 °C ■ 59	25 dB  59  14:55 26/03/2024 20	max 264 °C ☐ 59  ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐	
max 264 °C ₽ 59  □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	max 264 °C ■ 59  □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	max 264 °C	max 264 °C ■ 59  □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	max 264 °C ■ 59  □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	max 264 °C ■ 59  □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	max 264 °C ■ 59  □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	max 264 °C ■ 59  □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	max 264 °C ■ 59  □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	max 264 °C ■ 59  □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	
39 dB	7 dB	17 dB	max 264 °C ■ 59	13 dB	17 dB	35 dB	17 dB	25 dB	13 dB	
L 14:55 26/03/2024 20	L 14:55 26/03/2024 20 20 20 20 20 20 20 20 20 20 20 20 20	\$\frac{1}{14:55} \\ 26/03/2024 20\$	14:55 26/03/2024 20 37 dB	L 14:55 26/03/2024 20	L 14:55 26/03/2024 20 19 dB	L 14:55 26/03/2024 20	□ 14:55 26/03/2024 20 12 dB	\$\tag{\frac{1}{2}}\$\$\frac{	L 14:55 26/03/2024 20   ♣ FLIR 26/03/2024 20	
max 264 °C ■ 59  □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	max 264 °C ■ 59  □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □		max 264 °C ■ 59  □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	max 264 °C ■ 59  L  \$\frac{14.55}{26/03/2024} 20  \$\frac{36}{4B}\$	max 264 °C	max 264 °C	264 °C	max 264 °C ■ 59  □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	264 °C	
max 264 °C ■ 59  L  14-55 26/03/2024 20	max 264 °C ■ 59  □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	max 264 °C ■ 59  □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	max 264 °C	max 264 °C	max 264 °C □ 59  □ 14.55 26/03/2024 20  12 dB	max 264 °C	max 264 °C	max 264 °C ■ 59  □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	max 264 °C	