
Capturas de evidencia con los Endpoints funcionando:


Jonathan Paredes de Santos UP230651


CAPTURAS DE EVIDENCIA


Aquí cree la base de datos con el script ya agregado en el repo de GIthub





Aquí la evidencia de Swagger de test que hice






localhost:5000/swagger/index.html
curl -X 'GET' \
'http://localhost:5000/productos' \
-H 'accept: */*'
Request URL
http://localhost:5000/productos
Server response
Code
Details
200
Response body
[
{
"id": 1,
"nombre": "Laptop",
"precio": 15000,
"stock": 5
},
{
"id": 2,
"nombre": "Mouse",
"precio": 250,
"stock": 40
},
{
"id": 3,
"nombre": "Teclado",
"precio": 600,
"stock": 20
}
]
Download
Response headers
content-type: application/json; charset=utf-8
date: Sat,31 Oct 2026 19:45:48 GMT
server: Kestrel
transfer-encoding: chunked
Responses
Code
Description
Links


localhost:5000/swagger/index.html
id * required
integer($int32)
1
(path)
Execute
Clear
Responses
Curl
curl -X 'GET' \
'http://localhost:5000/productos/1' \
-H 'accept: */*'
Request URL
http://localhost:5000/productos/1
Server response
Code
Details
200
Response body
{
"id": 1,
"nombre": "Laptop",
"precio": 15000,
"stock": 5
}
Download
Response headers
content-type: application/json; charset=utf-8
date: Sat,31 Oct 2026 19:48:11 GMT
server: Kestrel
transfer-encoding: chunked



localhost:5000/swagger/index.html
Name
Description
id * required
integer($int32)
(path)
15
Execute
Clear
Responses
Curl
curl -X 'GET' \
'http://localhost:5000/productos/15' \
-H 'accept: */*'
Request URL
http://localhost:5000/productos/15
Server response
Code
Details
404
Undocumented
Error: Not Found
Response headers
content-length: 0
date: Sat,31 Oct 2026 19:46:53 GMT
server: Kestrel
Responses
Code
Description
Links



localhost:5000/swagger/index.html
POST
/productos
Parameters
Cancel
Reset
No parameters
Request body required
application/json
{ "id": 0, "nombre": "Monitor", "precio": 3500, "stock": 10 }
Execute
Clear
Responses
Curl



Archivo Editar Ver Consulta Git Proyecto Herramientas Extensiones Ventana Ayuda Buscar Solución1
Nueva consulta Copilot
ProductosDB Ejecutar
Explorador de objetos
Conectar
JONATHAN (16.0.1210.3 de SQL Server - Jonathan\jonpa)
Bases de datos
Bases de datos del sistema
Instantáneas de bases de datos
Bank
Base_1
Base_2
DB_EJERCICIOSVISTAS
ProductosDB
Diagramas de base de datos
Tablas
Tablas del sistema
Tablas de archivos
Tablas externas
Tablas de grafos
dbo.Productos
Tablas de libro de contabilidad descartadas
Vistas
Recursos externos
Sinónimos
Programación
Almacén de consultas
Service Broker
Almacenamiento
Seguridad
Seguridad
Objetos de servidor
Replicación
Alta disponibilidad de Always On
Administración
Agente SQL Server
Generador de eventos XEvent
SQLQuery2.sq...\jonpa (64))*
Jonathan.Prod... dbo.Productos
1 SELECT * FROM dbo.productos;
100 %
No se encontraron problemas.
Línea: 1 Carácter: 29 TABULACIONES CRLF
Resultados Mensajes
Id Nombre Precio Stock
1 1 Laptop 15000.00 5
2 2 Mouse 250.00 40
3 3 Teclado 600.00 20
4 4 Monitor 24 pulgadas 3800.00 8
Consulta ejecutada correctamente.
JONATHAN (16.0 RTM) JONATHAN\jonpa (64) ProductosDB 00:00:00 4 filas
Listo


localhost:5000/swagger/index.html
GET /productos/buscar
Parameters
Cancel
Name Description
texto * required
string
(query)
monitor
Execute
Clear
Responses
Curl
curl -X 'GET' \
'http://localhost:5000/productos/buscar?texto=monitor' \
-H 'accept: */*'
Request URL
http://localhost:5000/productos/buscar?texto=monitor
Server response
Code Details
200
Response body
[
{
"id": 4,


Server response
Code Details
200
Response body
[
{
"id": 4,
"nombre": "Monitor",
"precio": 3500,
"stock": 10
}
]
Download
Response headers
content-type: application/json; charset=utf-8
date: Sat,31 Oct 2026 19:51:37 GMT
server: Kestrel
transfer-encoding: chunked
Responses
Code Description Links
200 OK No links


localhost:5000/swagger/index.html
PUT
/productos/{id}
Parameters
Cancel
Reset
Name
Description
id * required
integer($int32)
(path)
4
Request body required
application/json
{ "id": 4, "nombre": "Monitor 24 pulgadas", "precio": 3800, "stock": 8 }
Execute
Clear


localhost:5000/swagger/index.html
Responses
Curl
curl -X 'PUT' \
'http://localhost:5000/productos/4' \
-H 'accept: */*' \
-H 'Content-Type: application/json' \
-d ' { "id": 4, "nombre": "Monitor 24 pulgadas", "precio": 3800, "stock": 8 }'
Request URL
http://localhost:5000/productos/4
Server response
Code
Details
200
Response body
{
"id": 4,
"nombre": "Monitor 24 pulgadas",
"precio": 3800,
"stock": 8
}
Download
Response headers
content-type: application/json; charset=utf-8
date: Sat,31 Oct 2026 19:53:21 GMT
server: Kestrel
transfer-encoding: chunked
Responses
Code
Description
Links
200
OK
No links


localhost:5000/swagger/index.html
DELETE
/productos/{id}
Parameters
Cancel
Name
Description
id
required
integer($int32)
(path)
4
Execute
Clear
Responses
Curl
curl -X 'DELETE' \
'http://localhost:5000/productos/4' \
-H 'accept: */*'
Request URL
http://localhost:5000/productos/4
Server response
Code
Details
204
Undocumented
Response headers
date: Sat,31 Oct 2026 19:55:08 GMT
server: Kestrel