

TEST CASES

1. Authentication Module

Case 1:

Test case ID	TC-AUTH-01
Component	Authentication
Test Title	Verify successful user identification and authentication.
Priority	High
Preconditions	User has valid registered credentials in the system.
Test Data	Username: manager_test Password: ValidPassword123
Execution Steps	1. Access the system login page. 2. Enter the valid username in the corresponding field. 3. Enter the correct password. 4. Click the "Login/Submit" button.
Expected Results	The system authenticates the user successfully, grants access, and redirects them to their corresponding dashboard based on their role.
Actual Results	(Pending)
Status	(Pending)
Tester	(Pending)
Date	(Pending)
Bug ID	(Pending)

Case 2:

Test case ID	TC-AUTH-02
Component	Authentication
Test Title	Verify successful user identification and authentication.
Priority	High
Preconditions	None
Test Data	Username: wrong_user Password: IncorrectPassword
Execution Steps	1. Access the system login page. 2. Enter the invalid username. 3. Enter an incorrect password. 4. Click the "Login/Submit" button.
Expected Results	The system denies access, blocks authentication, and displays a clear error message: "Invalid username or password".
Actual Results	(Pending)
Status	(Pending)
Tester	(Pending)
Date	(Pending)
Bug ID	(Pending)

2. Raw Material & Supplies Management Module

Case 3:

Test case ID	TC-RAW-03
Component	Raw Material Management
Test Title	Verify automatic inventory update upon registering a raw material entry.
Priority	High
Preconditions	The Manager is authenticated. A raw material item (e.g., "Cotton Fabric") exists with a current stock of 100 units.
Test Data	Item ID: MAT-001 Entry Quantity: 50
Execution Steps	1. Navigate to the "Register Raw Material Entry" section. 2. Enter the item ID and an entry quantity of 50. 3. Confirm and save the registration.
Expected Results	The entry is saved successfully. Due to the <include> relationship, the automated "Update stock" sub-process triggers, updating the stock to 150 units.
Actual Results	(Pending)
Status	(Pending)
Tester	(Pending)
Date	(Pending)
Bug ID	(Pending)

Case 4:

Test case ID	TC-RAW-04
Component	Raw Material Management
Test Title	Validate mandatory fields on raw material registration form.
Priority	Medium
Preconditions	The Manager is on the raw material registration form..
Test Data	Item Name: [Leave Blank] Quantity: 10
Execution Steps	1. Leave the mandatory "Item Name" field empty. 2. Fill out the remaining fields. 3. Attempt to save the entry.
Expected Results	The system blocks the transaction and highlights the empty mandatory fields with validation alerts.
Actual Results	(Pending)
Status	(Pending)
Tester	(Pending)
Date	(Pending)
Bug ID	(Pending)

Case 5:

Test case ID	TC-RAW-05
Component	Raw Material Management
Test Title	Verify direct access to check availability of supplies.
Priority	High
Preconditions	Manager or Administrator is successfully authenticated.
Test Data	None
Execution Steps	1. Navigate to the "Check Availability of Supplies" module. 2. View the displayed list of raw materials and current quantities.
Expected Results	The system fetches and displays an accurate, real-time list of all available manufacturing supplies in stock.
Actual Results	(Pending)
Status	(Pending)
Tester	(Pending)
Date	(Pending)
Bug ID	(Pending)

Case 6:

Test case ID	TC-RAW-06
Component	Raw Material Management
Test Title	Verify authentication extension triggers when checking sensitive high-priority supplies.
Priority	Medium
Preconditions	Manager or Administrator is logged in but the session requires identity reverification for secure queries.
Test Data	Security PIN: 1234
Execution Steps	1. Go to "Check Availability of Supplies". 2. Request a restricted or high-priority material supply log.
Expected Results	Due to the <extend> relationship, the system pauses the action and prompts the "Identify and authenticate user" security screen before displaying data.
Actual Results	(Pending)
Status	(Pending)
Tester	(Pending)
Date	(Pending)
Bug ID	(Pending)

3. Inventory Control & Reports Module

Case 7:

Test case ID	TC-CTRL-07
Component	Inventory Control
Test Title	Verify manual modification of allowed stock limits.
Priority	High
Preconditions	The Administrator is logged in and inside the stock control parameters.
Test Data	Target Item: PROD-A New Minimum Stock Level: 20
Execution Steps	1. Select the item "PROD-A". 2. Modify its configuration threshold to set minimum stock level to 20. 3. Click "Save Parameters".
Expected Results	The system updates the control limits for the item and applies the new rule for low stock alerts instantly.
Actual Results	(Pending)
Status	(Pending)
Tester	(Pending)
Date	(Pending)
Bug ID	(Pending)

Case 8:

Test case ID	TC-CTRL-08
Component	Inventory Control
Test Title	Restrict alphanumeric character inputs in numerical stock control fields.
Priority	Medium
Preconditions	The Administrator is editing stock control thresholds.
Test Data	Input Value: Abc_10!
Execution Steps	1. Focus on a strictly numerical stock quantity configuration field. 2. Attempt to type or paste the alphanumeric data string. 3. Try to save.
Expected Results	The field rejects the alphanumeric input completely or triggers an immediate validation error preventing submission.
Actual Results	(Pending)
Status	(Pending)
Tester	(Pending)
Date	(Pending)
Bug ID	(Pending)

Case 9:

Test case ID	TC-CTRL-09
Component	Inventory Control
Test Title	Verify generation of full inventory reports.
Priority	High
Preconditions	The Administrator is in the reporting module.
Test Data	Filter Type: Monthly Summary
Execution Steps	1. Open the "Generate Inventory Reports" screen. 2. Select the report parameters and dates. 3. Click on the "Generate/Export" button.
Expected Results	The system complies and processes the stock logs, successfully exporting a document containing the requested inventory report metrics.
Actual Results	(Pending)
Status	(Pending)
Tester	(Pending)
Date	(Pending)
Bug ID	(Pending)

Case 10:

Test case ID	TC-CTRL-10
Component	Inventory Control
Test Title	Verify authentication extension prompt upon generating highly confidential reports.
Priority	High
Preconditions	The Administrator is requested to trigger a sensitive master inventory report audit.
Test Data	Admin Credentials
Execution Steps	1. Choose the master/audit selection under "Generate Inventory Reports". 2. Initiate report export.
Expected Results	Due to the <extend> rule, the application halts execution to open the "Identify and authenticate user" validation prompt.
Actual Results	(Pending)
Status	(Pending)
Tester	(Pending)
Date	(Pending)
Bug ID	(Pending)

4. Finished Product Management Module

Case 11:

Test case ID	TC-FIN-11
Component	Finished Product Management
Test Title	Verify registration of a newly manufactured finished product batch.
Priority	High
Preconditions	Seamstresses or Outsourced MFG actor is executing production logs.
Test Data	Product Type: Victorian Dress V1 Batch Size: 15
Execution Steps	1. Enter the "Register of Finished Product" module. 2. Inputs the garment structural design type, specifications, and total batch count. 3. Submit the registration.
Expected Results	The unique production batch is added successfully to the tracked ledger.
Actual Results	(Pending)
Status	(Pending)
Tester	(Pending)
Date	(Pending)
Bug ID	(Pending)

Case 12:

Test case ID	TC-FIN-12
Component	Finished Product Management
Test Title	Verify forced included update of finished goods stock upon registration.
Priority	High
Preconditions	Production actor is registering newly finished goods. Current item stock is 0.
Test Data	Garment Type: Dress Model X Registered Amount: 25
Execution Steps	1. Execute the register of finished product flow successfully.
Expected Results	Via the mandatory <include> dependency link, the system seamlessly calls update finished product stock, raising warehouse availability numbers to 25.
Actual Results	(Pending)
Status	(Pending)
Tester	(Pending)
Date	(Pending)
Bug ID	(Pending)

Case 13:

Test case ID	TC-FIN-13
Component	Finished Product Management
Test Title	Verify direct modification/adjustment of finished product stock totals.
Priority	Medium
Preconditions	User possesses authorization roles to directly handle final warehouse allocations.
Test Data	SKU: DRESS-GOTH-02 Adjusted Absolute Value: 45
Execution Steps	1. Access the update finished product stock sub-module. 2. Pick specific final item index. 3. Manually edit stock availability field to 45 and hit update.
Expected Results	System overrides old numbers and saves new absolute metrics to database.
Actual Results	(Pending)
Status	(Pending)
Tester	(Pending)
Date	(Pending)
Bug ID	(Pending)

Case 14:

Test case ID	TC-FIN-14
Component	Finished Product Management
Test Title	Reject negative entries on finished product inventory adjustments.
Priority	High
Preconditions	User is adjusting inventory levels for finished items.
Test Data	Quantities Value: -5
Execution Steps	1. In update finished product stock, write down a negative number in the total fields. 2. Submit change request.
Expected Results	The application blocks the system execution, throwing a logical boundary data error validation.
Actual Results	(Pending)
Status	(Pending)
Tester	(Pending)
Date	(Pending)
Bug ID	(Pending)

5. Production & Consumption Module

Case 15:

Test case ID	TC-PROD-15
Component	Production Logs
Test Title	Verify record keeping of input materials released for workshop floor production.
Priority	High
Preconditions	Seamstresses or Outsourced MFG are withdrawing raw components to work.
Test Data	Thread Spools: 10 Fabric Rolls: 2
Execution Steps	1. Go into "Record Output of Inputs for Production". 2. Select items and quantities requested by production staff. 3. Approve and commit entry log.
Expected Results	The system logs the removal tracking voucher tied to specific assembly orders.
Actual Results	(Pending)
Status	(Pending)
Tester	(Pending)
Date	(Pending)
Bug ID	(Pending)

Case 16:

Test case ID	TC-PROD-16
Component	Production Logs
Test Title	Verify automatic raw stock deduction upon recording output for production.
Priority	High
Preconditions	Initial raw supply tracking inventory sits at 80 spools.
Test Data	Consumption Amount: 20 spools
Execution Steps	1. Run the record output of inputs for production execution block.
Expected Results	The system fulfills the <include> condition link, routing automatically to execution loop Update stock by sale/shipping to decrease available material logs to 60.
Actual Results	(Pending)
Status	(Pending)
Tester	(Pending)
Date	(Pending)
Bug ID	(Pending)

6. Shipping & Sales Logistics Module

Case 17:

Test case ID	TC-SHIP-17
Component	Shipping Logistics
Test Title	Verify immediate stock deduction when shipping/sale is dispatched.
Priority	High
Preconditions	Shipping Dept handles packaging orders. Stock is 10 units.
Test Data	Dispatched items count: 2
Execution Steps	1. Navigate to "Update stock by sale/shipping". 2. Approve cargo handoff procedures.
Expected Results	Active storage databases lower the targeted quantities metric from 10 down to 8.
Actual Results	(Pending)
Status	(Pending)
Tester	(Pending)
Date	(Pending)
Bug ID	(Pending)

Case 18:

Test case ID	TC-SHIP-18
Component	Shipping Logistics
Test Title	Check inclusion trigger of merchandise output logs inside sales/shipments pipeline.
Priority	High
Preconditions	Cargo release flow is active.
Test Data	Tracking Manifest Data
Execution Steps	1. Trigger the main Update stock by sale/shipping pipeline action.
Expected Results	Because of the system <include> link, Update merchandise output fires up to force input logging of tracking sheets or delivery metrics.
Actual Results	(Pending)
Status	(Pending)
Tester	(Pending)
Date	(Pending)
Bug ID	(Pending)

Case 19:

Test case ID	TC-SHIP-19
Component	Shipping Logistics
Test Title	Verify explicit manual handling of merchandise output manifest registries.
Priority	Medium
Preconditions	Shipping Dept employee edits departure manifest files.
Test Data	Carrier Name: DHL Route ID: RT-99
Execution Steps	1. Enter "Update Merchandise Output" logs. 2. Enter carrier parameters and routing indices. 3. Click save.
Expected Results	Logistics records archive delivery operational context updates perfectly.
Actual Results	(Pending)
Status	(Pending)
Tester	(Pending)
Date	(Pending)
Bug ID	(Pending)

Case 20:

Test case ID	TC-SHIP-20
Component	Shipping Logistics
Test Title	Validate <<uses>> data dependency link connection between order placements and output updates.
Priority	High
Preconditions	An existing customer order ORD-777 is present.
Test Data	Order ID Reference: ORD-777
Execution Steps	1. Access the Update merchandise output action loop. 2. Map tracking identifiers against Client's placed order requirements.
Expected Results	The system references data fields from the Place orders module, mapping outbound items to verify data integrity against client data.
Actual Results	(Pending)
Status	(Pending)
Tester	(Pending)
Date	(Pending)
Bug ID	(Pending)

Case 21:

Test case ID	TC-SHIP-21
Component	Shipping Logistics (Client-facing)
Test Title	Verify successful execution of client order placement.
Priority	High
Preconditions	Client is navigating store listings, with active items in cart.
Test Data	Selected Item: Lace Skirt Quantities: 1
Execution Steps	1. Run checkout operations inside "Place Orders". 2. Confirm acquisition transaction request.
Expected Results	Order is compiled, system outputs transaction tracker sequences, and queues order into status: "Pending Dispatch".
Actual Results	(Pending)
Status	(Pending)
Tester	(Pending)
Date	(Pending)
Bug ID	(Pending)

Case 22:

Test case ID	TC-SHIP-22
Component	Shipping Logistics (Client-facing)
Test Title	Block order checkouts on zero-stock items.
Priority	High
Preconditions	Targeted store index stock is zero.
Test Data	Out of Stock Item SKU
Execution Steps	1. Client attempts checkout sequence during Place orders flow on empty items.
Expected Results	Processing gets rejected by system controls, alerting buyer regarding lack of stock.
Actual Results	(Pending)
Status	(Pending)
Tester	(Pending)
Date	(Pending)
Bug ID	(Pending)