



Deep Learning - MAI

Guided lab - Transfer Learning

Dario Garcia Gasulla dario.garcia@bsc.es

Goal

- Experiment with transfer learning methods
- In the guided lab:
 - Model pre-trained in Imagenet
 - o Try to solve the MIT67 indoor classification task



Set Up #1

Upload the code to your account

https://github.com/UPC-MAI-DL/UPC-MAI-DL.github.io/tree/master/_codes/3.Embeddings

Upload pre-trained models (~/.keras/models)

You can run the command locally, and upload the files from your .keras/models folder to your home directory in GPFS

A couple available here: /gpfs/projects/nct00/nct00001/ (VGG16 w/o top)





Set Up #2

Link target dataset

/gpfs/projects/nct00/nct00001/mit67

- Used in:
 - fne_main.py
 - fine_tunning.py (L38-39)





Sample codes

- Fine-tuning:
 - Use a pre-trained network and re-train it for a different task
- Feature-extraction:
 - Use a pre-trained network as feature descriptor for a different task



Disclaimer

- Sample codes:
 - Kind of work
 - May have bugs
 - Are inefficient (particularly feature extraction)
 - Will not work out-of-the-box: Upload pre-train models and datasets
- Don't try to fix or extend the code. Copy something if it's useful and make your own code







Let's look inside

Fine-tuning

- Training from scratch is often a bad idea. Factors of transferability:
 - Similarity between tasks
 - Size and variance of source task / target task
 - Layers transferred, locked and re-trained

- Play with:
 - Sources. VGG16 on ImageNet/Places is easy to find
 - Target tasks
 - Randomized/fine-tuned/frozen layers





Fine-tuning

Code

https://github.com/UPC-MAI-DL/UPC-MAI-DL.github.io/blob/master/_codes/3.Embeddings/fine_tuning.py

- Keep fc layers or not (L46)
- To freeze or not to freeze (L49)
- Adding rand init layers (L55)
- To speed things up during the guided lab
 - Freeze lots of layers
 - Use only a subset of the train set





Feature Extraction

- Code sample for
 - Extract neural activations for images as processed by a pre-trained network
 - Apply a post-processing to these activations
 - Train a SVM with the resulting vector representations
 - Check classification performance
- To play:
 - Sources & Targets (same as fine-tuning)
 - Post-processing (FNE implemented)
 - Extracted layers





Feature Extraction

Code

https://github.com/UPC-MAI-DL/UPC-MAI-DL.github.io/blob/master/_codes/3.Embeddings/fne_main.py

- Create output variable (L48)
- Define layers to capture (L55)
- Store activations of current batch (L80)
- Postprocessing (L81, L87, L91)

https://github.com/UPC-MAI-DL/UPC-MAI-DL.github.io/blob/master/_codes/3.Embeddings/fne.py

- Load full pre-trained model (L16)
- Define layers to extract (L22)
- Reduce problem size (L30), train & test SVM (L63)





Dario Garcia-Gasulla (BSC) dario.garcia@bsc.es



