Barcelona Supercomputing Center
Centro Nacional de Supercomputación

HIGH PERFORMANCE ARTIFICIAL INTELLIGENCE

Deep Learning - MAI

Guided lab - Transfer Learning

Dario Garcia Gasulla
dario.garcia@bsc.es

Goal

- Experiment with transfer learning methods
- In the guided lab:
  - Model pre-trained in Imagenet
  - Try to solve the MIT67 indoor classification task

Set Up #1

- Upload the code to your account

https://github.com/UPC-MAI-DL/UPC-MAI-DL.github.io/tree/master/_codes/3.Embeddings

- Upload pre-trained models (~/.keras/models)

You can run the command locally, and upload the files from your .keras/models folder to your home directory in GPFS

A couple available here: /gpfs/projects/nct00/nct00038/ *(VGG16 w/o top)*

Set Up #2

- Link target dataset

  /gpfs/projects/nct00/nct00038/mit67

- Used in:
  - fne_main.py
  - fine_tunning.py (L38-39)

Sample codes

- Fine-tuning:
  - Use a pre-trained network and re-train it for a different task
- Feature-extraction:
  - Use a pre-trained network as feature descriptor for a different task

Disclaimer

- Sample codes:
  - Kind of work
  - May have bugs
  - Are inefficient (particularly feature extraction)
  - Will not work out-of-the-box: Upload pre-train models and datasets
- Don't try to fix or extend the code. Copy something if it's useful and make your own code

Let’s look inside

Fine-tuning

- Training from scratch is often a bad idea. Factors of transferability:
  - Similarity between tasks
  - Size and variance of source task / target task
  - Layers transferred, locked and re-trained

- Play with:
  - Sources. VGG16 on ImageNet/Places is easy to find
  - Target tasks
  - Randomized/fine-tuned/frozen layers

Fine-tuning

- Code

https://github.com/UPC-MAI-DL/UPC-MAI-DL.github.io/blob/master/_codes/3.Embeddings/fine_tuning.py

  - Keep fc layers or not (L46)
  - To freeze or not to freeze (L49)
  - Adding rand init layers (L55)

- To speed things up during the guided lab
  - Freeze lots of layers
  - Use only a subset of the train set

Feature Extraction

- Code sample for
  - Extract neural activations for images as processed by a pre-trained network
  - Apply a post-processing to these activations
  - Train a SVM with the resulting vector representations
  - Check classification performance
- To play:
  - Sources & Targets (same as fine-tuning)
  - Post-processing (FNE implemented)
  - Extracted layers

Feature Extraction

- Code

https://github.com/UPC-MAI-DL/UPC-MAI-DL.github.io/blob/master/_codes/3.Embeddings/fne_main.py

  - Create output variable (L48)
  - Define layers to capture (L55)
  - Store activations of current batch (L80)
  - Postprocessing (L81, L87, L91)

https://github.com/UPC-MAI-DL/UPC-MAI-DL.github.io/blob/master/_codes/3.Embeddings/fne.py

  - Load full pre-trained model (L16)
  - Define layers to extract (L22)
  - Reduce problem size (L30), train & test SVM (L63)

Dario Garcia-Gasulla (BSC)

dario.garcia@bsc.es

HIGH PERFORMANCE
ARTIFICIAL INTELLIGENCE