
GIT Part 1



Talent Management Department

صيدليـة المتحـدة
United Pharmacy

GIT drugs classification



To day we will learn about

01 Drugs for hyperacidity

02 Anti-Emetics

03 Drugs for motion sickness

04 Drugs for IBD

صيدليـة المتحـدة
United Pharmacy


Drugs for hyperacidity

Hyperacidity refers to excess stomach acid causing symptoms like heartburn, indigestion, and acid reflux. Treatment depends on the severity and duration of symptoms.

1. Antacids ✅
- They Neutralize stomach acid → quick relief.
- First line but may cause diarrhea or constipation.

2. H_2 Blockers (Histamine-2 Receptor Antagonists) ✅
- They Blockhistamine on stomach lining → reduce acid secretion.
- More potent than antacids.

3. Proton Pump Inhibitors (PPIs) ✅
- They Blockproton pump → strong and long-lasting acid suppression.
- Usually Taken before meals; not for quick relief.
- Most potent option.


1
Drugs for hyperacidity
Antacids
MOXAL® | Mg, Al hydroxide
GAVISCON® | AlginicAcid,SodiumBicarbonate, Aluminium Hydroxide
TUMS® | Calcium carbonate
FAWAR FRUIT® | Sodium bicarbonate
H2 receptor blockers
FIXIT® | Nizatidine
FAMODAR® | Famotidine
Proton pump inhibitors
OMIZ® | Omeprazole
TOPRAZOLE® | Pantoprazole
NEXIUM® | Esomeprazole
PARIET® | Rabeprazole
PEPTAZOL® | lansoprazole

Anti-Emetics

Anti-emetics are used to prevent or relieve nausea and vomiting, which may be caused by gastrointestinal issues, pregnancy, or chemotherapy. They work by blocking different neurotransmitters involved in the vomiting reflex.

1. D_2 Antagonists (Prokinetics) ✅


- They Increasegastric motility.
- Note that Metoclopramide can cause extrapyramidal side effects while Domperidone has fewer central side effects.

2. 5-HT_3 Antagonists (Serotonin blockers) ✅

- They Block serotoninreceptorsinthegutandbrain

3. Neurokinin-1 (NK_1) Antagonists (Not Currently available) ✅

- They Block substance P at NK_1 receptors
- Usually used in combination in severe nausea from chemotherapy


2
Anti-
Emetics
Prokinetics,
D2 antagonist
PREMOSAN® | Metoclopramide
DOMPY ® | Domperidone
5HT3
antagonist
ZORON ® | Ondansetron
Neurokinin
antagonist
Aprepitant

Drugs for Motion sickness

Motion sickness occurs due to a conflict between visual and inner ear (vestibular) signals mediated by Histamine & Acetylcholine, leading to nausea, dizziness, and vomiting.

1. Antihistamines (1st Generation) ✅

- They Block histamine (H1) receptors in the brain

2. Anticholinergics ✅

- They Blocks signals in the vestibularsystem

3

Drugs for motion sickness

Antihistaminic

- VOMINORE® | Meclizine + Vit. B6

Acetylcholine blocker

- BUSCOPAN ® | Hyoscine (Scopolamine)

Drugs for Inflammatory Bowel Disease (IBD)

Inflammatory Bowel Disease (IBD) includes Ulcerative Colitis (UC) & Crohn's Disease (CD) both are chronic inflammatory conditions of the gastrointestinal tract. Treatment aims to reduce inflammation, control symptoms, and maintain remission.

1. Amino Salicylates (5-ASA) ✅


- They are First-lineformildtomoderate ulcerative colitis act as Anti-inflammatory in the gut.

2. Immunosuppressants ✅

- They are Used for Moderate to severe IBD, or to maintain remission by Suppress immune system to reduce inflammation.

3. Biological Agents (Biologics) ✅

- TheyTarget specific immunepathways (e.g., TNF-α, integrins) and Used in Moderate to severe IBD not responding to other treatments


Amino salicylates
SALAZOPYRINE®| Sulfasalazine
PENTASA® | Mesalazine
4
Drugs for IBD
Immunosuppressant
IMURAN® | Azathioprine
METHOTREXATE®
HUMIRA® | Adalimumab
CIMZIA® | Certolizumab
ENBREL® | Etanercept
Biological agents

الآلآن حان دور الألأنشطة
اضغط على الزر للبدء



ابدأ النشاط