

UNIVERSITY OF PUBLIC RELATIONS & LEADERSHIP

UPRL LMS Demo & Test Guide

A complete, click-by-click walkthrough of the Learning Management System — every role, every feature, every field you need to type. Written to be read aloud from a second screen while you present.

10 sections delivered

5 roles

447 automated tests

~60 minute deep dive

Creativity, Competence, Character

0 How to use this guide

Read this page once before you start. It will save you every avoidable surprise tonight.

- **Everything here has been executed against the real running app**, not written from the code. Where a screen is quoted, that is what it actually says.
- **Follow the numbered steps literally**. Each one names the exact menu item, tab or button to click. Grey boxes like `Teaching` are things you click in the left sidebar; every step also gives a fallback URL you can paste into the address bar if you lose your place.
- **Gold boxes are copy-paste**. Anything you need to type during the demo is in a gold box, ready to copy.
- **Italic lines marked *Say***: are optional talking points — the "why this matters" for your teammate.

The single most important rule: refer to people by e-mail, never by name.

Student *names* are randomly generated on every re-seed, so the "Chukwuemeka Chukwu" you see tonight will be someone else tomorrow. E-mail addresses (`student1@uprl.test` ...) and course codes (`PRL101` ...) are **stable forever**. This guide always identifies people by e-mail. The names printed in tables here are only what the seed produced at the time of writing.

Two browser windows will make this demo

Several of the best moments are two-sided (a student acts, staff sees it). Open a **normal window** and an **incognito/private window** side by side so you can be signed in as two people at once. This guide labels them **Window A** (student) and **Window B** (staff).

Contents

1	Pre-flight — get the machine ready	before you start
2	The system at a glance	reference
3	Accounts, courses & seeded data	reference
4	Act 1 — The front door	5 min
5	Act 2 — The administrator	8 min
6	Act 3 — The instructor builds a course	8 min
7	Act 4 — The learner ★	10 min
8	Act 5 — Assessment & grading	9 min
9	Act 6 — Enrolment operations ★	7 min
10	Act 7 — Certificates & public verification ★	5 min
11	Act 8 — Communication & moderation	5 min
12	Act 9 — Reporting, analytics & exports	6 min
13	Act 10 — The auditor & the wrap	3 min
14	User stories — the acceptance checklist	reference
15	If something goes wrong	reference

16 Scope, roadmap & quick-reference URLs

reference

1 Pre-flight — get the machine ready

Do this ~10 minutes before your teammate joins. It takes about 3 minutes of typing and 2 minutes of waiting.

Step 1 — Open a terminal in the project folder

```
cd "c:\Users\OLASQUARE\Desktop\My Projects\UPRLUniversity\lms"
```

Step 2 — Reset the demo data to a known-good state

This wipes and rebuilds the database so everything in this guide matches exactly. It takes about **90 seconds** — start it, then read on.

```
php artisan migrate:fresh --seed
```

You are looking for a final line similar to:

```
ReportingDemoSeeder: 84 historical enrolments, 292 lesson-progress rows,  
19 skipped to respect course capacity.
```

Step 3 — Build the front-end assets

Only needed if you have changed any file under `resources/` since the last build. If in doubt, run it — it takes ~45 seconds.

```
npm run build
```

Step 4 — Start the server

Leave this terminal window open and running for the whole demo.

```
php artisan serve
```

Then open `http://127.0.0.1:8000` in your browser.

Mail has already been set to "log" mode for you

Your `.env` previously pointed at a live SMTP server and sent mail *synchronously*. That made every notifying action (approving an enrolment, posting an announcement, grading a submission) pause for ~1.5 seconds — and it would have failed outright if tonight's network blocks port 465. `MAIL_MAILER` is now `log`: actions are instant, nothing depends on the network, and the e-mail bodies are still written to `storage/logs/laravel.log` if you want to show one.

To restore live sending after the demo: open `.env`, change `MAIL_MAILER=log` back to `MAIL_MAILER=smtp`, then run `php artisan config:clear`.

Step 5 — Browser setup (60 seconds, worth it)

1 Open a **normal window** — this is **Window A** (you will be the student here).

- 2 Open an **incognito / private window** — this is **Window B** (you will be staff here). Put them side by side, or use two virtual desktops you can flip between.
- 3 Zoom both to **110–125%** (`Ctrl` + `+`) so the room can read them.
- 4 Close any other tabs. Hide your bookmarks bar.

Optional — only if you want to demo the queued-export path (Act 9, step 8)

That feature only triggers above a row threshold, and the demo dataset is deliberately small. To make it demonstrable, add this line to `.env`, then run `php artisan config:clear`:

```
REPORTS_QUEUE_THRESHOLD=50
```

Remove the line (or set it back to `2000`) afterwards. No queue worker is needed — `QUEUE_CONNECTION` is `sync`, so the job runs immediately.

Step 6 — Optional confidence check

If you want to open by stating the test count, run this first (takes ~5 minutes, so do it early or skip it):

```
php artisan test
```

Expected: **447 passed**.

2 The system at a glance

One page you can hold in your head. Useful if your teammate asks "so what *is* this?"

UPRL LMS is a Learning Management System for a single Nigerian university — the University of Public Relations and Leadership. It covers the full lifecycle: a public course catalogue, enrolment (with approvals, capacity and waitlists), an authoring toolkit for instructors, a distraction-free learning player, quizzes and assignments with rubric grading, a gradebook mapped to Nigerian grading scales, verifiable PDF certificates, forums and messaging, notifications, and an exportable reporting suite.

The five roles

ROLE	WHAT IT CAN DO
Super-admin	Everything, without exception. Bypasses every permission check. Cannot deactivate itself.
Admin	Runs the university: people, faculties & departments, grade scales, certificate templates and the registry, the publishing decision on any course, enrolment approvals, bulk import, forum moderation, and the full report centre.
Instructor	Builds and teaches <i>their own</i> courses: curriculum, question bank, assessments, assignments & rubrics, grading, learner progress and per-course analytics, announcements, and the approval queue for courses they lead.
Student	Browses the catalogue, enrolls, learns, takes assessments, submits assignments, discusses in forums, messages staff, sees grades, earns certificates.
Auditor	A read-only observer for governance. Sees people, courses, rosters, progress, grading, certificates and reports — and holds <i>no</i> ability to create, edit, approve or delete anything, by construction rather than by hiding buttons.

What was built, section by section

§	SECTION	WHAT IT GAVE YOU
0	Foundation & brand	The design system: crimson/gold tokens, Fraunces + Inter, app shell, sidebar, toasts, skeleton loaders, the <code>/styleguide</code> page.
0.5	Shared foundations	One media service (public images → Cloudinary; sensitive files → private disk + signed URLs) and one rich-text editor (TinyMCE) with server-side HTML sanitising.
1	Identity & access	Five roles, permissions, invitations with signed single-use links, deactivation-not-deletion, live admin tables.
2	Courses & catalogue	Course builder, modules & lessons of six types, drag-reorder, the draft → review → published → archived workflow, public catalogue with free previews.
3	Enrolment	Self-enrol, approval queues, capacity, FIFO waitlist with automatic promotion, invite-only courses, bulk CSV import, roster export.
4	Learning player	Resume-anywhere, curriculum sidebar, sequential locking enforced server-side, Complete & Continue, completion celebration.
5	Assessments	Question bank across 7 types, fixed and randomly-pooled exams, server-authoritative timer, auto-grading, manual essay grading, pre/post knowledge gain.
6	Assignments	Briefs with attachments, versioned submissions, late policy, rubric grid grading, return-for-resubmission.

6.5	Grades	Configurable grade scales (NUC 5.0 default), per-course gradebook matrix, immutable grade snapshots at completion.
7	Certificates	Automatic issuance on completion, branded PDF with QR code, serial numbers, revoke/re-issue, and a public verification portal.
8	Notifications	In-app bell + e-mail across the whole catalogue of events, per-type preferences, daily digest, scheduled reminders, course announcements.
9	Communication	Per-course forums (pin/lock/accept-answer/report), direct & group messaging with attachments, admin moderation queue.
10	Reporting	Role-aware dashboards with charts, per-course analytics, four filterable reports, exports to Excel/CSV/PDF, queued large exports.

Three architectural claims worth making out loud

- **Authorization is never inline.** Every permission decision lives in a Policy class. There is not a single `if (user is admin)` in a controller or a template. The auditor is read-only because it holds only view permissions — not because buttons were hidden.
- **Rules are enforced on the server, not in the browser.** Sequential lesson locking, the exam timer, capacity, and the answer key are all server-side. You will prove two of these live by pasting a URL that *should* work and watching it be refused.
- **History is immutable.** A submission version, a grade snapshot and an issued certificate are written once and never rewritten. Editing a rubric or a grade scale afterwards cannot retroactively change a student's record.

3 Accounts, courses & seeded data

Keep this page open. Every account's password is the same.

Password for every single account:
password

Accounts you will use tonight

E-MAIL (COPY THIS)	ROLE	USE IT TO SHOW
<code>superadmin@uprl.test</code>	Super-admin	Unrestricted access; cannot deactivate itself
<code>admin1@uprl.test</code>	Admin	Your main staff account. People, structure, publishing, certificates, reports
<code>instructor1@uprl.test</code>	Instructor	Teaches PRL101 & PRL220 — the richest course data, the grading queue
<code>instructor2@uprl.test</code>	Instructor	Has the approval queue (3 pending on LDS201, 1 on LDS110)
<code>student1@uprl.test</code>	Student	Your hero learner. Mid-course on two courses, active on the full course
<code>student4@uprl.test</code>	Student	Sitting at waitlist position #1 on PRL305 — the one who gets promoted
<code>student14@uprl.test</code>	Student	Holds a valid certificate — use for the certificate download
<code>auditor@uprl.test</code>	Auditor	Read-only observer
<code>student25@uprl.test</code>	Student	Deactivated on purpose — use to demo the login gate

The seeded course catalogue

CODE	TITLE	ENROLMENT	STATE	WHAT IT DEMONSTRATES
PRL101	Foundations of Public Relations	Open, uncapped	Published	The flagship. All assessments, assignments, forum, gradebook, certificates and analytics live here
PRL220	Strategic Campaign Planning	Open, cap 30	Published	Sequential locking + the completion celebration (student1 is 25% in)
PRL305	Crisis Communication Essentials	Open, cap 3 — FULL	Published	Waitlist + auto-promotion. 3 active, 3 waiting
LDS201	Organisational Leadership	Approval	Published	Approval queue — 3 pending requests
LDS110	Ethics & Character in Leadership	Approval, cap 5	Published	Approval combined with capacity — 1 pending, seats exactly full
JRN210	Media Writing & Storytelling	Invite-only	Published	Staff-only direct enrolment; no self-enrol button exists
SCM330	Digital & Social Media Strategy	Open	In review	The publishing workflow — you will publish this live
PAD120	Introduction to Public Administration	Open	Draft	Returned-with-feedback — carries a reviewer's note

Other seeded state worth knowing

THING	STATE RIGHT AFTER A FRESH SEED
Users	1 super-admin, 2 admins, 4 instructors, 25 students (one deactivated), 1 auditor
PRL305 waitlist	student1/2/3 active · student4 #1, student5 #2, student6 #3 waiting
Pending approvals	LDS201: student1 , student2 , student3 · LDS110: student6
Question bank	~30 questions on PRL101 across all 7 types, 3 categories, 3 difficulty levels
Assessments (PRL101)	Module diagnostic (pre), Module check (post), Final exam (timed, 20 min), Practice pool (randomised), Reflection essay (manually graded)
Assignments (PRL101)	Crisis communication case study (rubric-graded, due 1 Aug) · Personal reflection brief (past due, late allowed)
Grading queue	1 essay attempt + 3 assignment submissions waiting, including one flagged Late and one resubmitted v2
Certificates	3 issued on PRL101 — 2 valid, 1 deliberately revoked
Forum (PRL101)	3 threads: one answered with 2 replies, one pinned , one locked
Grade scales	NUC Standard (5.0) = default (A 70–100 → 5.0 ... F 0–39 → 0.0) and 4.0 Scale

Certificate serial numbers change on every seed

Serials are generated fresh each time, so the ones in this guide will not match your database. When you reach Act 7 you will **read the serial off the screen** — the guide tells you exactly where. Do not try to use a serial printed here.

4 Act 1 — The front door

≈ 5 min

Goal: establish the brand, show that the catalogue is genuinely public, and set up the access model.

Start signed out. In **Window A**, if you are signed in, click your name (top right) → **Log out**.

1 The landing page. Go to `http://127.0.0.1:8000/`

Point at: the crimson hero, the slowly rotating sunburst motif (taken from the UPRL logo), the motto, and the three values.

Say: *This is a designed product, not an admin template. One colour system, one type system — a display serif for headings, Inter for interface text — applied across every screen you'll see tonight.*

2 The public catalogue. Click **Browse courses** in the hero.

Fallback URL: `/courses`

- Type `crisis` into the search box — results filter **without a page reload**.
- Use the **Faculty**, **Department** and **Level** dropdowns, and the sort control.
- Note that only **6 of the 8** courses appear. The draft and in-review courses are not published, so the public simply cannot see them.

3 A course page. Click **PRL101: Foundations of Public Relations**.

Fallback URL: `/courses/prl101-foundations-of-public-relations`

- Scroll through: the hero, "What you'll learn", and the collapsible curriculum accordion.
- Find the first lesson, **Welcome & course overview**, and click its **Preview** label — a free-preview video plays for a signed-out visitor.
- Scroll to the bottom: a guest is told to create an account to enrol.

Say: *Instructors choose per lesson which ones are free previews — that's the marketing surface of the course.*

4 The deactivation gate. Click **Log in** and try the deactivated account:

E-mail: student25@upr1.test
Password: password

You are refused with an account-deactivated message.

Say: *We never delete a person — an account is deactivated. History, grades and certificates survive; access stops immediately, even mid-session if an admin flips the switch while they're signed in.*

5 Sign in properly as your hero learner. Stay in **Window A**.

E-mail: student1@upr1.test
Password: password

You land on the student dashboard. Leave it here — Act 4 comes back to it.

5 Act 2 — The administrator

≈ 8 min

Goal: show that a real institution can be run from here — people, structure, and governance of what goes live.

Switch to **Window B** (the incognito one) and sign in:

E-mail: admin1@uprl.test
Password: password

- The admin dashboard.** You land on it automatically. *Fallback URL:* `/dashboard`
 - Four live figures across the top: **Active users (30d)**, **Active enrolments**, **Completion rate**, **Certificates issued**.
 - Three action cards: **Course reviews**, **Enrolment approvals**, **Grading queue** — each links straight to the queue.
 - An **Enrolment trend** bar chart over 12 months, a **Top courses** league table, and a live **Recent activity** feed.

Say: Every number here is a real query against real rows — nothing is hard-coded. The platform-wide aggregates are cached for five minutes; anything personal is read live so a learner never sees a stale progress bar.

- People.** Click **People** in the left sidebar. *Fallback URL:* `/admin/users`
 - Type `instructor` in the search box. Watch the **skeleton shimmer** appear while it fetches — the table updates with no page reload, and the URL updates so the view is shareable.
 - Filter by **Role**. Click a column heading to sort. Page through.
 - Find your own row (`admin1@uprl.test`) — there is **no Deactivate button** on it. You cannot lock yourself out.
 - Pick any student row and click **Deactivate** → a branded confirmation dialog appears → confirm → a toast slides in top-right.

Say: One confirmation style and one feedback style across the entire application — never a browser `confirm()` box, never an inline banner.

- Invitations.** Click **Invitations**. *Fallback URL:* `/admin/invitations`

Send one:

Name: Ngozi Chukwuma
E-mail: ngozi.chukwuma@uprl.test
Role: Instructor

Say: The invitee receives a signed, single-use link that expires in 7 days and sets their own password — we never e-mail anyone a password. Only a super-admin can invite another admin, so an admin cannot escalate its own privileges.

- Academic structure.** Click **Academic structure**. *Fallback URL:* `/admin/faculties`

Faculties contain departments; every course belongs to a department. Add one to show it:

Faculty name: Faculty of Digital Communication
Description: Emerging media, analytics and digital campaign practice.

- Governance — publish a course live.** Click **Teaching** in the sidebar. As an admin you see **every** course, not just your own. Open **SCM330 · Digital & Social Media Strategy** (marked **In review**).

Fallback URL: `/manage/courses/digital-social-media-strategy/edit`

- Note the **Publish checklist** panel: at least one module, at least one lesson, a summary, a cover image — all ticked.
- Click **Publish**. The status badge flips to **Published** and the instructor is notified.
- Now open `/courses` in a new tab — **SCM330 has appeared in the public catalogue**.

6 The other side of the workflow. Back in **Teaching**, open **PAD120 · Introduction to Public Administration** (**Draft**).

Fallback URL: `/manage/courses/introduction-to-public-administration/edit`

It carries a **"Changes requested by the reviewer"** note. The instructor fixes and resubmits.

Say: *Status is a state machine — draft, review, published, archived — and only one service is allowed to write it. An empty course can never be published, even if you craft the request by hand.*

6 Act 3 — The instructor builds a course

≈ 8 min

Goal: show the authoring experience, and that an instructor is walled into their own courses.

In **Window B**, log out of admin and sign in as the instructor:

E-mail: instructor1@upr1.test

Password: password

1 **Teaching.** Click **Teaching**. Fallback URL: `/manage/courses`

This instructor sees only **PRL101** and **PRL220** — the two they lead. The admin a minute ago saw all eight.

Say: Same page, same code. The difference is one Policy method.

2 **Open the builder.** Click **PRL101: Foundations of Public Relations**.

Fallback URL: `/manage/courses/prl101-foundations-of-public-relations/edit`

There are three tabs: **Settings**, **Curriculum**, **Announcements**.

3 **Settings tab** — walk the controls without saving:

- **Cover image** with live preview.
- **Visibility** — published but hidden from the public catalogue is a valid combination.
- **Enrolment mode** — open / approval / invite-only — and **capacity**.
- **Lesson progression** — Free or **Sequential**. This is the switch behind Act 4's locking.
- The **rich text editor** for the description. Type into it, apply bold and a bullet list.

Say: This is the only rich-text editor in the entire application, and every rich field is sanitised on the server when it saves. If someone pastes a `<script>` tag into a forum post or a message, it is stripped before it ever reaches the database — and there are tests asserting exactly that.

4 **Curriculum tab.** Click **Curriculum**.

- **Drag a lesson** by its handle to reorder it — it saves instantly, with no Save button.
- Click **Add lesson** and open the type dropdown: **video**, **text**, **PDF**, **document**, **audio**, **external link**.
- Choose **Video** and paste this URL to see the embed preview appear live:

`https://www.youtube.com/watch?v=aqz-KE-bpKQ`

- Point out the gold clipboard chips sitting between lessons — those are the assessments, positioned before or after their module.

Say: Video is embed-first — YouTube and Vimeo URLs are parsed into privacy-friendly embeds. Uploaded files go to a private disk and are only ever served through short-lived signed links, never a public CDN URL.

5 **The question bank.** Change the address bar to:

`/manage/courses/prl101-foundations-of-public-relations/questions`

~30 real questions across seven types. Filter by **category** and **difficulty**. Open one to show the editor, and note the **Duplicate** and **Import** actions.

6 **Learner progress.** In the builder header, click **Progress**.

Fallback URL: `/manage/courses/prl101-foundations-of-public-relations/progress`

Per-student percentage, last activity, and a per-lesson completion heat-strip.

Say: *This is the "who is stuck, and exactly where" view. The whole sidebar loads in a single query regardless of how many students are enrolled.*

7 Act 4 — The learner ★

≈ 10 min

This is the centrepiece. If you only have ten minutes, do this act and Act 6.

Switch to **Window A**, where you are already `student1@upr1.test`.

1 My Learning. Click `My Learning` in the sidebar. Fallback URL: `/my-learning`

Status-aware cards with live progress bars: active courses with **Continue learning**, one **Pending approval**, and any waitlisted or completed courses.

2 Resume anywhere. Find the **PRL220 · Strategic Campaign Planning** card and click **Continue learning**.

Fallback URL: `/learn/strategic-campaign-planning`

It deep-links straight to the **first lesson you haven't finished** — not lesson one.

Say: *There's exactly one definition of "where was I?" in the codebase, and every Continue button in the app routes through it.*

3 Walk the player.

- The whole app chrome is gone — the curriculum sidebar and the lesson get the full screen.
- Left sidebar: overall progress bar and percentage, modules, and per-lesson icons — a **green tick** for done, a **crimson ring** for the current one, a **padlock** for locked.
- Click the panel icon in the top-left to **collapse the sidebar** into focus mode. Click again to restore.
- Press `←` and `→` to move between lessons with the keyboard.

4 Sequential locking — the UI. In the sidebar, expand the second module, **Execution & Evaluation**. Its lessons show a padlock and "Complete the previous lesson to unlock".

5 Sequential locking — prove it's real. Paste this locked lesson's URL directly into the address bar:

```
http://127.0.0.1:8000/learn/strategic-campaign-planning/23
```

You are **bounced straight back** to your resume point.

Say: *The padlock is a courtesy. The rule is enforced on the server — the URL is not a loophole.*

6 Complete & Continue ★. Click the crimson **Complete & Continue** button. Watch all of this happen at once:

- The progress bar jumps **25% → 50%** live.
- The finished lesson gets a green tick.
- A **module-complete celebration** appears (dismiss it with the close button, `Esc`, or by clicking the backdrop).
- The next module **unlocks** and you advance into it.

Say: *Completion is a single unique row per student per lesson, not a counter — so a double-click, a retry or a flaky connection can never inflate anyone's progress.*

7 Finish the course. Keep clicking **Complete & Continue** through the remaining two lessons. On the last one you get the full-screen **Congratulations** page — summary stats, completion date, and a link to the certificate.

8 The honest "not finished yet" state. Now try the same thing on the flagship course, which has required assessments outstanding. Paste:

```
http://127.0.0.1:8000/learn/prl101-foundations-of-public-relations/congratulations
```

Instead of a celebration you get a **checklist** naming every outstanding required item, each with a reason — *Not started yet, Awaiting grading, Not passed · 44% · no attempts left* — and a direct link to it.

Say: *Finishing every video isn't finishing the course. This screen tells the learner precisely what's left, rather than silently bouncing them back to lesson one.*

9 Grades and history.

- In the player sidebar click **Grades** — the student's own gradebook for that course.
- Then go to `/history` — every course they've taken, with enrolment date, progress, time spent and completion date.

This act consumes demo state

Finishing PRL220 cannot be undone in the UI. If you are presenting twice tonight, either re-run

`php artisan migrate:fresh --seed` between runs, or use `student2@upr1.test` for the second pass.

8 Act 5 — Assessment & grading

≈ 9 min

Goal: show a real exam engine and a real marking workflow — including the parts a student must never be able to cheat.

Stay as `student1@uprl.test` in **Window A**.

1 Open the exam. Paste:

```
http://127.0.0.1:8000/learn/pr1101-foundations-of-public-relations/assessment/final-exam
```

The start screen states the rules up front: **6 questions · 20 min · pass mark 60% · 2 attempts left**.

2 Start it. Click **Start attempt**. The runner is one question per screen, with a question navigator across the top, a **Flag** control, and a live countdown.

3 Answer three or four questions, moving with the numbered navigator. Point out the variety as you go — true/false, single-answer, multi-select, a drag-free matching grid with dropdowns, a fill-in-the-blank. The counter at the top updates to **"4 of 6 answered"** as you go: every answer is saved to the server the instant you pick it.

4 Prove the timer is server-side. Press **F5** to reload the page mid-exam.

- Your answers are still there.
- The questions are in the **same order** with the **same shuffled options**.
- The clock has **kept running** — it did not reset.

Say: *The deadline is a timestamp on the server. Refreshing, closing the laptop or editing the page cannot buy a single extra second. And the correct answers are never sent to the browser before you submit — you can open developer tools and they simply aren't there.*

5 Submit. Answer the rest, click **Submit**, confirm. You land on the result screen immediately:

- A percentage, a **Passed / Not passed** verdict, and points scored.
- A full **review**: every question, your answer, whether it was right, and the explanation.
- On the matching question, note **partial credit** — for example **1/4** — rather than all-or-nothing.

Say: *Whether a student may see the answers at all is a per-assessment setting: immediately, only after the assessment closes, or never.*

6 The instructor's side. Switch to **Window B** as `instructor1@uprl.test` and click **Grading**.

Fallback URL: `/manage/grading`

There are two tabs. On **Assessments** you'll find the essay attempt awaiting a human. Click **Grade**: the student's answer sits beside the marking panel, with the author's guidance notes for the marker. Award points and add feedback.

7 Assignment grading. Click the **Assignments** tab. Fallback URL: `/manage/grading/assignments`

Note the queue: one submission flagged **Late**, one that is **v2** — a resubmission after being sent back. Filter by course, assignment and status.

- 8 **Grade against a rubric.** Click **Grade** on the **Crisis communication case study** submission.
- Left: the student's work, with PDFs and images previewed inline.
 - Right: the **rubric grid**. Click a performance level on each criterion — the total recalculates as you go.
 - Add feedback and click **Grade & next**, or use **Return for resubmission** with a note.

Feedback you can paste:

Strong situation analysis and a well-judged holding statement. Tighten the evaluation section – name the specific measures you would report to the Vice-Chancellor, and say when you would report them.

Say: *The grade stores a snapshot of the rubric exactly as it was when marked. Editing or deleting that rubric later can never rewrite a student's breakdown. And the server is the only scorer — the browser never computes a mark.*

- 9 **The gradebook.** Go to:

`/manage/courses/pr1101-foundations-of-public-relations/gradebook`

A students × items matrix. Items still awaiting a mark show **Pending** and are excluded from the percentage. The **Export** button offers CSV, Excel and PDF.

- 10 **Grade scales.** As an admin, **Grade scales** (fallback: `/admin/grade-scales`) holds **NUC Standard (5.0)** as the default and a **4.0 Scale** alternative. Open the NUC scale to show the bands (A 70–100% → 5.0, down to F).

Say: *A course can override which scale it uses. But a grade already recorded freezes the whole scale into itself — so changing a band next semester cannot retroactively regrade last semester's students.*

9 Act 6 — Enrolment operations ★

≈ 7 min

The most satisfying act. Use both windows — this is where two-sided live action pays off.

a) The approval queue

1 Window B — sign in as the instructor who owns the queue:

E-mail: instructor2@uprl.test

Password: password

Click **Approvals**. Fallback URL: `/manage/approvals`

Three pending requests on LDS201 and one on LDS110.

2 Approve one — the request disappears and the student is notified. Then Decline another; you are asked to confirm. Bulk approve handles the rest at once.

3 Show the boundary. Sign in as `instructor1@uprl.test` and open **Approvals** — it is empty.

Say: That's correct, not a bug. Their courses are open-enrolment, so there is nothing to approve. Only admins and the lead instructor of a course can decide its enrolments — co-instructors cannot.

b) Waitlist auto-promotion ★ — the money shot

1 Window B — as `admin1@uprl.test`, open the PRL305 roster:

`http://127.0.0.1:8000/manage/courses/crisis-communication-essentials/roster`

Read the capacity meter aloud: "Places filled 3 / 3 — Course full · 3 on the waitlist."

Click the **Waitlisted** tab and note who is #1: `student4@uprl.test`.

2 Window A — become the student who is leaving. Sign in as:

E-mail: student1@uprl.test

Password: password

Go to **My Learning**, find the **PRL305 · Crisis Communication Essentials** card, and click **Withdraw** at the bottom of it. Confirm in the dialog.

3 Window B — refresh the roster page. Without anyone doing anything else:

- The meter still reads **3 / 3** — the freed seat was immediately taken.
- `student4@uprl.test` has moved from the waitlist to **Active**.
- `student5` and `student6` have renumbered to **#1** and **#2**.

Say: First in, first out, and it's transactional — the course row is locked and seats are recounted before anyone is promoted, so two people withdrawing at the same instant can never over-fill the course.

c) Invite-only, direct enrolment and bulk import

1 Invite-only. As a student, open `/courses/media-writing-storytelling` — there is **no enrol button at all**, just "Enrolment by invitation".

2 **Staff add them directly.** As `admin1@uprl.test`, open:

```
http://127.0.0.1:8000/manage/courses/media-writing-storytelling/roster
```

Click **Add a student**, search for `student20@uprl.test`, and enrol them.

3 **Bulk import.** Click **Bulk import** on any roster. *Fallback URL:* `/manage/enrollments/import`

- Click **Download the CSV template** — it comes pre-filled with real examples.
- Upload it back. You get a **preview, not an import** — every row is checked and flagged: unknown e-mail, unknown course code, duplicate within the file, already enrolled.
- Only then does **Confirm import** commit the valid rows. Files over 100 rows are handed to a background queue.

If you'd rather paste your own file, this content is valid and mixes good rows with deliberate errors so the validation actually shows something:

```
email,course_code
student20@uprl.test,PRL101
student21@uprl.test,LDS201
student22@uprl.test,PRL220
nobody@uprl.test,PRL101
student23@uprl.test,ZZZ999
student20@uprl.test,PRL101
```

Row 4 is an unknown person, row 5 an unknown course, row 6 a duplicate of row 2 — all three will be flagged and skipped.

4 **Export.** Back on any roster, click **Export CSV** to download the current roster.

10 Act 7 — Certificates & public verification ★

≈ 5 min

Goal: a real, printable, independently verifiable credential. This lands well with non-technical audiences.

1 Window A — sign in as a student who holds one:

E-mail: student14@upr1.test

Password: password

Click [My Certificates](#). Fallback URL: </certificates>

2 Download it. Click **Download** and open the PDF. Point at:

- The UPRL crest, the gold border and the sunburst watermark.
- The student's name, the course, the completion date and the grade.
- The **serial number** — printed on the certificate, in the form `UPRL-2026-XXXXXX`.
- A **QR code** that links to the public verification page.

Write the serial down now

Read the serial off this PDF and keep it to hand — you need it in step 4, and serials are regenerated on every re-seed so no printed value would be correct.

3 Note the diacritics. If the student's name carries Yoruba or Igbo marks (Ọ, ẹ, ị), they render correctly — the PDF embeds proper Unicode fonts rather than falling back to the ASCII base fonts that would print question marks.

4 Public verification — the point of the whole feature. Open a **third, signed-out** window (or just use the incognito one after logging out) and go to:

`http://127.0.0.1:8000/verify`

Type in the serial you noted. You get a **Valid certificate** result showing the holder, the course and the issue date.

Say: No account, no login. An employer in Lagos can verify a UPRL credential in ten seconds — or just point a phone camera at the QR code on the printed certificate.

5 Show a failed lookup. Enter an obviously fake serial:

`UPRL-2026-ZZZZZZ`

You get a polite "we couldn't find that certificate".

Say: The wording is identical for every kind of miss, and the endpoint is rate-limited — so nobody can probe it to work out the serial format or guess their way to a hit.

6 Revocation. Window B as `admin1@upr1.test` → [Certificates](#). Fallback URL: </admin/certificates>

- The full registry, searchable by student, course or serial. One row is already **Revoked** — copy that serial and check it on </verify>: it reports the certificate is **no longer valid**, and deliberately does **not** say why.
- Note the **"Completed, not yet issued"** panel at the top, which catches anyone who finished a course without a certificate, with a one-click **Issue certificate** button. Click it on one row to issue a certificate live.
- **Re-issue** re-renders the PDF but keeps the same serial and URL — so a certificate already printed and handed out never stops working.

7 Templates. Click [Certificate templates](#) — two designs (Classic and Modern), with the signatory name, title and signature image configurable, and a live **Preview**.

Say: *An issued certificate freezes its template and its grade at the moment of issue. Redesigning the template next year changes nothing that's already in someone's hands.*

11 Act 8 — Communication, notifications & moderation

~ 5 min

- 1 **The course forum. Window A** as `student1@uprl.test`:

`http://127.0.0.1:8000/courses/prl101-foundations-of-public-relations/forum`

Three threads showing three distinct states: one **Pinned** to the top, one marked **Answered**, one **Locked**.

- 2 **Open the answered thread** ("How is framing different from priming?"). The accepted answer is highlighted and lifted to the top of the replies.

- 3 **Post a reply.** Use the rich editor at the bottom:

Thank you — the distinction finally landed for me. Framing decides which angle a story is told from; priming decides which yardstick the audience then judges it by. Would a Nigerian election campaign be a fair example of both working together?

- 4 **Try the locked thread.** Open "Week 1 reading — now closed" — the reply box is gone entirely, with a clear explanation.

- 5 **Moderation, live.** On any reply, click **Report** and confirm. Then **Window B** as `admin1@uprl.test` → **Reported posts** (fallback: `/admin/forum-reports`). Your report is waiting. Choose **Dismiss** or **Remove post**.

Say: Any member can flag; only an admin can act. There's no automated profanity filter by design — the report queue plus HTML sanitising is the moderation surface, and posting is rate-limited so nobody can flood a thread.

- 6 **Messaging.** Click **Messages**. Fallback URL: `/messages`

An inbox with unread counts. Open the direct conversation with the instructor and send:

Good afternoon Prof. Could I ask a question about the case study brief before Friday's deadline? I want to make sure I've understood the scope of the evaluation section.

Say: Unread state is derived from a per-person read line, never stored as a counter that can drift. And a burst of ten messages produces one notification, not ten.

- 7 **Message a whole class.** As `instructor1@uprl.test`, open the PRL101 roster and use **Message all enrolled**. It reuses one durable group conversation per course rather than spraying separate threads.

- 8 **Announcements.** As the instructor, open the PRL101 builder → **Announcements** tab and post:

Title: Case study deadline extended to Monday
Body: Following your feedback in the forum, the Crisis Communication case study deadline moves to Monday 3 August at 23:59. Use the extra weekend on your evaluation section.

Every active student is notified according to their own preferences.

- 9 **The notification bell.** Back in **Window A** as the student, click the **bell** in the top-right. Your announcement is there. Click it to jump straight to the source. Then open `/notifications` for the full history, grouped into Today / Yesterday / earlier.

- 10 Notification preferences.** Go to `/profile` and scroll to the notifications matrix — a per-type grid of in-app and e-mail toggles, plus a daily digest option.

Say: *Note that a few rows are locked on. Enrolment decisions and certificate issuance are too important to miss, so they can't be switched off — and that's enforced on the server, not just disabled in the browser.*

12 Act 9 — Reporting, analytics & exports

≈ 6 min

Goal: show that leadership can answer its own questions without asking anyone for a spreadsheet.

Window B as `admin1@upr1.test`.

1 Per-course analytics. Open:

`http://127.0.0.1:8000/manage/courses/prl101-foundations-of-public-relations/analytics`

- **Knowledge gain** across the top: pre-module average, post-module average, and the difference — measured learning, not just attendance.
- **Progress distribution** and **Grade distribution** charts.
- **Assessment performance**: attempts, average and pass rate per assessment.
- **Hardest questions**, ranked by how often they're answered wrongly.

Say: *That last table is the one instructors actually change their teaching from — it tells you which concept didn't land.*

2 The report centre. Click **Reports**. Fallback URL: `/admin/reports`

Four reports: **Learner**, **Instructor**, **Compliance** and **Certification**.

3 Learner report. Open it. Filter by course, status and date range, then click **Apply**. Columns run from enrolment and progress through to final grade and certificate status.

Say: *The grade columns come from the frozen snapshot taken at completion — the same numbers that are printed on the certificate. A learner who hasn't completed anything shows a blank cell, never a misleading zero.*

4 Compliance report. This is the one to linger on — it answers a question a Registrar actually asks. Open it and set:

Target course(s): LDS110 — Ethics & Character in Leadership

Cohort: By department

Department: Department of Organisational Leadership

Click **Apply**. Every person in the cohort is classified **Completed**, **In progress** or **Never started**, with headline percentages.

5 Compliance by e-mail list. Switch **Cohort** to **By e-mail list** and paste this in:

```
student1@upr1.test
student2@upr1.test
student3@upr1.test
student4@upr1.test
notarealperson@upr1.test
```

Click **Apply**. The report covers the four real people and explicitly tells you the fifth address matched nobody.

Say: *That's the mandatory-training question: "has this exact list of named people done this course?" — and it never silently drops an address it couldn't match.*

6 Certification report. Open it and set **Status** to **All**. Issued and revoked certificates side by side, with the grade exactly as it was printed.

- 7 Export — all three formats.** On any report, use the export control:
- **CSV** and **Excel** download immediately.
 - **PDF** produces a branded, print-ready document. Open it — it carries the UPRL header, the report title, and the filters you applied printed at the top so the reader knows exactly what they're looking at.
- Say:** *The screen, the spreadsheet and the PDF are all built from one shared definition of the report, so what the Vice-Chancellor prints is exactly what the admin saw. There is no second code path to drift.*
- 8 Queued large exports** optional — needs the pre-flight tweak
- If you added `REPORTS_QUEUE_THRESHOLD=50` in the pre-flight, export the **Learner report** as Excel now. Instead of downloading, you get a message that the report is being prepared. Within a second or two the **bell** shows a **"report ready"** notification — click it to download.
- Say:** *Above a threshold we don't hold the request open. The file is built in the background on a private disk and delivered by notification, and the download link is ownership-checked — nobody else can use your link.*
- 9 The other dashboards.** Sign in as `instructor1@uprl.test` to show the instructor dashboard (their courses, their learners, their grading queue), then as `student1@uprl.test` for the student one (continue learning, upcoming deadlines, recent grades).
- Say:** *Same route, same page — three completely different answers depending on who's asking.*

13 Act 10 — The auditor & the wrap

≈ 3 min

1 Sign in as the auditor in Window B:

E-mail: auditor@uprl.test

Password: password

2 Show what it can see. Walk **People**, **Teaching**, a course roster, **Grading**, **Certificates** and **Reports**. Everything is readable.

3 Show what it cannot do. Every create, edit, delete, approve and grade control is **absent** — not greyed out, absent. There is no **Messages** item in the sidebar either: a read-only observer never starts conversations.

4 Prove it isn't just hidden buttons. Paste an admin-only URL into the address bar:

http://127.0.0.1:8000/admin/grade-scales

You get a **403 Forbidden**.

Say: *The auditor holds only view permissions. It isn't a UI that hides things from a powerful account — the account itself has no power to hide.*

5 Close on the design system. Open:

http://127.0.0.1:8000/styleguide

The living design reference: brand colours, typography, buttons, badges, cards, skeleton loaders, the rich editor. This is why every screen tonight looked like the same product.

Say: *This page is registered only in local and testing environments — in production the route doesn't exist at all.*

The four moments to make sure you land

1. **Complete & Continue** — the live unlock and celebration (Act 4, step 6).
2. **Withdraw** → **auto-promotion** — a seat freeing and instantly refilling across two windows (Act 6b).
3. **Public certificate verification** — no login, ten seconds, QR code (Act 7, step 4).
4. **A locked URL being refused** — proof the rules are real (Act 4 step 5, Act 10 step 4).

14 User stories — the acceptance checklist

Tick these off if you are testing rather than presenting. Each maps to something you can verify in the running app.

AS A PROSPECTIVE STUDENT

I WANT TO...	VERIFY
browse courses without an account	/courses signed out
search and filter by faculty, department and level	Catalogue controls, no page reload
preview a lesson before committing	Free-preview lesson on PRL101
register and verify my e-mail	/register
not see courses that aren't published	SCM330 & PAD120 absent from /courses

AS A STUDENT

I WANT TO...	VERIFY
enrol instantly on an open course	PRL101 → Enrol
request a place where approval is required	LDS201 → Request enrolment → Pending
join a waitlist when a course is full, and see my position	PRL305 → "You're #N on the waitlist"
be promoted automatically when a seat frees	Act 6b
resume exactly where I left off	Continue learning → first incomplete lesson
see my progress update the moment I finish a lesson	Complete & Continue
be stopped from skipping ahead on a sequential course	Locked lesson URL bounces back
take a timed exam that survives a refresh	F5 mid-exam: answers, order and clock all persist
see my result and review the correct answers	Result screen after submitting
submit an assignment, and resubmit if it's returned	v2 submission on PRL101
know why my course isn't complete yet	/learn/.../congratulations checklist
see my grades on a recognised Nigerian scale	Player sidebar → Grades
receive a certificate automatically when I finish	/certificates
ask a question in the course forum and get an accepted answer	PRL101 forum
message my instructor privately	/messages
control which notifications reach me	/profile matrix

AS AN INSTRUCTOR

I WANT TO...	VERIFY
build a course with modules and mixed lesson types	Builder → Curriculum
reorder curriculum by dragging, with no Save button	Drag a lesson
embed a YouTube or Vimeo video by pasting a URL	Add lesson → Video

submit a course for review and be told if it's returned	Submit for review; PAD120's reviewer note
build a question bank across every question type	/manage/courses/.../questions
set a time limit, pass mark, attempt cap and review policy	Assessment builder
randomise an exam from a pool so no two students match	Practice pool assessment
grade essays and assignments against a rubric	/manage/grading
return work for resubmission with a note	Grading workspace
see who is stuck and where	Progress heat-strip
see which questions my class finds hardest	Analytics → Hardest questions
measure what my class actually learned	Analytics → Knowledge gain
approve enrolments only on courses I lead	instructor2 has a queue; instructor1 does not
announce something to everyone enrolled	Builder → Announcements
never see another instructor's course	Teaching lists only own courses

AS AN ADMINISTRATOR

I WANT TO...	VERIFY
invite staff without e-mailing anyone a password	/admin/invitations
deactivate someone without destroying their record	People → Deactivate
be unable to lock myself out	No Deactivate on own row
organise the university into faculties and departments	/admin/faculties
decide what goes live	Publish SCM330
be prevented from publishing an incomplete course	Publish checklist
enrol many students at once, safely	Bulk import preview-then-confirm
define the institution's grading scale	/admin/grade-scales
design the certificate	/admin/certificate-templates
revoke a certificate and have verification reflect it	Registry → Revoke → /verify
catch completions that never got a certificate	Registry → "Completed, not yet issued"
review reported forum posts	/admin/forum-reports
answer "has this named list done this course?"	Compliance report → By e-mail list
export any report to Excel, CSV or PDF	Export control

AS AN AUDITOR

I WANT TO...	VERIFY
observe everything relevant to governance	People, courses, rosters, grading, certificates, reports
be structurally incapable of changing anything	Controls absent; /admin/grade-scales returns 403

15 If something goes wrong

Everything in this guide was executed against the running application, so none of it should surprise you. But if it does:

SYMPTOM	DO THIS
Anything at all looks wrong and you have 2 minutes	Re-run <code>php artisan migrate:fresh --seed</code> . It restores every state described in this guide, and takes ~90 seconds. This is the universal fix — do it between runs if you present twice.
A page looks unstyled, or a button does nothing	The compiled assets are stale. Stop the server, run <code>npm run build</code> , restart with <code>php artisan serve</code> , then hard-reload the browser with <code>Ctrl + Shift + R</code> .
"Page Expired" after submitting a form	The page sat open too long and the security token expired. Reload the page and submit again. If it persists, sign out and back in.
You are unexpectedly signed out	Sessions last 2 hours. Just sign in again — nothing is lost.
The waitlist doesn't promote anyone	The course must be genuinely at capacity first. Check the roster meter reads 3 / 3 before withdrawing. If it doesn't, re-seed.
A certificate serial from this guide doesn't work	Expected — serials regenerate on every seed. Read the current one off the certificate PDF or the registry at <code>/admin/certificates</code> .
A student's name doesn't match this guide	Expected — names are randomised per seed. Always go by e-mail address.
The queued-export demo downloads instead of queueing	You skipped the optional pre-flight step. Add <code>REPORTS_QUEUE_THRESHOLD=50</code> to <code>.env</code> and run <code>php artisan config:clear</code> .
Port 8000 is already in use	Run <code>php artisan serve --port=8001</code> and use <code>http://127.0.0.1:8001</code> throughout.
You need to see an e-mail the system "sent"	Mail is in log mode. Open <code>storage/logs/laravel.log</code> and scroll to the bottom — the full rendered message is there.

Two things in the interface that are intentional, in case someone asks

1. The **Settings** item at the bottom of the admin sidebar is greyed out and marked **Soon**. It is a deliberate placeholder for a future section, not a broken link.
2. On the admin dashboard, the enrolment trend's final bar is much taller than the rest. That's because all the "live" demo enrolments are dated today while the historical ones are spread across the previous eleven months. It reads as growth, which is fine — just don't claim it as a real trend.

16 Scope, roadmap & quick reference

What is deliberately not built yet

Naming these yourself is far better than being asked. They are roadmap, not gaps:

- **A settings/configuration area** for institution-wide preferences — the placeholder is visible in the sidebar.
- **Live notifications over websockets.** The bell polls every 60 seconds today, which is sufficient; real-time push is a deliberate later upgrade.
- **Self-hosted video with access control.** Video is embed-first (YouTube/Vimeo). If protected video is ever needed, it should go to a dedicated video host, not general file storage.
- **Payments and fees.** Never in scope for this build.
- **Mobile applications.** The interface is fully responsive from 375px upward, but there is no native app.
- **Automated profanity filtering** in forums — explicitly out of scope; moderation is the report queue plus server-side HTML sanitising.

Quick reference — every URL you might need

SCREEN	URL (APPEND TO <code>HTTP://127.0.0.1:8000</code>)
Landing page	<code>/</code>
Public catalogue	<code>/courses</code>
Public certificate verification	<code>/verify</code>
Dashboard (role-aware)	<code>/dashboard</code>
My Learning · Learning history	<code>/my-learning</code> · <code>/history</code>
My Certificates	<code>/certificates</code>
Notifications · Profile & preferences	<code>/notifications</code> · <code>/profile</code>
Messages	<code>/messages</code>
Player — sequential course (PRL220)	<code>/learn/strategic-campaign-planning</code>
Player — flagship course (PRL101)	<code>/learn/prl101-foundations-of-public-relations</code>
Completion checklist (PRL101)	<code>/learn/prl101-foundations-of-public-relations/congratulations</code>
Final exam (PRL101)	<code>/learn/prl101-foundations-of-public-relations/assessment/final-exam</code>
Course forum (PRL101)	<code>/courses/prl101-foundations-of-public-relations/forum</code>
Teaching (course list)	<code>/manage/courses</code>
Course builder (PRL101)	<code>/manage/courses/prl101-foundations-of-public-relations/edit</code>
Question bank (PRL101)	<code>/manage/courses/prl101-foundations-of-public-relations/questions</code>
Learner progress (PRL101)	<code>/manage/courses/prl101-foundations-of-public-relations/progress</code>
Gradebook (PRL101)	<code>/manage/courses/prl101-foundations-of-public-relations/gradebook</code>
Course analytics (PRL101)	<code>/manage/courses/prl101-foundations-of-public-relations/analytics</code>
Roster — waitlist demo (PRL305)	<code>/manage/courses/crisis-communication-essentials/roster</code>

Roster — invite-only (JRN210)	/manage/courses/media-writing-storytelling/roster
Enrolment approvals	/manage/approvals
Bulk enrolment import	/manage/enrollments/import
Grading — assessments · assignments	/manage/grading · /manage/grading/assignments
Rubric library	/manage/rubrics
People · Invitations	/admin/users · /admin/invitations
Academic structure	/admin/faculties
Grade scales	/admin/grade-scales
Certificate registry · templates	/admin/certificates · /admin/certificate-templates
Reported posts (moderation)	/admin/forum-reports
Report centre	/admin/reports
→ Learner · Instructor	/admin/reports/learner · /admin/reports/instructor
→ Compliance · Certification	/admin/reports/compliance · /admin/reports/certification
Style guide (local only)	/styleguide
E-mail template previews (local only)	/mail-preview/invitation · /verify · /reset

The one-sentence close

If you say nothing else, say this

"Ten sections, four hundred and forty-seven passing tests, and every rule that matters — who may see what, what unlocks when, how long an exam lasts, whether a certificate is genuine — enforced on the server, where a student can't reach it."