userinterface

Add collection description...

POST create critic User

Open request→

http://localhost:5500/createUser

Add request description...

Body urlencoded

gas 30000000

// gas limit per transaction

email emailExample1@up.edu.mx

// email for critic User

government 0x2CFcBB9Cf2910fBa7E7E7a8092aa1a40BC5BA341

// government address



http://localhost:5500/registerUser

Add request description...

Body urlencoded

gas 3000000

contractAdd 0x36921a0088fa4752fc0b441454a086e15a0f6cd1

// contract address of critic User (create service of users)

publicMethod registerUser

// method

userAddress 0x207Ee448397059BA705629674b2F8c9Df1CA594b

// Example address from ganache

name User 2

// Name

lastName type user

// Last name

email emailExample@gmail.com

// email of the new user

userType 2

// type of user

//user 0 = government | user 1 = admin | user 2< = normal user

government 0x295865c0e1BfE88A898068aab9608f8277BF257D

// The one making the service request, the sender address (Need

to be Admin or Government to register users)

GET getInfo Open request→

http://localhost:5500/getInfoUser?contractAdd=0x36921a0088fa4752fc0b441454a086e15a0f6cd1&userAddress=0x207Ee448397059BA705629674b2F8c9Df1CA594b

Add request description...

Query Params

contractAdd 0x36921a0088fa4752fc0b441454a086e15a0f6cd1

// contract address of critic User (create service of users)

userAddress 0x207Ee448397059BA705629674b2F8c9Df1CA594b

// user addres example from ganache

GET consult Open request→

http://localhost:5500/consultuser?contractAdd=0x36921a0088fa4752fc0b441454a086e15a0f6cd1&publicMethod=nameToken

Add request description...

Query Params

contractAdd 0x36921a0088fa4752fc0b441454a086e15a0f6cd1

// contract address of critic User (create service of users)

publicMethod nameToken

// public method to consult

GET proof Open request→

http://localhost:5500/proofu