

URBREATH [101139711]

**Systemic Integration of Transformative Technical and Nature-based Solutions to
Improve Climate Neutrality of European Cities and Regions and tackle Climate
Change: the URBreath Approach**

**URBREATH**

KPI Manager User Guide

Project Reference No	URBREATH – 101139711
Deliverable	KPI Manager User Guide
Work package	WP4: URBREATH decision making framework
Type	OTHER
Dissemination Level	
Date	28/02/2026
Status	Final
Editor(s)	
Contributor(s)	
Reviewer(s)	
Document description	This document provides a complete user guide for the KPI Manager, detailing all available features and configuration options. It explains how to create, manage, and monitor KPIs and measures, offering step-by-step instructions and interface descriptions.

Document Revision History

Version	Date	Modifications Introduced	
		Modification Reason	Modified by

Disclaimer

The URBREATH project is co-funded by the European Union under grant agreement ID 101139711. The information and views set out in this document are those of the URBREATH Consortium only and do not necessarily reflect those of the European Union. Neither the European Union nor the granting authority can be held responsible for them.

Executive Summary

The KPI Manager is designed to track, analyse, and manage key performance indicators effectively. Its primary purpose is to provide insights into the performance of various aspects of an organization, a project, a solution, enabling informed decision-making and strategic planning. It acts as a central hub for aggregating data from various sources. By consolidating data from disparate systems and databases, the KPI Manager provides a unified view of performance metrics. Through intuitive visualization tools such as dashboards, charts, and graphs, KPI Manager presents KPIs in a clear and accessible manner. This allows stakeholders to quickly see trends, patterns, and outliers within the data, facilitating informed decision-making.

Table of Contents

1	GETTING STARTED.....	5
2	EXPLORING THE DASHBOARD.....	6
2.1	MAIN MENU	6
3	MANAGING MEASURES.....	7
3.1	OVERVIEW	7
4	DEFINING A MEASURE.....	9
4.1	ACCESSING THE MEASURE CREATION FORM	9
4.2	ENTERING MEASURES DETAILS	10
4.2.1	<i>Measure Preview</i>	10
5	CREATING A KPI	12
5.1	ACCESSING THE KPI CREATION TOOL.....	12
5.2	ENTERING INITIAL INFORMATION.....	12
5.3	DEFINING KPIS.....	12
5.3.1	<i>Description</i>	14
5.3.2	<i>Linking Measures or Existing KPIS</i>	14
5.3.3	<i>Map Integration</i>	14
5.3.4	<i>Review and Continue</i>	16
5.4	WRITING KPI'S FORMULA	16
5.4.1	<i>Creating a formula</i>	17
5.4.2	<i>Scheduling the KPI Calculation</i>	20
5.4.3	<i>Setting the Target Value and Unit of Measure</i>	20
5.4.4	<i>Completing the Formula Step</i>	20
5.5	SELECTING KPI'S DASHBOARD	21
5.5.1	<i>Choosing a chart type</i>	22
5.5.2	<i>Previewing the Chart</i>	22
5.5.3	<i>Adjusting and finalizing the chart</i>	22
5.6	KPI'S SUMMARY	23
5.6.1	<i>Reviewing KPI details</i>	23
5.6.2	<i>Visual indicators</i>	24
5.6.3	<i>Final Adjustments</i>	24
6	MANAGING KPIS.....	25
6.1	VIEWING AND EDITING KPIS	25
6.1.1	<i>Status Toggle</i>	25
6.2	DUPLICATING, EXPORTING, AND DELETING KPIS.....	25
6.3	COMPARING KPIS.....	26
6.4	CUSTOMIZING THE KPI LIST VIEW	28
6.5	ADDITIONAL FEATURES	28

1 Getting started

After logging into the KPI Manager, you will be taken to the main dashboard, providing a comprehensive overview of your KPIs:

- the central area displays all KPIs currently available in the system,
- the left sidebar offers access to the primary navigation menu,
- and the bottom-left corner shows the currently logged-in user

The screenshot shows the KPI Manager dashboard. On the left is a dark sidebar with a navigation menu containing 'KPIs' and 'MEASURES'. The main area displays a table of KPIs. At the top right, there is a search bar and a 'CREATE KPI' button. At the bottom left of the sidebar, the user 'giuseppe' is logged in. The footer shows a copyright notice for 2026.

		Last measured value	Target	Unit Measure	Last Update	Context
☐	AvgTempAthens This KPI calculates th...	10.8	15	CELSIUS	26/02/2026 at 16:00:10	ATHENS
☐	AvgTempClujNapoca This KPI calculates th...	0.333	13	CELSIUS	26/02/2026 at 08:00:11	CLUJ-NAPOCA
☐	AvgTempKajaani This KPI calculates th...	-4.333	0	CELSIUS	26/02/2026 at 15:00:12	KAJAANI
☐	AvgTempTallin This KPI calculates th...	-0.133	1	CELSIUS	26/02/2026 at 15:00:12	TALLINN
☐	Drinking water Provision of drinking ...	2604	2617	INCH	01/02/2026 at 00:00:04	MADRID
☐	TempBucharest	4.9	13	CELSIUS	26/02/2026 at 16:00:07	CLUJ-NAPOCA
☐	TempCorinto This KPI tracks the te...	14.2	15	CELSIUS	26/02/2026 at 16:00:09	ATHENS
☐	TempKeila	-0.4	1	CELSIUS	26/02/2026 at 14:00:05	TALLINN
☐	TempOulu	-4.2	0	CELSIUS	26/02/2026 at 09:00:08	KAJAANI

Items per page: 10 1-9 of 9


2 Exploring the dashboard

2.1 Main Menu

Located on the left sidebar, the main menu provides access to two primary sections:

- **KPIS:** View and manage your KPIs. This section displays the same list of KPIs shown on the main dashboard, allowing you to select any KPI for detailed viewing or editing.
- **MEASURES:** Access and manage the underlying data sources on which each KPI is based.

At the top-left corner of the screen, the  icon allows to collapse or expand the left sidebar.



3 Managing measures

3.1 Overview

The Measures section, accessible from the main menu in the left sidebar, displays all the measures available in the system. Measures are data elements that can be used when defining KPIs.


Measures

☐				
☐	DrinkingWater https://overpass-api...	rest	Madrid drinking water	⋮
☐	Fountains of Madrid https://overpass-prox...	rest	The number of fountains for the city of Madrid	⋮
☐	TempBucharest https://api.open-mete...	rest	Temperature in Bucharest	⋮
☐	TempCentreAthens https://api.open-mete...	rest	Temperature in the centre of Athens	⋮
☐	TempCentreClujNapoca https://api.open-mete...	rest	Current temperature in the centre of Cluj-Napoca	⋮
☐	TempCentreKajaani https://api.open-mete...	rest	Current temperature in the centre of Kajaani	⋮
☐	TempCentreTallin https://api.open-mete...	rest	Current temperature in the centre of Tallin	⋮
☐	TempCorint https://api.open-mete...	rest	The current weather in Corinto	⋮
☐	TempKeila https://api.open-mete...	rest	Temperature in Keila	⋮
☐	TempNorthAthens https://api.open-mete...	rest	The current temperature in the North of Athens	⋮

Items per page:
1-10 of 19
|< < > >|


This page allows users to browse, search, and manage existing measures, as well as create new ones.

On the top right of the page, the search bar allows to search existing measures by name.

The central area of the page displays a table listing all defined measures. Each row summarizes the essential information so users can quickly assess the purpose and origin of every measure.


Click any measure in the list to view its configuration details.

Use the three-dot menu next to each measure for the following options:



- **Duplicate:** creates an identical copy of the measure.
- **Delete:** permanently removes the measure from the system.

You can customize how many measures are displayed at once by using the Items per page dropdown located at the bottom of the KPI list.



This is useful when managing large numbers of measures or when you prefer a compact view.

4 Defining a measure

This section explains how to define a new Measure that can be referenced in KPI definitions. A measure can retrieve data from external sources (e.g., REST APIs) or other predefined systems, depending on the configuration options selected.

4.1 Accessing the measure creation form

Click the **DEFINE MEASURE** button at the top right corner of the Measures section to open the measure creation form.

Measures > **new measure**

Context ⓘ
all-users

Name ⓘ
new measure

Type ⓘ
REST

Description ⓘ

Method ⓘ

Protocol ⓘ
HTTPS

URL ⓘ

JsonPath ⓘ

Private connection: ⓘ
Activate if connection to source is private.


START GUIDE

CANCEL

RESET

PREVIEW

Selecting **START GUIDE**, located at the bottom-left corner of the screen, opens an interactive step-by-step walkthrough designed to support you throughout the measure definition process. The first step of the guide is shown below.



4.2 Entering measures details

- **Context:** defines the context in which the measure is evaluated.
- **Name:** the identifier of this measure; its maximum length is 20 characters.
- **Type:** the data source type used to retrieve the measure, among the ones listed in the dropdown menu.
- **Description:** optional text explaining the purpose of the measure.
- **Method:** HTTP method used to call the REST endpoint.
- **Protocol:** communication protocol used to connect to the data source.
- **URL:** the endpoint address.
- **JsonPath:** JSONPath expression used to extract the response
- **Private Connection:** this toggle activates private connection mode. Enable this option if the data source requires private connection.
- **Headers:** optional HTTP headers

After entering all mandatory information in the measure creation form, the **PREVIEW** button becomes active. If you need help identifying which fields are optional, you can hover over the information icon next to each field. The tooltip provides a short description of its purpose and specifies whether the field is optional.

At the bottom of the measure creation form, the following actions are available:

- **CANCEL:** closes the form and returns to the Measures list without saving.
- **RESET:** clears all fields in the form, restoring them to their initial state.
- **PREVIEW:** becomes active once all mandatory fields have been completed and allows to generate a preview of the measure to verify that the entered configuration is valid and that the system can retrieve data as expected.

4.2.1 Measure Preview

After selecting **PREVIEW**, a dialog opens displaying the results returned by the configured measure.

This preview helps you verify that:

- the connection to the data source is working,
- the request parameters (such as URL, method, protocol, and JSONPath) are correctly configured,
- the measure returns the expected type and structure of data.

Measure preview

The measure has **1** VALUES

SHOW ALL VALUES ^

10.7

CLOSE SAVE

NOTE: This is just a preview, save or update to mantain changes.

At the top of the dialog, you can see how many values have been retrieved. By expanding the **SHOW ALL VALUES** section, you can view the complete list of returned values.

At the bottom of the preview dialog, two actions are available: you can click **CLOSE** to return to the measure form without saving or **SAVE** to confirm the configuration and create the measure, that will then be shown in the Measures list.


5 Creating a KPI

This section explains how to create and define a new KPI in the KPI Manager.

5.1 Accessing the KPI Creation Tool

To begin creating a KPI click the **CREATE KPI** button located at the top right of the KPIs section.

A creation form allowing you to enter the initial details of your KPI will appear.



5.2 Entering initial information

In the creation form, provide the following information:

- **Name:** Enter the name of your KPI.
- **Description:** Provide a brief description that helps identify the KPI's purpose.
- **Context:** Select a city from the dropdown, indicating the geographical context in which the KPI will be applied.

Once all the required information (Name and Context) has been entered, the **SAVE** button becomes active.

You can then click **CANCEL** to discard the changes and return to the previous screen or click **SAVE** to create the KPI and proceed to the definition page.

At this point, the KPI is not added to the system yet. The complete creation process is structured into four steps, each represented by a dedicated tab in the interface: definition, formula, dashboard and summary. You must complete all four steps for the KPI to be fully created and displayed in the KPI list.

5.3 Defining KPIs

This is the first step in the KPI creation workflow.

KPIs > test



1 Definition

2 Formula

3 Dashboard

4 Summary

Description

+

-

Leaflet | © OpenStreetMap contributors

MEASURES

KPIS

Click the arrow to the right of each resource to select it

Search

testnuovamisura

TempKeila

TempCentreTallin

TempSouthTallin

TempNorthTallin

START GUIDE

CANCEL

Selected

Resources for later calculations

CONTINUE

At the top of the screen, there are four tabs corresponding to the four steps of the KPI creation process: **Definition**, **Formula**, **Dashboard**, and **Summary**. Each step is represented by a numbered icon that indicates the sequence to follow.

- Only the current step is active and displayed with a blue numbered icon.
- All future steps are shown in grey and cannot be accessed until the current step is completed.
- When a step is successfully completed and you click **CONTINUE**, its numbered icon is replaced with a check icon, indicating that the step is complete.
- If you return to a previous step using **BACK**, that step remains marked with a check icon to show that its configuration has already been completed.

This visual indicator helps you track your progress and ensures that each step is completed in the correct order.

The purpose of the Definition step is to configure the fundamental properties of the KPI, including setting the ideal value, choosing the unit of measure, and linking relevant measures or existing KPIs that will contribute to the calculation of this KPI.

In the upper-left area of the screen the name of the KPI entered during the previous phase is displayed. Below the KPI name, there are the four tabs that structure the entire creation process and guide you through the full configuration of the KPI:

1. Definition (active)
2. Formula
3. Dashboard
4. Summary

The several pieces of information that need to be completed in this section are described in detail below. Selecting **START GUIDE**, located at the bottom-left corner of the screen, opens an interactive step-by-step walkthrough designed to support you throughout the KPI definition process.

5.3.1 Description

This field may already be pre-filled with the text entered during the initial creation step, if a description was provided. If no description was entered previously, this field will be empty. In either case, it can be filled, modified or expanded.

5.3.2 Linking Measures or Existing KPIs

Below the Description and map area, you will find two tabs:

- **MEASURES**
- **KPIs**

These tabs allow to search for and select the resources (existing measures or KPIs) that will later be used to calculate this KPI. The available measures shown here are displayed in the Measures section of the main menu in the left sidebar, whereas the KPIs are shown in the KPIS section of the main menu:

1. Use the search bar to find the available items.
2. Click the arrow icon on the right side of each resource to add it to the KPI.
3. Selected items appear in the Selected panel on the right side of the screen, under “Resources for later calculations”; if needed, they can be removed using the bin icon.

5.3.3 Map Integration

On the right side of the Definition tab, a map preview allows you to associate a geographical location with the KPI. This is useful to select relevant locations, especially for KPIs related to regional performance or other location-specific metrics. To do that:

1. Click the target icon on the right of the map preview to open the enlarged interactive map dialog

- Define the KPI's reference point by either clicking directly on the map to place a pin or entering latitude and longitude manually in the related fields. The selected location appears as a blue pin.

Select Location

Select or write the coordinates of the location linked to this Kpi

Latitude

38.03

Longitude

23.73

strings.number-hint

CANCEL

SAVE

- Click **SAVE** to associate the selected location with your KPI or **CANCEL** to return to the Definition tab. Once saved, the location appears in the map preview on the Definition page.
- If the location is no longer relevant and you want to clear the assigned map point, click the bin icon next to the map preview; this removes the pinned location and resets the fields.

5.3.4 Review and Continue

The screenshot shows the 'Definition' tab of the KPI Manager. At the top, there are four tabs: Definition (active), Formula, Dashboard, and Summary. Below the tabs, there is a 'Description' field on the left and a map of Athens on the right. Below the map, there is a list of measures and KPIs. The 'Selected' list on the right contains 'TempSouthAthens', 'TempCentreAthens', and 'TempNorthAthens'. Buttons for 'CANCEL' and 'CONTINUE' are visible at the bottom.

Once all the required information has been entered and all relevant resources selected, review the information for accuracy. Then Click **CONTINUE** to proceed to the Formula tab, where you will configure how the KPI is calculated, or click **CANCEL** to discard the changes and return to the main dashboard.

5.4 Writing KPI's formula

The Formula section allows you to define how the KPI will be calculated. In this step, you will use the measures or KPIs selected during the Definition phase to build the calculation logic that determines the KPI's value.

The interface is structured into three main sections:

- the **KPI/Measures** panel on the left, showing the resources selected in the previous step
- the **Formula** editor in the upper-right area
- the **Schedule** and **Target and unit measure** settings in the lower-right area

Selecting **START GUIDE**, located at the bottom-left corner of the screen, opens an interactive step-by-step walkthrough designed to support you throughout the process of writing the KPI calculation formula.

KPIs > test



Definition

2 Formula

3 Dashboard

4 Summary

KPI/Measures

Drag and drop the KPI and/or measures you want to use in the new KPI into the formula field.

- TempSouthAthens
- TempCentreAthens
- TempNorthAthens

Formula ①

LaTeX:

Please enter a formula to continue.

Please execute validation to check the formula

Schedule ①

Schedule every: time

Target and unit measure

Set the ideal value and unit of measure for this KPI.

Target value Unit of Measure

START GUIDE

5.4.1 Creating a formula

1. Adding a Measure (Drag & Drop)

In the **KPI/Measures** panel on the left side of the screen, you will find a list of available measures and KPIs. To add one of them to your formula, click and drag the item's name and drop it into the **Formula** field.

2. Selecting a function

As soon as the measure is dropped into the **Formula** field, a dialog is displayed prompting you to select an option among the available aggregation functions to apply to the measure you are adding to the formula.

Select an option

Max (**max**)

Min (**min**)

Median (**med**)

Mean (**μ**)

Mode (**Mo**)

Standard deviation (**σ**)

Sum (**Σ**)

CANCEL

At this moment, you must either select an aggregation function or press **CANCEL**. If you choose to close the dialog, nothing is added to the formula.

Available functions include:

- Max (max) — maximum value
- Min (min) — minimum value
- Median (med) — median value
- Mean (μ) — average value
- Mode (Mo) — most frequent value
- Standard Deviation (σ) — variability measure
- Sum (Σ) — total sum of all values

When one of them is selected the system complete the drop and the measure is inserted into the Formula field with the selected aggregation function already applied, both in the visual formula area and in the LaTeX field. The *LaTeX field* is a read-only representation of the formula shown in the visual editor above. It displays the LaTeX translation of the elements you insert, but any modification to the formula must be made directly in the visual formula area. The LaTeX view updates automatically to reflect changes made in the visual editor.

Formula ⓘ

max(TempSouthAthens)

⌨

☰

LaTeX: \max\left(TempSouthAthens\right)

3. Building the formula

Once the first aggregated measure has been inserted into the formula, you may continue building the formula by adding additional measures or KPIs from the list on the left, to have more complex calculation. Each new KPI/measure is added using the same drag-and-drop sequence explained above: you release the measure inside the Formula field, an operation-selection dialog appears, and the measure is inserted only after you choose the aggregation function.

After inserting the required aggregated measures, the next step is to combine them using mathematical operators (such as +, -, * and /) or parentheses to group parts of the expression.

Operators and parentheses can be inserted using either:

- the physical keyboard, or
- the virtual keyboard, which can be toggled by clicking the keyboard icon on the right side of the Formula field.

Both keyboards can also be used to remove operators, parentheses and measures/KPIs or reposition or correct parts of the expression.

Throughout this process, the LaTeX field located below the Formula field updates automatically. Since the system evaluates the LaTeX expression in real time, you may occasionally see the message “Invalid formula” displayed next to the LaTeX field while still constructing the formula. The message disappears automatically once the formula is structurally correct.


4. Validating the formula

Before you can proceed to the next step, the formula must be validated to ensure that it is complete and syntactically correct. Validation through the **VALIDATE** button located next to the Formula field, that is enabled only when the Formula field contains at least one measure/KPI.

When you click **VALIDATE**, the system checks:

- that at least one aggregated measure or KPI has been added
- that the formula structure is complete
- that operators and parentheses form a valid expression

If the formula is valid the following dialog appears:



The displayed result is the current result of the formula.

If any issue is detected, a dialog reporting an error is displayed.

5.4.2 Scheduling the KPI Calculation

Below the formula editor, the Schedule section allows to configure how often the KPI should be recalculated:

- Enter the numeric value
- Select the corresponding time unit (e.g., *hours*, *days*) from the dropdown menu

The KPI will be automatically updated at the specified interval.

5.4.3 Setting the Target Value and Unit of Measure

In the lower-right section, under Target and unit measure, you can define:

- **Target value:** the ideal value the KPI aims to achieve
- **Unit of Measure:** the measurement unit used by the KPI. Select it from the drop-down menu, you can either scroll through the list or start typing the first letters of the desired unit: matching options will appear automatically. If the unit of measure you need is not available in the list, select *other*. A text field will then appear, allowing you to enter a custom unit of measure, as shown below.

Target and unit measure

Set the ideal value and unit of measure for this KPI.

Target value

15

Unit of Measure

other



Custom Unit of Measure

5.4.4 Completing the Formula Step

Once all required fields, including a successfully validated formula, the scheduling configuration, the target value, and the unit of measure, the CONTINUE button becomes enabled.

2 Formula

3 Dashboard

4 Summary

W KPI into the formula field.

Formula ⓘ

$$\frac{TempSouthAthens + \max(TempCentreAthens) + \max(TempNorthAthens)}{3}$$

LaTeX:

$\frac{\left(\max\left(\text{TempSouthAthens}\right) + \max\left(\text{TempCentreAthens}\right) + \max\left(\text{TempNorthAthens}\right)\right)}{3}$

Valid formula. You can continue creating the KPI [VALIDATE](#)

Schedule ⓘ

Schedule every: 2

time: hours

Target and unit measure

Set the ideal value and unit of measure for this KPI.

Target value: 15

Unit of Measure: Celsius - °C


[BACK](#)

[CONTINUE](#)

Click **CONTINUE** to move to the Dashboard tab, **BACK** to return to the Definition step or **CANCEL** to discard the changes and return to the main dashboard.

5.5 Selecting KPI's dashboard

The Dashboard tab allows you to choose the type of chart that best suits the data and provides an effective visual summary of the KPI's performance. Selecting the right dashboard visualization ensures that your KPI is effectively communicated to stakeholders, making the data both accessible and actionable.



5.5.1 Choosing a chart type

On the left side of the Dashboard section, you can choose among several chart types:

- **Bar** — Ideal for comparing values across different time periods or categories.
- **Area** — Highlights the magnitude of change over time and cumulative trends.
- **Line** — Useful for tracking variations and identifying trends over intervals of time.
- **Doughnut** — Suitable for showing proportions or percentages within a dataset; it is similar to a pie chart

For all chart types except the Doughnut one, a green line is displayed to represent the target value defined in the Formula step. This allows you to visually compare the KPI's current performance against its target.

Click on any chart type to select it.

5.5.2 Previewing the Chart

After selecting a chart type a preview appears on the right side of the screen, showing how your KPI will be displayed using the chosen visualization.

The preview is generated automatically from the data calculated by your formula, allowing you to see real-time updates as you switch between chart types. This helps you evaluate which visualization best represents your KPI.

5.5.3 Adjusting and finalizing the chart


Review the preview to ensure the selected chart type appropriately reflects the KPI's behaviour.

If adjustments are needed, you can return to the Formula step to refine the formula or modify inputs. Any changes to the formula will be reflected in the preview when you return to the Dashboard step.

When you are satisfied with the chart, click **CONTINUE** to move to the Summary step, **BACK** to return to the previous step or **CANCEL** to discard the changes and return to the main dashboard.

5.6 KPI's Summary

The Summary tab provides a complete overview of the KPI configuration and allows you to review all details before saving or updating the KPI. It consolidates all relevant information defined in the previous steps and displays it in a clear, structured layout.



5.6.1 Reviewing KPI details

At the top of the Summary section, you will see:

- the KPI description, summarizing what the KPI measures
- the Unit of Measure displayed on the right

These elements allow you to quickly verify the overall context of the KPI.

A preview of the selected dashboard visualization is shown in the centre of the screen. The chart reflects the formula and data previously defined. The green line represents the target value set (this does not apply to the Doughnut chart).

This preview helps confirm that the selected visualization accurately communicates the KPI's performance.

Below the chart, the KPI Formula is shown inside a dedicated box.

Under the final expression used to calculate the KPI, the Scheduling information is displayed, indicating how often the KPI will be recalculated.

If the KPI includes a geographical component, the selected location map is shown in the bottom right corner of the Summary section. This allows you to verify that the correct area or point of interest has been selected.

5.6.2 Visual indicators

Immediately below the description, four coloured indicator cards:

- **Target:** the goal you have set for the KPI
- **Minimum:** the lowest recorded value
- **Maximum:** the highest recorded value
- **Average:** the mean value of the KPI data over time

These values provide an immediate understanding of the KPI's behaviour based on the data that has been calculated and help you quickly assess the overall setup and expected performance metrics.

5.6.3 Final Adjustments

If you notice any errors or if something that needs to be adjusted, you can use the **BACK** button to return to the previous step you can go back to the relevant section (Definition, Formula, or Dashboard) using the navigation tabs at the top.



Edit the relevant settings (Definition, Formula, or Dashboard) and return to Summary for a final review

Once everything is correct click **SAVE** to confirm the configuration and create or update the KPI.

Otherwise click **CANCEL** to exit the process without saving any changes.

All settings will be applied only after clicking **SAVE**.

Important Notes:

- **Status Monitoring:** After saving, you can always return to the KPI dashboard to monitor it and make further adjustments if needed. The KPI **STATUS**, indicating whether it is running or stopped, can be set after saving by setting it in the Summary tab.
- **Empty data collection:** If there are no data collected for a KPI, a notification message will appear on the screen indicating that the KPI is currently empty. This message will inform you that the data shown on the page are for demonstration purposes only.

6 Managing KPIs

Once KPIs have been created, they can be viewed, edited, duplicated, exported, or deleted from the KPI list. KPI values update automatically based on the schedule defined in the Formula section, ensuring the KPI always reflects the latest available data.

6.1 Viewing and Editing KPIs

Click any KPI in the list to open its details.

From this view, you can update all KPI settings, including the Definition, Formula, Dashboard, and Summary sections.

When editing an existing KPI, these tabs display the values previously configured during creation, allowing you to review and modify them as needed. At the top of the **Summary** section, above the KPI description area, you can visualise the **STATUS** toggle, displayed only when editing an already saved KPI and not available during the KPI creation.

6.1.1 Status Toggle

The **STATUS** toggle indicates whether the KPI will start running immediately after saving.




- Set the toggle to **Running** to begin updating the KPI as soon as it is saved.
- Set it to **Stopped** if you do not want the KPI to run yet.

This toggle is not available during the initial creation of a KPI, as the status can only be set after the KPI has been saved for the first time.

6.2 Duplicating, Exporting, and Deleting KPIs

Use the three-dot menu next to each KPI for the following options:




- **Duplicate:** creates an identical copy of the KPI.
- **Compare:** compares KPIs within the same context
- **Delete:** permanently removes the KPI from the system.

6.3 Comparing KPIs

Selecting **Compare** from the three-dot menu opens the comparison page, where you can analyse multiple KPIs side by side within the same context.

KPIs > Compare: **AvgTempAthens**



This page provides several options to customize the comparison:

- **KPIs selection**

The **ADD COMPARISON** panel lists the KPIs available for comparison with the selected one. To include an additional KPI in the chart, select its checkbox.

- **Date Range Selection**

At the top right of the page, you can adjust the **Start date** and **End date** fields to define the period of analysis. Both fields include a calendar selector that allows you to choose both the day and the time. By default, the end date is set to the current date and time.

Changing the Start or End date does not automatically update the chart.

- **Chart Type selection**

In the chart area, you can choose how the data is displayed by selecting either **LINE** or **BAR** view.

- **Settings**

The **SETTINGS** button in the upper-right corner opens a dialog allowing to enable/disable the **Round Dates Down** option. This setting allows to control how the system matches timestamps when KPIs have different data frequencies or slightly misaligned time entries: when enabled, the date of each value in the selected KPIs is aligned to the nearest *previous* date available in the main KPI. If disabled, dates are instead aligned to the nearest *next* date.


The central part of the page contains the chart area. When the comparison page is first displayed, this area is empty and no data is shown yet.

The chart is generated only after you:

1. Select one or more KPIs from
2. Click the **COMPARE** button

The comparison generates both the **LINE** and **BAR** charts. You can switch between the two views at any using the tabs above the chart area.

The image below shows an example of the chart after generating the comparison.




Once generated, the chart does not change until new parameters are applied and the **COMPARE** button is selected again for the update to take effect.

At the bottom of the page, in addition to the **COMPARE** button, which generates the comparison chart as described above, you can select **CANCEL** to return to the KPI.

6.4 Customizing the KPI List View

You can customize how many KPIs are displayed at once by using the Items per page dropdown located at the bottom of the KPI list.

The screenshot shows the bottom of a web interface. It includes a header bar with the text 'METER', a timestamp '05/08/2024 at 15:38:28', the word 'default', and a vertical ellipsis menu icon. Below this is a pagination section. On the left, it says 'Items per page:' followed by a dropdown menu currently set to '10'. In the center, it shows '1-7 of 7'. On the right, there are four navigation icons: a double left arrow, a single left arrow, a single right arrow, and a double right arrow.

This is useful when managing large numbers of KPIs or when you prefer a compact view.

6.5 Additional Features

- **Search Function:** A search bar at the top of the KPI list enables quick filtering by name or description, making it easier to locate specific KPIs even in long lists.
- **Status Indicators:** Each KPI displays a status indicator, appearing as a coloured circular dot next to the KPI name, showing whether it is *Running* or *Stopped*. This helps you immediately identify which KPIs are currently running and which ones are disabled. This status corresponds to the setting defined through the **STATUS** toggle, as described in section 6.1.1.