## Fake News Detection

Unmasking Deceptive Information





## Introduction

Fake news detection employs techniques such as natural language processing and machine learning to identify deceptive information presented as news.

Fake news can have serious consequences, from influencing elections to causing panic and confusion during times of crisis. In this presentation, we will explore the ways in which fake news spreads, the impact it can have, and most importantly, how we can detect it



## **Exploratory Data Analysis**



**Exploratory data analysis (EDA)** plays a crucial role in effectively detecting fake news by providing insights into the characteristics that differentiate real and fake news articles.

During our EDA process, we examined various features, including article length, unique word usage, and sentiment analysis. The findings revealed that fake news articles tend to be shorter in length and employ emotionally charged language, while real news articles exhibit more formal writing styles. Furthermore, fake news articles often contain a higher number of spelling and grammatical errors compared to their genuine counterparts. By leveraging these insights, we can develop more accurate and reliable fake news detection models.

## Metric and Model Selection



#### Logistic Regression

Simple and interpretable, performs well with small to moderate-sized datasets, provides probabilistic interpretations.

(Accuracy: 0.98)

#### **Decision Tree**

Simple and interpretable, handles numerical and categorical features, captures non-linear relationships (Accuracy: 0.99)

#### Random Forest

Ensemble learning, handles highdimensional data well, captures complex relationships. (Accuracy: 0.99)

#### **Accuracy Caparision**

- Among the three models, the Decision Tree algorithm achieved the highest accuracy.
- This indicates that the Decision Tree model was able to capture the underlying patterns in the data effectively.

## Model Implementation

#### **Decision Tree:**

from sklearn.tree import DecisionTreeClassifier patch\_sklearn( extension for Scikit-learn time: {train\_patched:.2f} s"

```
unpatch_sklearn()
start = timer()
DT = DecisionTreeClassifier()
DT.fit(X_train, Y_train)
train_patched = timer() - start
f"Scikit-learn time: {train_patched:.2f} s"

'Scikit-learn time: 22.84 s'
```

```
pred_dt = DT.predict(X_test)
DT.score(X_test, Y_test)
```

0.9966592427616926

print(classification\_report(Y\_test, pred\_dt))

	precision	recall	f1-score	support	
0	1.00	1.00	1.00	4696	
1	1.00	1.00	1.00	4284	
accuracy			1.00	8980	
macro avg	1.00	1.00	1.00	8980	
weighted avg	1.00	1.00	1.00	8980	

## Future Works

- Develop advanced machine learning models, including deep learning architectures.
- Integrate real-time news feeds and social media monitoring for timely identification of emerging fake news.
- Explore multi-modal approaches, combining text, image, and video analysis to detect deceptive content across various media formats.

### Reference

- Pandas Documentations
- Logistic Regression
   Documentations
- Shu, K., Mahudeswaran,
  D., Wang, S., Lee, D., & Liu,
  H. (2019). Fake news
  detection on social
  media: A data mining
  perspective. ACM SIGKDD
  Explorations Newsletter,
  21(2), 22-36.

## Conclusion

In summary, fake news detection is a vital field where advanced machine learning models, real-time monitoring, and multi-modal analysis are being employed to enhance accuracy and timely identification of deceptive information. By leveraging these approaches, we can mitigate the impact of fake news and promote a more trustworthy information ecosystem.

# THANK YOU!

