## Quiz 9

Total points 10/11



The respondent's email (karenjoseph@karunya.edu.in) was recorded on submission of this form.

Name *			
Karen Joseph			





✓ WLANs use high power levels and generally require a license for **\***1/1 spectrum use. a) True

✓ Which of the following specifies a set of media access control (MAC) and physical layer specifications for implementing WLANs?		
a) IEEE 802.16		
b) IEEE 802.3		
© c) IEEE 802.11	<b>✓</b>	
d) IEEE 802.15		
✓ Which of the following spread spectrum techniques were used in the original IEEE 802.11 standard?	*1/1	
a) FHSS and DSSS	<b>✓</b>	
b) THSS and FHSS		
c) THSS and DSSS		
d) Hybrid technique		
✓ The control frame that is sent by the destination station is called *	1/1	
clear to send	<b>✓</b>	
request to sent		
distributed interframe space		
short interframe space		

✓ The field ret	ry means retransmitting frame when its value is set to *	1/1
O 0		
1		<b>✓</b>
<u> </u>		
infinity		
✓ The access	method of baseband layer is *	1/1
○ FDMA		
TDMA		<b>✓</b>
○ FSK		
CDMA		
✓ A Basic Serv	vice Set (BSS) without an AP is called an *	1/1
adhoc netwo	ork	<b>✓</b>
infrastructur	re network	
connectionle	ess network	
channelization	on network	

✓ Peripheral devices can communicate through a small network, known	as * 1/1
wireless network	
Bluetooth network	<b>✓</b>
adhoc network	
opiconet network	
✓ Distributed Coordination Function (DCF) uses the mechanism of *	1/1
CSMA/CD	
○ CSMA/CA	<b>✓</b>
○ TDMA	
FDMA	

This form was created inside of Karunya Institute of Technology and Sciences.

Google Forms