

COUPON MODULE – FULL DOCUMENTATION

1 Coupon Module Purpose

Coupon module ka use hota hai:

- Discount dene ke liye
 - Promotional offers ke liye
 - User engagement increase karne ke liye
 - Admin se coupon manage karne ke liye
-

2 Coupon Table Fields (Database Structure)

Column	Type	Description
id	bigint	Primary ID
coupon_name	string	Coupon Name
coupon_code	string	Unique Code (NEW2026)
amount	decimal	Discount amount
type	enum	fixed / percent
minimum_order_amount	decimal	Min order required
per_user_usage	int	Per user usage limit
total_usage_limit	int	Total usage limit
start_date	date	Coupon start date
end_date	date	Coupon expiry date

description	text	Coupon description
status	tinyint	1 = Active, 0 = Inactive
created_at	timestamp	Created
updated_at	timestamp	Updated
deleted_at	timestamp	Soft delete

3 Coupon API Endpoints (Admin Panel)

3.1 List Coupons

GET `/api/v1/settings/coupon`

Search Parameters

Parameter	Type	Description
search	string	Search by coupon_name or coupon_code
status	0/1	Filter by active/inactive
start_date	date	Filter coupons starting after this date
end_date	date	Filter coupons ending before this date
limit	int	Pagination limit
page	int	Pagination page

Example

`/coupon?search=NEW&status=1&start_date=2026-01-01&end_date=2026-01-31`

3.2 Add / Update Coupon

POST `/api/v1/settings/coupon`

Request Body

```
{
  "id": 1,
  "coupon_name": "New Year Offer",
  "coupon_code": "NEW2026",
  "amount": 100,
  "type": "fixed",
  "minimum_order_amount": 500,
  "per_user_usage": 1,
  "total_usage_limit": 1000,
  "start_date": "2026-01-01",
  "end_date": "2026-01-31",
  "description": "New Year Discount",
  "status": 1
}
```

👉 If `id` exists → Update

👉 If `id` not exists → Create

✓ 3.3 Show / Edit Coupon

GET /api/v1/settings/coupon/{id}

✓ 3.4 Delete Coupon

DELETE /api/v1/settings/coupon/{ids}

Multiple Delete Example

DELETE /coupon/1,2,3

✓ 3.5 Update Coupon Status

POST /api/v1/settings/coupon/update-status

Body

```
{  
  "id": 1  
}
```

👉 Status auto toggle (Active ↔ Inactive)

✅ 3.6 Export Coupons

GET /api/v1/settings/coupon/export

Supported Filters

- search
- status
- start_date
- end_date

👉 Export Excel / CSV file

4 Apply Coupon API (User Side)

✅ 4.1 Apply Coupon

POST /api/v1/coupon/apply

Request Body

```
{  
  "coupon_code": "NEW2026",  
  "order_amount": 1200,  
  "user_id": 5  
}
```

✓ Coupon Validation Rules

Check	Description
Status	Must be Active
Date	Current date between start & end
Minimum Order	Order amount $\geq$ minimum_order_amount
Per User Limit	User usage $\leq$ per_user_usage
Total Usage	Total usage $\leq$ total_usage_limit
Type	fixed or percent

🎯 Discount Calculation Logic

Fixed Discount

```
discount = coupon.amount
```

Percentage Discount

```
discount = order_amount * amount / 100
```

Response Example

```
{
  "coupon_code": "NEW2026",
  "discount": 120,
  "final_amount": 1080
}
```

🔍 5 Search & Filter Logic

🔍 Search works on:

- coupon_name
- coupon_code



Date Filters:

Param	Filter
start_date	coupon start >= date
end_date	coupon end <= date



6 Coupon Status Meaning

Status	Meaning
1	Active
0	Inactive

Inactive coupon **cannot be applied**.



7 Export Fields

Exported columns:

- coupon_name
- coupon_code
- amount
- type
- minimum_order_amount
- per_user_usage
- start_date
- end_date
- Status

Logo Module – Frontend Guide

1 Module Purpose

Manage all logos used in the system:

- Website Logo
- Favicon
- Admin Panel Logo
- Mobile App Icon

Frontend can **fetch the latest logo, upload/update logos, and display them.**

2 API Endpoints

1. Get Latest Logo

- **Method:** GET
- **URL:** `/api/v1/settings/logos`
- **Description:** Fetch the latest logo record.
- **Response Example:**

```
{  
  "success": true,  
  "message": "Logo fetched successfully",  
  "data": {  
    "id": 1,  
    "website_logo": "https://example.com/media/website_logo.png",  
    "favicon": "https://example.com/media/favicon.ico",
```

```
    "admin_logo": "https://example.com/media/admin_logo.png",
    "mobile_app_icon":
"https://example.com/media/mobile_app_icon.png",
    "status": 1,
    "created_at": "2026-02-12T00:00:00",
    "updated_at": "2026-02-12T01:00:00"
  },
  "total": 1
}
```

- **Notes:** `status = 1` means active, `0` means inactive.

2. Add / Update Logo

- **Method:** POST
- **URL:** `/api/v1/settings/logos`
- **Description:** Create or update a logo. If `id` is provided, it updates; otherwise, it creates.
- **Request Fields:**

Field	Type	Description
<code>id</code>	integer	Optional, for updating existing logo
<code>website_logo</code>	file (image)	Website logo

`favicon` `file (image)` Favicon

`admin_logo` `file (image)` Admin panel logo

`mobile_app_i` `file (image)` Mobile app icon
`con`

`status` `boolean` `true = active, false = inactive`

- **Example Request (FormData):**

```
website_logo => file
favicon => file
admin_logo => file
mobile_app_icon => file
status => true
```

- **Response Example:**

```
{
  "success": true,
  "message": "Logo updated successfully",
  "data": {
    "id": 1,
    "website_logo": "https://example.com/media/website_logo.png",
    "favicon": "https://example.com/media/favicon.ico",
```

```
    "admin_logo": "https://example.com/media/admin_logo.png",
    "mobile_app_icon":
"https://example.com/media/mobile_app_icon.png",
    "status": 1,
    "created_at": "2026-02-12T00:00:00",
    "updated_at": "2026-02-12T01:30:00"
  }
}
```

3. Get Logo by ID

- **Method:** GET
 - **URL:** `/api/v1/settings/logos/{id}`
 - **Description:** Fetch specific logo by ID
 - **Response:** Same as **Get Latest Logo**, but for a specific ID.
-

3 Important Notes for Frontend

1. **File Uploads** should be sent as `multipart/form-data`.
2. **Status Field:** `true` or `1` = active, `false` or `0` = inactive.
3. **Display Logic:** Use `website_logo` for website header/footer, `admin_logo` for admin dashboard, `favicon` in `<link rel="icon">`, and `mobile_app_icon` for app icon.
4. **Always check `data`** — it may be `null` if no logo exists yet.