Detailed Evaluation of Ecosystem Processes (DEEP) Field Worksheet

Mink Brook & tributaries | NE Highlands L3 v3 | Final

Menichino, G. and others (2026). A curve-based detailed assessment for the Northeastern Highlands, built from the NRSA least-disturbed reference pool <L3> with L2 borrowing where the pool was thin.

Reach ID: NHDPlusID 10000100012345 **Reach Length:** 1,000 ft **Date:** __________ **Assessor(s):** _______________ **Coordinates:** 43.68580, -72.23670

Site: Mink Brook | drainage area 12.4 km2 | STAF site engine (HR reach watershed)

RECORDING INSTRUCTIONS

Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and note it. Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and note it. Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and note it.

Function	Metrics	Value	Index
DISCIPLINE 0 FUNCTIONS			
Function 0: Statement of what the function does,	**Metric 0.0 name** (%) D: Bankfull width is read where the active	**12.5 (desk)**	
Score:	**Notes/Other Metrics:**		
Function 1 "Hydrology": Statement of what the function does, Statement of what the function does,	**Metric 1.0 name** (%) D: Bankfull width is read where the active channel's scour line meets the floodp *From the STAF site engine, HR reach watershed · 2026 run.*		
	Metric 1.1 name (%) F: Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decima		
	Metric 1.2 name (%) D: Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them	**12.5 (desk)**	
Score:	**Notes/Other Metrics:**		
Function 2 "Hydrology": Statement of what the function does, Statement of what the function does, Statement of what the function does,	**Metric 2.0 name** (%) D: Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decima		
	Metric 2.1 name (%) F: Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them	**12.5 (desk)**	
	Metric 2.2 name (%) D: Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measu		
	Metric 2.3 name (%) F: Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and not *From the STAF site engine, HR reach watershed · 2026 run.*		
	Metric 2.4 name (%) D: Bankfull width is read where the active	**12.5 (desk)**	
Score:	**Notes/Other Metrics:**		
DISCIPLINE 1 FUNCTIONS			
Function 3: Statement of what the function does,	**Metric 3.0 name** (%) D: Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them	**12.5 (desk)**	
	Metric 3.1 name (%) F: Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measu		
Score:	**Notes/Other Metrics:**		

Function 4 "Hydrology": Statement of what the function does, Statement of what the function does,	**Metric 4.0 name** (%) D: Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measu		
	Metric 4.1 name (%) F: Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and not *From the STAF site engine, HR reach watershed · 2026 run.*		
	Metric 4.2 name (%) D: Bankfull width is read where the active	**12.5 (desk)**	
	Metric 4.3 name (%) F: Bankfull width is read where the active channel's scour line meets the floodp		
Score:	**Notes/Other Metrics:**		
Function 5 "Hydrology": Statement of what the function does, Statement of what the function does, Statement of what the function does,	**Metric 5.0 name** (%) D: Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and not *From the STAF site engine, HR reach watershed · 2026 run.*		
Score:	**Notes/Other Metrics:**		
DISCIPLINE 2 FUNCTIONS			
Function 6: Statement of what the function does,	**Metric 6.0 name** (%) D: Bankfull width is read where the active	**12.5 (desk)**	
	Metric 6.1 name (%) F: Bankfull width is read where the active channel's scour line meets the floodp		
	Metric 6.2 name (%) D: Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decima		
Score:	**Notes/Other Metrics:**		
Function 7 "Hydrology": Statement of what the function does, Statement of what the function does,	**Metric 7.0 name** (%) D: Bankfull width is read where the active channel's scour line meets the floodp		
	Metric 7.1 name (%) F: Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decima		
	Metric 7.2 name (%) D: Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them *From the STAF site engine, HR reach watershed · 2026 run.*	**12.5 (desk)**	
	Metric 7.3 name (%) F: Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measu		
	Metric 7.4 name (%) D: Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and not		
Score:	**Notes/Other Metrics:**		
Function 8 "Hydrology": Statement of what the function does, Statement of what the function does, Statement of what the function does,	**Metric 8.0 name** (%) D: Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decima		
	Metric 8.1 name (%) F: Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them *From the STAF site engine, HR reach watershed · 2026 run.*	**12.5 (desk)**	
Score:	**Notes/Other Metrics:**		

Reference support

The pool Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and note it. Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and note it. Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and note it. Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and note it.[†] override, computed none

Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and note it. Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and note it. Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and note it. Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and note it. Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and note it.

Right aligned · Bankfull width is read where the active channel's scour line meets the floodplain; record

Centered heading text that is long enough to wrap onto a second line at nine points Centered heading text that is long enough to wrap onto a second line at nine points

A long word: AntidisestablishmentarianismAntidisestablishmentarianismAntidisestablishmentarianismAntidisestablishmentarianism then more words after it.

Bold long word: AntidisestablishmentarianismAntidisestablishmentarianismAntidisestablishmentarianismAntidisestablishmentarianism then more.

See the STAF site for the method and the calculators; Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and note it.
https://usace-wrises.github.io/staf/app/

Symbols ≥ 0.69 and ≤ 0.39 read on the curve; Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and note it. Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and note it.

Line one
Line two after a break
Line three Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and note it.

Metric measurements

Metric	Measured	Index	Source
Metric row 0	0.0	0.00	Desk Bankfull width is re
Metric row 1	1.5	0.10	Field Bankfull width is read where the
Metric row 2	3.0	0.20	Desk Bankfull width is read where the active channe
Metric row 3	4.5	0.30	Field Bankfull width is read where the active channel's scour lin
Metric row 4	6.0	0.40	Desk Bankfull width is read where the active channel's scour line meets the f
Metric row 5	7.5	0.50	Field Bankfull width is read where the active channel's scour line meets the floodplain; re
Metric row 6	9.0	0.60	Desk Bankfull width is read where the active channel's scour line meets the floodplain; record it in fe
Metric row 7	10.5	0.70	Field Bankfull width is rea
Metric row 8	12.0	0.80	Desk Bankfull width is read where the a
Metric row 9	13.5	0.90	Field Bankfull width is read where the active channel
Metric row 10	15.0	0.00	Desk Bankfull width is read where the active channel's scour line
Metric row 11	16.5	0.10	Field Bankfull width is read where the active channel's scour line meets the fl
Metric row 12	18.0	0.20	Desk Bankfull width is read where the active channel's scour line meets the floodplain; rec
Metric row 13	19.5	0.30	Field Bankfull width is read where the active channel's scour line meets the floodplain; record it in fee
Metric row 14	21.0	0.40	Desk Bankfull width is read
Metric row 15	22.5	0.50	Field Bankfull width is read where the ac
Metric row 16	24.0	0.60	Desk Bankfull width is read where the active channel'
Metric row 17	25.5	0.70	Field Bankfull width is read where the active channel's scour line
Metric row 18	27.0	0.80	Desk Bankfull width is read where the active channel's scour line meets the flo
Metric row 19	28.5	0.90	Field Bankfull width is read where the active channel's scour line meets the floodplain; reco
Metric row 20	30.0	0.00	Desk Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet
Metric row 21	31.5	0.10	Field Bankfull width is read
Metric row 22	33.0	0.20	Desk Bankfull width is read where the act
Metric row 23	34.5	0.30	Field Bankfull width is read where the active channel's
Metric row 24	36.0	0.40	Desk Bankfull width is read where the active channel's scour line m
Metric row 25	37.5	0.50	Field Bankfull width is read where the active channel's scour line meets the floo
Metric row 26	39.0	0.60	Desk Bankfull width is read where the active channel's scour line meets the floodplain; recor
Metric row 27	40.5	0.70	Field Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet
Metric row 28	42.0	0.80	Desk Bankfull width is read w
Metric row 29	43.5	0.90	Field Bankfull width is read where the acti
Metric row 30	45.0	0.00	Desk Bankfull width is read where the active channel's
Metric row 31	46.5	0.10	Field Bankfull width is read where the active channel's scour line me

Metric	Measured	Index	Source
Metric row 32	48.0	0.20	Desk Bankfull width is read where the active channel's scour line meets the flood
Metric row 33	49.5	0.30	Field Bankfull width is read where the active channel's scour line meets the floodplain; record
Metric row 34	51.0	0.40	Desk Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet t
Metric row 35	52.5	0.50	Field Bankfull width is read wh
Metric row 36	54.0	0.60	Desk Bankfull width is read where the activ
Metric row 37	55.5	0.70	Field Bankfull width is read where the active channel's s
Metric row 38	57.0	0.80	Desk Bankfull width is read where the active channel's scour line mee
Metric row 39	58.5	0.90	Field Bankfull width is read where the active channel's scour line meets the floodp
Metric row 40	60.0	0.00	Desk Bankfull width is read where the active channel's scour line meets the floodplain; record
Metric row 41	61.5	0.10	Field Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to
Metric row 42	63.0	0.20	Desk Bankfull width is read whe
Metric row 43	64.5	0.30	Field Bankfull width is read where the active
Metric row 44	66.0	0.40	Desk Bankfull width is read where the active channel's sc
Metric row 45	67.5	0.50	Field Bankfull width is read where the active channel's scour line meet
Metric row 46	69.0	0.60	Desk Bankfull width is read where the active channel's scour line meets the floodpl
Metric row 47	70.5	0.70	Field Bankfull width is read where the active channel's scour line meets the floodplain; record i
Metric row 48	72.0	0.80	Desk Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to
Metric row 49	73.5	0.90	Field Bankfull width is read wher
Metric row 50	75.0	0.00	Desk Bankfull width is read where the active
Metric row 51	76.5	0.10	Field Bankfull width is read where the active channel's sco
Metric row 52	78.0	0.20	Desk Bankfull width is read where the active channel's scour line meets
Metric row 53	79.5	0.30	Field Bankfull width is read where the active channel's scour line meets the floodpla
Metric row 54	81.0	0.40	Desk Bankfull width is read where the active channel's scour line meets the floodplain; record it
Metric row 55	82.5	0.50	Field Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to o
Metric row 56	84.0	0.60	Desk Bankfull width is read where
Metric row 57	85.5	0.70	Field Bankfull width is read where the active c
Metric row 58	87.0	0.80	Desk Bankfull width is read where the active channel's scou
Metric row 59	88.5	0.90	Field Bankfull width is read where the active channel's scour line meets
Metric row 60	90.0	0.00	Desk Bankfull width is read where the active channel's scour line meets the floodplai
Metric row 61	91.5	0.10	Field Bankfull width is read where the active channel's scour line meets the floodplain; record it
Metric row 62	93.0	0.20	Desk Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to on
Metric row 63	94.5	0.30	Field Bankfull width is read where
Metric row 64	96.0	0.40	Desk Bankfull width is read where the active ch

Metric	Measured	Index	Source
Metric row 65	97.5	0.50	Field Bankfull width is read where the active channel's scour
Metric row 66	99.0	0.60	Desk Bankfull width is read where the active channel's scour line meets t
Metric row 67	100.5	0.70	Field Bankfull width is read where the active channel's scour line meets the floodplain
Metric row 68	102.0	0.80	Desk Bankfull width is read where the active channel's scour line meets the floodplain; record it i
Metric row 69	103.5	0.90	Field Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one

Physical	Chemical	Biological	ECI
0.72	0.55	n/a	0.64

Plain words without any markup at all repeat Plain words without any markup at all repeat

Bold start then styled text Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and note it. Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and note it. Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and note it. Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and note it. Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and note it. Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and note it. Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and note it. Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and note it. Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and note it. Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and note it. Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and note it. Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and note it. Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and note it. Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and note it. Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and note it. Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and note it. Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and note it. Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and note it. Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and note it. Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and note it. Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and note it. Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and note it. Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and note it. Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and note it.

Centered closing words Centered closing words

METRICS NOT SCORED
Embeddedness, Fine sediment. These metrics were considered for this assessment. Bankfull width is read where the active channel's scour line meets the floodplain; record it in feet to one decimal at three riffles & average them. Where the banks are undercut, measure from the lip, not the toe, and note it.