Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Form: fdlgCloneConsumptionSelectDate											
(General Declarations)		1	18								
' Module : fdlgSelectDateRange ' Description:											
' Procedures : cmdCancel_Click ' cmdOK_Click ' Form_Open											
BuildFromYears (strProductID As String)	Function	224	268		✓			1	6890	✓	V
cmdCancel_Click ()	Sub	87	107		✓			0	6902	✓	✓
'Comments : Close the form, which returns the focus ' : to the calling form. 'Parameters: 'Created : 17-Feb-99 Jeff Leiner 'Modified :											
cmdOK_Click ()	Sub	108	175		✓			0	6895	✓	✓
'Comments : Check that the data is OK and then set the ': form's visibility to false to return the focus ': to the calling form. 'Parameters: 'Created : 17-Feb-99 Jeff Leiner 'Modified :											
EndYear ()	Get	70	81	✓	✓			0 Integer	-1	✓	✓
Form_Open (intCancel As Integer) ' Comments : Look up the current month and set ' : Date range to a 6 month default. ' Parameters : ' Created : ' Modified :	Sub	176	211		✓			1	6888	✓	✓
, ,											

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Type	Start Line		Public	: Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
OK() '+ ' Property(G): OK ' Comments : ' Parameters : ' Returns : Boolean ' Created : 23 Jul 2009 jleiner ' Modified : '-	Get	27	37	✓	✓			0	Boolean	-1	✓	✓
StartDate ()	Get	49	60	✓	✓			0	Date	-1	✓	✓
Form: fdlgCloneConsumptionSetRatio (General Declarations)		1	7									
CloseMe ()	Sub	526	535		✓			0		6920	✓	
cmdCancel_Click ()	Sub	29	35		✓			0		6919	✓	
cmdClone_Click ()	Sub	37	55		✓			0		6956	✓	
cmdPreview_Click ()	Sub	58	69		✓			0		6923	✓	
dblFactor_AfterUpdate ()	Sub	73	81		✓			0		6988	✓	
Form_GotFocus ()	Sub	83	87		✓			0		6917	✓	
Form_Load ()	Sub	95	116		✓			0		6914	✓	✓
Form_Open (Cancel As Integer)	Sub	520	524		✓			1		6912	✓	
OK() '+ ' Property(G): OK ' Comments : ' Parameters : ' Returns : Boolean ' Created : 17 Jul 2009 jleiner ' Modified : '-	Get	16	26	✓	✓			0	Integer	-1	✓	✓
ProduceConsumptionRecords ()	Function	128	253		✓			0	Boolean	6924	✓	✓
SaveConsumptionRecords ()	Function	266	518		✓			0	Boolean	6958	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line			blic	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Form: fdlgCountryCode												
(General Declarations)		1		2								
<pre>cmdCancel_Click() '+ ' Procedure : cmdCancel_Click ' Comments : closes form and sends user back to previous scree ' Parameters: - ' Modified : 16 Mar 2007 MAT '-</pre>	Sub	9	2	2 [✓			0	470	✓	✓
cmdOK_Click ()	Sub	45	7	4		✓			0	474	✓	
'place country code into program data table												
Form_Open (Cancel As Integer)	Sub	30	4	3		✓			1	465	✓	✓
Form: fdlgCPTGenerator												
<pre>(General Declarations) ' Module : Form_fdlgCPTGenerator ' Description: ' Procedures : cboYear_AfterUpdate()</pre>		1	2	1								
<pre>cboYear_AfterUpdate () ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL ' '</pre>	Sub	22	4	6		V			0	1196	✓	>

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
<pre>cmdCancel_Click() ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL ' ' ' ' ' ' ' ' '</pre>	Sub	48	67		✓			0	1192	✓	
<pre>cmdCreateCPTData_Click ()</pre>	bles dat	NewVern. a others	s wil	11	✓			0	1200	V	V
Form_Activate () ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	358	377		✓			0	1187	✓	V
Form_Load() ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	379	398		✓			0	1170	✓	✓
Form_Open (Cancel As Integer) ' Comments : ' Parameters : Cancel ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	400	419		V			1	1163	V	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters		art I ne I		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
SetComboYears() ' Comments : To set the range of years to place in the combob ' report. ' Parameters: ' Returns : ' Created : 05/26/98 JSL ' Modified : 01 Jul 1998 JSL			474		✓			0	1171	✓	
'Comments : 'Parameters : 'Returns : 'Created : 'Modified : 01 Jul 1998 JSL	Sub 4	76	496		V			0	1164	V	V
Form: fdlgExportCYP (General Declarations) ' Module : Form_fdlgExportCYP ' Description: ' Procedures : SetText() ' cmdCancel_Click() ' cmdOK_Click() ' Form_Open(Cancel As Integer)		1	14								
<pre>cmdCancel_Click()</pre>	Sub	34	51		✓			0	2845	✓	✓
<pre>cmdOK_Click()</pre>	Sub	53	62		✓			0	2843	✓	

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Type	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Form_Open (Cancel As Integer) ' Comments : ' Parameters: Cancel - ' Modified : '	Sub	64	73		~			1	2833	✓	
SetText() ' Comments : ' Parameters: - ' Modified : '	Sub	15	32		✓			0	2834	V	
Form: fdlgForecastMappingSCMS											
<pre>(General Declarations) '+ ' Module</pre>	PipeLine	1	18								
cboSCMSMapping_AfterUpdate () 'this may replace _beforeUpdate just below	Sub	44	71		✓			0	821	✓	
cboSCMSMapping_BeforeUpdate (Cancel As Integer) 'if this has a value when the form loads then 'it has to still have a value after update 'in other words, it can't be changed to null if it had value to 'mtracy oct 2006 'Dim fSCMSMapping As Boolean 'fSCMSMapping = False 'default value	Sub to begin	73 with	91		V			1	817	V	
cboSCMSMapping_GotFocus ()	Sub	93	100		✓			0	825	✓	
cboSCMSMapping_LostFocus ()	Sub	104	106		✓			0	826	~	

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters		Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
ClearUnMapped () '+ ' Procedure : ClearUnMapped ' Comments : Removes all unmapped data from the Import tables ' Parameters: - ' Modified : 17 Jul 2006 MAT	Sub	25	42		✓			0		6618	V	V
cmdCancel_Click ()	Sub	114	133		V			0		808	✓	V
cmdOK_Click ()	Sub	141	219		✓			0		760	✓	
Form_Open (Cancel As Integer) '+ ' Procedure : Form_Open ' Comments : move to first item in source lookup up and set to Parameters: Cancel - ' Modified : 14 Jul 2006 MAT	Sub	226	239		V			1		751	✓	✓
ProductNameCut ()	Function	289	299		✓			0	Boolean	761	✓	
txtMappingFull_Click ()	Sub	244	246		✓			0		747	✓	
txtPLMappingFull_Click ()	Sub	241	243		✓			0		745	✓	
txtPLProduct_AfterUpdate ()	Sub	247	274		✓			0		813	✓	
txtPLProduct_GotFocus () 'requery all the dropdowns, but don't show items in text boxes	Sub	276	280		✓			0		814	✓	
txtPLProduct_LostFocus ()	Sub	301	303		✓			0		815	✓	
Form: fdlgImportForecast (General Declarations) '		1	24									_

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
<pre>cmdBrowse_Click() '+ ' Procedure : cmdBrowse_Click ' Comments : Opens form for user to select a program file t ' Parameters:</pre>	Sub	31	52		✓			0	700	✓	✓
cmdBrowse2_Click ()	Sub	60	81		✓			0	835	✓	✓
cmdCancel_Click ()	Sub	89	105		✓			0	830	✓	✓
cmdOK_Click ()	Sub	113	188		✓			0	708	✓	✓
Form_Open (Cancel As Integer)	Sub	196	214		✓			1	689	✓	✓
Form: fdlgImportMapping (General Declarations) ' + ' Module : Form_fdlgImportMapping ' Description: Used for mapping products for external source ' Procedures : cboSelect1_AfterUpdate() ' ClearData() ' ClearProcessed() ' cmdCancel_Click() ' cmdOK_Click() ' Form_Open(Cancel As Integer) ' ResetValues()	e to PipeL.	1	19								
cboSelect1_AfterUpdate () '+ ' Procedure : cboSelect1_AfterUpdate ' Comments : Filters based on source selected ' Parameters: - ' Modified : 21 Aug 2003 LKB '-	Sub	26	38		✓			0	866	✓	V
ClearData ()	Sub	46	69		✓			0	895	✓	✓
ClearProcessed ()	Sub	77	94		✓			0	887	✓	✓
cmdCancel_Click ()	Sub	102	124		✓			0	891	✓	✓
cmdOK_Click ()	Sub	132	281		✓			0	880	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Form_Open (Cancel As Integer)	Sub	289	313		✓			1	865	✓	✓
ResetValues ()	Sub	321	336		✓			0	892	✓	✓
Validate_Period (StartYear As Long, StartMonth As Long, NumMonths As Long, ProductID As String)	Function	350	442		✓			4	884	✓	✓
Form: fdlglmportMappingSCMS											
<pre>(General Declarations) ''+ ' Module : Form_fdlgImportMappingSCMS ' Description: Used for mapping products from SCMS source to P. ' Procedures : ClearData() ' ClearProcessed() ' cmdCancel_Click() ' cmdOK_Click() ' Form_Open(Cancel As Integer)</pre>	ipeLine	1	16								
<pre>cmdCancel_Click() ', ' Procedure : cmdCancel_Click ' Comments : resets all values to null (mapping/clear flag) as ' Parameters: - ' Modified : 21 Aug 2003 LKB '-</pre>	Sub	23	42		✓			0	638	✓	✓
cmdOK_Click ()	Sub	50	55		✓			0	512	✓	
Form_Open (Cancel As Integer) ' + ' Procedure : Form_Open ' Comments : move to first item in source lookup up and set to ' Parameters: Cancel - ' Modified : 14 Jul 2006 MAT ' -	Sub ext	62	75		V			1	503	✓	✓
txtMappingFull_Click ()	Sub	77	79		✓			0	499	✓	
txtProduct_AfterUpdate ()	Sub	81	104		✓			0	643	✓	
<pre>txtProduct_GotFocus() 'requery all the dropdowns, but don't show items in text boxes</pre>	Sub	106	110		✓			0	644	✓	

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Publi	c Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Form: fdlgImportProducts											
(General Declarations)		1	24								
' Module : Form_fdlgImportProducts ' Description:											
<pre>' Procedures : cmdBrowse_Click() ' cmdCancel_Click()</pre>											
<pre>' cmdOK_Click() ' Form_Close() ' Form_Open(Cancel As Integer)</pre>											
cmdBrowse_Click ()	Sub	31	52		✓			0	435	✓	✓
'+ ' Procedure : cmdBrowse_Click ' Comments : Opens form for user to select a program file t	o open										
' Parameters: - ' Modified : 27 Jun 2003 LBlanken '-											
cmdCancel_Click ()	Sub	60	76		✓			0	648	✓	✓
cmdOK_Click ()	Sub	84	139		✓			0	443	✓	✓
Form_Open (Cancel As Integer)	Sub	147	164		✓			1	418	✓	✓
Form: fdlgImportSCM											
(General Declarations)		1	24								
'+ ' Module : Form_fdlgImportSCM ' Description:											
<pre>' Procedures : cmdBrowse_Click() '</pre>											
' Form_Close() ' Form_Open(Cancel As Integer)											
cmdBrowse_Click ()	Sub	31	52		✓			0	915	✓	✓
'+ ' Procedure : cmdBrowse_Click ' Comments : Opens form for user to select a program file t ' Parameters: - ' Modified : 27 Jun 2003 LBlanken	o open										

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	: Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
cmdCancel_Click ()	Sub	60	76		✓			0		948	✓	✓
cmdOK_Click ()	Sub	84	111		✓			0		923	✓	✓
Form_Close ()	Sub	119	138		✓			0		855	✓	✓
Form_Open (Cancel As Integer)	Sub	146	159		✓			1		851	✓	V
Form: fdlglmportShipmentsPL												
<pre>(General Declarations) '+ ' Module</pre>		1	23									
<pre>cmdBrowse_Click() ',+ ' Procedure : cmdBrowse_Click ' Comments : Opens form for user to select a program file to ' Parameters: - ' Modified : '</pre>	Sub o open	30	51		V			0		1001	V	✓
cmdCancel_Click ()	Sub	59	75		✓			0		1132	✓	✓
cmdOK_Click ()	Sub	83	117		✓			0		1009	✓	✓
Form_Open (Cancel As Integer)	Sub	125	139		✓			1		990	~	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and F	Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Form: fdlglnterpo	plate											
(General Declarations)			1	33								
	Form_fdlgCPTGenerator											
	cboYear_AfterUpdate()											
ı	<pre>cmdCancel_Click()</pre>											
i	<pre>cmdCreateCPTData_Click()</pre>											
ı	Form_Activate()											
,	Form_Load()											
	Form_Open(Cancel As Integer)											
,	SetComboYears() SetText()											
-	Sellext()											
cboMonthStarting_Afte	erUpdate ()	Sub	34	42		✓			0	1702	✓	
cboYearEnding_AfterU	Jpdate ()	Sub	44	50		✓			0	1719	✓	
cboYearStarting_AfterU	Update ()	Sub	52	60		✓			0	1708	✓	
cmdApply_Click ()		Sub	63	95		✓			0	1752	✓	✓
cmdCancel_Click ()		Sub	101	136		✓			0	1694	✓	✓
' Comments :												
' Parameters :												
' Returns :												
' Created : ' Modified :												
' Modified :												
'												
cmdPreview_Click ()		Sub	138	172		✓			0	1725	~	V
DisplayReport (intView	As Integer)	Sub	618	634		✓			1	1729	✓	✓
Form_Activate ()		Sub	174	193		✓			0	1689	✓	✓
' Comments :												
' Parameters :												
' Returns :												
' Created : ' Modified :												
noalliea :												
'												
-												

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Form_Load() ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : '	Sub	195	214		>			0	1686	V	>
Form_Open (Cancel As Integer) ' Comments : ' Parameters : Cancel ' Returns : ' Created : ' Modified :	Sub	216	240		V			1	1659	✓	V
IngAMCEnding_AfterUpdate ()	Sub	344	350		✓			0	1722	✓	
IngAMCStarting_AfterUpdate ()	Sub	360	366		✓			0	1711	✓	
SaveData ()	Function	380	594		✓			0	1754	✓	✓
SetComboYears() ' Comments : To set the range of years to place in the combon report. ' Parameters: ' Returns : ' Created : ' Modified :	Sub box for th		312		✓			0	6622	V	>
SetText() ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : '	Sub	314	334		V			0	1660	V	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count R	Return Type	Diagram Line	Code Exists	Error Trap
Form: fdlgLanguage												
(General Declarations)		1	17									
<pre>' Module : Form_fdlgLanguage ' Description: ' Procedures : cboSelect_AfterUpdate() ' cmdAdd_Click() ' cmdCancel_Click() ' Form_Open(Cancel As Integer) ' SetText()</pre>												
cboSelect_AfterUpdate ()	Sub	18	37		✓	П		0		7122	~	✓
' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Out		o.		v			Ü			v	•
<pre>cmdAdd_Click () ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL ' ' ' ' ' ' '</pre>	Sub	39	102		V			0		7127	V	✓
<pre>cmdCancel_Click() ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL ' ' ' ' ' ' ' ' '</pre>	Sub	104	130		V			0		7141	V	✓
Form_Open (Cancel As Integer) ' Comments : ' Parameters : Cancel ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	131	152		✓			1		7114	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
SetText() ' Comments : ' Parameters : ' Returns :	Sub	154	181		✓			0		7115	V	✓
' Created : ' Modified : 01 Jul 1998 JSL ' '												
Form: fdlgOpenProgram												
(General Declarations) ''+ ' Module : Form_fdlgOpenProgram ' Description: Form allows user to select an inactive form ' Procedures : cmdBrowse_Click() ' cmdCancel_Click() ' cmdOK_Click() ' Form_Open(Cancel As Integer) ' lstSelect_AfterUpdate()	to make act	1	23									
<pre>cmdBrowse_Click() '+ ' Procedure : cmdBrowse_Click ' Comments : Opens form for user to select a program file ' Parameters: - ' Modified : 27 Jun 2003 LBlanken '-</pre>	Sub to open	30	53		✓			0		1778	✓	>
cmdCancel_Click ()	Sub	61	76		✓			0		1793	✓	✓
cmdOK_Click ()	Sub	84	106		✓			0		1786	✓	✓
Form_Open (Cancel As Integer)	Sub	114	129		✓			1		1769	✓	✓
lstSelect_AfterUpdate ()	Sub	137	151		✓			0		1774	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	n Return Type	Diagram Line	Code Exists	Error Trap
Form: fdlgPlanShipmentsByDate												
(General Declarations)		1	17									
'+ ' Module : Form_fdlgPlanShipmentsByDate ' Description: Creates shipments records for products and date ' Procedures : cmdCancel_Click() ' cmdOK_Click() ' GetCaseLot(strProductID As String, strSupplierI.			rm									
cmdCancel_Click ()	Sub	24	37		✓			0		5232	✓	✓
'+ ' Procedure : cmdCancel_Click ' Comments : Close form w/o doing anything ' Parameters: - ' Modified : 27 Jun 2003 LBlanken '-												
cmdOK_Click ()	Sub	46	161		✓			0		5210	✓	✓
Form_Error (DataErr As Integer, Response As Integer)	Sub	267	300		✓			2		5201	✓	✓
Form_Open (Cancel As Integer)	Sub	302	304		✓			1		5199	✓	
GetCaseLot (strProductID As String, strSupplierID As String)	Sub	169	238		✓			2		5222	✓	✓
UpdateDate ()	Function	239	265		✓			0	Boolean	5215	✓	
Form: fdlgProductErrors												
(General Declarations)		1	13									
'+ ' Module : Form_fdlgProductErrors ' Description: Used for making sure imported product names are ' Procedures : cmdCancel_Click() ' cmdOK_Click() ' Form_Open(Cancel As Integer)	50 chara	cters	or 1	ess								
cmdCancel_Click ()	Sub	20	41		✓			0		781	✓	✓
'+ ' Procedure : cmdCancel_Click ' Comments : resets values, closes form, and sends user back ' Parameters: - ' Modified : 9 Feb 2007 MAT '-	to previo	us scr	reen									

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start I Line I		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
cmdOK_Click ()	Sub	49	65		✓			0	779	✓	
Form_Open (Cancel As Integer)	Sub	72	90		V			1	770	✓	✓
' Procedure : Form_Open ' Comments : move to first item in source lookup up and set t ' Parameters: Cancel - ' Modified : 14 Jul 2006 MAT '-	text										
txtProductNew_AfterUpdate ()	Sub	92	94		✓			0	765		
'Me.strName = Me.txtProductNew											
txtProductNew_BeforeUpdate (Cancel As Integer) 'Me.txtProductNew = Left([strName], 50)	Sub	96	98		~			1	764		
Form: fdlgProperties											
(General Declarations)		1	15								
' Module : Form_frmAbout											
' Description: ' Procedures : cboLanguage_AfterUpdate()											
Frocedures: Coolanguage_Arteropoate() Form_Open(Cancel As Integer)											
' Form_Timer()											
SetText()											
cmdClose_Click ()	Sub	16	18		✓			0	411	✓	
Form_Open (Cancel As Integer)	Sub	20	43		✓			1	398	~	✓
'Comments : On Open see if an upgrade is needed. If yes	1-										
' : give the user the option, if not act as a splas ' : screen.	511										
' Parameters :											
' Returns :											
' Created : 06/29/98 JSL											
' Modified :											
·											

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	: Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Form_Timer() ' Comments : if TimerInterval > 0 then count the iterations ' : do do the correct events ' Parameters : ' Returns : ' Created : 06/29/98 JSL ' Modified : '	Sub and	45	69		✓			0	407	V	
SetText() ' Comments : Display the text in the proper language ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	71	94		V			0	399	V	>
Form: fdlgRecalcAMC (General Declarations) ' + ' Module : Form_fdlgStockCount ' Description: Form displays when user click on Enter Count but from the stock form. Allows the user to input inventory count and will calculate the adjustment based on that value. ' Procedures : cmdCancel_Click() ' cmdRecalc_Click() ' cmdSave_Click() ' Form_Open(Cancel As Integer)	an	1	24								
<pre>cmdCancel_Click() '+ ' Procedure : cmdCancel_Click ' Comments : Run when user clicks on cancel button ' Parameters: - ' Modified : 03 Jun 2003 LBlanken ' 16 Jun 2003 LBlanken '-</pre>	Sub	32	49		V			0	4589	V	✓
cmdSave_Click ()	Sub	59	111		✓			0	4564	~	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Form_Error (DataErr As Integer, Response As Integer) ''+ ' Procedure : Form_Error ' Comments : Handles validation Errors ' Parameters: DataErr ' Response - ' Modified : 01 Jul 1998 JSL ' 03 Jun 2003 LBlanken ' 16 Jun 2003 LBlanken	Sub	113	160		✓			2	4554	✓	>
Form_Open (Cancel As Integer)	Sub	169	221		✓			1	4550	✓	✓
Form: fdlgSelectDateRange (General Declarations) ' Module : fdlgSelectDateRange ' Description: ' Procedures : cmdCancel_Click ' cmdOK_Click ' Form_Open		1	12								
BuildFromYears (strType As String, frmin As Form, strIn As String)	Function	132	160		✓			3	2425	✓	✓
BuildThroughYears (strType As String, frmin As Form, strIn As String, Optional intAdd As Integer) ''+ ' Procedure : BuildThroughYears ' Comments : ' Parameters: strType ' frmin ' strIN ' intAdd - ' Returns : - ' Modified : 12 May 2004 LKB ' -	Function	171	199		V			4	2427	V	✓
<pre>cmdCancel_Click() ' Comments : Close the form, which returns the focus ' : to the calling form. ' Parameters : ' Created : 17-Feb-99 Jeff Leiner ' Modified : ', ', ', ', }</pre>	Sub	13	33		✓			0	2443	✓	>

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
<pre>cmdOK_Click()</pre>	Sub	34	88		>			0	2438	>	>
Form_Open (intCancel As Integer) ' Comments : Look up the current month and set ' : Date range to a 6 month default. ' Parameters : ' Created : ' Modified :	Sub	89	119		✓			1	2423	V	V
txtStartYear_AfterUpdate ()	Sub	202	225		✓			0	2433	✓	
Form: fdlgSelectPDFPrinter (General Declarations) cmdCancel_Click ()	Sub	1	2		✓			0	604	✓	
cmdSetPrinter_Click ()	Sub	10	20		✓			0	598	✓	
Form_Open (Cancel As Integer)	Sub	22	27		✓			1	593	✓	
PopulatePrinterList ()	Sub	29	53		✓			0	594	✓	
Form: fdlgSelectRecipient (General Declarations) ' Module : Form_fdlgSelectRecipient ' Description: ' Procedures : SetText() ' cmdCancel_Click() ' cmdOK_Click() ' Form_Open(Cancel As Integer) ' lstRecipients_Click()		1	15								

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters		Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
<pre>cmdCancel_Click()</pre>	Sub	32	41		✓			0	1816	✓	
<pre>cmdOK_Click()</pre>	Sub	43	66		V			0	1807	✓	✓
Form_Open (Cancel As Integer) ' Comments : ' Parameters: Cancel - ' Modified : '	Sub	68	77		✓			1	1798	✓	
<pre>IstRecipients_Click()</pre>	Sub	79	88		>			0	1806	✓	
SetText() ' Comments : ' Parameters: - ' Modified : ',	Sub	16	30		V			0	1799	✓	
Form: fdlgShipmentMapping (General Declarations)		1	35								
checkMappingUsed (qryMapping As Variant)	Function		107		✓			1 Boolean	6631	✓	✓
chkAllShipments_AfterUpdate ()	Sub	36	66		✓			0	1109	✓	✓
chkSelect_AfterUpdate ()	Sub	122	128		~			0	1113	✓	

Procedure List with Comments Sorted By Module and Procedure Name

Sub Sub Sub Sub Sub Sub Sub	138 155 174 199 210 332	172 189 207		<!--</th--><th></th><th></th><th>0 0 0</th><th>1122 1105 1127</th><th>v</th><th></th>			0 0 0	1122 1105 1127	v	
Sub Sub Sub	174 199 210	189 207		✓						✓
Sub Sub	199	207					0	1127		
Sub Sub	210			✓					✓	✓
Sub		216					0	1052	✓	
	332			✓			0	1115	✓	
Sub		344		✓			0	6635	✓	✓
	348	362		✓			0	-1	✓	✓
Sub	218	220		✓			0	1047		
Sub	229	250		✓			1	1042	✓	✓
Sub	252	259		✓			0	1041	✓	
Sub	262	310		✓			0	1119	✓	
Sub	313	322		✓			0	1120	✓	
	1	24								
	Sub	Sub 262 Sub 313	Sub 262 310 Sub 313 322	Sub 262 310	Sub 262 310	Sub 262 310	Sub 262 310	Sub 262 310	Sub 262 310 ✓ □ 0 1119 Sub 313 322 ✓ □ 0 1120	Sub 262 310 ☑ ☑ □ 0 1119 ☑ Sub 313 322 ☑ □ 0 1120 ☑

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Type	Start Line		Public	: Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
cmdCancel_Click ()	Sub	31	48		✓			0	5320	✓	✓
'+ ' Procedure : cmdCancel_Click ' Comments : Closes the form and returns to shipment module ' Parameters: - ' Modified : 28 July 2009 MTracy '-											
cmdNext_Click ()	Sub	50	78		✓			0	5324	✓	✓
'this sub just moves us ahead one rec in the search results 'and then reloads the shipment form with the new product/ship	pment hig	hlighted	đ								
cmdSearch_Click ()	Sub	86	198		✓			0	5312	~	✓
Form_Open (Cancel As Integer)	Sub	206	222		✓			1	5306	✓	✓
Form: fdlgStockCount											
(General Declarations)		1	23								
'H 'Module : Form_fdlgStockCount 'Description: Form displays when user click on Enter Count if from the stock form. Allows the user to input inventory count and will calculate the adjustry based on that value. 'Procedures : cmdCancel_Click() cmdRecalc_Click() cmdSave_Click() Form_Open(Cancel As Integer)	t an										
cmdCancel_Click ()	Sub	31	45		✓			0	5493	✓	✓
'+ ' Procedure : cmdCancel_Click ' Comments : Run when user clicks on cancel button ' Parameters: - ' Modified : 03 Jun 2003 LBlanken ' 16 Jun 2003 LBlanken '-											
cmdRecalc_Click ()	Sub	54	69		~			0	5487	~	✓
cmdSave_Click ()	Sub	78	122		✓			0	5486	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
Form_Error (DataErr As Integer, Response As Integer) '+ ' Procedure : Form_Error ' Comments : Handles validation Errors ' Parameters: DataErr ' Response - ' Modified : 01 Jul 1998 JSL ' 03 Jun 2003 LBlanken ' 16 Jun 2003 LBlanken	Sub	124	173		✓			2		5475	✓	✓
Form_Open (Cancel As Integer)	Sub	182	213		✓			1		5470	✓	✓
Form: fdlgTextAdmin (General Declarations)		1	2									
ArabicStatus_Change ()	Sub	22	24		✓			0		1840	✓	
cmdClose_Click ()	Sub	3	5		✓			0		1830	✓	
EnglishStatus_Change ()	Sub	7	9		✓			0		1838	✓	
Form_Open (Cancel As Integer)	Sub	11	13		✓			1		1823	✓	
FrenchStatus_Change ()	Sub	15	17		✓			0		1834	✓	
portugueseStatus_Change ()	Sub	25	27		✓			0		-1	✓	
SpanishStatus_Change ()	Sub	19	21		✓			0		1836	✓	
txtDocumentType_AfterUpdate ()	Sub	28	32		✓			0		1824	✓	
txtFormName_AfterUpdate ()	Sub	34	38		✓			0		1825	✓	

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	c Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Form: fdlgUpdateProducts											
(General Declarations)		1	26								
<pre>'+ ' Module : Form_fdlgUpdateProducts ' Description: ' Procedures : cmdBrowse_Click() ' cmdCancel_Click() ' cmdOK_Click() ' Form_Close() ' Form_Open(Cancel As Integer)</pre>											
cmdBrowse_Click ()	Sub	33	54		✓			0	662	✓	✓
'+ ' Procedure : cmdBrowse_Click ' Comments : Opens form for user to select a program file to ' Parameters: - ' Modified : 27 Jun 2003 LBlanken '-	open										
cmdCancel_Click ()	Sub	62	78		✓			0	679	✓	✓
cmdOK_Click ()	Sub	86	150		✓			0	670	✓	✓
Form_Open (Cancel As Integer)	Sub	158	175		✓			1	655	✓	✓
Form: frmAbout											
<pre>(General Declarations) ' Module : Form_frmAbout ' Description: ' Procedures : cboLanguage_AfterUpdate()</pre>		1	17								
cboLanguage_AfterUpdate ()	Sub	18	39		✓			0	1400	✓	~
'Comments : When the language is modified, update the syste : variables, and the display. 'Parameters: 'Returns : 'Created : 'Modified : 01 Jul 1998 JSL	em										

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
cmdClose_Click ()	Sub	42	44		✓			0	1406	✓	
Form_Open (Cancel As Integer) ' Comments : On Open see if an upgrade is needed. If ye : give the user the option, if not act as a : screen. ' Parameters : ' Returns : ' Created : 06/29/98 JSL ' Modified : '		46	76		✓			1	1386	V	✓
Form_Timer() ' Comments : if TimerInterval > 0 then count the iterat ' : do do the correct events ' Parameters : ' Returns : ' Created : 06/29/98 JSL ' Modified : ',	Sub ions and	78	106		V			0	1396	V	✓
SetText() ' Comments : Display the text in the proper language ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub -	108	141		V			0	1387	✓	✓
Form: frmBlank (General Declarations)		1	2								
Form_Open (Cancel As Integer)	Sub	3	10		V			1	1844	~	

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Publi	ic Private	e Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	
Form: frmCaseSizes												
(General Declarations)		1	27									
<pre>' Module : Form_frmCaseSizes ' Description: ' Procedures : cboSelect1_AfterUpdate()</pre>												
<pre>Form_Delete(Cancel As Integer) Form_Error(DataErr As Integer, Response As Int Form_Open(Cancel As Integer) IstSelect_Click() SetText()</pre>	eger)											
cboSelect1_AfterUpdate ()	Sub	28	58		~			0		1889	✓	V
'Comments : 'Parameters : 'Returns : 'Created : 'Modified : 01 Jul 1998 JSL												
cboSelect1_GotFocus ()	Sub	60	82		✓			0		1894	✓	✓
' Comments : ' Parameters : ' Returns : ' Created : 08-Mar-00 Jeff Leiner ' Modified :			<u> </u>		<u> </u>			ŭ			v	v
cboSelect2_AfterUpdate ()	Sub	84	141		V			0		1913	V	V
'Comments : 'Parameters : 'Returns : 'Created : 'Modified : 01 Jul 1998 JSL												

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
cboSelect2_GotFocus ()	Sub	143	165		✓			0	1926	✓	~
' Comments : ' Parameters : ' Returns : ' Created : 08-Mar-00 Jeff Leiner										_	
' Modified :											
<pre>cmdDelete_Click ()</pre>	Sub	167	215		✓			0	1951	>	V
<pre>cmdNew_Click()</pre>	Sub	217	238		✓			0	1945	>	V
<pre>cmdSave_Click()</pre>	Sub	240	284		✓			0	1901	✓	✓
Form_Activate () ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	286	313		V			0	1875	>	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Form_BeforeUpdate (Cancel As Integer) ' Comments : ' Parameters : Cancel ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	315	335		>			1	1849	V	✓
Form_Delete (Cancel As Integer) ' Comments : ' Parameters : Cancel ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	337	362		V			1	1853	V	✓
Form_Dirty (Cancel As Integer)	Sub	364	366		✓			1	1852	✓	
Form_Error (DataErr As Integer, Response As Integer) ' Comments : ' Parameters : DataErr ' Response ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	368	411		✓			2	1879	V	>
Form_Open (Cancel As Integer) ' Comments : ' Parameters : Cancel ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	413	489		✓			1	1859	V	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Exists	Error Trap
<pre>IstSelect_Click()</pre>	Sub	491	519		✓			0	1933	✓	✓
MovetoClosestCaseSize ()	Sub	550	616		✓			0	1865	✓	✓
SetText() ' Comments : To Set each label to the correct text. ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL ' : 05/18/98 JSL - modified Commodity form to commodity for commodity form to commodity form to commodity for commodity form to commodity for commodity			541		V			0	1868	✓	✓
Form: frmCategory (General Declarations) '+ ' Module : Form_frmCategory ' Description: Allows users to manage categories throughout ' Procedures : chkType_AfterUpdate() ' cmdDelete_Click() ' cmdNew_Click() ' cmdSave_Click() ' cmdSave_Click() ' Form_Activate() ' Form_BeforeUpdate(Cancel As Integer) ' Form_Dirty(Cancel As Integer) ' Form_Error(DataErr As Integer, Response As Form_Open(Cancel As Integer) ' lstSelect_Click() ' SetText() ' txtName_AfterUpdate()	Integer)	1									
<pre>chkType_AfterUpdate () '+ ' Procedure : chkType_AfterUpdate ' Comments : Enables the txtCoverage field if true ' Parameters:</pre>	Sub	33	46		✓			0	1987	✓	>

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
cmdDelete_Click ()	Sub	55	112		✓			0		2037	✓	✓
cmdNew_Click ()	Sub	121	157		✓			0		2028	✓	✓
cmdSave_Click ()	Sub	165	218		✓			0		2016	✓	✓
Form_Activate ()	Sub	226	242		✓			0		1999	✓	✓
Form_AfterUpdate ()	Sub	243	245		✓			0		1979	✓	
Form_BeforeInsert (Cancel As Integer)	Sub	246	248		✓			1		1969	✓	
Form_BeforeUpdate (Cancel As Integer)	Sub	256	291		✓			1		1970	✓	✓
Form_Close ()	Sub	294	303		✓			0		1998	✓	
Form_Dirty (Cancel As Integer)	Sub	311	324		✓			1		1981	✓	✓
Form_Error (DataErr As Integer, Response As Integer)	Sub	334	368		✓			2		2005	✓	✓
Form_Open (Cancel As Integer)	Sub	377	452		✓			1		1984	✓	✓
lstSelect_Click ()	Sub	460	496		✓			0		2014	✓	✓
SetText ()	Sub	505	519		✓			0		1990	✓	✓
txtName_AfterUpdate ()	Sub	527	544		✓			0		2055	✓	✓
txtParent_AfterUpdate ()	Sub	546	573		✓			0		2062	✓	

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Par	rameters	Type	Line		Public	Private	Friend	Static	Coun	n t Return Type	Diagram Line	Exists	Error
Form: frmCosts													
(General Declarations)			1	29									
' Module : F ' Description:	orm_frmCosts												
	MarkCurrentPrice()												
	boSelect1_AfterUpdate()												
'	boSelect2_AfterUpdate()												
'	emdDelete_Click()												
	emdEdit_Click()												
	mdNew_Click()												
	emdSave_Click()												
	Corm_Activate()												
	Corm_BeforeUpdate(Cancel As Integer)												
	Corm_Delete(Cancel As Integer)												
	Corm_Error(DataErr As Integer, Response As I	.nteger)											
	orm_Open(Cancel As Integer) .stSelect_Click()												
	SetText()												
	CCICAL()												
cboSelect1_AfterUpdate	()	Sub	75	104		✓			0		2109	✓	✓
' Comments :													
' Parameters :													
' Returns :													
' Created :													
' Modified : 0	1 Jul 1998 JSL												
,													
'													
cboSelect1_GotFocus ()		Sub	106	130		✓			0		2114	✓	✓
' Comments :													
' Parameters :													
' Returns :													
' Created :	08-Mar-00 Jeff Leiner												
' Modified :													
,													
'													
cboSelect2_AfterUpdate	0	Sub	132	188		✓			0		2125	✓	✓
' Comments :													
' Parameters :													
' Returns :													
' Created :													
' Modified : 0	1 Jul 1998 JSL												
i													
'													

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
cboSelect2_GotFocus() ' Comments : ' Parameters : ' Returns : ' Created : 08-Mar-00 Jeff Leiner ' Modified : ' .	Sub	190	214		>			0	2136	V	✓
<pre>cmdDelete_Click () ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL ' ' ' ' ' ' '</pre>	Sub	216	266		✓			0	2160	✓	✓
<pre>cmdEdit_Click()</pre>	Sub	268	304		✓			0	6638	V	✓
<pre>cmdNew_Click() ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL ' ' ' ' ' ' ' ' '</pre>	Sub	306	329		✓			0	2154	✓	✓
<pre>cmdSave_Click()</pre>	Sub	331	371		✓			0	2116	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Form_Activate () ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	373	401		✓			0	2095	✓	✓
Form_BeforeUpdate (Cancel As Integer) ' Comments : ' Parameters : Cancel ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	403	422		✓			1	2070	V	V
Form_Delete (Cancel As Integer) ' Comments : ' Parameters : Cancel ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	424	449		>			1	2074	✓	✓
Form_Dirty (Cancel As Integer)	Sub	451	453		✓			1	2073	✓	
Form_Error (DataErr As Integer, Response As Integer) ' Comments : ' Parameters : DataErr ' Response ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	455	497		>			2	2099	V	✓

Procedure List with Comments Sorted By Module and Procedure Name

Туре	Start Line	End Line	Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Sub	499	579		✓			1	2080	✓	✓
Sub	581	610		✓			0	2142	✓	✓
Sub	30	73		✓			0	2087	✓	✓
he curren	ntly									
Sub	612	632		✓			0	2091	✓	✓
ce Case Si	ze									
	Sub Sub Sub Sub	Type Line Sub 499 Sub 581 Sub 30 the currently	Sub 499 579 Sub 581 610 Sub 30 73 the currently Sub 612 632	Type Line Line Public Sub 499 579	Sub 499 579	Type Line Line Public Private Friend Sub 499 579 □ ✓ □ Sub 581 610 □ ✓ □ Sub 30 73 □ ✓ □ She currently Sub 612 632 □ ✓ □	Type Line Line Public Private Friend Static Sub 499 579 Image: Control of the c	Type Line Line Public Private Friend Static Count Return Type Sub 499 579	Type Line Line Public Private Friend Static Count Return Type Line Sub 499 579 Image: Count of the public private in the public private in the public p	Type Line Line Public Private Friend Static Count Return Type Line Exists Sub 499 579 □ □ □ 1 2080 ✓ Sub 581 610 □ ✓ □ □ 0 2142 ✓ Sub 30 73 □ ✓ □ □ 0 2087 ✓ the currently □ □ □ 0 2091 ✓

Procedure List with Comments Sorted By Module and Procedure Name

Tuesday, January 11, 2011 Time: 3:58:11 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Type Line Line Public Private Friend Static Count Return Type Line Exists Trap Form: frmDataSources (General Declarations) 32 ′+ ' Module : Form frmDataSources ' Description: Form allowing user to modify data sources for various types ' Procedures : cboSelect1_AfterUpdate() cboSelect1_GotFocus() cmdDelete Click() cmdNew Click() cmdSave Click() Form_Activate() Form BeforeInsert(Cancel As Integer) Form_BeforeUpdate(Cancel As Integer) Form_Dirty(Cancel As Integer) Form_Error(DataErr As Integer, Response As Integer) Form Open(Cancel As Integer) lstSelect_Click() SetText() txtCode BeforeUpdate(Cancel As Integer) txtName_AfterUpdate() **V** 64 **~** 2213 **~** cboSelect1_AfterUpdate () Sub ' Procedure : cboSelect1_AfterUpdate ' Comments : Runs after the user selects a data source type ' Parameters: -' Modified : 03 Jun 2003 LBlanken ' 16 Jun 2003 LBlanken **V ~ V** cboSelect1_GotFocus () Sub 93 0 2228 **~ V V** cmdDelete_Click () Sub 103 157 0 2244 **~ ~ V** cmdNew_Click () Sub 167 198 0 2236 **~ V V** Sub 258 0 2216 cmdSave Click () 207 **~ ✓ V** Form_Activate () Sub 267 286 0 2199 Form_BeforeInsert (Cancel As Integer) Sub 295 310 **~** 2176 **~ V V** Form_BeforeUpdate (Cancel As Integer) Sub 319 355 1 2179 **~ V** Sub Form Dirty (Cancel As Integer) 364 379 1 2185

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Form_Error (DataErr As Integer, Response As Integer)	Sub	389	423		✓			2	2204	✓	✓
Form_Open (Cancel As Integer)	Sub	433	473		✓			1	2188	✓	V
lstSelect_Click ()	Sub	482	510		✓			0	2214	✓	✓
SetText ()	Sub	520	534		✓			0	2191	✓	✓
txtCode_BeforeUpdate (Cancel As Integer)	Sub	545	604		✓			1	2261	✓	✓
txtName_AfterUpdate ()	Sub	613	629		✓			0	2256	✓	✓
Form: frmFundingSources											
(General Declarations)		1	33								
<pre>' Description: Form allowing user to modify Funding Sources for ' Procedures : '</pre>											
<pre>cmdDelete_Click () '+ ' Procedure : cmdDelete_Click ' Comments : Runs when the user clicks on the delete button ' Parameters:</pre>	Sub	42	96		✓			0	2331	V	
cmdNew_Click ()	Sub	106	137		✓			0	2323	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Tuesday, January 11, 2011 Time: 3:58:11 PM User: Admin

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
cmdSave_Click ()	Sub	145	196		✓			0	2313	✓	✓
Form_Activate ()	Sub	205	224		✓			0	2297	✓	✓
Form_BeforeUpdate (Cancel As Integer)	Sub	233	269		✓			1	2277	✓	✓
Form_Dirty (Cancel As Integer)	Sub	278	293		✓			1	2283	✓	✓
Form_Error (DataErr As Integer, Response As Integer)	Sub	303	337		✓			2	2302	✓	✓
Form_Open (Cancel As Integer)	Sub	347	379		✓			1	2286	✓	✓
IstSelect_Click ()	Sub	388	416		✓			0	2311	✓	✓
SetText ()	Sub	426	440		✓			0	2289	✓	✓
txtCode_BeforeUpdate (Cancel As Integer)	Sub	451	501		✓			1	2348	✓	✓
txtName_AfterUpdate ()	Sub	510	526		✓			0	2343	✓	✓

Form: frmGraphConsumption

(General Declarations)

' Module : Form_frmGraphConsumption

' Description:

' Procedures : cboDisplay_AfterUpdate() cboFrom_AfterUpdate() cboGrouping_AfterUpdate() cboThrough_AfterUpdate() cmdPreview_Click() cmdPrint_Click() DisplayGraph() DisplayReport(intPrint As Integer)

Form_Activate()

Form_Open(Cancel As Integer)

GetReportSQL() ini_cboProduct() ini_cboYears()

lstDisplay1_AfterUpdate() optDisplay_AfterUpdate()

SetText()

update_Graph()

UpdateControls(IngColumn As Long)

1 33

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
cboDisplay_AfterUpdate () '+ ' Procedure : cboDisplay_AfterUpdate ' Comments : ' Parameters: - ' Modified : 11 Jul 2003 LBlanken ' 22 Dec 2003 LBlanken	Sub	41	59		✓			0	2505	✓	✓
cboFrom_AfterUpdate ()	Sub	70	97		✓			0	2522	✓	✓
cboGrouping_AfterUpdate ()	Sub	106	131		✓			0	2516	✓	✓
cboPeriod_AfterUpdate () ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 15 Jul 2009 mahmed ',	Sub	133	163		>			0	2651	V	✓
cboPeriod_GotFocus ()	Sub	166	168		✓			0	2656	✓	
cboPeriod_MouseDown (Button As Integer, Shift As Integer, X As Single, Y As Single) 'Call SetDropDownWidth([cboPeriod])	Sub	170	172		✓			4	2660		
cboThrough_AfterUpdate ()	Sub	181	199		✓			0	2530	✓	✓
<pre>cmdPDF_Click () '+ ' Procedure : cmdPDF_Click ' Comments : ' Parameters: - ' Modified : 01 Jul 1998 JSL ' Modified : 11 Jul 2003 LBlanken '-</pre>	Sub	201	230		>			0	2634	V	✓
cmdPreview_Click ()	Sub	239	264		✓			0	2537	✓	~
cmdPrint_Click ()	Sub	273	297		✓			0	2621	✓	✓
cmdShowHide_Click ()	Sub	517	522		✓			0	2630	✓	
DisplayGraph ()	Sub	306	422		✓			0	2368	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
DisplayReport (intPrint As Integer)	Sub	431	514		✓			1		2539	✓	✓
Form_Activate ()	Sub	531	543		✓			0		2500	✓	✓
Form_Open (Cancel As Integer)	Sub	553	646		✓			1		2364	✓	✓
GetReportSQL() ' Comments : Update the Rowsource for the Graph object ' Parameters : ' Returns : ' Created : 08/17/98 JSL ' Modified : '	Function	655	773		✓			0	String	2549	✓	✓
<pre>ini_cboProduct()</pre>	Function stion	782	860		V			0		2387	V	V
<pre>ini_cboYears() ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL ' ' Set up cboStart/End Year boxes from MonthlyStock</pre>	Function	869	914		✓			0		2406	✓	✓
IstDisplay1_AfterUpdate ()	Sub	922	1005		✓			0		2402	✓	V
IstDisplay1_KeyDown (KeyCode As Integer, Shift As Integer)	Sub	1007	1009		✓			2		2511	✓	
IstDisplay1_KeyUp (KeyCode As Integer, Shift As Integer)	Sub	1011	1013		✓			2		2513	✓	
optBU_AfterUpdate ()	Sub	1021	1034		✓			0		2643	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start End Line Line Publ	ic Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
<pre>optDisplay_AfterUpdate ()</pre>	Sub	1043 1133	✓			0	2385	✓	✓
SetText() ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	1141 1167 🗌	V			0	2365	V	V
ShowFirstSelected ()	Function	1285 1339	✓			0	2396	✓	✓
<pre>update_Graph() ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL ' '</pre>	Sub	1175 1239 🗌	V			0	2480	V	✓
UpdateControls (IngColumn As Long)	Function	1248 1284	✓			1	2398	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start End Line Line Publi	c Private	e Friend	Static	Param Count Return Type	Diagram Line	Code Exists	
Form: frmGraphCYP									
(General Declarations)		1 29							
<pre>'+ ' Module : Form_frmGraphCYP ' Description: ' Procedures : getSelectedProducts() ' cboFrom_AfterUpdate() ' cboGrouping_AfterUpdate() ' cboThrough_AfterUpdate() ' cmdExport_Click() ' cmdPreview_Click() ' cmdPrint_Click() ' DisplayGraph() ' DisplayGraph() ' DisplayReport(intPrint As Integer) ' Form_Activate() ' Form_Open(Cancel As Integer) ' ini_cboProduct() ' ini_cboProduct() ' optDisplay_AfterUpdate() ' SetText() ' update_Graph()</pre>									
cboFrom_AfterUpdate ()	Sub	98 131 🗌	✓			0	2757	V	✓
'Comments : 'Parameters : 'Returns : 'Created : 'Modified : 01 Jul 1998 JSL		60 101 _	•			ŭ	2.0	•	V
cboGrouping_AfterUpdate () ' Comments : ' Parameters : ' Returns : ' Created : 08/31/98 JSL ' Modified :	Sub	139 170 🗌	✓			0	2751	✓	✓
cboPeriod_AfterUpdate ()	Sub	172 203	✓			0	2872	✓	✓
cboPeriod_GotFocus ()	Sub	206 208	✓			0	2877	~	

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters		Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
cboThrough_AfterUpdate () ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	216	240		✓			0	2765	✓	V
CmdExport_Click() ' Comments : Export the selected data to an Excel Spreadsher ' : in an FPPMES Database. ' Parameters : ' Returns : ' Created : 10-Mar-00 Jeff Leiner ' Modified : ',	Sub eet for use		318		✓			0	2830	✓	✓
<pre>cmdPDF_Click() '+ ' Procedure : cmdPDF_Click ' Comments : ' Parameters: - ' Modified : 11 Jul 2003 LBlanken '-</pre>	Sub	320	349		✓			0	2857	✓	✓
<pre>cmdPreview_Click () ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL ' ' ' ' ' ' '</pre>	Sub	357	387		✓			0	2780	✓	✓
<pre>cmdPrint_Click () ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL ' ' ' ' ' ' ' ' '</pre>	Sub	395	426		✓			0	2821	✓	V
cmdShowHide_Click ()	Sub	613	618		✓			0	2725	✓	

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
DisplayGraph () ' Comments : Update the Rowsource for the Graph object ' Parameters : ' Returns : ' Created : 08/17/98 JSL ' Modified : '	Sub	434	548		✓			0	2671	>	✓
DisplayReport (intPrint As Integer)	Sub	556	610		~			1	2782	~	~
' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL											
Form_Activate () ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	626	646		✓			0	2734	V	✓
Form_Error (DataErr As Integer, Response As Integer)	Sub	656	686		✓			2	2738	✓	✓
Form_Open (Cancel As Integer) ' Comments : ' Parameters : Cancel ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL ' ' Set up cboProductID with ProductID of first record in Inve	Sub	694	776		V			1	2667	>	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
<pre>getSelectedProducts () '+ ' Procedure : getSelectedProducts ' Comments : ' Parameters: - ' Returns : String - ' Modified : 11 Jul 2003 LBlanken ' -</pre>	Function	37	90		>			0	String	2705	✓	
<pre>ini_cboProduct()</pre>	Function ption	785	851		✓			0		2680	✓	>
<pre>ini_cboYears() ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL ' ' Set up cboStart/End Year boxes from MonthlyStock</pre>	Function	860	905		V			0		2693	✓	✓
IstDisplay_AfterUpdate () ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	913	956		✓			0		2699	✓	✓
IstDisplay_KeyDown (KeyCode As Integer, Shift As Integer)	Sub	958	960		✓			2		2746	✓	
lstDisplay_KeyUp (KeyCode As Integer, Shift As Integer)	Sub	962	964		✓			2		2748	✓	
optBU_AfterUpdate ()	Sub	972	985		✓			0		2866	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start End Line Line		Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
<pre>optDisplay_AfterUpdate ()</pre>	Sub	993 107	1 🗌	✓			0	2770	✓	✓
SetText () ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	1079 110	7 🗌	V			0	2668	V	✓
ShowFirstSelected ()	Function	1197 125	1	✓			0	2728	✓	✓
<pre>update_Graph () ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL ' ' '</pre>	Sub	1115 119	5 🗌	V			0	2704	V	✓

Procedure List with Comments Sorted By Module and Procedure Name

Tuesday, January 11, 2011 Time: 3:58:11 PM User: Admin

Start End Param Diagram Code Error Line Line Public Private Friend Static Count Return Type Procedure Name and Parameters Type Line Exists Trap Form: frmGraphStockStatus (General Declarations) 1 37 ′+ ' Module : Form_frmGraphStockStatus ' Description: ' Procedures : SetListboxSelected(lstBox As ListBox, fSelected As Boolean) cboDisplay_AfterUpdate() cboFrom_AfterUpdate() cboGrouping_AfterUpdate() cboThrough_AfterUpdate() chkAllSupplier_AfterUpdate() cmdPreview Click() cmdPrint_Click() DisplayGraph() DisplayReport(intPrint As Integer) Form Activate() Form_Open(Cancel As Integer) GetReportSQL() ini cboProduct() ini_cboYears() lstDisplay1_AfterUpdate() lstDisplay2_AfterUpdate() optDisplay_AfterUpdate() SetText() update_Graph() UpdateControls(lngColumn As Long) **~** 3122 cboDisplay_AfterUpdate () Sub 98 0 cboFrom_AfterUpdate () Sub 106 142 0 3090 ' Comments ' Parameters : ' Returns ' Created ' Modified : 01 Jul 1998 JSL ' Modified : 14 July 2009 mahmed set and display user selected date range

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
<pre>cboGrouping_AfterUpdate ()</pre>	Sub	150	181		✓			0	3084	✓	
cboPeriod_AfterUpdate () ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 15 Jul 2009 mahmed	Sub	183	213		✓			0	3134	V	✓
cboPeriod_GotFocus ()	Sub	216	218		✓			0	3139	✓	
cboThrough_AfterUpdate () ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	226	252		✓			0	3098	V	✓
chkAllSupplier_AfterUpdate () ' Comments : ' Parameters: - ' Modified : ',	Sub	260	288		✓			0	3114	✓	V
<pre>cmdPDF_Click() '</pre>	Sub	290	321		V			0	3075	✓	V

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
<pre>cmdPreview_Click() ' Comments : Open the Status Graph Report (in Preview mode) ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL '</pre>	Sub	329	362		✓			0		2997	✓	✓
<pre>cmdPrint_Click () ' Comments : Open the Status Graph Report (in Preview mode) ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL '</pre>	Sub	370	402		✓			0		3062	V	✓
cmdShowHide_Click ()	Sub	602	607		✓			0		3071	✓	
DisplayGraph () ' Comments : Update the Rowsource for the Graph object ' Parameters : ' Returns : ' Created : 08/17/98 JSL ' Modified : '	Sub	410	518		✓			0		2888	V	✓
DisplayReport (intPrint As Integer) ' Comments : Open the Status Graph Report (in Preview mode) ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	526	599		✓			1		2999	✓	✓
Form_Activate () ' Comments : Reset the text. ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	615	633		✓			0		2986	V	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
Form_Error (DataErr As Integer, Response As Integer)	Sub	643	673		✓			2		2990	✓	✓
Form_Open (Cancel As Integer)	Sub	683	783		✓			1		2885	✓	✓
GetReportSQL() 'Comments: Update the Rowsource for the Graph object 'Parameters: 'Returns: 'Created: 08/17/98 JSL 'Modified:	Function	792	890		V			0	String	3012	✓	✓
<pre>ini_cboProduct() ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL ' ' Set up lstDisplay1 with ProductID of first record in Consump</pre>	Function	899	980		✓			0		2910	V	✓
<pre>ini_cboYears() ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL ' ' Set up cboStart/End Year boxes from MonthlyStock</pre>	Function	989	1040		✓			0		2931	V	✓
lstDisplay1_AfterUpdate ()	Sub	1048	1136		✓			0		2925	✓	✓
IstDisplay1_KeyDown (KeyCode As Integer, Shift As Integer)	Sub	1138	1140		✓			2		3128	✓	
IstDisplay1_KeyUp (KeyCode As Integer, Shift As Integer)	Sub	1142	1144		✓			2		3130	✓	
<pre>IstDisplay2_AfterUpdate ()</pre>	Sub	1152	1176		✓			0		3105	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start End Line Line	Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
IstDisplay2_KeyDown (KeyCode As Integer, Shift As Integer)	Sub	1182 1184		✓			2	3109	✓	
IstDisplay2_KeyUp (KeyCode As Integer, Shift As Integer)	Sub	1186 1188		✓			2	3111	✓	
optBU_AfterUpdate ()	Sub	1178 1180		✓			0	6646	✓	
optDisplay_AfterUpdate ()	Sub	1197 1282		✓			0	2908	✓	✓
SetListboxSelected (IstBox As ListBox, fSelected As Boolean) ''+ ' Procedure : SetListboxSelected ' Comments : ' Parameters: lstBox ' fSelected - ' Modified : 11 Jul 2003 LBlanken '-	Sub	45 71		✓			2	3115	V	✓
SetText() ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	1290 1317		V			0	2886	✓	✓
ShowFirstSelected ()	Function	1427 1481		✓			0	2919	✓	✓
<pre>update_Graph() ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL ' '</pre>	Sub	1325 1379		✓			0	2941	✓	V
UpdateControls (IngColumn As Long)	Function	1388 1425		✓			1	2921	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Exists	Error Trap
Form: frmInvCount												
(General Declarations)		1	30									
<pre>' Module : Form_frmInvCount ' Description: ' Procedures : FindClosestRecord() ' cboSelect2_AfterUpdate() ' cmdDelete_Click() ' cmdNew_Click() ' cmdSave_Click() ' Form_Activate() ' Form_BeforeInsert(Cancel As Integer) ' Form_BeforeUpdate(Cancel As Integer) ' Form_Error(DataErr As Integer, Response As Integer) ' SetText() ' SetText() ' txtDate_AfterUpdate() ' txtDate_BeforeUpdate(Cancel As Integer)</pre>	Integer)											
cboSelect2_AfterUpdate () ' Comments : ' Parameters: - ' Modified : ',	Sub	90	102		✓			0		3187	✓	
cboSelect2_GotFocus ()	Sub	104	127		✓			0		3197	V	V
' Comments : ' Parameters : ' Returns : ' Created : 08-Mar-00 Jeff Leiner ' Modified : ' .	342	.57			*			· ·		3.37	•	
cmdDelete_Click ()	Sub	129	183		✓			0		3212	~	✓
' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Cas	123	100		v			Ü		OL12	•	•

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
cmdNew_Click() 'Comments : Open the Detail Form to A new record 'Parameters : 'Returns : 'Created : 07-Feb-00 Jeff Leiner 'Modified : '	Sub	185	211		✓			0	3205	V	✓
cmdSave_Click() 'Comments: 'Parameters: - 'Modified:	Sub	213	250		✓			0	3191	✓	V
FindClosestRecord() ' Comments : ' Parameters : ' Returns : ' Created : 04-Feb-00 Jeff Leiner ' Modified : '	Sub	31	88		✓			0	3162	V	V
Form_Activate () ' Comments : ' Parameters: - ' Modified : '	Sub	252	261		✓			0	3172	✓	
Form_BeforeInsert (Cancel As Integer) ' Comments : ' Parameters: Cancel - ' Modified : '	Sub	263	278		✓			1	3149	✓	
Form_BeforeUpdate (Cancel As Integer) ' Comments : ' Parameters: Cancel - ' Modified : ' '	Sub	280	329		✓			1	3150	V	V

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Form_Dirty (Cancel As Integer)	Sub	331	333		✓			1	3157	✓	
Form_Error (DataErr As Integer, Response As Integer) ' Comments : Handles validation Errors ' Parameters : DataErr ' Response ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	335	387		V			2	3173	✓	✓
Form_Open (Cancel As Integer) ' Comments : ' Parameters : cancel ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL ' ' Set up cboSelect2 with ProductID of first record in Consumpts	Sub	389	519		✓			1	3158	✓	✓
<pre>IstSelect_Click()</pre>	Sub	521	536		✓			0	3189	✓	
SetText() 'Comments: 'Parameters: 'Returns: 'Created: 'Modified: 01 Jul 1998 JSL	Sub	538	557		V			0	3165	V	✓
txtDate_AfterUpdate() ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	559	613		V			0	3230	V	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters		Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
<pre>txtDate_BeforeUpdate (Cancel As Integer) ' Comments : See if a record exists for the txtDate already ' Parameters : ' Returns : ' Created : 07/13/98 JSL ' Modified : ', ', ', ', ', ', ',</pre>	Sub	615	642		>			1		3224	✓	✓
Form: frmMain (General Declarations)		1	22									
'H' ' Module : Form_frmMain ' Description: ' Procedures : cboLanguage_AfterUpdate() ' Form_Open(Cancel As Integer) ' SetText() ' Treeview1_GotFocus() ' Treeview1_LostFocus() ' Treeview1_NodeClick(ByVal Node As Object) cboLanguage_AfterUpdate() '+ ' Procedure : cboLanguage_AfterUpdate ' Comments : Updates language based on value ' Parameters: - ' Modified : 01 Jul 1998 JSL ' 16 Jun 2003 LBlanken ' -	Sub	30			V			0		1302	V	V
Form_Activate ()	Sub	60	90		~			0		1437	✓	✓
Form_Close ()	Sub	92	95		✓			0		1426	✓	
Form_Open (Cancel As Integer)	Sub	104	153		✓			1		1408	✓	✓
RequeryConsumption ()	Function	344	346		✓			0		5301	✓	
SetText ()	Sub	161	179		✓			0		1304	✓	✓
Treeview1_GotFocus ()	Sub	187	202		✓			0		6649	✓	✓
Treeview1_LostFocus ()	Sub	210	224		✓			0		6653	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Treeview1_NodeClick (ByVal Node As Object)	Sub	233	339		✓			1	1415	✓	✓
UpdateLanguage ()	Function	340	342		✓			0	1301	✓	
Form: frmMain_temp											
<pre>(General Declarations) ''+ ' Module : Form_frmMain ' Description: ' Procedures : cboLanguage_AfterUpdate() ' Form_Open(Cancel As Integer) ' SetText() ' Treeview1_GotFocus() ' Treeview1_LostFocus() ' Treeview1_NodeClick(ByVal Node As Object)</pre>		1	22								
cboLanguage_AfterUpdate () '+ ' Procedure : cboLanguage_AfterUpdate ' Comments : Updates language based on value ' Parameters: - ' Modified : 01 Jul 1998 JSL ' 16 Jun 2003 LBlanken '-	Sub	30	48		✓			0	3285	V	>
Form_Close ()	Sub	53	56		✓			0	3271	✓	
Form_Open (Cancel As Integer)	Sub	65	117		✓			1	3250	✓	✓
SetText ()	Sub	125	143		✓			0	3253	✓	✓
Treeview1_GotFocus ()	Sub	151	166		✓			0	3275	✓	✓
Treeview1_LostFocus ()	Sub	174	188		✓			0	3278	✓	✓
Treeview1_NodeClick (ByVal Node As Object)	Sub	197	298		✓			1	3260	✓	✓
UpdateLanguage ()	Function	299	301		✓			0	6657	✓	

Procedure List with Comments Sorted By Module and Procedure Name

Tuesday, January 11, 2011 Time: 3:58:11 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Type Line Line Public Private Friend Static Count Return Type Line Exists Trap Form: frmProducts (General Declarations) 1 26 ' Module : Form_frmProducts ' Description: Allows users to maintain the list of products used throughout the system. Procedures : CheckMinMaxs() cmdCategories_Click() cmdDelete_Click() cmdNew Click() cmdSave Click() Form_Activate() Form AfterUpdate() Form_BeforeInsert(Cancel As Integer) Form_BeforeUpdate(Cancel As Integer) Form_Dirty(Cancel As Integer) Form Open(Cancel As Integer) Form_Unload(Cancel As Integer) lstSelect_Click() SetText() txtName_AfterUpdate() ' Modified : 06/03/03 lkb ' 05/22/03 lkb Cleaned with Total Visual CodeTools , ______ checkDEOYS (ctlField As Control) Function 27 50 **~** Boolean 3373 **✓** ' Comments : Compare the Program Min and Max to the DEOYS : and make sure DEOYS is within the two. ' Parameters : -' Returns : Boolean ' Created : 13-Jun-06 mtracy ' Modified 52 144 3347 **~ ~** CheckMinMaxs () Function Boolean ' Comments : Compare the Product Mins and Maxs and the Central level : Mins and maxs and make sure they all fit in the proper : intervals. ' Parameters : -' Returns : Boolean : 25-Feb-00 Jeff Leiner ' Created ' Modified

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
<pre>cmdCategories_Click() ' Comments : opens the assign category form ' Parameters: - ' Modified : 06/03/03 1kb '</pre>	Sub	146	153		✓			0	3416	✓	
'open popup form											
<pre>cmdDelete_Click()</pre>	Sub	155	224		✓			0	3392	✓	✓
cmdImport_Click ()	Sub	226	229		✓			0	3408	✓	
cmdNew_Click() ' Comments : Open the Detail Form to A new red ' Parameters : - ' Returns : - ' Created : 07-Feb-00 Jeff Leiner ' Modified : 06/03/03 lkb		231	266		V			0	3380	✓	✓
cmdSave_Click() ' Comments : saves the recod and updates listbook ' Parameters: - ' Modified : '		268	327		✓			0	3346	✓	✓
Form_Activate () ' Comments : sets value of list box ' Parameters: - ' Modified : 06/03/03 lkb	Sub	329	350		✓			0	3327	✓	
Form_AfterUpdate() ' Comments : sets global product id ' Parameters: - ' Modified : 06/03/03 lkb '	Sub	352	363		✓			0	3304	✓	

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Form_BeforeInsert (Cancel As Integer) ' Comments : Find the Default Supplier ' Parameters : - ' Returns : - ' Created : 07/13/98 JSL ' Modified :	Sub	365	391		✓			1	3293	>	>
Form_BeforeUpdate (Cancel As Integer) ' Comments : validates data ' Parameters: Cancel - exit process ' Modified : 06/03/03 1kb '	Sub	393	447		V			1	3296	✓	✓
Form_Dirty (Cancel As Integer) ' Comments : sets global dirty flag ' Parameters: Cancel - exit process ' Modified : 06/03/03 lkb '	Sub	449	455		✓			1	3305	✓	
Form_Error (DataErr As Integer, Response As Integer)	Sub	465	510		~			2	3328	✓	✓
Form_Open (Cancel As Integer) ' Comments : sets rowsource for listbox, set value of listbot to global product ID (if global is null, sets if Parameters : cancel - exit process ' Returns : - ' Modified : 07/01/98 JSL ' 06/03/03 lkb		512	575		>			1	3306	V	✓
Form_Unload (Cancel As Integer) ' Comments : if the current product isn't active, Check to ' : if there is at least one active product ' Parameters : cancel - exit process ' Returns : - ' Created : 18-Feb-00 Jeff Leiner ' Modified :	Sub see	577	619		✓			1	3321	V	V
IstSelect_Click() Comments : Prompt user to save form if dirty, else requery Parameters: - Modified : 06/03/03 lkb	Sub form	621	650		✓			0	3344	✓	

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters		Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
SetText() ' Comments : sets the captions, statusbar, styles for contro ' Parameters : - ' Modified : 07/01/98 JSL ' 06/03/03 lkb	Sub ols on form		674		~			0	3309	✓	✓
txtDesCMax_AfterUpdate () 'this is causing too many validations and making it difficult 'therefore I'm moving it to run on save. (LKB 4/4/2007) 'CheckMinMaxs Me!txtDesCMax, False	Sub to add data	676 ³	680		✓			0	3406		
txtDesCMin_AfterUpdate() 'this is causing too many validations and making it difficult 'therefore I'm moving it to run on save. (LKB 4/4/2007) 'CheckMinMaxs Me!txtDesCMin, False	Sub to add data		686		✓			0	3404		
txtDesMax_AfterUpdate ()	Sub	688	693		✓			0	3377	✓	
txtDesMin_AfterUpdate ()	Sub	695	700		✓			0	3372	✓	
txtDesStock_AfterUpdate ()	Sub	702	708		✓			0	3389	✓	
txtName_AfterUpdate () ' Comments : generate codes after name is entered ' Parameters: - ' Modified : 06/03/03 lkb '	Sub	710	721		✓			0	3411	✓	
UpdateControls ()	Function	723	758		✓			0	3317	✓	

Procedure List with Comments Sorted By Module and Procedure Name

Tuesday, January 11, 2011 Time: 3:58:11 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Type Line Line Public Private Friend Static Count Return Type Line Exists Trap Form: frmProgram (General Declarations) 1 53 ′+ ' Module : Form frmProgram ' Description: Manages program form ' Procedures : IsImportVisible() SetFormMode() cboDisplay_AfterUpdate() cboDisplay_GotFocus() cmdAdd Click() cmdBackup_Click() cmdCPTExport Click() cmdDelete_Click() cmdImport_Click() cmdImport_GotFocus() cmdImportShipmentData Click() cmdImportShipmentData_GotFocus() cmdRestore_Click() DirtyContinue() edit_error() Form_AfterInsert() Form_AfterUpdate() Form BeforeUpdate(Cancel As Integer) Form_Current() Form Delete(Cancel As Integer) Form_Dirty(Cancel As Integer) Form_Error(DataErr As Integer, Response As Integer) Form_Open(Cancel As Integer) Form_Unload(Cancel As Integer) LockFields(intLock As Integer) MakeActive(fActive As Boolean, strCode As String) MakeCurrent() OpenDialog(strFrmName As String) ResetStatus() SetText() txtBlocker Enter() UpdateBackEnd() **~** cboCountryCode AfterUpdate () Sub 54 67 **~** 0 1545 74 **V** 2 **~** cboCountryCode_NotInList (NewData As String, Response As Integer) Sub 69 1550 'mtracy 4/20/07 for bugzilla 14546 **V** cboDisplay_GotFocus () Sub 97 0 1444 **~** Sub 100 102 0 **~** cboLanguage_AfterUpdate () 1561

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
cboLanguage_GotFocus ()	Sub	104	106		✓			0	1566	✓	
cboLanguage_NotInList (NewData As String, Response As Integer) 'LBLANKEN 4/20/07 for bugzilla 14546	Sub	108	114		✓			2	1562	✓	
cmdAdd_Click ()	Sub	124	207		✓			0	1568	✓	✓
cmdBackup_Click ()	Sub	217	262		✓			0	1594	✓	✓
edit_error ()	Function	272	339		✓			0	1577	✓	✓
Form_AfterInsert ()	Sub	348	374		✓			0	1458	✓	✓
Form_AfterUpdate ()	Sub	383	416		✓			0	1507	✓	✓
Form_BeforeUpdate (Cancel As Integer)	Sub	425	532		✓			1	1462	✓	✓
Form_Close ()	Sub	535	545		✓			0	1528	✓	
Form_Current ()	Sub	554	576		✓			0	1453	✓	✓
Form_Dirty (Cancel As Integer)	Sub	584	598		✓			1	1515	✓	✓
Form_Error (DataErr As Integer, Response As Integer)	Sub	608	666		✓			2	1529	✓	✓
Form_Open (Cancel As Integer)	Sub	675	761		✓			1	1518	✓	✓
Form_Unload (Cancel As Integer)	Sub	770	793		✓			1	1527		
LockFields (intLock As Integer)	Sub	802	842		✓			1	6660	✓	✓
OpenDialog (strFrmName As String)	Sub	851	863		✓			1	6664	✓	✓
ResetStatus ()	Sub	872	884		✓			0	6669	✓	✓
txtBlocker_Enter ()	Sub	893	906		✓			0	1449	✓	✓
txtCode_AfterUpdate ()	Sub	908	912		✓			0	1555	✓	

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	e Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
Form: frmRptAnnualCosts												
(General Declarations)		1	23									
'H 'Module : Form_frmRptAnnualCosts 'Description: Code for Annual Cost Report parameter form 'Procedures : cboFrom_AfterUpdate() 'cboThrough_AfterUpdate() 'cmdPreview_Click() 'cmdPrint_Click() 'FillCombos(ctlCombo As Control, intMedian As I FillFilterCombos(strType As String) 'Form_Load() 'Form_Open(Cancel As Integer) 'MakeDataSet() 'SetText()	Integer, in	tStari	t As	Integ	mer, ir	ntEnd A:	s Integ	ger)				
cboDisplay_AfterUpdate ()	Sub	24	69		✓			0		3477	✓	
cboFrom_AfterUpdate ()	Sub	78	92		✓			0		3445	✓	✓
cboPeriod_AfterUpdate ()	Sub	95	110		✓			0		3640	✓	✓
cboPeriod_GotFocus ()	Sub	113	115		✓			0		3644	✓	
cboThrough_AfterUpdate ()	Sub	124	140		✓			0		3484	✓	✓
<pre>cmdPDF_Click () '+ ' Procedure : cmdPreview_Click ' Comments : diplay report in preview mode ' Parameters: - ' Modified : 01 Jul 1998 JSL ' 11 Jul 2003 LBlanken '-</pre>	Sub	142	174		V			0		3629	>	✓
cmdPreview_Click ()	Sub	183	208		✓			0		3487	✓	✓
cmdPrint_Click ()	Sub	217	236		✓			0		3586	✓	✓
FillCombos (ctlCombo As Control, intMedian As Integer, intStart As Integer, intEnd As Integer)	Sub	249	296		✓			4		3442	✓	✓
FillFilterCombos (strType As String)	Function	306	421		✓			1		3425	✓	✓
Form_Error (DataErr As Integer, Response As Integer)	Sub	/31	461		✓			2		3452	~	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Form_Load ()	Sub	470	498		✓			0	3439	~	✓
Form_Open (Cancel As Integer)	Sub	507	543		✓			1	3421	✓	✓
IstDisplay1_AfterUpdate ()	Sub	672	701		✓			0	3459	✓	
IstDisplay2_AfterUpdate ()	Sub	703	726		✓			0	3467	✓	
MakeDataSet ()	Function	553	642		✓			0	3488	✓	✓
SetText ()	Sub	651	670		✓			0	3424	✓	✓
Form: frmRptPipelineAction											
(General Declarations)		1	19								
'H' ' Module : Form_frmRptPipelineAction ' Description: Code for Pipeline Action Report parameter form ' Procedures : cmdPreview_Click() ' cmdPrint_Click() ' cmdShowHide_Click() ' cmdShowHide_Click() ' DisplayReport(intView As Integer) ' Form_Open(Cancel As Integer) ' SetText()											
cboDisplay_AfterUpdate ()	Sub	20	42		✓			0	3682	✓	
cboFrom_AfterUpdate ()	Sub	50	75		✓			0	3696	✓	✓
cboPeriod_AfterUpdate ()	Sub	76	98		✓			0	3778	✓	✓
cboPeriod_GotFocus ()	Sub	101	103		✓			0	3784	✓	
cboThrough_AfterUpdate ()	Sub	111	127		✓			0	3704	✓	✓
<pre>cmdPDF_Click() '+ ' Procedure : cmdPDF_Click ' Comments : display report in preview mode ' Parameters: -</pre>	Sub	129	148		V			0	3772	✓	✓
' Modified : 01 Jul 1998 JSL ' 11 Jul 2003 LBlanken '-											
cmdPreview_Click ()	Sub	157	170		✓			0	3710	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
cmdPrint_Click ()	Sub	179	192		✓			0		3752	✓	✓
cmdShowHide_Click ()	Sub	200	229		✓			0		3757	✓	✓
DisplayReport (intView As Integer)	Sub	238	314		✓			1		3711	✓	✓
Form_Error (DataErr As Integer, Response As Integer)	Sub	324	354		✓			2		3675	✓	✓
Form_Open (Cancel As Integer)	Sub	362	401		✓			1		3663	✓	✓
SetText ()	Sub	410	428		✓			0		3667	✓	✓
VerifyDateRange ()	Function	438	477		✓			0	Integer	3686	✓	✓
Form: frmRptPipelineProblem (General Declarations) ' + ' Module : Form_frmRptPipelineProblem ' Description: Code for Pipeline Problem Report parameter form ' Procedures : cmdPreview_Click() ' cmdPrint_Click() ' cmdPrint_Click() ' DisplayReport(intView As Integer) ' Form_Open(Cancel As Integer) ' SetText()	n	1	20									
cboDisplay_AfterUpdate ()	Sub	21	32		✓			0		3801	✓	
cmdPDF_Click() '+ ' Procedure : cmdPDF_Click ' Comments : display report in preview mode ' Parameters: - ' Modified : 01 Jul 1998 JSL ' 11 Jul 2003 LBlanken '-	Sub	34	55		V			0		3858	V	✓
cmdPreview_Click ()	Sub	64	79		✓			0		3803	✓	✓
cmdPrint_Click ()	Sub	88	103		✓			0		3839	✓	✓
cmdShowHide_Click ()	Sub	172	203		✓			0		3844	~	✓
DisplayReport (intView As Integer)	Sub	112	164		✓			1		3804	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Form_Open (Cancel As Integer)	Sub	212	234		~			1	3792	✓	✓
<pre>getEndYear() ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL ' ' ' ' ' ' ' ' '</pre>	Function	262	295		✓			0	3805	V	V
SetText ()	Sub	243	260		✓			0	3793	✓	✓
Form: frmRptProcurementTable (General Declarations) ' + ' Module : Form_frmRptProcurementTable ' Description: Code for Procurement Report parameter form ' Procedures : cboDisplay_AfterUpdate()		1	31								
<pre>cboDisplay_AfterUpdate () '+ ' Procedure : cboDisplay_AfterUpdate ' Comments : updates listbox based on category selected ' Parameters:</pre>	Sub	38	100		✓			0	3932	V	>
cboUseMonths_AfterUpdate ()	Sub	108	124		✓			0	3970	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters		Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
cboYear_AfterUpdate ()	Sub	133	162		✓			0	3962	✓	✓
<pre>cmdPDF_Click() ' Procedure : cmdPDF_Click ' Comments : display report in preview mode ' Parameters: - ' Modified : 1 Aug 2006 LBlanken '-</pre>	Sub	164	192		✓			0	4026	✓	✓
cmdPreview_Click ()	Sub	201	225		✓			0	3974	✓	✓
cmdPrint_Click ()	Sub	233	254		✓			0	4016	✓	✓
cmdShowHide_Click ()	Sub	262	304		✓			0	3877	✓	✓
DisplayReport (intView As Integer)	Sub	313	369		✓			1	3975	✓	✓
Form_Error (DataErr As Integer, Response As Integer)	Sub	379	409		✓			2	3925	✓	✓
Form_Load ()	Sub	418	431		✓			0	3922	✓	✓
Form_Open (Cancel As Integer)	Sub	440	531		✓			1	3865	✓	✓
getValidMonths (strID As String)	Sub	539	593		✓			1	3870	✓	✓
ini_cboProduct ()	Function	603	658		✓			0	3866	✓	✓
ini_cboYear ()	Function	668	709		✓			0	3901	✓	✓
lstDisplay1_AfterUpdate ()	Sub	719	816		✓			0	3935	✓	✓
IstDisplay1_KeyDown (KeyCode As Integer, Shift As Integer)	Sub	951	953		✓			2	3957	✓	
lstDisplay1_KeyUp (KeyCode As Integer, Shift As Integer)	Sub	955	957		✓			2	3959	✓	
SetMinMax ()	Sub	824	861		✓			0	3910	✓	✓
SetText ()	Sub	870	889		✓			0	3892	✓	✓
ShowDOM (fShow As Boolean)	Function	940	949		✓			1	3945	✓	
ShowFirstSelected ()	Function	959	1000		~			0	3918	✓	✓
UpdateControls (IngColumn As Long)	Function	898	939		✓			1	3876	✓	V

Procedure List with Comments Sorted By Module and Procedure Name

Tuesday, January 11, 2011 Time: 3:58:11 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Type Line Line Public Private Friend Static Count Return Type Line Exists Trap Form: frmRptShipmentOrders (General Declarations) 35 ′+ ' Module : Form_frmRptShipmentOrders ' Description: Code for Shipment Order Report parameter form ' Procedures : cboFrom_AfterUpdate() cboThrough_AfterUpdate() cmdPreview_Click() cmdPrint Click() cmdShowHide_Click() CreateShipQuery() DisplayReport(lngMode As Long) FillFilterCombos(strType As String) Form_Load() lstDisplay1_AfterUpdate() lstDisplay2 AfterUpdate() MakeFilters() SetListSource() SetPageBreak(strReport As String, intMode As Integer) SetText() VerifyDateRange() cboDisplay_AfterUpdate () Sub 36 79 **✓** 0 **✓ ✓ V ~** cboFrom_AfterUpdate () Sub 88 112 0 **~ ~ ~** Sub 114 137 0 cboPeriod AfterUpdate () **~ ~** cboPeriod_GotFocus () Sub 141 143 0 cboThrough_AfterUpdate () Sub 152 170 **✓** 0 6673 **~ ~** Sub 172 202 **✓** 0 **~ ~** cmdPDF_Click () ' Procedure : cmdPDF_Click ' Comments : display report in preview mode ' Parameters: -' Modified : 1 AUG 2006 LBlanken cmdPreview_Click () Sub 211 237 0 **~ V** Sub **~ V** cmdPrint_Click () 246 272 0 **~** cmdShowHide_Click () Sub 0 280 323

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
CreateShipQuery ()	Function	334	372		✓			0	Integer		✓	✓
DisplayReport (IngIntView As Long)	Sub	381	434		✓			1			✓	✓
FillFilterCombos (strType As String)	Function	444	507		✓			1			✓	✓
Form_Error (DataErr As Integer, Response As Integer)	Sub	517	547		✓			2			✓	✓
Form_Load ()	Sub	558	603		✓			0			✓	✓
Form_Open (Cancel As Integer)	Sub	611	649		✓			1			✓	✓
IstDisplay1_AfterUpdate ()	Sub	658	691		✓			0		6696	✓	✓
IstDisplay1_KeyDown (KeyCode As Integer, Shift As Integer)	Sub	693	695		✓			2		6695	✓	
IstDisplay1_KeyUp (KeyCode As Integer, Shift As Integer)	Sub	697	699		✓			2		6701	✓	
lstDisplay2_AfterUpdate ()	Sub	709	741		✓			0		6705	✓	✓
IstDisplay2_KeyDown (KeyCode As Integer, Shift As Integer)	Sub	1023	1025		✓			2		6704	✓	
IstDisplay2_KeyUp (KeyCode As Integer, Shift As Integer)	Sub	1027	1029		✓			2		6710	✓	
MakeFilters ()	Function	751	846		✓			0	String	6687	✓	
SetListSource ()	Sub	855	893		✓			0		6686	✓	✓
SetPageBreak (strReport As String, intMode As Integer)	Sub	903	932		~			2			~	✓
SetText ()	Sub	941	966		✓			0			✓	✓
VerifyDateRange ()	Function	976	1021		✓			0	Integer	6674	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	: Private	e Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
Form: frmRptShipmentSummary												
(General Declarations)		1	36									
<pre>'+ ' Module : Form_frmRptShipmentSummary ' Description: code for shipment summary report parameter for ' Procedures : cboFrom_AfterUpdate() ' cboThrough_AfterUpdate() ' cmdPreview_Click() ' cmdPrint_Click() ' cmdShowHide_Click() ' createShipQuery() ' DisplayReport(lngMode As Long) ' FillFilterCombos(strType As String) ' Form_Load() ' Form_Open(Cancel As Integer) ' lstDisplay1_AfterUpdate() ' lstDisplay2_AfterUpdate() ' optDisplay_AfterUpdate() ' SetListSource() ' SetPageBreak(strReport As String, intMode As SetText() ' VerifyDateRange()</pre>												
cboDisplay_AfterUpdate ()	Sub	37	93		✓			0			✓	✓
cboFrom_AfterUpdate ()	Sub	102	141		✓			0			✓	✓
cboPeriod_AfterUpdate ()	Sub	143	167		✓			0			✓	✓
cboPeriod_GotFocus ()	Sub	170	172		✓			0			✓	
cboThrough_AfterUpdate ()	Sub	181	199		✓			0			✓	✓
<pre>cmdPDF_Click() '+ ' Procedure : cmdPDF_Click ' Comments : display report in normal mode (i.e. send to programmeters: - ' Modified : 01 AUG 2006 LKB '-</pre>	Sub	201	233		✓			0			✓	✓
cmdPreview_Click ()	Sub	242	270		✓			0			✓	✓
cmdPrint_Click ()	Sub		306		✓			0			✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
cmdShowHide_Click ()	Sub	314	361		✓			0			✓	✓
CreateShipQuery ()	Function	372	411		✓			0	Integer		✓	✓
DisplayReport (IngIntView As Long)	Sub	420	471		✓			1			✓	✓
FillFilterCombos (strType As String)	Function	481	542		✓			1			✓	✓
Form_Error (DataErr As Integer, Response As Integer)	Sub	552	582		✓			2			✓	✓
Form_Load ()	Sub	593	655		✓			0			✓	✓
Form_Open (Cancel As Integer)	Sub	666	714		✓			1			✓	✓
lstDisplay1_AfterUpdate ()	Sub	723	772		✓			0			✓	✓
lstDisplay1_KeyDown (KeyCode As Integer, Shift As Integer)	Sub	774	776		✓			2			✓	
IstDisplay1_KeyUp (KeyCode As Integer, Shift As Integer)	Sub	778	780		✓			2			✓	
lstDisplay2_AfterUpdate ()	Sub	789	821		✓			0			✓	✓
IstDisplay2_KeyDown (KeyCode As Integer, Shift As Integer)	Sub	823	825		✓			2			✓	
IstDisplay2_KeyUp (KeyCode As Integer, Shift As Integer)	Sub	827	829		✓			2			✓	
MakeFilters ()	Function	1046	1147		✓			0	String		✓	
optDisplay_AfterUpdate ()	Sub	837	856		✓			0			✓	✓
SetListSource ()	Sub	865	902		✓			0			✓	✓
SetPageBreak (strReport As String, intMode As Integer)	Sub	912	941		✓			2			✓	✓
SetText ()	Sub	950	981		✓			0			✓	✓
VerifyDateRange ()	Function	991	1036		✓			0	Integer		✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Tuesday, January 11, 2011 Time: 3:58:11 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Type Line Line Public Private Friend Static Count Return Type Line Exists Trap Form: frmRptStockStatus (General Declarations) 36 ′+ ' Module : Form frmRptStockStatus ' Description: code for stock status report parameter form ' Procedures : SetListboxSelected(lstBox As ListBox, fSelected As Boolean) cboDisplay_AfterUpdate() cboFrom_AfterUpdate() cboGrouping_AfterUpdate() cboThrough_AfterUpdate() chkAllSupplier_AfterUpdate() cmdPreview Click() cmdPrint_Click() cmdShowHide_Click() DisplayReport(intView As Integer) Form Load() Form_Open(Cancel As Integer) ini_cboProduct() ini cboYears() lstDisplay1_AfterUpdate() lstDisplay2_AfterUpdate() optDisplay_AfterUpdate() SetText() Update_Report() UpdateControls(lngColumn As Long) **V ✓ ✓** cboDisplay_AfterUpdate () Sub 73 92 0 4161 **~ ~ V** cboFrom_AfterUpdate () Sub 103 130 0 4179 **V** Sub **V ~** cboGrouping_AfterUpdate () 139 165 0 4172 **~ V** Sub 166 188 **~** 0 4537 cboPeriod_AfterUpdate () **~ ~** cboPeriod_GotFocus () Sub 191 193 0 4542 **V** cboThrough_AfterUpdate () Sub 202 228 **~** 0 4187 **✓** chkAllSupplier_AfterUpdate () Sub 236 266 **✓** 0 4194 **~ ~** cmdAMC_Click () Sub 268 280 0 4548

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
cmdPDF_Click ()	Sub	282	309		✓			0		4528	✓	✓
'+ ' Procedure : cmdPDF_Click ' Comments : display report as PDF ' Parameters: - ' Modified : 01 AUG 2006 LKB '-												
cmdPreview_Click ()	Sub	318	343		✓			0		4211	✓	✓
cmdPrint_Click ()	Sub	352	374		✓			0		4518	✓	✓
cmdShowHide_Click ()	Sub	384	411		✓			0		4061	✓	✓
DisplayReport (intView As Integer)	Sub	422	607		✓			1		4212	✓	✓
Form_Error (DataErr As Integer, Response As Integer)	Sub	621	651		✓			2		4154	✓	✓
Form_Load ()	Sub	660	676		✓			0		4151	✓	✓
Form_Open (p_intCancel As Integer)	Sub	685	804		✓			1		4036	✓	✓
GetSourceObject ()	Function	813	853		✓			0	String	4068	✓	✓
ini_cboProduct ()	Function	863	919		✓			0		4049	✓	✓
ini_cboYears ()	Function	930	1012		✓			0		4134	✓	✓
lstDisplay1_AfterUpdate ()	Sub	1021	1247		✓			0		4072	✓	✓
IstDisplay1_KeyDown (KeyCode As Integer, Shift As Integer)	Sub	1250	1252		✓			2		4167	✓	
IstDisplay1_KeyUp (KeyCode As Integer, Shift As Integer)	Sub	1254	1256		✓			2		4169	✓	
lstDisplay2_AfterUpdate ()	Sub	1264	1283		✓			0		4202	✓	✓
IstDisplay2_KeyDown (KeyCode As Integer, Shift As Integer)	Sub	1285	1287		✓			2		4206	✓	
lstDisplay2_KeyUp (KeyCode As Integer, Shift As Integer)	Sub	1289	1291		✓			2		4208	✓	
optDisplay_AfterUpdate ()	Sub	1299	1436		✓			0		4046	✓	✓
setFormForMatrixReport ()	Function	1579	1597		✓			0		4037	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	: Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
SetListboxSelected (IstBox As ListBox, fSelected As Boolean) 'f ' Procedure : SetListboxSelected ' Comments : sets all items in listbox to true or false ' Parameters: lstBox - listbox to update ' fSelected - true to select all, false to deselec ' Modified : 11 Jul 2003 LBlanken '-	Sub	44	65		✓			2	4195	•	✓
SetText ()	Sub	1445	1464		✓			0	4040	✓	✓
ShowFirstSelected ()	Function	1516	1570		✓			0	4058	✓	✓
UpdateControls (IngColumn As Long)	Function	1473	1514		✓			1	4060	✓	✓
<pre>Form: frmRptStockStatusDateRange (General Declarations) ''+ ' Module</pre>	As Boole	1	35								
<pre>' UpdateControls(IngColumn As Long) cboDisplay_AfterUpdate()</pre>	Sub	72	91		~			0	4697	V	V
cboFrom_AfterUpdate ()	Sub	100	127		✓			0	4715	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
cboGrouping_AfterUpdate ()	Sub	136	162		✓			0		4708	✓	✓
cboThrough_AfterUpdate ()	Sub	171	197		✓			0		4726	✓	✓
chkAllSupplier_AfterUpdate ()	Sub	205	235		✓			0		4733	✓	✓
cmdAMC_Click ()	Sub	237	244		✓			0		4805	✓	
cmdPDF_Click() '+ ' Procedure : cmdPDF_Click ' Comments : display report as PDF ' Parameters: - ' Modified : 01 AUG 2006 LKB '-	Sub	246	273		V			0		4791	✓	V
cmdPreview_Click ()	Sub	282	305		✓			0		4750	✓	✓
cmdPrint_Click ()	Sub	314	336		✓			0		4781	✓	✓
cmdShowHide_Click ()	Sub	344	367		✓			0		4624	✓	✓
DisplayReport (intView As Integer)	Sub	376	474		✓			1		4751	✓	✓
Form_Error (DataErr As Integer, Response As Integer)	Sub	484	514		✓			2		4690	✓	✓
Form_Load ()	Sub	523	539		✓			0		4686	✓	✓
Form_Open (p_intCancel As Integer)	Sub	548	657		✓			1		4603	✓	✓
GetSourceObject ()	Function	666	698		✓			0	String	4631	✓	✓
ini_cboProduct ()	Function	708	764		✓			0		4612	✓	✓
ini_cboYears ()	Function	775	857		✓			0		4669	✓	✓
lstDisplay1_AfterUpdate ()	Sub	866	1014		✓			0		4635	✓	✓
lstDisplay1_KeyDown (KeyCode As Integer, Shift As Integer)	Sub	1017	1019		✓			2		4703	✓	
lstDisplay1_KeyUp (KeyCode As Integer, Shift As Integer)	Sub	1021	1023		✓			2		4705	~	
lstDisplay2_AfterUpdate ()	Sub	1031	1050		✓			0		4741	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start End Line Line Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
lstDisplay2_KeyDown (KeyCode As Integer, Shift As Integer)	Sub	1052 1054	✓			2	4745	✓	
lstDisplay2_KeyUp (KeyCode As Integer, Shift As Integer)	Sub	1056 1058	✓			2	4747	✓	
optDisplay_AfterUpdate ()	Sub	1066 1203	✓			0	4609	✓	✓
SetListboxSelected (IstBox As ListBox, fSelected As Boolean) '+ ' Procedure : SetListboxSelected ' Comments : sets all items in listbox to true or false ' Parameters: lstBox - listbox to update ' fSelected - true to select all, false to deselect ' Modified : 11 Jul 2003 LBlanken '-	Sub	43 64	V			2	4734	✓	V
SetText ()	Sub	1212 1231	✓			0	4604	~	✓
ShowFirstSelected ()	Function	1283 1337	✓			0	4621	✓	✓
UpdateControls (IngColumn As Long)	Function	1240 1281	✓			1	4623	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Tuesday, January 11, 2011 Time: 3:58:11 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Type Line Line Public Private Friend Static Count Return Type Line Exists Trap Form: frmRptSupplyPlan (General Declarations) 35 ′+ ' Module : Form frmRptStockStatus ' Description: code for stock status report parameter form ' Procedures : SetListboxSelected(lstBox As ListBox, fSelected As Boolean) cboDisplay_AfterUpdate() cboFrom_AfterUpdate() cboGrouping_AfterUpdate() cboThrough_AfterUpdate() chkAllSupplier_AfterUpdate() cmdPreview Click() cmdPrint_Click() cmdShowHide_Click() DisplayReport(intView As Integer) Form Load() Form_Open(Cancel As Integer) ini_cboProduct() ini cboYears() lstDisplay1_AfterUpdate() lstDisplay2_AfterUpdate() optDisplay_AfterUpdate() SetText() Update_Report() UpdateControls(lngColumn As Long) **V ✓ ✓** cboDisplay_AfterUpdate () Sub 72 91 0 4897 **~ ~ V** cboFrom_AfterUpdate () Sub 100 128 0 4908 **V** Sub **V ~** cboGrouping_AfterUpdate () 137 163 0 6713 **V V** Sub 165 188 **✓** 0 5002 cboPeriod_AfterUpdate () **~ ~** cboPeriod_GotFocus () Sub 191 193 0 5007 **V** cboThrough_AfterUpdate () Sub 202 228 **~** 0 4916 **~** chkAllSupplier_AfterUpdate () Sub 236 266 **✓** 0 4921 **~ ~ V** chkRoundUp_AfterUpdate () Sub 268 313 0 5013

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
cmdPDF_Click ()	Sub	318	345		✓			0		4993	✓	✓
'+ ' Procedure : cmdPDF_Click ' Comments : display report as PDF ' Parameters: -												
' Modified : 01 AUG 2006 LKB												
cmdPreview_Click ()	Sub	354	377		✓			0		4938	✓	✓
cmdPrint_Click ()	Sub	386	408		✓			0		4983	✓	✓
cmdShowHide_Click ()	Sub	416	439		✓			0		4832	✓	✓
DisplayReport (intView As Integer)	Sub	448	509		✓			1		4939	✓	✓
Form_Error (DataErr As Integer, Response As Integer)	Sub	519	549		✓			2		4890	✓	✓
Form_Load ()	Sub	558	574		✓			0		4886	✓	✓
Form_Open (p_intCancel As Integer)	Sub	583	695		✓			1		4811	✓	✓
GetSourceObject ()	Function	704	721		✓			0	String	4839	✓	✓
ini_cboProduct ()	Function	731	786		✓			0		4820	✓	✓
ini_cboYears ()	Function	797	871		✓			0		4868	✓	✓
IstDisplay1_AfterUpdate ()	Sub	880	1008		✓			0		4843	✓	✓
IstDisplay1_KeyDown (KeyCode As Integer, Shift As Integer)	Sub	1011	1013		✓			2		4903	✓	
IstDisplay1_KeyUp (KeyCode As Integer, Shift As Integer)	Sub	1015	1017		✓			2		4905	✓	
IstDisplay2_AfterUpdate ()	Sub	1025	1044		✓			0		4929	✓	✓
IstDisplay2_KeyDown (KeyCode As Integer, Shift As Integer)	Sub	1046	1048		✓			2		4933	✓	
IstDisplay2_KeyUp (KeyCode As Integer, Shift As Integer)	Sub	1050	1052		✓			2		4935	✓	
optDisplay_AfterUpdate ()	Sub	1060	1146		✓			0		4817	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
SetListboxSelected (IstBox As ListBox, fSelected As Boolean)	Sub	43	64		✓			2		4922	✓	✓
'+ ' Procedure : SetListboxSelected ' Comments : sets all items in listbox to true or false ' Parameters: lstBox - listbox to update ' fSelected - true to select all, false to deselect ' Modified : 11 Jul 2003 LBlanken '-	et											
SetText ()	Sub	1155	1174		✓			0		4812	✓	✓
ShowFirstSelected ()	Function	1226	1272		✓			0		4829	✓	✓
UpdateControls (IngColumn As Long)	Function	1183	1224		✓			1		4831	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Start End

Tuesday, January 11, 2011 Time: 3:58:11 PM User: Admin

Code Error

Diagram

Param

Procedure Name and Parameters Type Line Line Public Private Friend Static Count Return Type Line Exists Trap Form: frmShipments (General Declarations) 1 52 ′+ ' Module : Form_frmShipments ' Description: Allows user to input shipments. When form opens, it finds the record in the list box that is closest to the current date. The user then has the option to edit delete, or add a record. Procedures : MovetoClosestShipment() CalculateUnitCost() cboSelect1_AfterUpdate() cboSelect1 GotFocus() cboSelect2_AfterUpdate() cboSelect2_GotFocus() cboSupplier_AfterUpdate() cmdCopy Click() cmdDelete_Click() cmdNew Click() cmdSave Click() Date_Consist() Estimate_LeadTimes(iEvent As Integer) Form_Activate() Form AfterInsert() Form_BeforeInsert(Cancel As Integer) Form BeforeUpdate(Cancel As Integer) Form_Delete(Cancel As Integer) Form_Dirty(Cancel As Integer) Form_Error(DataErr As Integer, Response As Integer) Form_Open(Cancel As Integer) GetCaseLot() getEstFreightCost() HasValidPricing() lstSelect_Click() SetText() txtActOrdered_AfterUpdate() txtActOrdered_BeforeUpdate(Cancel As Integer) txtActShipped_AfterUpdate() txtActShipped_BeforeUpdate(Cancel As Integer) txtDate_AfterUpdate() txtDate BeforeUpdate(Cancel As Integer) txtQuantity_AfterUpdate() CalculateUnitCost () Function 136 212 0 6743 **~** cboSelect1 AfterUpdate () Sub 220 270 0 5124

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
cboSelect1_GotFocus ()	Sub	278	297		✓			0		5129	✓	✓
cboSelect2_AfterUpdate ()	Sub	306	343		~			0		5053	✓	✓
cboSelect2_GotFocus ()	Sub	353	372		✓			0		5136	✓	✓
cboStatus_AfterUpdate ()	Sub	374	417		~			0		5259	✓	✓
cboSupplier_AfterUpdate ()	Sub	425	441		~			0		5239	✓	✓
cmdBack_Click ()	Sub	444	447		✓			0		5287	✓	
cmdCopy_Click ()	Sub	457	501		~			0		5171	✓	✓
cmdDelete_Click ()	Sub	510	576		✓			0		5179	✓	✓
cmdNew_Click ()	Sub	585	618		~			0		5163	✓	✓
cmdPlan_Click ()	Sub	621	646		✓			0		5194	✓	
cmdSave_Click ()	Sub	654	702		~			0		5059	✓	✓
cmdSearch_Click ()	Sub	929	936		✓			0		5304	✓	
Date_Consist ()	Function	712	824		✓			0		5106	✓	✓
Estimate_LeadTimes (iEvent As Integer)	Function	833	927		✓			1		6720	✓	✓
Form_Activate ()	Sub	945	958		~			0		5085	✓	✓
Form_BeforeInsert (Cancel As Integer)	Sub	966	1014		✓			1		5023	✓	✓
Form_BeforeUpdate (Cancel As Integer)	Sub	1023	1090		✓			1		5029	✓	✓
Form_Dirty (Cancel As Integer)	Sub	1099	1114		✓			1		5039	✓	✓
Form_Error (DataErr As Integer, Response As Integer)	Sub	1124	1168		✓			2		5088	✓	✓
Form_Open (Cancel As Integer)	Sub	1177	1334		✓			1		5042	✓	✓
GetCaseLot ()	Sub	1757	1854		✓			0		5240	✓	✓
getEstFreightCost ()	Function	1345	1394		✓			0	Single	6738	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
HasValidPricing ()	Function	1407	1462		✓			0	Integer	6742	✓	✓
lstSelect_Click ()	Sub	1470	1497		✓			0		5057	✓	✓
MovetoClosestShipment () ' + ' Procedure : MovetoClosestShipment ' Comments : Find the record closest to todays date. ' Parameters: - ' Created : 03 Feb 2000 Jeff Leiner ' Modified : 23 Jun 2003 LBlanken ' -	Sub	60	126		V			0		5054	✓	✓
SetText ()	Sub	1506	1520		✓			0		5078	✓	✓
txtActOrdered_AfterUpdate ()	Sub	1529	1550		✓			0		5120	✓	✓
txtActOrdered_BeforeUpdate (Cancel As Integer)	Sub	1559	1580		✓			1		5102	✓	✓
txtActShipped_AfterUpdate ()	Sub	1589	1614		✓			0		5149	✓	✓
txtActShipped_BeforeUpdate (Cancel As Integer)	Sub	1623	1644		✓			1		5142	✓	✓
txtDate_AfterUpdate ()	Sub	1652	1670		✓			0		5280	✓	✓
txtDate_BeforeUpdate (Cancel As Integer)	Sub	1679	1709		✓			1		5270	✓	✓
txtQuantity_AfterUpdate ()	Sub	1719	1748		✓			0		5251	✓	✓
Form: frmSplash												
<pre>(General Declarations) ' Module : Form_frmSplash ' Description: ' Procedures : cboLanguage_AfterUpdate()</pre>		1	20									

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Type	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
<pre>cboLanguage_AfterUpdate () ' Comments : When the language is modified, update the syst ' : variables, and the display. ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL '</pre>	Sub tem	21	42		✓			0	1651	V	✓
Form_Open (Cancel As Integer) ' Comments : On Open see if an upgrade is needed. If yes ' : give the user the option, if not act as a splate is needed. If yes ' : screen. ' Parameters : ' Returns : ' Created : 06/29/98 JSL ' Modified :	Sub	44	109		V			1	5	V	✓
Form_Timer() ' Comments : if TimerInterval > 0 then count the iterations ' : do do the correct events ' Parameters : ' Returns : ' Created : 06/29/98 JSL ' Modified : ',	Sub s and	111	143		V			0	186	V	✓
SetText() ' Comments : Display the text in the proper language ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	145	176		V			0	110	V	✓

Procedure List with Comments Sorted By Module and Procedure Name

Tuesday, January 11, 2011 Time: 3:58:11 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Type Line Line Public Private Friend Static Count Return Type Line Exists Trap Form: frmStock (General Declarations) 1 42 ′+ ' Module : Form frmStock ' Description: Allows user to input inventory adjustments. When form opens, it finds the record in the list box that is closest to the current date. The user then has the option to edit delete, or add a record. Procedures : FindClosestRecord() cboSelect1_AfterUpdate() cboSelect1_GotFocus() cboSelect2 AfterUpdate() cboSelect2_GotFocus() cmdCount_Click() cmdDelete_Click() cmdNew Click() cmdSave_Click() Form Activate() Form BeforeInsert(Cancel As Integer) Form_BeforeUpdate(Cancel As Integer) Form Current() Form_Dirty(Cancel As Integer) Form Error(DataErr As Integer, Response As Integer) Form_Open(Cancel As Integer) lstSelect Click() SetText() **~** 0 5402 **✓ V** Sub 118 168 cboSelect1_AfterUpdate () **~ ~ V** cboSelect1_GotFocus () Sub 176 195 0 5407 **V ~ ~** cboSelect2_AfterUpdate () Sub 204 263 0 5350 **~** cboSelect2_GotFocus () Sub 273 292 **~** 0 5414 **~ ~ ~** cmdBack_Click () Sub 294 298 0 5503 **~ ~ V** cmdCount_Click () Sub 307 369 0 5456 Sub **~** 0 5435 **~ ~** cmdDelete_Click () 379 431 **V** cmdNew_Click () Sub 441 483 0 5426 **~ ~ ~** cmdSave_Click () Sub 492 547 0 5360

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
FindClosestRecord ()	Sub	52	110		✓			0	5354	✓	✓
'+ ' Procedure : FindClosestRecord ' Comments : Find the record in the list box that is ' closest to the current date ' Parameters: - ' Created : 04 Feb 2000 Jeff Leiner ' Modified : 03 Jun 2003 LBlanken ' 16 Jun 2003 LBlanken											
Form_Activate ()	Sub	556	570		✓			0	5383	✓	✓
Form_BeforeInsert (Cancel As Integer)	Sub	579	604		✓			1	5331	✓	✓
Form_BeforeUpdate (Cancel As Integer)	Sub	613	662		✓			1	5334	✓	✓
Form_Current ()	Sub	671	699		✓			0	5328	✓	✓
Form_Dirty (Cancel As Integer)	Sub	708	723		✓			1	5341	✓	✓
Form_Error (DataErr As Integer, Response As Integer)	Sub	734	785		✓			2	5386	✓	✓
Form_Open (Cancel As Integer)	Sub	795	953		✓			1	5344	✓	✓
lstSelect_Click ()	Sub	962	996		✓			0	5357	✓	✓
SetText ()	Sub	1006	1020		✓			0	5375	✓	✓
txtAmount_GotFocus ()	Sub	1022	1025		✓			0	5454	✓	
txtDate_AfterUpdate () 'mtracy 4/5/07 bugzilla 10924	Sub	1031	1034		✓			0	5451	✓	
txtDate_GotFocus ()	Sub	1027	1029		✓			0	5452	✓	

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Type	Start Line		Public	Private	e Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Form: frmSuppliers											
(General Declarations)		1	28								
'H 'Module : Form_frmSuppliers 'Description: Allows users to maintain the list of supplier throughout the system. 'Procedures : cmdDelete_Click() cmdNew_Click() cmdSave_Click() 'GmdSave_Click() 'Form_Activate() 'Form_BeforeUpdate(Cancel As Integer) 'Form_Dirty(Cancel As Integer) 'Form_Error(DataErr As Integer, Response As Inform_Open(Cancel As Integer) 'SetText() 'SetText() 'SetText()											
<pre>' txtName_AfterUpdate() cmdDelete_Click() '+ ' Procedure : cmdDelete_Click ' Comments : deletes the selected item in listbox ' Parameters: - ' Modified : 01 Jul 1998 JSL</pre>	Sub	37	93		✓			0	5566	✓	✓
' 03 Jun 2003 LBlanken ' 16 Jun 2003 LBlanken ' - cmdNew_Click ()	Sub	103	135		✓			0	5557	✓	✓
cmdSave_Click ()	Sub	144	206		✓			0	5547	✓	✓
Form_Activate ()	Sub	215	230		✓			0	5531	✓	✓
Form_BeforeUpdate (Cancel As Integer)	Sub	239	280		✓			1	5509	✓	✓
Form_Dirty (Cancel As Integer)	Sub	289	304		✓			1	5516	✓	✓
Form_Error (DataErr As Integer, Response As Integer)	Sub	314	352		✓			2	5535	✓	✓
Form_Open (Cancel As Integer)	Sub	363	429		✓			1	5519	✓	✓
lstSelect_Click ()	Sub	439	466		✓			0	5545	✓	✓
SetText ()	Sub	476			✓			0	5522	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
txtName_AfterUpdate ()	Sub	499	516		✓			0	5580	✓	✓
UpdateControls ()	Function	518	530		✓			0	5527	✓	
Form: frmTypes											
(General Declarations)		1	4								
Form_Open (Cancel As Integer)	Sub	5	13		✓			1	5589	✓	
lstMoveSelect1_afterupdate ()	Sub	37	39		✓			0	5595	✓	
SetText ()	Sub	21	35		✓			0	5590	✓	✓
Form: fsfrPipelineAction											
<pre>(General Declarations) ''+ ' Module</pre>	: Integer)	1	19								
Form_Activate() '+ ' Procedure: Form_Activate ' Comments: move to correct record in table ' Parameters: - ' Modified: 01 Jul 1998 JSL ' 31 Jul 2003 LBlanken '-	Sub	27	96		✓			0	5616	✓	✓
Form_Open (Cancel As Integer)	Sub	105	144		~			1	5598	✓	✓
getEndYear ()	Function	154	186		✓			0	5600	✓	✓
SetText ()	Sub	195	208		✓			0	5610	✓	✓
txtProduct_DblClick (Cancel As Integer)	Sub	217	246		✓			1	5625	✓	✓
txtProduct_KeyDown (KeyCode As Integer, Shift As Integer)	Sub	255	270		✓			2	5631	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Publi	c Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Form: fsfrPipelineProblem											
(General Declarations)		1	16								
<pre>' Module : Form_fsfrPipelineProblem ' Description: ' Procedures : Form_Activate() ' Form_Open(Cancel As Integer) ' getEndYear()</pre>											
<pre>' SetText() ' txtProduct_DblClick(Cancel As Integer)</pre>											
Form_Activate ()	Sub	17	81		✓			0	5657	V	✓
'Comments : 'Parameters : 'Returns : 'Created : 'Modified : 01 Jul 1998 JSL											
Form_Open (Cancel As Integer)	Sub	83	120		✓			1	5640	~	~
'Comments : 'Parameters : Cancel 'Returns : 'Created : 'Modified : 01 Jul 1998 JSL											
getEndYear ()	Function	122	156		✓			0	5641	~	✓
'Comments : 'Parameters : 'Returns : 'Created : 'Modified : 01 Jul 1998 JSL											_
SetText ()	Sub	158	177		✓			0	5651	✓	✓
'Comments : 'Parameters : 'Returns : 'Created : 'Modified : 01 Jul 1998 JSL											

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
<pre>txtProduct_DblClick (Cancel As Integer) ' Comments : Parameters : Cancel Returns : ' Created : Modified : 01 Jul 1998 JSL ' ' ' ' ' ' '</pre>	Sub	179	209		✓			1	5666	✓	✓
txtProduct_KeyDown (KeyCode As Integer, Shift As Integer)	Sub	211	215		✓			2	5670	✓	
Form: fsfrProcurementTable (General Declarations) ' + ' Module : Form_fsfrProcurementTable ' Description: ' Procedures : Form_Open(Cancel As Integer) ' Form_Current() ' setProductID() ' SetText() ' setYears()		1	16								
Form_Current ()	Sub	48	62		✓			0	5674	✓	✓
Form_Open (Cancel As Integer) ' + ' Procedure : Form_Open ' Comments : set text, years and product ' Parameters: Cancel - ' Modified : 01 Jul 1998 JSL ' 28 Jul 2003 LBlanken ' -	Sub	24	39		✓			1	5683	V	✓
setProductID ()	Sub	71	92		✓			0	5675	✓	✓
SetText ()	Sub	101	114		✓			0	5686	✓	✓
SetYears ()	Sub	123	143		✓			0	5678	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Publi	c Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Form: fsfrShipmentFunding											
(General Declarations)		1	13								
'+ ' Module : Form_fsfrShipmentSupplier ' Description: ' Procedures : Form_Open(Cancel As Integer) ' SetText()											
Form_Open (Cancel As Integer)	Sub	21	34		~			1	5694	~	~
'+ ' Procedure : Form_Open ' Comments : set text on form ' Parameters: Cancel - ' Modified : 01 Jul 1998 JSL ' 31 Jul 2003 LBlanken											
SetText ()	Sub	43	56		✓			0	5697	✓	✓
Form: fsfrShipmentOrder											
(General Declarations)		1	13	i							
'+ ' Module : Form_fsfrShipmentOrder ' Description: ' Procedures : Form_Open(Cancel As Integer) ' SetText()											
Form_Open (Cancel As Integer) '	Sub	21	34		V			1	5703	V	✓
SetText ()	Sub	43	56		✓			0	5704	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре		End Line		ic P	rivate	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Form: fsfrShipmentProduct												
(General Declarations)		1	13	3								
'+ ' Module : Form_fsfrShipmentProduct ' Description: ' Procedures : Form_Open(Cancel As Integer) ' SetText()												
Form_Open (Cancel As Integer)	Sub	21	34	4 🔲		✓			1	5712	✓	✓
'+ ' Procedure : Form_Open ' Comments : set text ' Parameters: Cancel - ' Modified : 01 Jul 1998 JSL ' 31 Jul 2003 LBlanken '-												
SetText ()	Sub	43	56	6 🗌		✓			0	5713	✓	✓
Form: fsfrShipmentSupplier												
(General Declarations)		1	13	3								
<pre>'+ ' Module : Form_fsfrShipmentSupplier ' Description: ' Procedures : Form_Open(Cancel As Integer) ' SetText()</pre>												
Form_Open (Cancel As Integer)	Sub	21	34	4		✓			1	5721	✓	✓
' Procedure : Form_Open ' Comments : set text on form ' Parameters: Cancel - ' Modified : 01 Jul 1998 JSL ' 31 Jul 2003 LBlanken												
SetText ()	Sub	43	56	6 🗌		✓			0	5722	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Type	Start Line		Public	: Private	e Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Form: fsfrStatus_mon											
(General Declarations)		1	28								
'+											
' Module : Form_fsfrStatus_mon ' Description:											
' Procedures : chkActFore_DblClick(Cancel As Integer)											
chkActFore_KeyDown(KeyCode As Integer, Shift	: As Integer	.)									
' Form_Open(Cancel As Integer) ' SetText()											
txtActFore_DblClick(Cancel As Integer)											
' txtBegBalance_DblClick(Cancel As Integer)											
' txtBegBalance_KeyDown(KeyCode As Integer, Sh	nift As Inte	ger)									
' txtConsumption_DblClick(Cancel As Integer)											
' txtConsumption_KeyDown(KeyCode As Integer, S	Shift As Int	eger)									
txtQuantity_DblClick(Cancel As Integer)	T	1									
' txtQuantity_KeyDown(KeyCode As Integer, Shif txtStatus_DblClick(Cancel As Integer)	t As intege	r)									
txtStatus_bbltlick(tancer as integer) txtStatus_KeyDown(KeyCode As Integer, Shift	As Integer)										
' txtStockAdj_DblClick(Cancel As Integer)											
txtStockAdj_KeyDown(KeyCode As Integer, Shif	t As Intege	r)									
' txtSupplier_DblClick(Cancel As Integer)											
' txtSupplier_KeyDown(KeyCode As Integer, Shif	t As Intege	r)									
chkActFore_DblClick (p_intCancel As Integer)	Sub	36	52		✓			1	5810	✓	✓
′+											
' Procedure : chkActFore_DblClick											
' Comments : set globals and open consumption form											
' Parameters: Cancel -											
' Modified : 01 Jul 1998 JSL											
' 12 Aug 2003 LBlanken '-											
chkActFore_KeyDown (p_intIntKeyCode As Integer, p_intIntShift As Integer)	Sub	61	76		✓			2	5814	✓	✓
Form_Open (p_intCancel As Integer)	Sub	85	98		✓			1	5735	✓	✓
SetText ()	Sub	107	120		✓			0	5736	✓	✓
txtActFore_DblClick (p_intCancel As Integer)	Sub	129	145		✓			1	5731	✓	✓
txtBegBalance_DblClick (p_intCancel As Integer)	Sub	154	169		✓			1	5743	✓	✓
txtBegBalance_KeyDown (p_intIntKeyCode As Integer, p_intIntShift As Integer)	Sub	178	193		✓			2	5747	✓	✓
txtConsumption_DblClick (p_intCancel As Integer)	Sub	202	219		✓			1	5801	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Tuesday, January 11, 2011 Time: 3:58:11 PM User: Admin

Procedure Name and Parameters	Туре		t End Line	Public	: Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
txtConsumption_KeyDown (p_intIntKeyCode As Integer, p_intIntShift As Integer)	Sub	22	8 243		✓			2		5805	✓	✓
txtFunding_DblClick (Cancel As Integer)	Sub	24	5 270		✓			1		5828	✓	✓
txtFunding_KeyDown (p_intIntKeyCode As Integer, p_intIntShift As Integer)	Sub	27	3 288		✓			2		5836	✓	✓
txtQuantity_DblClick (p_intCancel As Integer)	Sub	29	8 322		✓			1		5752	✓	✓
txtQuantity_KeyDown (p_intIntKeyCode As Integer, p_intIntShift As Integer)	Sub	33	1 346		✓			2		5770	✓	✓
txtStatus_DblClick (p_intCancel As Integer)	Sub	35	5 379		✓			1		5775	✓	✓
txtStatus_KeyDown (p_intIntKeyCode As Integer, p_intIntShift As Integer)	Sub	38	8 403		✓			2		5783	✓	✓
txtStockAdj_DblClick (p_intCancel As Integer)	Sub	41	2 428		✓			1		5819	✓	✓
txtStockAdj_KeyDown (p_intIntKeyCode As Integer, p_intIntShift As Integer)	Sub	43	7 452		✓			2		5823	✓	✓
txtSupplier_DblClick (p_intCancel As Integer)	Sub	46	1 485		✓			1		5788	✓	✓
txtSupplier_KeyDown (p_intIntKeyCode As Integer, p_intIntShift As Integer)	Sub	49	4 509		✓			2		5796	✓	✓

Form: fsfrStatus_qtr

(General Declarations) 28

′+

' Module : Form_fsfrStatus_gtr

' Description:

' Procedures : chkActFore_DblClick(Cancel As Integer)

chkActFore_KeyDown(KeyCode As Integer, Shift As Integer)

Form_Open(Cancel As Integer)

SetText()

txtActFore_DblClick(Cancel As Integer) txtBegBalance_DblClick(Cancel As Integer)

txtBegBalance_KeyDown(KeyCode As Integer, Shift As Integer)

txtConsumption_DblClick(Cancel As Integer)

txtConsumption_KeyDown(KeyCode As Integer, Shift As Integer)

txtQuantity_DblClick(Cancel As Integer)

txtQuantity_KeyDown(KeyCode As Integer, Shift As Integer)

txtStatus_DblClick(Cancel As Integer)

txtStatus_KeyDown(KeyCode As Integer, Shift As Integer)

txtStockAdj_DblClick(Cancel As Integer)

txtStockAdj_KeyDown(KeyCode As Integer, Shift As Integer)

txtSupplier_DblClick(Cancel As Integer)

txtSupplier_KeyDown(KeyCode As Integer, Shift As Integer)

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
chkActFore_DblClick (p_intCancel As Integer) '+ ' Procedure : chkActFore_DblClick ' Comments : set globals and open consumption form ' Parameters: Cancel - ' Modified : 01 Jul 1998 JSL ' 12 Aug 2003 LBlanken '-	Sub	36	52		✓			1	5914	✓	✓
chkActFore_KeyDown (p_intIntKeyCode As Integer, p_intIntShift As Integer)	Sub	61	76		✓			2	5918	~	~
Form_Open (p_intCancel As Integer)	Sub	85	98		✓			1	5847	~	✓
SetText ()	Sub	107	120		✓			0	5848	~	✓
txtActFore_DblClick (p_intCancel As Integer)	Sub	129	145		~			1	5843	✓	✓
txtBegBalance_DblClick (p_intCancel As Integer)	Sub	154	169		✓			1	5857	✓	✓
txtBegBalance_KeyDown (p_intIntKeyCode As Integer, p_intIntShift As Integer)	Sub	178	194		✓			2	5861	~	✓
txtConsumption_DblClick (p_intCancel As Integer)	Sub	203	219		✓			1	5905	✓	✓
txtConsumption_KeyDown (p_intIntKeyCode As Integer, p_intIntShift As Integer)	Sub	228	243		✓			2	5909	✓	✓
txtQuantity_DblClick (p_intCancel As Integer)	Sub	252	277		✓			1	5866	~	✓
txtQuantity_KeyDown (p_intIntKeyCode As Integer, p_intIntShift As Integer)	Sub	286	301		✓			2	5874	✓	✓
txtStatus_DblClick (p_intCancel As Integer)	Sub	310	335		✓			1	5879	✓	✓
txtStatus_KeyDown (p_intIntKeyCode As Integer, p_intIntShift As Integer)	Sub	344	359		✓			2	5887	✓	✓
txtStockAdj_DblClick (p_intCancel As Integer)	Sub	368	384		✓			1	5923	✓	✓
txtStockAdj_KeyDown (p_intIntKeyCode As Integer, p_intIntShift As Integer)	Sub	393	408		✓			2	5927	✓	✓
txtSupplier_DblClick (p_intCancel As Integer)	Sub	417	442		✓			1	5892	✓	✓
txtSupplier_KeyDown (p_intIntKeyCode As Integer, p_intIntShift As Integer)	Sub	451	466		✓			2	5900	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Tuesday, January 11, 2011 Time: 3:58:11 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Type Line Line Public Private Friend Static Count Return Type Line Exists Trap Form: fsfrStatusMethod (General Declarations) 1 29 ′+ ' Module : Form fsfrStatus mon ' Description: ' Procedures : chkActFore_DblClick(Cancel As Integer) chkActFore_KeyDown(KeyCode As Integer, Shift As Integer) Form_Open(Cancel As Integer) SetText() txtActFore DblClick(Cancel As Integer) txtBegBalance_DblClick(Cancel As Integer) txtBeqBalance KeyDown(KeyCode As Integer, Shift As Integer) txtConsumption_DblClick(Cancel As Integer) txtConsumption_KeyDown(KeyCode As Integer, Shift As Integer) txtQuantity_DblClick(Cancel As Integer) txtQuantity KeyDown(KeyCode As Integer, Shift As Integer) txtStatus_DblClick(Cancel As Integer) txtStatus_KeyDown(KeyCode As Integer, Shift As Integer) txtStockAdj_DblClick(Cancel As Integer) txtStockAdj_KeyDown(KeyCode As Integer, Shift As Integer) txtSupplier_DblClick(Cancel As Integer) txtSupplier_KeyDown(KeyCode As Integer, Shift As Integer) ~ **~ ~** 5933 Form_Open (p_intCancel As Integer) Sub 37 50 ' Procedure : Form_Open ' Comments : set text on report ' Parameters: Cancel -' Modified : 01 Jul 1998 JSL ' 12 Aug 2003 LBlanken SetText () Sub 59 72 **~** 0 5934 **~**

Procedure List with Comments Sorted By Module and Procedure Name

Tuesday, January 11, 2011 Time: 3:58:11 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Type Line Line Public Private Friend Static Count Return Type Line Exists Trap Form: fsfrStatusMethod mon (General Declarations) 1 28 ′+ ' Module : Form fsfrStatusMethod mon ' Description: ' Procedures : chkActFore_DblClick(Cancel As Integer) chkActFore_KeyDown(KeyCode As Integer, Shift As Integer) Form_Open(Cancel As Integer) SetText() txtActFore DblClick(Cancel As Integer) txtBegBalance_DblClick(Cancel As Integer) txtBeqBalance KeyDown(KeyCode As Integer, Shift As Integer) txtConsumption_DblClick(Cancel As Integer) txtConsumption_KeyDown(KeyCode As Integer, Shift As Integer) txtQuantity_DblClick(Cancel As Integer) txtQuantity KeyDown(KeyCode As Integer, Shift As Integer) txtStatus_DblClick(Cancel As Integer) txtStatus_KeyDown(KeyCode As Integer, Shift As Integer) txtStockAdj DblClick(Cancel As Integer) txtStockAdj_KeyDown(KeyCode As Integer, Shift As Integer) txtSupplier_DblClick(Cancel As Integer) txtSupplier_KeyDown(KeyCode As Integer, Shift As Integer) **~ ~ V** 6039 chkActFore DblClick (p_intCancel As Integer) Sub 36 52 ' Procedure : chkActFore DblClick ' Comments : set globals and open consumption form ' Parameters: Cancel -' Modified : 01 Jul 1998 JSL ' 12 Aug 2003 LBlanken **V** chkActFore_KeyDown (p_intIntKeyCode As Integer, p_intIntShift As Integer) Sub 76 **✓** 2 6043 **✓** Form_Open (p_intCancel As Integer) Sub 98 **V** 1 5974 **V V** 85 П **V ~ V** SetText () Sub 107 120 0 5975 Sub **~ V** txtActFore_DblClick (p_intCancel As Integer) 129 145 1 5970 txtBegBalance_DblClick (p_intCancel As Integer) Sub 169 **✓** 1 5982 **✓ ~** 154 txtBegBalance_KeyDown (p_intIntKeyCode As Integer, p_intIntShift As Integer) Sub 178 193 2 5986 txtConsumption_DblClick (p_intCancel As Integer) Sub 202 218 **✓** 6030 **~** 1

Procedure List with Comments Sorted By Module and Procedure Name

Tuesday, January 11, 2011 Time: 3:58:11 PM User: Admin

Procedure Name and Parameters	Туре		End Line	Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
txtConsumption_KeyDown (p_intIntKeyCode As Integer, p_intIntShift As Integer)	Sub	227	242		✓			2		6034	✓	✓
txtQuantity_DblClick (p_intCancel As Integer)	Sub	251	275		✓			1		5991	✓	✓
txtQuantity_KeyDown (p_intIntKeyCode As Integer, p_intIntShift As Integer)	Sub	284	299		✓			2		5999	✓	✓
txtStatus_DblClick (p_intCancel As Integer)	Sub	308	332		✓			1		6004	✓	✓
txtStatus_KeyDown (p_intIntKeyCode As Integer, p_intIntShift As Integer)	Sub	341	356		✓			2		6012	✓	✓
txtStockAdj_DblClick (p_intCancel As Integer)	Sub	365	381		✓			1		6048	✓	✓
txtStockAdj_KeyDown (p_intIntKeyCode As Integer, p_intIntShift As Integer)	Sub	390	405		✓			2		6052	✓	✓
txtSupplier_DblClick (p_intCancel As Integer)	Sub	414	438		✓			1		6017	✓	✓
txtSupplier_KeyDown (p_intIntKeyCode As Integer, p_intIntShift As Integer)	Sub	447	462		✓			2		6025	✓	✓

Form: fsfrStatusMethod_qtr

(General Declarations) 1 28

eneral Declarations

' Module : Form_fsfrStatusMethod_qtr

' Description:

' Procedures : chkActFore_DblClick(Cancel As Integer)

chkActFore_KeyDown(KeyCode As Integer, Shift As Integer)

Form_Open(Cancel As Integer)

SetText()

txtActFore_DblClick(Cancel As Integer)

txtBegBalance_DblClick(Cancel As Integer)

txtBegBalance_KeyDown(KeyCode As Integer, Shift As Integer)

txtConsumption_DblClick(Cancel As Integer)

txtConsumption_KeyDown(KeyCode As Integer, Shift As Integer)

txtQuantity_DblClick(Cancel As Integer)

txtQuantity_KeyDown(KeyCode As Integer, Shift As Integer)

txtStatus_DblClick(Cancel As Integer)

txtStatus_KeyDown(KeyCode As Integer, Shift As Integer)

txtStockAdj_DblClick(Cancel As Integer)

txtStockAdj_KeyDown(KeyCode As Integer, Shift As Integer)

txtSupplier_DblClick(Cancel As Integer)

txtSupplier_KeyDown(KeyCode As Integer, Shift As Integer)

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
chkActFore_DblClick (p_intCancel As Integer) '+ ' Procedure : chkActFore_DblClick ' Comments : set globals and open consumption form ' Parameters: Cancel - ' Modified : 01 Jul 1998 JSL ' 12 Aug 2003 LBlanken '-	Sub	36	52		>			1	6130	>	✓
chkActFore_KeyDown (p_intIntKeyCode As Integer, p_intIntShift As Integer)	Sub	61	76		✓			2	6134	✓	✓
Form_Open (p_intCancel As Integer)	Sub	85	98		✓			1	6063	~	✓
SetText ()	Sub	107	120		✓			0	6064	✓	✓
txtActFore_DblClick (p_intCancel As Integer)	Sub	129	145		✓			1	6059	✓	✓
txtBegBalance_DblClick (p_intCancel As Integer)	Sub	154	169		✓			1	6073	✓	✓
txtBegBalance_KeyDown (p_intIntKeyCode As Integer, p_intIntShift As Integer)	Sub	178	193		✓			2	6077	✓	✓
txtConsumption_DblClick (p_intCancel As Integer)	Sub	202	218		✓			1	6121	✓	✓
txtConsumption_KeyDown (p_intIntKeyCode As Integer, p_intIntShift As Integer)	Sub	227	242		✓			2	6125	✓	✓
txtQuantity_DblClick (p_intCancel As Integer)	Sub	251	275		✓			1	6082	✓	✓
txtQuantity_KeyDown (p_intIntKeyCode As Integer, p_intIntShift As Integer)	Sub	284	299		✓			2	6090	✓	✓
txtStatus_DblClick (p_intCancel As Integer)	Sub	308	332		✓			1	6095	✓	✓
txtStatus_KeyDown (p_intIntKeyCode As Integer, p_intIntShift As Integer)	Sub	341	356		✓			2	6103	✓	✓
txtStockAdj_DblClick (p_intCancel As Integer)	Sub	365	381		✓			1	6139	✓	✓
txtStockAdj_KeyDown (p_intIntKeyCode As Integer, p_intIntShift As Integer)	Sub	390	405		✓			2	6143	✓	✓
txtSupplier_DblClick (p_intCancel As Integer)	Sub	414	438		✓			1	6108	✓	✓
txtSupplier_KeyDown (p_intIntKeyCode As Integer, p_intIntShift As Integer)	Sub	447	462		✓			2	6116	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Tuesday, January 11, 2011 Time: 3:58:11 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Type Line Line Public Private Friend Static Count Return Type Line Exists Trap Form: fsfrStatusProduct (General Declarations) 1 29 ′+ ' Module : Form fsfrStatus mon ' Description: ' Procedures : chkActFore_DblClick(Cancel As Integer) chkActFore_KeyDown(KeyCode As Integer, Shift As Integer) Form_Open(Cancel As Integer) SetText() txtActFore DblClick(Cancel As Integer) txtBegBalance_DblClick(Cancel As Integer) txtBeqBalance KeyDown(KeyCode As Integer, Shift As Integer) txtConsumption_DblClick(Cancel As Integer) txtConsumption_KeyDown(KeyCode As Integer, Shift As Integer) txtQuantity_DblClick(Cancel As Integer) txtQuantity KeyDown(KeyCode As Integer, Shift As Integer) txtStatus_DblClick(Cancel As Integer) txtStatus_KeyDown(KeyCode As Integer, Shift As Integer) txtStockAdj_DblClick(Cancel As Integer) txtStockAdj_KeyDown(KeyCode As Integer, Shift As Integer) txtSupplier_DblClick(Cancel As Integer) txtSupplier_KeyDown(KeyCode As Integer, Shift As Integer) **~ V ~** Form_Open (p_intCancel As Integer) Sub 37 50 6149 ' Procedure : Form_Open ' Comments : set text on report ' Parameters: Cancel -' Modified : 01 Jul 1998 JSL ' 12 Aug 2003 LBlanken SetText () Sub 59 72 **✓** 0 6150 **✓ Module: App Constants and Variables** (General Declarations) 1 72 ′+ ' Module : App Constants and Variables ' Description: ' Procedures : ' Modified ' 05/22/03 LBlanken Cleaned with Total Visual CodeTools ' 12 May 2004 LKB ' _

Procedure List with Comments Sorted By Module and Procedure Name

Tuesday, January 11, 2011 Time: 3:58:11 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Type Line Line Public Private Friend Static Count Return Type Line Exists Trap Module: basAccessConstants (General Declarations) 1 220 ′+ ' Module : basAccessConstants ' Description: ' Procedures : ' Modified : ' 05/22/03 LBlanken Cleaned with Total Visual CodeTools ' 12 May 2004 LKB ' _ Module: basAPIFunctions (General Declarations) 1 253 ′+ ' Module : basAPIFunctions ' Description: ' Procedures : ConvertTSB2Win(TSB_Struct As TSBAPI_OPENFILE, Win_Struct As TSBAPI_WINOPENFILENAME) ConvertWin2TSB(Win_Struct As TSBAPI_WINOPENFILENAME, TSB_Struct As TSBAPI_OPENFILE) qetFileDialog_tsb(strInitialDir As String, strTitle As String, strFilter As String, strFile As String) GetOpenFile_TSB(strInitialDir As String, strTitle As String, strFilter As String, strFile As String) GetUserName_TSB() RemoveNulls TSB(strIN As String) SZToString_TSB(strIN As String) ' Modified ' 28 Jul 2003 LBlanken AppCloseEnabled (pfEnabled As Boolean) Function 552 566 1 621 **~** 2 **~ ~** ConvertTSB2Win (TSB Struct As TSBAPI OPENFILE, Win Struct As Sub 261 302 21 TSBAPI_WINOPENFILENAME) ' Procedure : ConvertTSB2Win ' Comments : Converts the passed TSBAPI structure to a Windows structure ' Parameters: TSB_Struct - record of type TSBAPI_OPENFILE Win Struct - record of type TSBAPI WINOPENFILENAME ' Modified : 28 Jul 2003 LBlanken **V V** ConvertWin2TSB (Win_Struct As TSBAPI_WINOPENFILENAME, TSB_Struct As Sub 312 327 2 23 TSBAPI OPENFILE) **✓ V** getFileDialog tsb (strInitialDir As String, strTitle As String, strfilter As String, strFile As Function 342 381 String 6827 String)

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
GetOpenFile_TSB (strInitialDir As String, strTitle As String, strfilter As String, strFile As String)	Function	394	441					4	String	20	✓	✓
GetUserName_TSB ()	Function	451	478					0	String	3906	✓	✓
RemoveNulls_TSB (strln As String)	Function	488	510					1	String	24	✓	✓
SZToString_TSB (strIn As String)	Function	521	542					1	String	6829	✓	✓
Module: basAppConstants												
(General Declarations) '+ ' Module : App Constants ' Description: Constants used in the applications ' Procedures : ' Modified : 04 Sep 2003 LKB ' 1 Sep 2009 mahmed - add constants for shipment	import f		131									
Module: basCheckAccessVersion												
(General Declarations)		1	2									
CheckAccessVersion ()	Function	3	25					0		2	✓	
Module: basCloneConsumption												
(General Declarations) '+ ' Module : basCloneConsumption ' Description : ' Procedures : CheckCloneDataSource() ' CloneConsumption(strProductID As String)		1	15									
CheckCloneDataSource () ' + ' Procedure : CheckCloneDataSource ' Comments : Validates the Clone Data Source exists ' Parameters : - ' Modified : 18 Aug 2009 jsl '-	Sub	22	48					0		6886	V	✓
CloneConsumption (strProductID As String)	Sub	58	99					1		6885	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start E Line L		blic Priva	te Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Trap
Module: basCompactDB											
(General Declarations)		1	19								
'+											
' Module : basCompactDB											
' Description:											
' Procedures : CompactBackend()											
' DoBackendCompact()											
' GetBackendSize()											
' GetBackendStartSize()											
' GetDatabaseSize()											
' SetBackendStartSize()											
' SetCompactOnExit()											
							0		1349	~	
CompactBackend () ' + ' Procedure : CompactBackend ' Commants : Determine if the Backend detabage has grown	Sub	27	75 [U		1349	V	✓
'+				DW.			U		1345		V
'+ ' Procedure : CompactBackend ' Comments : Determine if the Backend database has grown ' Parameters: - ' Created : 09-Jan-02 PM JSL ' Modified : 12 May 2004 LKB				DW .			0		1348	V	<u>V</u>
'+ ' Procedure : CompactBackend ' Comments : Determine if the Backend database has grown ' Parameters: - ' Created : 09-Jan-02 PM JSL ' Modified : 12 May 2004 LKB	n sufficiently	to Comp	pact No	рw.							
'+ ' Procedure : CompactBackend ' Comments : Determine if the Backend database has grown ' Parameters: - ' Created : 09-Jan-02 PM JSL ' Modified : 12 May 2004 LKB '- DoBackendCompact()	sufficiently Function	to Comp	98 [130 [0		1348	✓	V
'+ ' Procedure : CompactBackend ' Comments : Determine if the Backend database has grown ' Parameters: - ' Created : 09-Jan-02 PM JSL ' Modified : 12 May 2004 LKB '- DoBackendCompact() GetBackendSize()	Function Function	85 108 140	98 [130 [рw.			0	Double	1348 1350	V V	✓
'+ ' Procedure : CompactBackend ' Comments : Determine if the Backend database has grown ' Parameters: - ' Created : 09-Jan-02 PM JSL ' Modified : 12 May 2004 LKB '- DoBackendCompact() GetBackendSize()	Function Function Function	85 108 140 164	98 [130 [рw.			0 0	Double	1348 1350 1353	V V V	V V

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Line		Public	Private	Friend	Static	Coun	n t Return Type	Diagram Line	Exists	Error Trap
Module: basCPTData (General Declarations)		1	18									
<pre>Module : basCPTData ' Description: ' Procedures : GenCountryFile() ' GenCPTData() ' GenMethods() ' GenProducts() ' GenShipments(strYear As String) ' GenSupplierData()</pre>												
GenCountryFile () '+ ' Procedure : GenCountryFile ' Comments : To generate the Country File for the CPT Data. ' Parameters: - ' Returns : Integer - ' Created : 05/26/98 JSL ' Modified : 01 Jul 1998 JSL ' -	Function	27	80					0	Integer	1221	✓	✓
GenCPTData ()	Function	91	372					0	Integer	1240	✓	✓
GenMethods ()	Function	383	436					0	Integer	1227	✓	✓
GenProducts ()	Function	447	504					0	Integer	1230	✓	✓
GenShipments (strYear As String)	Function	516	604					1		1233	✓	✓
GenSupplierData ()	Function	614	666					0	Integer	1224	✓	✓
Module: basExcelAdmin												
(General Declarations)		1	70									
ahtAddFilterItem (strfilter As String, strDescription As String, Optional varItem As Variant) ' Tack a new chunk onto the file filter. ' That is, take the old value, stick onto it the description, ' (like "Databases"), a null character, the skeleton ' (like "*.mdb;*.mda") and a final null character.	Function	222	233					3	String	6993	✓	

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
ahtCommonFileOpenSave (Optional ByRef Flags As Variant, Optional ByVal InitialDir As Variant, Optional ByVal filter As Variant, Optional ByVal FilterIndex As Variant, Optional ByVal DefaultExt As Variant, Optional ByVal filename As Variant, Optional ByVal DialogTitle As Varian ' This is the entry point you'll use to call the common ' file open/save dialog. The parameters are listed ' below, and all are optional. ' In: ' Flags: one or more of the ahtOFN_* constants, OR'd together. ' InitialDir: the directory in which to first look ' Filter: a set of file filters, set up by calling ' AddFilterItem. See examples. ' FilterIndex: 1-based integer indicating which filter ' set to use, by default (1 if unspecified) ' DefaultExt: Extension to use if the user doesn't enter one. ' Only useful on file saves. ' FileName: Default value for the file name text box. ' DialogTitle: Title for the dialog. ' hWnd: parent window handle ' OpenFile: Boolean(True=Open File/False=Save As) ' Out: ' Return Value: Either Null or the selected filename	Function	125	220					9	Variant	565	V	
GetOpenFile (Optional varDirectory As Variant, Optional varTitleForDialog As Variant) ' Here's an example that gets an Access database name.	Function	88	123					2	Variant	6992	✓	
TestIt() ' Dim Strfilter As String ' Dim lngFlags As Long ' Strfilter = ahtAddFilterItem(Strfilter, "Access Files (*.m." "*.MDA;*.MDB") ' Strfilter = ahtAddFilterItem(Strfilter, "dBASE Files (*.db." ' Strfilter = ahtAddFilterItem(Strfilter, "Text Files (*.txt." ' Strfilter = ahtAddFilterItem(Strfilter, "All Files (*.*)", ' MsgBox "You selected: " & ahtCommonFileOpenSave(InitialDir'	of)", "*.DB)", "*.TXT "*.*") ::="C:\", _	æF") "")						0		6997		
TrimNull (ByVal strItem As String)	Function	235	243		✓			1	String	6995	✓	

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
Module: basExportReports (General Declarations)		1	13									
DetectExcel () '+ ' Procedure : DetectExcel ' Comments : ' Parameters : - ' Modified : 08 Dec 2010 JSL	Sub	20	43					0		579	V	V
ExportReport ()	Function	53	426					0		560	✓	✓
GetExcel (strPath As String)	Sub	435	476					1		578	✓	✓
TableExists (strTable)	Function	486	495					1	Boolean	561	✓	✓
Module: basFileFunctions (General Declarations) '	ing, strPa	1 th As	19 Stri	ng, s	strFile	Name As	s Strin	ag, sti	rExtension As	String)		
DirExists_TSB (strDir As String) '+ ' Procedure : DirExists_TSB ' Comments : determines if the named directory exists ' Parameters: strDir - directory to check ' Returns : True - directory exists, False otherwise ' Modified : 12 May 2004 LKB ' -	Function	27	41					1	Boolean	277	✓	V
FileExists_TSB (strDest As String)	Function	52	61					1	Boolean	1476	✓	✓
GetCodeDBNamePath_TSB ()	Function	71	89					0	String	6999	✓	✓
GetNamePart_TSB (strIn As String)	Function	99	124					1	String	159	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	n t Return Type	Diagram Line	Code Exists	Error Trap
GetPathPart_TSB (strPath As String)	Function	134	156					1	String	7	✓	✓
GetPmppPath ()	Function	167	192					0	String	12	✓	✓
ParsePath_TSB (strIn As String, strDrive As String, strPath As String, strFileName As String, strExtension As String)	Function	206	264					5	Boolean	7217	✓	✓
Module: basFormsUtils												
(General Declarations)		1	39									
Description: Utility function run from forms Procedures: ApplyFilter(frmIn As Form) BuildTmpSort(lngChild As Long CountryFormHead() As String DisableFrmCtls(frmIn As Form, intSection As Interior FindCategoryChild(varParent As Variant) GenerateCodes(strName As String, strForm As String IsLoaded(strFormName As String) IsLoaded(strFormName As String) IsLoadedRep(strRepName As String) IsLoadedRep(strRepName As String) IsLoadedRep(strRepName As String) MakeUSDATE(varDateIn As Variant) OpenCostReport(strByType As String) OpenDB(strDB As String) OpenDB(strDB As String) OpenPipeLineSummary() ProgFormHead() SaveForm(Frmin As Form) SetCboSelect2(strParent As String, ctl As Control ShowHideSubform(formIn As Form, strSubForm As String) As Integer)	ing) ol) tring)			olean	1)							
AddShipment (frmin As Form, intStockMonth As Integer) ' + ' Procedure : AddShipment ' Comments : Sets date to end of month and cycles through item ' : creating a shipment record for each ' Parameters: - ' Modified : 27 Jun 2003 LBlanken ' -	Function		122					2		5756	✓	✓
AdjustForCase (strProductID As String, strSupplierID As String, frmin As Form)	Function	131	217					3		5758	✓	✓
ApplyFilter (frmin As Form)	Function	227	260					1		3692	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
ApplyReportFilter (rptIn As Report)	Function	270	303					1		3730	✓	✓
AskSaveFormPopup ()	Function	1764	1782					0	Boolean	419	✓	✓
BuildFromYears (strType As String, frmin As Form, strIn As String)	Function	315	360					3		2413	✓	✓
BuildThroughYears (strType As String, frmin As Form, strIn As String, Optional intAdd As Integer)	Function	373	415					4		2416	✓	✓
BuildTmpSort (IngChild As Long)	Function	425	455	✓				1	String		✓	✓
BuildYears (strType As String, frmin As Form, strIn As String)	Function	467	494					3		3915	✓	✓
CheckInterpolateForm (strProductID As String, ctlMonthStarting As Control, ctlYearStarting As Control, ctlAMCStarting As Control, ctlMonthEnding As Control, ctlYearEnding As Control, ctlAMCEnding As Control, ctlPreview As Control, ctlApply As Control)	Function	2199	2236	✓				9	Boolean	1723	✓	
checkMonthSelected (monthNum As Integer, yearNum As Integer)	Function	2501	2516	✓				2	Integer	7018	✓	✓
CheckValue (ctl As Control, intStartDate As Integer, intEnddate As Integer)	Function	506	527					3	Boolean	2414	✓	✓
CountryFormHead ()	Function	538	560					0	String	536	✓	✓
CreateTablePointer (strTable As String) ' Comments : Create a pointer on a attached table to open ' : a recordset as a table type ' Parameters : strTable - the table to create the link on ' Returns : Recordset - ' Created : ' Modified : '	Function	1984	2012					1	Recordset	2419	V	✓
DisableFrmCtls (frmin As Form, intSection As Integer, fEnable As Boolean, Optional fNew As Boolean)	Sub	571	607					4		1918	✓	✓
DomainLookup_TSB (strDatabase As String, strField As String, strDomain As String, strCriteria As String) ' Comments : Returns a field value in a specified set of reconstruction of the strDatabase - path and name of database to look in strField - name of the field to return in strDomain - name of the table or query to search in strCriteria - string expression specifying the work in the strDatabase in specified field as a variant or NULL in the strDatabase in the specified field as a variant or NULL in the strDatabase in	in or "" n in THERE clau	ise of	stri	query	or bl	ank for	no co	onstra.	Variant ints (all recor	7360 ds)	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
ErrorWithData (frmin As Form)	Function	617	632					1		1973	✓	✓
FindCategoryChild (varParent As Variant)	Function	642	688	✓				1	Boolean	2042	✓	✓
GenerateCodes (strName As String, strForm As String)	Function	700	784					2	String	454	✓	✓
getAdjustAmounts (IngStockAdjustAmount As Long, IngStockInventoryAutoAdjust As Long)	Function	2410 2	2437	✓				2	Long	7403	✓	✓
getAdjustAmountsMethod (IngSumStockAdjustAmount As Long, IngSumStockInventoryAutoAdjust As Long)	Function	2440 2	2467	✓				2	Long		✓	✓
getAMCFlag (monthNum As Integer)	Function	2476 2	2489	~				1	Integer	7019	✓	✓
<pre>getDefaultPeriod() ' Comments : ' Parameters: ' Returns : Integer - ' Created : 08/19/09 15:36 mahmed ' Modified : ' '</pre>	Function	2273 2	2295					0	String	2648	✓	>
getFundingSourceList (strQryName)	Function	2367 2	2407	✓				1	String	6455	✓	✓
getFundingSourceName (IngShipmentID As Long)	Function	2344 2	2355	✓				1	String	5637	✓	
GetProductName (strProductID As String)	Function	2251 2	2272	✓				1	String	6939	✓	✓
getText (strTextID As String, Optional intLanguage As Integer=0)	Function	796	839					2	String	14	✓	✓
IsLoaded (strFormName As String)	Function	850	875					1	Boolean	973	✓	✓
IsLoadedRep (strRepName As String)	Function	886	908					1	Integer	1053	✓	✓
listboxReset (IstBox As ListBox)	Function	921	970					1	Variant	2000	✓	V
MakeUSDATE (varDateIn As Variant)	Function	982 ′	1002					1		1958	✓	V
MakeYears (strType As String)	Function	1012	1062					1		2477	✓	✓
OpenCostReport (strByType As String)	Sub	1072	1099					1			✓	V
OpenDB (strDB As String)	Sub	1109	1141					1		1341	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start E Line L		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
OpenPipeLineSummary ()	Function	1152 12	261					0		1329	✓	✓
ProgFormHead ()	Function	1272 12	286					0	String	118	✓	✓
RequerySubform ()	Function	1296 13	376					0		5289	✓	✓
SanitizeFileNameOrPath (ByVal name As String, Optional fNoPath As Boolean) ' Comments: Return name with invalid characters replaced by All characters greater than ASCII 31 to be used The name may not be only dots Parameters: Candidate file name Created: Jan 18, 2007 - Iblanken - Bug: 13663		1694 17		√ lowin		:<>?\		2	String	1556	V	✓
SaveForm (frmin As Form)	Function	1387 14	416					1	Boolean	1895	✓	✓
SetCboSelect2 (strParent As String, ctl As Control)	Function	1427 14	456					2		5043	✓	✓
SetDateRanges (ctlPeriod As Control, ctlYear As Control, ctlYearThrough As Control, ctlRange1 As Control, ctlRange2 As Control, ctlRange3 As Control, ctlReportDates As Control, Optional ctlGrouping As Control, Optional fTrend As Boolean)	Function	1799 19	979					9		2418	✓	✓
SetDropDownWidth (ctlList As Control) '+ ' Procedure : SetDropDownWidth ' Comments : sets list width property of list box to longest ' Parameters: - ' created : 26 July 2009 MAhmed '-	Sub	2298 23		✓				1		2657	✓	✓
SetInterpolateForm (strProductID As String, ctlMonthStarting As Control, ctlYearStarting As Control, ctlAMCStarting As Control, ctlMonthEnding As Control, ctlYearEnding As Control, ctlAMCEnding As Control, ctlPreview As Control, ctlApply As Control)	Sub	2022 2	185	✓				9		1664	✓	✓
ShowHideMain (fHide As Boolean) '+ ' Procedure : ShowHideMain ' Comments : Shows/Hides main based on global mode ' Parameters: FormIn - current form ' strSubForm - source of subform ' Modified : 27 Jun 2003 LBlanken '-	Function	1499 15	515					1		3999	V	✓
ShowHideSubform (formIn As Form, strSubForm As String)	Function	1466 14	491					2		3765	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
UpdateCommandButtons (frmin As Form, fShow As Boolean)	Function	1654	1693					2		5562	~	
UpdateControls (frmin As Form)	Function	1526	1557					1		1863	✓	✓
xfertoForm (strToForm As String, strFromForm As String, intKillMe As Integer)	Sub	1571	1606					3		1175	✓	✓
Module: basGetExcel												
(General Declarations)		1	2									
getexcelpath ()	Function	3	62					0	String		✓	
Module: basGetStatus												
Description: Set the form and report controls captions, tool and statusbar text also gets the status text and Procedures: SetFormStatusText(frmIn As Form, Optional bytIng Optional bytType As Byte) SetReportCaptions(rptIn As Report, Optional byt GetStatusText(strForm As String, strCTL As String, StrCTL As String) Modified: 22 May 2003 LBlanken Cleaned with Total Visual 16 Jun 2003 LBlanken	d report t dex As Byt Index As E ng, bytInd	text te, Byte)										
GetStatusText (strForm As String, strCTL As String, bytIndex As Byte) ' + ' Procedure : GetStatusText ' Comments : returns the text for the statusbar for the control in table ' Parameters: strForm - form ' strCTL - control on form ' bytIndex - ' Returns : String - ' Created : 02 Aug 2000 Jeff Leiner ' Modified : 16 Jun 2003 LBlanken ' -	Function ol as four	29 nd	80					3	String	7002	V	▽
SetFormStatusText (frmin As Form, Optional bytIndex As Byte, Optional bytType As Byte)	Sub	94	214					3		114	✓	✓
SetReportCaptions (rptIn As Report, Optional bytIndex As Byte)	Sub	227	315					2		534	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Module: basimport (General Declarations)		1	9								
ClearProcessed ()	Sub	843	860		✓			0	798	✓	✓
ClearProcessedShipments ()	Sub	1057	1074		✓			0	7006	✓	✓
ClearUnMapped () '+ ' Procedure : ClearUnMapped ' Comments : Removes all unmapped data from the Import tables ' Parameters: - ' Modified : 17 Jul 2006 MAT '-	Sub	556	573		✓			0	514	✓	V
ImportForecastData (frmin As Form, fShowReport As Boolean, fOverrideCaseSize As Boolean)	Function	575	730					3	790	✓	✓
ImportProducts (frmin As Form, fProduct As Boolean, fShowReport As Boolean, fOverrideCaseSize As Boolean, fUpdate As Boolean)	Function	10	549					5	513	✓	✓
ImportShipments (frmin As Form, fProduct As Boolean, fShowReport As Boolean, fOverrideCaseSize As Boolean, fUpdate As Boolean)	Function	910	1049					5	1056	✓	✓
Validate_Period (StartYear As Long, StartMonth As Long, NumMonths As Long, ProductID As String) '	of time pe riod not d	nnique eriod luplica		е	✓			4	792	V	V
ValidateFile (strXmlFile As String, strUrn As String)	Function	862	908					2	7010	✓	

Procedure List with Comments Sorted By Module and Procedure Name

Tuesday, January 11, 2011 Time: 3:58:11 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Type Line Line Public Private Friend Static Count Return Type Line Exists Trap Module: basImportNewvernshipments (General Declarations) 14 ′+ ' Module : basImportNewvernshipments ' Description: ' Procedures : GetNewvernShipmentFile() GetNewvernShipmentFile () 23 161 **~ ~** Function Boolean ' Procedure : GetNewvernShipmentFile ' Comments : Find a newvern shipment file and import it into the .DB ' Parameters: -' Returns : Boolean -' Created : 06-Mar-00 Jeff Leiner ' Modified : 12 May 2004 LKB Module: basMiscTools (General Declarations) 24 ′+ ' Module : Misc Tools ' Description: ' Procedures : BuildInString(lst As ListBox, fIsString As Boolean) CountOccurrences TSB(strIn As String, strFind As String) FillString_TSB(strChar As String, intCount As Integer) MaxOfThree_TSB(varValue1 As Variant, varValue2 As Variant, varValue3 As Variant) Movepointer(frmActive As Form, varDirection As Variant) NullToValue(varNull As Variant, strValue As String) Open_Admin_Form(strFormName As String) Open_Form(strFormName As String) Open_Supervisor_Form(strFormName As String) Return_To_Form(strFormName As String) StripChars_TSB(strIn As String, strStrip As String) BuildExclSupplierNameString (lst As ListBox, flsString As Boolean) 713 767 2 String 4256 **~ V** Function

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Exists	Error
BuildInString (Ist As ListBox, fIsString As Boolean) '+ ' Procedure : BuildInString ' Comments : Build a Instring statement from the selected val ' : in a multiselect listbox ' Parameters: lst - The listbox to use ' FisString - If the value is a string it must be ' Returns : String - ' Created : 05 Apr 2000 Jeff Leiner ' Modified : 20 Jun 2003 LBlanken ' -		35 quote						2	String	2410	>	V
ceiling (arg1, arg2)	Function	658	673					2	Long	7014	✓	
CountDelimitedWords_TSB (strln As String, chrDelimit As String) ' Comments : returns the number of words in a delimited string ' Parameters: strIn - string to count words in ' chrDelimit - character that delimits words in string ' Returns : number of occurrences		591	610					2	Integer	7432	✓	
CountOccurrences_TSB (strIn As String, strFind As String)	Function	83	122					2	Integer	7335	✓	✓
FillString_TSB (strChar As String, intCount As Integer)	Function	133	156					2	String	7338	✓	✓
GetDelimitedWord_TSB (strln As String, intlndex As Integer, chrDelimit As String) ' Comments : returns word intIndex in delimited string strIn ' Parameters : strIn - string to search ' intIndex - word position to find (value of 0 or chrDelimit - character used as the delimiter ' Returns : nth word '	Function r greater		656 word		: is und			3	String	7433	✓	
GetValue (monthNum As Integer, yearNum As Integer, val As Variant)	Function	882	899	✓				3	Variant	7017	✓	✓
IsCharLetter_TSB (varChar As Variant) ' Comments : determines if the passed character is an letter ' Parameters: varChar - Character as variant ' Returns : True - character is alpha, False - character is		, à-ÿ	531 , À-I					1	Boolean	7052	✓	
IsCharNumeric_TSB (varChar As Variant) ' Comments : determines if the passed character is numeric ' Parameters: varChar - character to check ' Out : True - character is numeric, False - character is	Function		545					1	Boolean	7051	✓	

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
MakeDataSetMatrix (intOptDisplay As Integer)	Function	776	845	✓				1		4079	✓	✓
MaxOfThree_TSB (varValue1 As Variant, varValue2 As Variant, varValue3 As Variant)	Function	168	220					3	Variant	7364	✓	✓
Movepointer (frmActive As Form, varDirection As Variant)	Sub	232	314					2		7021	✓	✓
ntz(varValue As Variant) ' Comments : Returns a 0 if the value is null or the same variation. ' Useful in queries and calculations where there ' Parameters : varValue - value to test ' Returns : 0 if null, original value if not null ' Created : ' Modified : ' .			1					1	Double	7025	V	>
NullToValue (varNull As Variant, strValue As String)	Function	326	340					2	Variant	795	✓	✓
Open_Admin_Form (strFormName As String)	Function	351	367	✓				1		7027	✓	✓
Open_Form (strFormName As String)	Function	378	390	✓				1		7028	✓	✓
Open_Supervisor_Form (strFormName As String)	Function	401	419	✓				1		7038	✓	✓
ReplaceString_TSB (strTextIn As String, strFind As String, strReplace As String, fCaseSensitive As Boolean) ' Comments : replaces a substring in a string with another ' Parameters : strTextIn - string to work on ' strFind - string to find ' strReplace - string to replace with ' fCaseSensitive - True for case sensitive search ' Returns : modified string '	Function	484 or cas			tive s	earch		4	String	6963	V	
Return_To_Form (strFormName As String)	Function	430	442	✓				1		7046	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
RoundtoNextNumber (dblValue As Double, intDecimals As Integer) ' Comments : Rounds a number to a specified number of decimal ' : remainder than the value is rounded up). ' Parameters: dblValue - number to round ' intDecimals - number of decimal places to round ' (positive for right of decimal, negated to round to remain the remainder of the re	to	if any	701					2	Double	7414	V	✓
StringToArray_TSB (strln As String, arrln() As String, chrDelimit As String) ' Comments : Converts a delimited string to an array of words ' Parameters: strln - string to convert ' arrln - array of strings (1-based) ' chrDelimit - character used to delimit words in ' Returns : number of words '		570	589					3	Long	7431	✓	
StripChars_Special (strIn As String)	Function	546	566					1	String	7050	✓	
StripChars_TSB (strIn As String, strStrip As String)	Function	453	482					2	String	450	✓	✓
Module: basMsgBoxUnicode (General Declarations) ' + ' Module : basMsgBoxUnicode ' Description : Functions for producing a unicode compliant me ' Procedures : MsgBoxU() ' Modified : 09 Nov 2005 JSL ' -	essage box	1	16									

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
MsgBoxU (Prompt As String, Optional IngButtons As VbMsgBoxStyle=vbOKOnly, Optional Title As Variant=Null, Optional HelpFile As Variant=Null, Optional Context As Variant)	Function	31	73	✓				5	Long	8	✓	✓
't 'Procedure : MsgBoxU 'Comments : Unicode enabled Messagebox wrapper, accepting a : although help doesn't work at this time. 'Parameters : Prompt - the Message to display ': lngButtons - the msgbox options (of vbMsgboxSty' ': Title - The title of the msgbox. if null then ': - is displayed. ': HelpFile = the path to the help file (N/A) ': Context - the help context ID (N/A) 'Returns : Long - the result of the message box 'Created : 09 Nov 2005 jleiner 'Modified :	rle)		ne									
Module: basPDFOutput												
(General Declarations)		1	5									
ChoosePDFPrinter ()	Function	83	87					0		591	✓	
GetPDFEngine ()	Function	122	146					0	String	587	✓	✓
IsReportLoaded (pstrReportName As String)	Function	103	105					1	Integer	1438	✓	
printreportPDF (Optional IngReport As Long)	Function	6	79					1		586	✓	✓
SetDefaultPrinter (strDeviceName As String)	Function	89	101					1	Boolean	606	✓	
SetOpen (fValue As Boolean)	Function	107	111					1		7056	✓	
SetPDFEngine (strValue As String)	Sub	147	174	✓				1		599	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Type	Start Line		Public	Private	Friend	Static	Param Count	n : Return Type	Diagram Line	Code Exists	Error Trap
Module: basPriceFunctions												
(General Declarations)		1	22									
<pre>'+ ' Module : basPriceFunctions ' Description: ' Procedures : EstOrderDate(lngShipID As Long) ' GetDefaultSupplier(strProductID) ' getFreightRate(lngShipID As Long) ' getheader(Col) ' GetUnitvalue(lngShipment As Long) ' Round(ByVal dblNumber As Double, ByVal intDec xtabprint(lngView As Long)</pre>	cimals As Int	eger)										
EstOrderDate (IngShipID As Long)	Function	32	71					1	Variant	7058	✓	✓
'+ ' Procedure : EstOrderDate ' Comments : When a shipments Order Date is not specified c ' its estimated Date and return the value ' Parameters: lngShipID - ' Returns : Variant - The Estimated Date ' Created : 06/10/98 JSL ' Modified : 12 May 2004 LKB	aculate its											
GetDefaultSupplier (strProductID)	Function	82	104					1	String	5024	✓	✓
getFreightRate (IngShipID As Long)	Function	118	185					1	Single		✓	✓
getheader (Col)	Function	196	212					1		3507	✓	✓
GetUnitvalue (IngShipment As Long)	Function	222	294					1	Variant	6316	✓	✓
Round (ByVal dblNumber As Double, ByVal intDecimals As Integer)	Function	305	323					2	Double	1234	✓	✓
xtabprint (IngView As Long)	Function	335	405					1		3588	✓	✓
xtabprintByFunding (IngView As Long)	Function	416	488					1		3537	✓	✓
xtabprintBySupplier (IngView As Long)	Function	498	570					1		3492	✓	~
												ت

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
xtabprintStatusProduct ()	Function	579	646					0		4085	✓	✓
'+ ' Procedure : xtabprintStatusProduct ' Comments : to Dynamically create the data for a report base ' : Crosstab query ' Parameters: lngView - ' Returns : - ' Created : 11/08/2009 mahmed ' -	d on a											
Module: basReferences												
(General Declarations) ' + ' Module : basReferences ' Description: ' Procedures : ReferenceInfo()		1	14									
ReferenceInfo () '+ ' Procedure : ReferenceInfo ' Comments : ' Parameters: - ' Returns : - ' Modified : 12 May 2004 LKB ' -	Function	22	50					0		6	✓	V
Module: basRegistryExcel												
(General Declarations)		1	90									
fReturnRegKeyValue (ByVal IngKeyToGet As Long, ByVal strKeyName As String, ByVal strValueName As String)	Function	91	167					3	String		✓	✓
Module: basRegistrySettings												
(General Declarations) ''+ ' Module : basRegistrySettings ' Description: ' Procedures : GetAllowCPTExports() ' GetNewInstall() ' RegGetKeyValue_TSB(lngRootKey As Long, strKeyNa' ' RegSetKeyValue_TSB(lngRootKey As Long, strKeyNa' ' SetNewInstall(strValue As String)		ing, s						alue A	s Variant, ln <u>q</u>	gValueType A	s Long)

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
GetAllowCPTExports () ' + ' Procedure : GetAllowCPTExports ' Comments : ' Parameters: - ' Returns : Boolean - ' Modified : 12 May 2004 LKB ' -	Function	119	141					0	Boolean	344	✓	✓
GetNewInstall ()	Function	151	173					0	Boolean	131	✓	✓
RegCreateNewKey_TSB (IngRootKey As Long, strKeyName As String) '+ ' Procedure : RegCreateNewKey_TSB ' Comments : Creates a new key ' Parameters: IngRootKey - root key value, must be one of the regHKeyClassesRoot ' regHKeyClassesRoot ' regHKeyCurrentUser ' regHKeyLocalMachine ' regHKeyUsers ' strKeyName - The name of the key to create ' Returns : True if successful, False otherwise ' Modified : 30 Jul 2003 JLeiner ' -	Function following	339						2	Boolean	7062	V	✓
RegDeleteKey_TSB (IngRootKey As Long, strKeyName As String) '+ ' Procedure : RegDeleteKey_TSB ' Comments : Deletes the specified key from the system registry ' Parameters: IngRootKey - root key value, must be one of the regHKeyClassesRoot ' regHKeyClassesRoot ' regHKeyCurrentUser ' regHKeyLocalMachine ' regHKeyUsers ' strKeyName - The name of the key to delete ' Returns : True if successful, False otherwise ' Modified : 30 Jul 2003 JLeiner ' -	-		390					2	Boolean	7066	V	V
RegDeleteValue_TSB (IngRootKey As Long, strKeyName As String, strValueName As String)	Function	406	428					3	Boolean	7070	✓	✓
RegGetKeyValue_TSB (IngRootKey As Long, strKeyName As String, strValueName As String)	Function	189	251					3	Variant	132	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
RegSetKeyValue_TSB (IngRootKey As Long, strKeyName As String, strValueName As String, varValue As Variant, IngValueType As Long)	Function	269	301					5	Boolean	178	✓	✓
SetNewInstall (strValue As String)	Sub	310	326					1		177	✓	✓
Module: basReportComments												
(General Declarations)		1	16									
'+ ' Module : basReportComments ' Description: ' Procedures : GetReportComments(intReportType As Integer, dtm	Start As	Date,	dtmE	nd As	Date)							
GetReportComments (intReportType As Integer, dtmStart As Date, dtmEnd As Date, strfilter As String) ''+ ' Procedure : GetReportComments ' Comments : Producte a list (table) of all Printable comment ' : fit the product /methods selected and the date r ' Parameters: intReportType - 1 Consumption only, 2 Stock State ' dtmStart ' dtmEnd - ' Created : 16-Feb-00 Jeff Leiner ' Modified : 26-Jan-04 LBlanken fix comment for stock '-	ange.	27	146					4		2564	V	✓
Module: basResize												
(General Declarations)		1	11									
ResizeReportControls (sngWidth As Single)	Sub	12	62	✓				1		7080	✓	✓
Module: basSafeWrappers (General Declarations)		1	13									
SafeClng (varExpression As Variant)	Function	111	123	✓				1	Variant	1941	✓	✓
SafeCStr (varExpression As Variant)	Function	42	54	✓				1	String	7084	✓	✓
SafeCVDate (varExpression As Variant)	Function	89	101	✓				1	Variant	7086	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
SafeFormat (varExpression As Variant, strFormat As String, Optional FirstDayofWeek As VbDayOfWeek=vbSunday, Optional FirstWeekofYear As VbFirstWeekOfYear=vbFirstJan1)	Function	14	30	✓				4	Variant	6892	✓	✓
SafeNulltoString (varExpression As Variant)	Function	134	146	✓				1	String	7088	✓	✓
SafeNZ (varExpression As Variant, Optional varReturn As Variant=0)	Function	158	170	✓				2	Variant	7090	✓	✓
SafeTrim (varExpression As Variant, Optional IngCharacters As Long=0)	Function	183	201	✓				2	String	5160	✓	V
SafeUCase (varExpression As Variant)	Function	66	78	V				1	Variant	7092	✓	✓
Module: basSaveFile (General Declarations) ' + ' Module : basSaveFile ' Description: ' Procedures : ConvertTSB2Win(TSB_Struct As TSBAPI_OPENFILE, W ' ConvertWin2TSB(Win_Struct As TSBAPI_WINOPENFILE) ' CreateFilterString_TSB(ParamArray varFilt() As ' GetSaveFile_TSB(strInitialDir As String, strTite ' RemoveNulls_TSB(strIN As String) ConvertTSB2Win (TSB_Struct As TSBAPI_OPENFILE, Win_Struct As	ENAME, TSB Variant)	S_Struc	ct As	TSBA	PI_OPE	NFILE)		2		1470	✓	✓
TSBAPI_WINOPENFILENAME) '+ ' Procedure : ConvertTSB2Win ' Comments : Converts the passed TSBAPI structure to a Window ' Parameters: TSB_Struct - record of type TSBAPI_OPENFILE ' Win_Struct - record of type TSBAPI_WINOPENFILENAME ' Modified : 12 May 2004 LKB '-		ire										
ConvertWin2TSB (Win_Struct As TSBAPI_WINOPENFILENAME, TSB_Struct As TSBAPI_OPENFILE)	Sub	141	156					2		1144	✓	✓
CreateFilterString_TSB (ParamArray varFilt() As Variant)	Function	169	203					1	String	1469	✓	✓
GetSaveFile_TSB (strInitialDir As String, strTitle As String, strDefName As String)	Function	215	264					3	String	1468	✓	✓
GetSaveFileXML_TSB (strInitialDir As String, strTitle As String, strDefName As String)	Function	275	324					3	String	1140	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

RemoveNulls_TSB (strin As String)	1145	✓	✓
(General Declarations) '			•
<pre>'+ ' Module : basShortCuts ' Description: ' Procedures : CopyAppShortcut() '</pre>			
'+ ' Procedure : CopyAppShortcut ' Comments : ' Parameters: -			
' Returns : - ' Modified : 12 May 2004 LKB ' -	139	✓	✓
GetSpecialFolder (CSIDL As Long) Function 108 141 1 String	140	✓	✓
Module: basStacks (General Declarations) 1 23			
'H' ' Module : basStacks ' Description: Contains functions for the creation of the stack used ' in tracking the progression of open forms in the database. ' Procedures : StackForms(strForm As String) ' UnstackForms() ' Created : 02 Apr 1999 Admin ' Modified : 23 Jul 1999 Admin Cleaned with CodeTools ' 30 May 2003 LBlanken as per code review ' 16 Jun 2003 LBlanken			
JumpForms (strForm As String) Function 150 182	7098	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
ResetSubform (strForm As String) '+ ' Procedure : ResetSubForm ' Comments : Used to open form as sfrSform on frmMain ' Used when double clicking item in report data ' Parameters: strForm - Form to set sfrSform to ' Returns : - ' Modified : 30 May 2003 LBlanken as per code review ' 16 Jun 2003 LBlanken	Function	33	89					1	218	✓	V
StackForms (strForm As String)	Function	101	141					1	5626	✓	✓
UnstackForms ()	Function	193	219					0	3244	~	✓
<pre>Module: basStyle (General Declarations) '+ ' Module : basStyle ' Description: ' Procedures : SetStyle(IngStyle As Long, ctlTemp As Control)</pre>		1	14								
SetStyle (IngStyle As Long, ctlTemp As Control) '+ ' Procedure : SetStyle ' Comments : Sets the style based on table for forms and report ' Parameters: IngStyle - unique identifier for style ' ctlTemp - control to apply style to ' Returns : - ' Modified : 30 May 2003 LBlanken as per code review ' 16 Jun 2003 LBlanken ' 18 AUG 2009 Jleiner - Added New Hightlighted Types ' -	Function	25	106					2	115	✓	V

Procedure List with Comments Sorted By Module and Procedure Name

Tuesday, January 11, 2011 Time: 3:58:11 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Type Line Line Public Private Friend Static Count Return Type Line Exists Trap Module: basToolbarFunctions (General Declarations) 1 49 ′+ ' Module : basToolbarFunctions ' Description: ' Procedures : AddNewMB() CPTExport() DirtyContinue() FileClose() FileCopy_PL() FileMenu(p_strSelect As String) FileNew() FileOpen() ImportShipmentData() IsImportVisible() MakeCurrent() SampleMenuDisable() SetFormMode() SetProgramText() ToggleClickMe() UpdateBackEnd() MakeActive(p_fActive As Boolean, p_strCode As String) **✓ ~** AddNewMB () 59 142 Sub ′+ ' Procedure : AddNewMB ' Comments : ' Parameters: -' Modified : 14 Oct 2003 LKB ' This procedure creates a new menu bar. **~ V** ChangeProgram (strProgram As String) **Function** 153 196 1 206 **~ ~** CPTExport () Function 205 222 0 1159 **~ ~** DirtyContinue () Function 232 260 0 Boolean 151 0 **~ V** FileClose () Function 270 343 362 **V ~** FileCopy_PL() Function 353 439 0 150 **~ V** FileMenu (p_strSelect As String) **Function** 449 495 332

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
FileNew() 'check if form is dirty and prompt to save (false only if user	Function		531					0		338	✓	✓
FileOpen (Optional intStartup As Integer)	Function	542	866					1		192	✓	✓
HelpClose_TSB (strFile As String) ' Comments : marks the specified help file as closed ' Parameters: strFile - name of help (*.HLP) file to mark ' Returns : True if successful, False otherwise '	Function	895	915					1	Boolean	7102	✓	✓
HelpContext_TSB (strFile As String, IngContextID As Long)	Function	877	894					2	Boolean	1379	✓	✓
ImportShipmentData ()	Function	924	945					0		962	✓	✓
IsImportVisible ()	Sub	957	988					0		227	✓	✓
LangMenus ()	Function	999	1306					0		62	✓	✓
IbIID (strE As String)	Function	1316	1330					1	String	7105	✓	✓
MakeActive (p_fActive As Boolean, p_strCode As String)	Sub	2039	2080		✓			2		379	✓	✓
MakeCurrent ()	Function	1340	1425					0		222	✓	✓
OpenAbout ()	Function	1435	1447					0		1383	✓	✓
OpenHelp ()	Function	1457	1469					0		1377	✓	✓
OpenLanguage ()	Function	1479	1496					0		7108	✓	✓
OpenProperties ()	Function	1506	1518					0		395	✓	✓
RelinkToDefault ()	Function	1528	1562					0		205	✓	✓
RunLanguageForm (intLang As Integer)	Function	1573	1627					1		1291	✓	✓
SampleMenuDisable ()	Function	1642	1655					0		6610	✓	✓
SaveSubForm ()	Function	1665	1705					0	Boolean	7147	✓	✓
SetFormMode ()	Function	1716	1743					0		340	~	✓
SetProgramText ()	Function	1753	1793					0		225	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start End Line Line	Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
ToggleClickMe ()	Function	1808 1828					0	6604	✓	✓
UpdateAndMove ()	Function	1838 1878					0	210	✓	✓
UpdateBackEnd ()	Function	1889 1927					0	313	✓	✓
UpdateCommandBars ()	Function	1937 2003					0	343	✓	✓
UpdateTreeviewLanguage ()	Function	2013 2028					0	317	✓	V
Module: basTranslation										
<pre>'+ ' Module : basTranslation ' Description: ' Procedures : BuildTranslationTable() ' CaptureTabPageCaption() ' CreateCaptiontext() ' CreateFormTitleCaptions() ' CreateReportCaptiontext() ' CreateStatusbartext() ' CreateToolTipText() ' setButtonColor()</pre>										
1 ()	Sub	92 111					0	7172	✓	✓
1 ()	Sub	216 232					0	7172	✓	✓
1 ()	Sub	273 291					0	7172	✓	✓
1 ()	Sub	149 167					0	7172	✓	✓
2 ()	Sub	387 406					0	7164	✓	✓
3 ()	Sub	443 456					0	7170	✓	✓
4 (strReport As String)	Sub	329 348					1	7159	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
BuildTranslationTable () ' + ' Procedure : BuildTranslationTable ' Comments : build the translation table based on forms ' Parameters: - ' Returns : - ' Modified : 12 May 2004 LKB ' -	Function	28	55	~				0		7163	✓	✓
setButtonColor ()	Sub	465	502					0		7181	✓	✓
Module: basTreeviewUtils (General Declarations) '		1	15									
CreateParenttoRoot (IngNodeID As Long, ctlTreeView As Control) ''+ ' Procedure : CreateParenttoRoot ' Comments : For a given nodeID in the treeview, make sure it ' : nodes exist all to the root (ParentID = 0). This ' : makes Recursive calls to itself. ' Parameters: lngNodeID - The parent node to test for ' : ctlTreeview - The Treeview being populated ' Returns : Boolean - True returns that the node exists. ' Modified : ' -			106					2	Boolean	242	✓	✓
CreateTreeview ()	Function	116	174	✓				0		241	✓	✓
SetActiveNode (strKey As String)	Sub	183	201	✓				1		246	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Module: basUndoMainSubform											
(General Declarations)		1	20								
'H' ' Module : basUndoMainSubform ' Description: ' Procedures : SaveMain(Frmin As Form, strTempTable As String) ' SaveSub(Frmin As Form, strTempTable As String) ' UndoMain(Frmin As Form, strTempTable As String) ' UndoSub(Frmin As Form, strTempTable As String)											
SaveMain (frmin As Form, strTempTable As String) '+ ' Procedure : SaveMain ' Comments : Save values in main form to temporary table ' Parameters: Frmin - the name of the form ' strTempTable - the name of the temporary table ' Modified : 30 May 2003 LBlanken as per code review ' 16 Jun 2003 LBlanken	Sub	29	83					2	7185	✓	✓
SaveSub (frmin As Form, strTempTable As String)	Sub	94	155					2	238	✓	✓
UndoMain (frmin As Form, strTempTable As String)	Sub	166	217					2	7191	✓	✓
UndoSub (frmin As Form, strTempTable As String)	Function	229	325					2	214	✓	✓
Module: basUpgradeBackEnd (General Declarations)		1	18								
'H ' Module : basUpgradeBackEnd ' Description: ' Procedures : checkBackEndVersion(strDataDir As String) ' CopyIndexes_TSB(strDatabase As String, strDestir ' CopyRelations_TSB(strDatabase As String, strDestir ' CreateAttachement_TSB(strSourceDatabase As String) ' DeleteRelations_TSB(strDestination As String) ' UpgradeProgram(sProgram As String, sDir As String)	stination ing, strDe	As Sti	ing)					String)			

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
checkBackEndVersion (strDataDir As String) '+ ' Procedure : checkBackEndVersion ' Comments : Compares the version number of the PMP_MPTY agai ' : that of the globalmoh.MDB being checked. If the ' : files is found and the version numbers match the ' : the version is OK, else the files will need to be ' : updated. ' Parameters: strDataDir - ' Returns : Integer - ' Created : 06/04/98 JSL ' Modified : 12 May 2004 LKB	en	31	107					1	Integer	261	V	>
CopyIndexes_TSB (strDatabase As String, strDestination As String, strTable As String)	Function	120	296					3	Integer	7195	✓	✓
CopyRelations_TSB (strDatabase As String, strDestination As String)	Function	307	400					2	Integer	7199	✓	✓
CreateAttachement_TSB (strSourceDatabase As String, strDestDatabase As String, strTable As String)	Function	412	448					3	Boolean	287	✓	✓
DeleteRelations_TSB (strDestination As String)	Function	458	517					1	Integer	7202	✓	✓
UpgradeProgram (sProgram As String, sDir As String)	Function	529	755					2	Integer	267	✓	✓
<pre>Module: basUpgradeMDB_Utils (General Declarations) '</pre>		1	25									
ClearOldObjects (strUserFile As String)	Function	26	123					1	Integer	7205	\checkmark	✓
CreateUpgradeMDB (sPath As String)	Function	134	192					1	Integer	7209	✓	~
UpdateProgramTable ()	Function	204	289					0	Long	7212	✓	✓
Module: basWindowsVersion (General Declarations)		1	20									

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	n : Return Type	Diagram Line	Code Exists	Error Trap
fOSNameXP ()	Function	21	36					0	Boolean	2496	✓	
Module: basXMLConsumptionImport												
<pre>(General Declarations) '+ ' Module</pre>		1	15									
ConsDataExists () '+ ' Procedure : ConsDataExists ' Comments : checks if data exists in import tables ' Parameters: - ' Returns : Boolean - ' Modified : 21 Aug 2003 LKB	Function	23	39					0	Boolean	846	✓	✓
ConsImport ()	Function	49	82					0	Boolean	927	✓	✓
OpenImport ()	Function	92	115					0		845	✓	✓
OpenReconciliation ()	Function	125	142					0		954	✓	✓
Module: basXMLDump (General Declarations)		1	8									
CreateXMLFromTables () ' + ' Procedure : CreateXMLFromTables ' Comments : Create the Raw XML Dump based on the file ' Parameters : - ' Modified : 22 Mar 2007 JSL '-	Function	15	52					0	Boolean	1147	V	✓
ExportProgramDataXML ()	Function	61	115					0		1138	✓	✓
MemotoString (varMemo As Variant)	Function	125	138					1	String	7449	✓	✓
TransformXML ()	Function	147	175					0	Boolean	1149	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	: Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
Module: basXMLForecastImport												
(General Declarations)		1	15									
<pre>'+ ' Module : basXMLForecastImport ' Description: ' Procedures : ConsDataExists3() ' ConsImport3() ' OpenImport3() ' OpenReconciliation3()</pre>												
ClearForecastData ()	Function	175	196	✓				0		693	✓	✓
ConsDataExists3 () '+ ' Procedure : ConsDataExists3 ' Comments : checks if data exists in import tables ' Parameters: - ' Returns : Boolean - ' Modified : 29 Sep 2006 MAT	Function	23	41					0	Boolean	686	>	✓
ConsImport3 ()	Function	51	91					0	Boolean	720	✓	✓
OpenImport3 ()	Function	101	132					0		685	✓	✓
OpenReconciliation3 ()	Function	142	167					0		7223	✓	✓
Module: basXMLProductImport												
<pre>(General Declarations) '+ ' Module : basXMLProductImport ' Description: ' Procedures : ConsDataExists2() ' ConsImport2() ' OpenImport2() ' OpenReconciliation2()</pre>		1	15									
ClearSCMSData ()	Function	151	178	✓				0		427	V	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
ConsDataExists2 () ' + ' Procedure : ConsDataExists2 ' Comments : checks if data exists in import tables ' Parameters: - ' Returns : Boolean - ' Modified : 24 Jul 2006 MAT ' -	Function	23	43					0	Boolean	428	✓	✓
ConsImport2 ()	Function	53	83					0	Boolean	447	✓	✓
InSubList (strPrefNotes As String, strFind As String) ' Creates a delimited string of values, converts ' it to an array and determines if the array ' contents contain the specified string ' ====================================	Function	186	210					2	Boolean	7430	✓	
OpenImport2 ()	Function	93	116					0		7231	✓	✓
OpenReconciliation2 ()	Function	126	143					0		7238	✓	✓
Module: basXMLShipmentImport												
<pre>(General Declarations) '+ ' Module : basXMLShipmentImport ' Description: ' Procedures : ShipDataExists() ' ShipImport() ' OpenImportShipment() ' OpenReconciliationShipment()</pre>		1	16									
ClearShipmentData ()	Function	153	181	✓				0		993	✓	✓
OpenImportShipment ()	Function	95	118					0		7245	✓	V
OpenReconciliationShipment ()	Function	128	145					0		7252	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
ShipDataExists () '+ ' Procedure : ShipDataExists ' Comments : checks if data exists in import tables ' Parameters: - ' Returns : Boolean - ' Modified : 1 Sep 2009 mahmed ' -	Function	24	45					0	Boolean	994	✓	
ShipImport ()	Function	55	85					0	Boolean	1014	✓	✓
Module: clsCloneProduct (General Declarations)		1	7									
CloneConsumption ()	Function	197	233	✓				0	Boolean	6907	~	✓
createCloneTable ()	Function	126	184		✓			0	Boolean	6908	✓	✓
ProduceConsumptionRecords ()	Function	246	322		✓			0	Boolean	7259	✓	✓
<pre>ProductID () '+ ' Property(G): ProductID ' Comments : ' Parameters : ' Returns : String ' Created : 16 Jul 2009 jleiner ' Modified : '-</pre>	Get	16	28	✓				0	String	6905	✓	>
ProductID (strProductID As String) '+ ' Property(S): ProductID ' Comments : ' Parameters : ' Created : 16 Jul 2009 jleiner ' Modified : '-	Let	36	47	✓				1		6905	✓	✓
setStartDate (IngMonth As Long, IngYear As Long)	Sub	99	110	✓				2		6906	✓	✓
StartDate (dtmStart As Date)	Let	77	88	✓				1		-1	✓	✓
StartDate ()	Get	57	67	✓				0	Date	-1	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
Module: clsCloseCommand												
(General Declarations)		1	46									
· '+												
' Module : clsCloseCommand												
' Description: Control the Access close button.		-7	Diam	. T d	b-i 7 -							
' When previewing reports, it is very easy for th only attempting to close the previewed report					wniie							
' This occurs because the user confuses the Red												
' right corner of the screen for the command "cl	_	- "										
' when it actually executes the command "exit Pi	peLine".											
Enabled (boolClose As Boolean)	Let	64	78	✓				1		622	✓	
Enabled ()	Get	47	62	✓				0	Boolean	622	✓	
Module: clsConsumptionDataXML												
(General Declarations)		1	45									
' +												
' Module : clsConsumptionDataXML												
Description: Object for importing consumption data in Supply	Chain Mar	nager										
' : XML format ' Procedures : Import()												
LoadXML(strFile As String)												
' Get DataInterval()												
' Let DataInterval(ByVal dblValue As Double)												
Get DataSource()												
' Let DataSource(ByVal strName As String) ' Get DateExported()												
Let DateExported(ByVal dtmValue As Date)												
' Get EndPeriod()												
' Let EndPeriod(ByVal dtmValue As Date)												
<pre>Get StartPeriod()</pre>												
Let StartPeriod(ByVal dtmValue As Date)												
' Get SystemName() ' Let SystemName(ByVal strName As String)												
DataInterval ()	Get	239	251	✓				0	Double	-1	✓	✓
DataInterval (ByVal dblValue As Double)	Let	260	272	✓				1		-1	✓	✓
Datasource ()	Get	282	294	✓				0	String	-1	✓	✓
Datasource (ByVal strName As String)	Let	303	315	✓				1		-1	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
DateExported (ByVal dtmValue As Date)	Let	346	358	✓				1		-1	~	✓
DateExported ()	Get	325	337	✓				0	Date	-1	✓	✓
EndPeriod (ByVal dtmValue As Date)	Let	389	401	✓				1		-1	✓	✓
EndPeriod ()	Get	368	380	✓				0	Date	-1	✓	✓
Import ()	Function	46	155	✓				0	Boolean	942	✓	✓
LoadXML (strFile As String)	Function	167	229	✓				1	Boolean	928	✓	✓
StartPeriod ()	Get	411	423	✓				0	Date	-1	✓	✓
StartPeriod (ByVal dtmValue As Date)	Let	432	444	✓				1		-1	✓	✓
SystemName (ByVal strName As String)	Let	475	487	✓				1		-1	✓	✓
SystemName ()	Get	454	466	~				0	String	-1	✓	✓
Module: clsExportExcel												
(General Declarations)		1	46									
Class_Initialize ()	Sub	553	556		✓			0		6615	✓	
Class_Terminate ()	Sub	557	568		✓			0		6616	✓	
CloseFile (Optional Save As Boolean=True)	Sub	128	133	✓				1		577	~	
ColumnLetter (ColumnNumber As Integer)	Function	260	279	✓				1	String	-1	✓	
CreateFile (filename As String, Optional OpenFile As Boolean=False, Optional Visible As Boolean=False)	Function	65	90	✓				3		569	✓	✓
CreateWorksheet (WorksheetName As String)	Function	143	149	✓				1	Excel.Worksheet	571	✓	
deleterows (nrows As String)	Sub	117	120	✓				1		-1	✓	
FormatCells (Optional Rows As Long=0, Optional Columns As Long=0, Optional RowOffset As Long=0, Optional ColumnOffset As Long=0, Optional SetBorder As Boolean=False, Optional BorderWeight As XIBorderWeight=XIBorderWeight.xIThick, Optional ClearInsideLines As Boolean=	Sub	300	359	✓				14		7266	✓	

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
FormatSelection (Optional HorizontalAlignment As Excel.Constants=Excel.Constants.xlNone, Optional VerticalAlignment As Excel.Constants=Excel.Constants.xlNone, Optional WrapText As omBool=omBool.omNotUsed, Optional Orientation As Integer=0, Optional AddIndent As omBool=om	Sub	445	485	✓				11		-1	✓	
FormatWorksheet (Optional RowHeight As Integer=0, Optional ColumnWidth As Integer=0, Optional WrapText As omBool=omBool.omNotUsed)	Sub	214	229	✓				3		-1	✓	
getcolumn ()	Function	282	285	✓				0	Long	-1	✓	
getexcelfilename (fname As String)	Function	47	64	✓				1	String	563	✓	✓
GetLastActiveColumn ()	Function	368	375	✓				0	Long	7271	✓	
GetLastActiveRow ()	Function	360	367	✓				0	Long	7270	✓	
GetValue (Optional RowOffset As Long=0, Optional ColumnOffset As Long=0)	Function	288	290	✓				2	String	6182	✓	
InsertRows (Rows As Long, Optional Shift As XIDirection=XIDirection.xIDown)	Sub	376	381	✓				2		-1	✓	
MergeCells (Optional Rows As Long=0, Optional Columns As Long=0, Optional RowOffset As Long=0, Optional ColumnOffset As Long=0)	Sub	291	299	✓				4		-1	✓	
MoveActiveSheetToEnd ()	Sub	538	540	✓				0		-1	✓	
OpenFile (Optional filename As String="", Optional Visible As Boolean=False)	Sub	121	127	✓				2		570	✓	
PageSetup (Optional Orientation As XIPageOrientation=XIPageOrientation.xIPortrait, Optional ORDER As XIOrder=XIOrder.xIOverThenDown, Optional LeftMargin As Double=1, Optional RightMargin As Double=1, Optional TopMargin As Double=1, Optional BottomMargin As Double=1	Sub	396	444	✓				11		-1	✓	
PutValueN (vl1 As Variant, ncol As Long, nrow As Long, Optional Bold As Boolean=False, Optional FontSize As Integer=0, Optional Uline As Boolean=False)	Sub	105	116	V				6		-1	✓	
PutValueS (vl1 As Variant, ccol As String, nrow As Long)	Sub	100	104	✓				3		-1	✓	
RemoveEmptySheets ()	Sub	542	552	✓				0		-1	✓	
RemoveEqualValues (Optional Row As Long=0, Optional Column As Long=0, Optional Direction As Excel.XIDirection=XIDirection.xIDown, Optional InsertAbove As Boolean=True)	Sub	486	537	✓				4		7269	✓	
RemoveWorksheets ()	Sub	150	156	✓				0		-1	✓	

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
RenameWorkSheet (OldName As String, ByVal NewName As String, Optional AutoNumber As Boolean=True)	Function	157	209	~				3	Excel.Worksheet	7273	✓	
SaveFile ()	Sub	135	140	✓				0		-1	✓	
SelectRange (Optional Row As Long=0, Optional Rows As Long=0, Optional RowOffset As Long=0, Optional Column As Long=0, Optional Column As Long=0, Optional ColumnOffset As Long=0)	Sub	382	395	✓				6		7267	✓	
SelectWorksheet (WorksheetName As String)	Function	210	213	✓				1	Excel.Worksheet	7274	✓	
setcolumn (scol As Long)	Function	257	259	✓				1		-1	✓	
setcolwidth (ccol As String, nwidth As Single)	Sub	91	95	✓				2		-1	✓	
setrowcol (nrow As Long, ncol As Long)	Sub	96	99	✓				2		574	✓	
SetValue (Value As String, Optional RowMove As Long=0, Optional ColumnMove As Long=0, Optional RowOffset As Long=0, Optional ColumnOffset As Long=0, Optional Bold As Boolean=False, Optional FontSize As Integer=0, Optional Uline As Boolean=False)	Sub	230	256	✓				8		576	✓	
Module: clsForecastDataXML												
(General Declarations) '+ ' Module : clsForecastDataXML ' Description: Object for importing consumption data from Quant' ' XML format ' Procedures : Import() ' LoadXML2(strFile As String) ' Get DataInterval() ' Let DataInterval() ' Let DataSource() ' Get DataSource() ' Let DataSource(ByVal strName As String) ' Get DateExported() ' Let DateExported(ByVal dtmValue As Date) ' Get EndPeriod() ' Let EndPeriod(ByVal dtmValue As Date) ' Get StartPeriod() ' Let StartPeriod() ' Let StartPeriod(ByVal dtmValue As Date) ' Get SystemName() ' Let SystemName(ByVal strName As String)	timed/SCMS	1	50									
DataInterval (ByVal dblValue As Double)	Let	428	440	✓				1		-1	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре		End Line	Public	: Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
DataInterval ()	Get	407	419	✓				0	Double	-1	✓	✓
Datasource ()	Get	450	462	✓				0	String	-1	✓	✓
Datasource (ByVal strName As String)	Let	471	483	✓				1		-1	✓	✓
DateExported (ByVal dtmValue As Date)	Let	514	526	✓				1		-1	✓	✓
DateExported ()	Get	493	505	✓				0	Date	-1	✓	✓
EndPeriod ()	Get	536	548	✓				0	Date	-1	✓	✓
EndPeriod (ByVal dtmValue As Date)	Let	557	569	✓				1		-1	✓	✓
Import ()	Function	51	227	✓				0	Boolean	735	✓	✓
LoadXML2 (strFile As String)	Function	239	397	✓				1	Boolean	723	✓	✓
StartPeriod ()	Get	579	591	✓				0	Date	-1	✓	✓
StartPeriod (ByVal dtmValue As Date)	Let	600	612	✓				1		-1	✓	✓
SystemName ()	Get	622	634	✓				0	String	-1	✓	✓
SystemName (ByVal strName As String)	Let	643	655	✓				1		-1	✓	✓
Module: clsProductDataXML												
(General Declarations) '+ ' Module : clsProductDataXML ' Description: Object for importing product data from the control of t	m SCMS source into	1 PL	34									
Import ()	Function	35	410	~				0	Boolean	490	✓	✓
ImportCountries ()	Function	600	639					0		463	✓	✓
LoadXML (strFile As String)	Function	422	598	V				1	Boolean	448	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
Module: clsShipmentDataXML												
(General Declarations)		1	28									
'+ ' Module : clsShipmentDataXML ' Description: Object for importing product data from SCMS so ' : XML format ' Procedures : Import() ' LoadXML(strFile As String)	ource into	PL										
checkDuplicateMapping ()	Sub	533	581		✓			0		1031	✓	✓
Import ()	Function	29	98	V				0	Boolean	-1	✓	✓
ImportDatasources ()	Function	233	272					0		1017	✓	✓
ImportFundingsources ()	Function	274	313					0		1018	✓	✓
ImportProducts ()	Function	315	379					0		1020	✓	✓
ImportShipments ()	Function	382	527					0		1021	✓	✓
ImportSuppliers ()	Function	182	231					0		1019	✓	✓
LoadXML (strFile As String)	Function	108	180	✓				1	Boolean	1015	✓	✓
Module: modEstimation												
(General Declarations)		1	15									
'+ ' Module : modEstimation ' Description: ' Procedures : creaMonthlyTrendConsumption(strProductID As Si GetPeriodAverages(dtmStart As String, dtmEnd I TempAttach(strDatabase)						teger)						

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
creaMonthlyTrendConsumption (strProductID As String, intEndYear As Integer) ' + ' Procedure : creaMonthlyTrendConsumption ' Comments : Create MonthlyConsumption table for strProductID ' : ending in intEndYear. First creates two tempor.			300					2		7276	✓	✓
data in table Consumption. One file contains me for actual consumption. One file contains month for actual consumption. The monthly consumption consumed averaged over the number of months; the seriod absorbs any rounding errors. Finally files, with actual consumption, where available over forecast. Parameters: strProductID intEndYear - Returns: - Modified: 01 Jul 1998 JSL	onthly est hly estima is the amo e last mon y, merge t	imate tes f unt th ir	for 1 VO									
GetPeriodAverages (dtmStart As String, dtmEnd As String, blnUseEstimates As Integer, IngBU As Long)	Function	314	544					4	Long	7281	✓	✓
GetPeriodAveragesForecast (dtmStart As String, dtmEnd As String, blnUseEstimates As Integer, IngBU As Long)	Function	557	789					4	Long	7296	✓	✓
TempAttach (strDatabase)	Function	799	823					1	Integer	7311	✓	✓
Module: modHelpContextIDs												
<pre>(General Declarations) ' Module : modHelpContextIDs ' Description: ' Procedures : CreateHelpContextIDs() ' CreateHelpContextIDsReports() ' GetHelpID(strForm As String, fIsForm As Boolean</pre>	, bytIndex	1 : As E										
CreateHelpContextIDs () ' Comments : Generate a table of the HelpContext IDs text for some context in the cont	Sub or all for	14	55					0		7314	✓	

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
CreateHelpContextIDsReports () ' Comments : Generate a table of the HelpContext IDs text ' : Objects ' Parameters : None ' Returns : None ' Created : 03/23/2000 JSL	Sub for all Re	57 port	99					0		7317	V	
GetHelpID (strForm As String, flsForm As Boolean, bytIndex As Byte) ' Comments : ' Parameters : ' Returns : String ' Created : 02-Aug-00 Jeff Leiner ' Modified : '	Function	101	156					3	Long	543	V	✓
Module: modInterpolation (General Declarations) ' + ' Module : modEstimation ' Description: ' Procedures : creaMonthlyTrendConsumption(strProductID As & GetPeriodAverages(dtmStart As String, dtmEnd, TempAttach(strDatabase)						teger)						
Interpolate (dtmStart As Date, IngAMCStart As Long, dtmEnd As Date, IngAMCEnd Long)	As Function	15	59					4	Long	1726	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Tuesday, January 11, 2011 Time: 3:58:11 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Type Line Line Public Private Friend Static Count Return Type Line Exists Trap Module: Table Initialization (General Declarations) 26 ′+ ' Module : Table Initialization ' Description: ' Procedures : AttachData(intStartup As Integer) AttachProgram() CheckProductDSLMonths() CheckY2kDates() CopyFile(strSource As String, strDestination As String) CopyFile_TSB(strSource As String, strDestination As String) GetAttachedPath(strDatabase As String, strTable As String) GetDBUpdateDate() iniTableLang() KillFile_tsb(strFile As String) RemoveOldVersion() SetLanguage(strLanguage As String) StartUp() UpdateShipData() 187 **~** AttachData (intStartup As Integer) **Function** 43 308 Integer ' Procedure : AttachData Comments : Update connection information to reflect FP program that is active, as indicated by IsCurrent setting in table Program. If intStartUp is true, error returns invoke form frmProgram, which allows the user to reconfigure. If new tables are added to the program, or attached, side of the tables, they must be added to this routine. Tables used to hold results for display of printing are cleared, to eliminate any references to installation specific lookup variables ' Parameters: intStartup -' Returns : Integer -' Modified : 01 Jul 1998 JSL '12 May 2004 LKB **~ V** AttachProgram () 11 Function 319 366 0 Integer **V** CheckProductDSLMonths () Sub 0 1638 377 426 CheckY2kDates () Sub 439 503 0 1636 **~** CopyFile (strSource As String, strDestination As String) Function 514 529 2 Integer 969 **✓**

Procedure List with Comments Sorted By Module and Procedure Name

Tuesday, January 11, 2011 Time: 3:58:11 PM User: Admin

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
CopyFile_TSB (strSource As String, strDestination As String)	Function	540	582					2	Integer	1498	✓	✓
GetAttachedPath (strDatabase As String, strTable As String)	Function	593	625					2	String	7321	✓	✓
GetDBUpdateDate ()	Function	636	652					0	Date	7320	✓	✓
iniTableLang ()	Sub	663	843					0		32	✓	✓
KillFile_tsb (strFile As String)	Function	853	868					1	Integer	1361	✓	✓
RemoveOldVersion ()	Sub	878	900					0		1645	✓	✓
SetLanguage (strLanguage As String)	Sub	911	980					1		31	✓	✓
StartUp ()	Function	990	1022					0		1409	✓	✓
UpdateShipData ()	Sub	1032	1047					0			✓	✓

Module: Table Utils

(General Declarations) 1 34

′+

' Module : Table Utils

' Description:

' Procedures : AtNewRecord(frm As Form)

CodeUsed(strCode As String, strTable As String, strCodeField As String)

CreateMonthlyAction(intEndYear As Integer)

CreateMonthlyConsumption(strProductID As String, intEndYear As Integer, intKeepData As Integer)

CreateMonthlyMethodConsumption(varStrMethod, varIntEndYear)

CreateMonthlyMethodStock(strMethod As String, intEndYear As Integer, Optional fSkipPlanned As Boolean)

CreateMonthlyProblem(intEndYear As Integer)

CreateMonthlyShipment(strProductID As String, Optional fSkipPlanned As Boolean)

CreateMonthlyStock(strProductID As String, ByVal intEndYear As Integer, intKeepData As Integer, Optional fSkipPlanned As Boolean)

CreateShipSched(intEndYear As Integer)

GetDesLevel(varProductID) GetDesMin(varProductID)

GetLastYear(strProductID As String)

qetLeadTime(strProductID As String, strSupplierID As String, intLTType As Integer)

getmaxMonths(strProductID As String)

GetMethodActualorForecast(intYear As Integer, strPeriod As String, intMonth As Integer)

getminMonths(strProductID As String)

getParmValue(varParm)

SetCentury(vardate)

SetParm(strPArm As String, strValue As String)

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Paran Coun	n t Return Type	Diagram Line	Code Exists	Error Trap
AtNewRecord (frm As Form)	Function	44	57					1		1454	~	✓
'+ ' Procedure : AtNewRecord ' Comments : Returns true if record set in frmForm is position ' : Reads bookmark; if recordset is at new record, if ' Parameters: frm - ' Returns : - ' Modified : 01 Jul 1998 JSL ' 20 Jun 2003 LBlanken ' -				error	retur	n						
CodeUsed (strCode As String, strTable As String, strCodeField As String)	Function	71	126					3		364	✓	✓
CreateMonthlyAction (intEndYear As Integer)	Function	144	371					1		3712	✓	V
CreateMonthlyConsumption (strProductID As String, intEndYear As Integer, intKeepData As Integer)	Function	391	716					3		1207	✓	✓
CreateMonthlyMethodConsumption (varStrMethod, varIntEndYear, Optional fDontDelete As Boolean)	Function	726	775					3	Long	2460	✓	✓
CreateMonthlyMethodStock (strMethod As String, intEndYear As Integer, Optional fSkipPlanned As Boolean, Optional fDontDelete As Boolean)	Function	788	880					4	Long	2934	✓	✓
CreateMonthlyProblem (intEndYear As Integer)	Function	896	1103					1		3808	✓	V
CreateMonthlyShipment (strProductID As String, Optional fSkipPlanned As Boolean)	Function	1120	1219					2		1211	✓	✓
CreateMonthlyStock (strProductID As String, ByVal intEndYear As Integer, intKeepData As Integer, Optional fSkipPlanned As Boolean)	Function	1240	1663					4	Boolean	1206	✓	✓
CreateShipSched (intEndYear As Integer)	Function	1681	1874					1		7324	~	✓
GetDesLevel (varProductID)	Function	1887	1918					1	Integer	3716	~	✓
GetDesMin (varProductID)	Function	1931	1983					1	Integer	3714	~	✓
GetLastYear (strProductID As String)	Function	1996 2	2048					1	Integer	1181	~	✓
getLeadTime (strProductID As String, strSupplierID As String, intLTType As Integer)	Function	2067	2136					3		5020	~	✓
getmaxMonths (strProductID As String)	Function	2148 2	2169					1	Integer	1204	~	✓
GetMethodActualorForecast (intYear As Integer, strPeriod As String, intMonth As Integer)	Function	2183	2247					3	Boolean	7399	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start End Line Line	Public	: Private	Friend	Static	Paran Coun	n t Return Type	Diagram Line	Code Exists	Error Trap
getminMonths (strProductID As String)	Function	2259 2280					1	Integer	1202	✓	✓
getParmValue (varParm)	Function	2291 2311					1	String	112	✓	✓
GetProductID ()	Function	2321 2333					0	String	7369	✓	✓
SetCentury (vardate)	Function	2345 2399					1	Variant	7330	✓	✓
SetParm (strPArm As String, strValue As String)	Function	2412 2436					2	String	128	✓	✓
Report: rptAMCResult (General Declarations)		1 1									
Report_Close () ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL ' ' : June 26, 2009 mahmed ' enable on Application close button on close.	Sub	53 86		✓			0		4582	✓	✓
Report_Open (Cancel As Integer) ' Comments : ' Parameters : Cancel ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	25 51		✓			1		4575	✓	✓
SetText() ' + ' Procedure : SetText ' Comments : Set text on report ' Parameters: - ' Modified : 01 Jul 1998 JSL ' 11 Jul 2003 LBlanken ' -	Sub	9 23		✓			0		4576	✓	•

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Re	turn Type	Diagram Line	Code Exists	Error Trap
Report: rptAnnualCosts												
(General Declarations)		1	14									
' Module : Report_rptAnnualCosts ' Description:												
' Procedures : GroupHeader5_Print(Cancel As Integer, PrintCo	unt As Int	eger)										
' Report_Close() ' Report_Open(Cancel As Integer)												
' SetText()												
Detail1_Format (Cancel As Integer, FormatCount As Integer)	Sub	15	22		✓			2		3595	✓	
GroupHeader5_Print (Cancel As Integer, PrintCount As Integer)	Sub	24	58		✓			2		3597	✓	~
' Comments :												
' Parameters : Cancel												
' PrintCount												
'Returns :												
'Created :												
' Modified : 01 Jul 1998 JSL												
,												
Report_Close ()	Sub	60	88		✓			0		3621	✓	✓
'Comments :												
' Parameters :												
' Returns :												
' Created :												
' Modified : 01 Jul 1998 JSL												
r.												
'												
: June 26, 2009 mahmed												
enable on Application close button on close.												
<i>i</i> =												
Report_Open (Cancel As Integer)	Sub	90	115		✓			1		3612	✓	✓
' Comments :												
' Parameters : Cancel												
' Returns :												
' Created :												
' Modified : 01 Jul 1998 JSL												
ı												
·												

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and	Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
' Parameters ' Returns ' Created	: : : 06/16/98 JSL : July 21, 2009 mahmed report subtitle now created from user-de	Sub fined range	117	187		✓			0	3613	>	>
Report: rptAnnu	alCostsByFundingSource											
' Description	: Report_rptAnnualCosts	rintCount As Inte	1 ger)	14								
Detail1_Format (Cand	cel As Integer, FormatCount As Integer)	Sub	15	22		✓			2	3544	✓	
' Comments ' Parameters ' Returns ' Created		Sub	24	62		V			2	3549	✓	✓
' Comments ' Parameters ' Returns ' Created		Sub	64	101		✓			2	3546	V	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Report_Close () ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL ' ' : June 26, 2009 mahmed ' enable on Application close button on close.	Sub	103	131		✓			0	3575	✓	V
Report_Open (Cancel As Integer) ' Comments : ' Parameters : Cancel ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	133	158		V			1	3566	✓	>
SetText() ' Comments : ' Parameters : ' Returns : ' Created : 06/16/98 JSL ' Modified : ' July 21, 2009 mahmed ' report subtitle now created from user-defined	Sub	160	230		V			0	3567	✓	✓
Report: rptAnnualCostsBySupplier (General Declarations) ' Module : Report_rptAnnualCosts ' Description: ' Procedures : GroupHeader5_Print(Cancel As Integer, PrintConcel As Integer, PrintConcel As Integer) ' Report_Close() ' Report_Open(Cancel As Integer) ' SetText()	Count As Int	1 ceger)	14								
Detail1_Format (Cancel As Integer, FormatCount As Integer)	Sub	15	22		✓			2	3499	✓	

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
GroupHeader0_Print (Cancel As Integer, PrintCount As Integer) ' Comments : ' Parameters : Cancel ' PrintCount ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	24	62		✓			2	3504	>	Y
GroupHeader5_Print (Cancel As Integer, PrintCount As Integer) ' Comments : ' Parameters : Cancel ' PrintCount ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	64	101		V			2	3501	V	✓
Report_Close () ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL ' ' : June 26, 2009 mahmed ' enable on Application close button on close.	Sub	103	131		V			0	3532	V	V
Report_Open (Cancel As Integer) ' Comments : ' Parameters : Cancel ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	133	161		✓			1	3523	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Type	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
SetText() ' Comments : ' Parameters : ' Returns : ' Created : 06/16/98 JSL ' Modified :	Sub	163	233		✓			0	3524	V	✓
' July 21, 2009 mahmed ' report subtitle now created from user-defined	d range										
Report: rptCloneConsumptionFinal											
(General Declarations)		1	4								
Report_Close () ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL ' ' : June 26, 2009 mahmed ' enable on Application close button on close.	Sub	81	119		✓			0	6983	>	>
Report_Open (Cancel As Integer) ' Comments : ' Parameters : Cancel ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	5	39		✓			1	6974	✓	✓
SetText() ' Comments : ' Parameters : ' Returns : ' Created : 06/16/98 JSL ' Modified : ' July 21, 2009 mahmed ' report subtitle now created from user-defined	Sub d range	41	79		✓			0	6976	>	>

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start End Line Line Public F	Private Friend	Static	Param Count Return Type	Diagram Line	Code Exists	
Report: rptCloneConsumptionPreview								
(General Declarations)		1 4						
Report_Close ()	Sub	80 116	V		0	6951	✓	✓
' Comments :								
' Parameters :								
'Returns :								
' Created :								
' Modified : 01 Jul 1998 JSL								
ī								
'								
: June 26, 2009 mahmed								
' enable on Application close button on close.								
<i>'</i> _								
Report_Open (Cancel As Integer)	Sub	5 38	V	П	1	6942	~	V
' Comments :								
' Parameters : Cancel								
' Returns :								
' Created :								
' Modified : 01 Jul 1998 JSL								
rodilied . Of our 1990 obb								
·								
SetText ()	Sub	40 78	✓		0	6944	✓	V
' Comments :								
' Parameters :								
' Returns :								
' Created : 06/16/98 JSL								
' Modified :								
routited .								
July 21, 2009 mahmed								
' report subtitle now created from user-defined	range							

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре		End Line	Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
Report: rptGraphConsumption												
(General Declarations)		1	31									
'+												
' Module : Report_rptGraphConsumption ' Description: ' Procedures : PageHeader0_Format(Cancel As Integer, intF	ormatCount As	s Integ	er)									
' Report_Close() ' Report_NoData(Cancel As Integer)												
<pre>' Report_Open(Cancel As Integer) ' setRowSource() ' SetText()</pre>												
PageHeader0_Format (Cancel As Integer, intFormatCount As Integer)	Sub	39	85		✓			2		2579	✓	V
'+												
' Procedure : PageHeader0_Format												
'Comments :												
' Parameters: Cancel ' intFormatCount -												
' Modified : 11 Jul 2003 LBlanken												
'-												
Report_Close ()	Sub	97	121		✓			0		2605	✓	✓
' Comments :												
' Parameters: -												
' Modified :												
·												
Report_NoData (Cancel As Integer)	Sub	130	150		✓			1		2608	✓	V
' Comments :							_					
' Parameters: Cancel -												
' Modified :												
'												
Report_Open (Cancel As Integer)	Sub	159	217		✓			1		2596	✓	✓
' Comments :												
' Parameters : cancel												
'Returns : 'Created :												
' Created : ' Modified : 01 Jul 1998 JSL												
1												
·	-											
Report_Page ()	Sub	282	284		✓			0		2612	✓	

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
setRowSource() ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	226	252		✓			0		6756	V	✓
SetText() ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	261	280		✓			0		2599	V	✓
Report: rptGraphCYP												
<pre>(General Declarations) ' Module</pre>	Count As Int	1 eger)	16									
GetProductNames () ' Comments : ' Parameters: - ' Returns : String - ' Modified : '	Function	17	61		✓			0	String	2794	V	
PageHeaderO_Format (Cancel As Integer, FormatCount As Integer) ' Comments : ' Parameters: Cancel ' FormatCount - ' Modified : ' '	Sub	63	73		✓			2		2789	✓	

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Report_Close () ' Comments : ' Parameters: - ' Modified : ',	Sub	75	94		✓			0	2811	✓	
' : June 26, 2009 mahmed ' enable on Application close button on close. '-											
Report_Open (Cancel As Integer) ' Comments : ' Parameters : cancel ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL ' ' July 21, 2009 mahmed ' report subtitle now created from user-defined	Sub I range	96	155		✓			1	2798	✓	V
setRowSource () ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	157	183		✓			0	6761	✓	\
SetText() 'Comments: 'Parameters: 'Returns: 'Created: 'Modified: 01 Jul 1998 JSL	Sub	185	206		✓			0	2804	V	>

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	: Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Report: rptGraphStockStatus											
(General Declarations)		1	30								
<pre>'+ ' Module : Report_rptGraphStockStatus ' Description: ' Procedures : FormHeader1_Format(Cancel As Integer, intFo ' PageHeader0_Format(Cancel As Integer, intFo ' Report_Close() ' Report_Open(Cancel As Integer) ' setRowSource() ' SetText()</pre>											
PageHeader0_Format (Cancel As Integer, intFormatCount As Integer) '+ 'Procedure : PageHeader0_Format 'Comments : 'Parameters: Cancel 'intFormatCount - 'Modified : 11 Jul 2003 LBlanken July 21, 2009 mahmed 'report subtitle now created from user-define	Sub d range	41	69		V			2	3033	✓	
Report_Close () ' Comments : ' Parameters: - ' Modified : ',	Sub	83	108		✓			0	3051	✓	✓
Report_Open (Cancel As Integer) ' Comments : ' Parameters : Cancel ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	117	174		✓			1	3044	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Exists	Error
setRowSource() ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	183	213		>			0	6766	>	
SetText() ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	222	241		V			0	3046	V	✓
Report: rptGraphTrend (General Declarations) ' Module : Report_rptGraphTrend ' Description: ' Procedures : Detail1_Print(Cancel As Integer, PrintCount A GroupFooter5_Print(Cancel As Integer, PrintCount A GroupFooter6_Print(Cancel As Integer, PrintCount A GroupFooter6_Print(Cancel As Integer, PrintCount A Report_Close() ' Report_Close() ' Report_NoData(Cancel As Integer) ' Report_Open(Cancel As Integer) ' SetText()	ount As In	teger)	16								
Detail1_Print (Cancel As Integer, PrintCount As Integer) ' Comments : ' Parameters: Cancel ' PrintCount - ' Modified : ',	Sub	17	28		✓			2	6188	✓	
GroupFooter5_Print (Cancel As Integer, PrintCount As Integer) ' Comments : ' Parameters: Cancel ' PrintCount - ' Modified : '	Sub	30	41		V			2	6196	V	

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Type	Start Line		Public	: Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
GroupFooter6_Print (Cancel As Integer, PrintCount As Integer) ' Comments : ' Parameters: Cancel ' PrintCount - ' Modified : ',	Sub	43	54		✓			2	6198	✓	
PageHeader0_Format (Cancel As Integer, FormatCount As Integer) 'mtracy 2/6/07 bugzilla 14399	Sub	56	74		✓			2	6190	✓	
Report_Close () ' Comments : ' Parameters: - ' Modified : ' ' : June 26, 2009 mahmed ' enable on Application close button on close.	Sub	76	94		V			0	6231	V	
Report_NoData (Cancel As Integer) ' Comments : ' Parameters: Cancel - ' Modified : ',	Sub	96	105		✓			1	6233	✓	
Report_Open (Cancel As Integer) ' Comments : ' Parameters: Cancel - ' Modified : ',	Sub	107	211		✓			1	6206	✓	
SetText() ' Comments : ' Parameters: - ' Modified : ',	Sub	213	223		V			0	6227	✓	

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Report: rptGraphTrendCons											
(General Declarations)		1	16								
' Module : Report_rptGraphTrendCons ' Description: ' Procedures : Detail1_Print(Cancel As Integer, PrintCount As ' GroupFooter5_Print(Cancel As Integer, PrintCour ' GroupFooter6_Print(Cancel As Integer, PrintCour	nt As Inte										
Report_Close() Report_NoData(Cancel As Integer) Report_Open(Cancel As Integer) SetText()		,									
Detail1_Print (Cancel As Integer, PrintCount As Integer) ' Comments : ' Parameters: Cancel ' PrintCount - ' Modified : '	Sub	17	28		✓			2	6239	>	
GroupFooter5_Print (Cancel As Integer, PrintCount As Integer) ' Comments : ' Parameters: Cancel ' PrintCount - ' Modified : ',	Sub	30	41		✓			2	6247	✓	
GroupFooter6_Print (Cancel As Integer, PrintCount As Integer) ' Comments : ' Parameters: Cancel ' PrintCount - ' Modified : ',	Sub	43	54		✓			2	6249	✓	
PageHeader0_Format (Cancel As Integer, FormatCount As Integer) 'mtracy 2/6/07 bugzilla 14399	Sub	56	74		✓			2	6241	✓	

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	c Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Report_Close () ' Comments : ' Parameters: - ' Modified : '	Sub	76	94		✓			0	6282	✓	
: June 26, 2009 mahmed enable on Application close button on close.											
Report_NoData (Cancel As Integer) ' Comments : ' Parameters: Cancel - ' Modified : ',	Sub	96	105		✓			1	6284	✓	
Report_Open (Cancel As Integer) ' Comments : ' Parameters: Cancel - ' Modified : ',	Sub	107	210		✓			1	6257	✓	
SetText() 'Comments: 'Parameters: - 'Modified: '	Sub	212	222		V			0	6278	V	
Report: rptImport											
<pre>(General Declarations) '+ ' Module</pre>	tCount As I	1 Integer									
Report_Close ()	Sub	27	49		✓			0	627	✓	✓
Report_Open (Cancel As Integer)	Sub	59	85		✓			1	616	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
SetText ()	Sub	95	110		✓			0	617	✓	✓
Report: rptInterpolate											
<pre>(General Declarations) ' Module</pre>		1	14								
PageHeader0_Format (Cancel As Integer, FormatCount As Integer)	Sub	15	17		✓			2	1732	✓	
Report_Close () ' Comments : ' Parameters: - ' Modified : '	Sub	19	34		✓			0	1744	✓	
Report_Open (Cancel As Integer) ' Comments : ' Parameters : Cancel ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	36	58		✓			1	1737	V	✓
SetText() ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	60	79		✓			0	1738	V	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Publi	c Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Report: rptPipelineAction											
(General Declarations)		1	14								
<pre>' Module : Report_rptPipelineAction ' Description: ' Procedures : cmdDisplayGraph_Click() ' Report_Close() ' Report_Open(Cancel As Integer)</pre>											
SetText()											
Detail0_Format (Cancel As Integer, FormatCount As Integer)	Sub	15	21		✓			2	3725	✓	
Report_Close ()	Sub	23	42	!	✓			0	3742	✓	
' Comments : ' Parameters: - ' Modified :											
: June 26, 2009 mahmed ' enable on Application close button on close. '-											
Report_Open (Cancel As Integer)	Sub	44	69		✓			1	3729	~	~
' Comments : ' Parameters : Cancel ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL											
SetText ()	Sub	71	97	· 🔲	✓			0	3733	✓	✓
' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL											

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line			Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
Report: rptPipelineProblem													
(General Declarations)		1		13									
' Module : Report_rptPipelineProblem ' Description: ' Procedures : Report_Close() ' Report_Open(Cancel As Integer)		·											
' SetText()													
Report_Close ()	Sub	14	ļ	32		~			0		3828	~	$\overline{\Box}$
' Comments :					_	_	_						_
' Parameters: -													
' Modified :													
1													
·													
: June 26, 2009 mahmed													
' enable on Application close button on close.													
' =													
Report_Open (Cancel As Integer)	Sub	34	1	58		✓			1		3821	✓	V
' Comments :													
' Parameters : Cancel													
' Returns :													
' Created :													
' Modified : 01 Jul 1998 JSL													
1													
'													
SetText ()	Sub	60)	79		✓			0		3822	~	V
'Comments :					_	_	_					_	
' Parameters :													
' Returns :													
' Created :													
' Modified : 01 Jul 1998 JSL													
rodified . of our 1990 obb													
/													

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Report: rptProcurementTable											
(General Declarations)		1	36								
'+ ' Module : Report_rptProcurementTable ' Description: ' Procedures : Report_Close() ' Report_Open(Cancel As Integer) ' SetText() ' setYears()											
Report_Close ()	Sub	37	59		✓			0	4004	✓	✓
Report_Open (Cancel As Integer)	Sub	68	107		~			1	3991	✓	✓
SetText() ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	116	136		✓			0	3995	V	✓
SetYears () ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	145	170		V			0	3993	✓	✓
Report: rptShipmentCostByFunding (General Declarations)		1	20								
<pre>Module : Report_rptShipmentCostBySupplier Description: Procedures : Detail_Format(Cancel As Integer, Format PageFooter2_Format(Cancel As Integer, Report_Close() Report_Open(Cancel As Integer) SetText()</pre>											

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters		art E ne L		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
Detail_Format (Cancel As Integer, FormatCount As Integer) ''+ ' Procedure : Detail1_Format ' Comments : set flags for freight and cost ' Parameters: Cancel ' FormatCount - ' Modified : 01 Jul 1998 JSL ' 31 Jul 2003 LBlanken '-	Sub :	29	50		▼			2		6290	✓	✓
PageFooter2_Format (Cancel As Integer, FormatCount As Integer)	Sub (61	74		✓			2		6293	✓	✓
Report_Close ()	Sub	84	103		✓			0		6312	✓	✓
Report_Open (Cancel As Integer)	Sub 1	13	144		✓			1		6304	✓	\checkmark
SetText ()	Sub 1	54	169		✓			0		6306	✓	V
Report: rptShipmentCostByFundingPortrait												
<pre>(General Declarations) '+ ' Module</pre>		1 r)	20									
Detail_Format (Cancel As Integer, FormatCount As Integer) ' ' ' Procedure : Detail1_Format ' Comments : set flags for freight and cost ' Parameters: Cancel ' FormatCount - ' Modified : 01 Jul 1998 JSL ' 31 Jul 2003 LBlanken '-	Sub :	29	50		✓			2		6325	✓	✓
PageFooter2_Format (Cancel As Integer, FormatCount As Integer)	Sub	61	74		✓			2		6328	✓	V
Report_Close ()	Sub	84	102		✓			0		6347	✓	✓
Report_Open (Cancel As Integer)	Sub 1	12	144		✓			1		6339	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
SetText ()	Sub	154	169		✓			0	6341	✓	✓
Report: rptShipmentCostByProduct											
(General Declarations)		1	19								
'+ ' Module : Report_rptShipmentCostByProduct ' Description: ' Procedures : Detail1_Format(Cancel As Integer, FormatCount	As Integer)										
<pre>Report_Close() Report_Open(Cancel As Integer) SetText()</pre>											
Detail1_Format (Cancel As Integer, FormatCount As Integer) ' + ' Procedure : Detail1_Format ' Comments : set flags for freight and cost ' Parameters: Cancel ' FormatCount - ' Modified : 01 Jul 1998 JSL ' 31 Jul 2003 LBlanken ' -	Sub	28	49		✓			2	6356	V	V
PageFooter2_Format (Cancel As Integer, FormatCount As Integer)	Sub	60	73		✓			2	6773	✓	✓
Report_Close ()	Sub	86	104		✓			0	6375	✓	✓
Report_Open (Cancel As Integer)	Sub	114	149		✓			1	6367	✓	✓
SetText ()	Sub	159	174		✓			0	6369	✓	✓
Report: rptShipmentCostByProductPortrait											
<pre>(General Declarations) '+ ' Module</pre>	As Integer)	1	19								

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters			End Line	Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
Detail1_Format (Cancel As Integer, FormatCount As Integer) '	Sub	28	49		✓			2		6384	✓	✓
PageFooter2_Format (Cancel As Integer, FormatCount As Integer)	Sub	60	73		~			2		6776	✓	✓
Report_Close ()	Sub	86	105		✓			0		6405	✓	✓
Report_Open (Cancel As Integer)	Sub	115	151		✓			1		6397	✓	\checkmark
SetText ()	Sub	161	176		✓			0		6399	✓	✓
Report: rptShipmentCostBySupplier												
<pre>(General Declarations) '+ ' Module</pre>		1 ∍r)	20									
Detail_Format (Cancel As Integer, FormatCount As Integer) '	Sub	29	50		V			2		6414	✓	✓
PageFooter2_Format (Cancel As Integer, FormatCount As Integer)	Sub	61	74		✓			2		6417	✓	✓
Report_Close ()	Sub	87	105		✓			0		6438	✓	✓
Report_Open (Cancel As Integer)	Sub	115	149		✓			1		6430	✓	V

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
SetText ()	Sub	159	174		✓			0	6432	✓	✓
Report: rptShipmentCostBySupplierPortrait											
<pre>(General Declarations) ''+ ' Module</pre>	_		20								
Detail_Format (Cancel As Integer, FormatCount As Integer) '	Sub	29	50		✓			2	6447	✓	✓
PageFooter2_Format (Cancel As Integer, FormatCount As Integer)	Sub	61	74		✓			2	6450	✓	✓
Report_Close ()	Sub	87	108		✓			0	6471	✓	✓
Report_Open (Cancel As Integer)	Sub	118	152		✓			1	6463	✓	✓
SetText ()	Sub	162	177		✓			0	6467	✓	✓
Report: rptShipmentOrders (General Declarations)		1	21								
'H' 'Module : Report_rptShipmentOrders 'Description: 'Procedures : Detail_Format(Cancel As Integer, Format') 'GroupHeader1_Format(Cancel As Integer, PageFooter2_Format(Cancel As Integer, Report_Close()) 'Report_Open(Cancel As Integer) 'SetText()	FormatCount As I	nteger,)								

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Detail_Format (Cancel As Integer, FormatCount As Integer) '+ ' Procedure : Detail_Format ' Comments : set flags for freight and cost ' Parameters: Cancel ' FormatCount - ' Modified : 01 Jul 1998 JSL ' 31 Jul 2003 LBlanken '-	Sub	30	51		>			2	6480	>	✓
GroupHeader1_Format (Cancel As Integer, FormatCount As Integer)	Sub	61	98		✓			2	6486	✓	✓
PageFooter2_Format (Cancel As Integer, FormatCount As Integer)	Sub	109	122		~			2	6483	✓	✓
Report_Close ()	Sub	135	153		~			0	6511	✓	✓
Report_Open (Cancel As Integer)	Sub	163	201		✓			1	6503	✓	✓
SetText ()	Sub	211	226		✓			0	6505	✓	✓
Report: rptStatus_mon (General Declarations) '	unt As Ir	nteger)	22								
DetailO_Format (Cancel As Integer, FormatCount As Integer) '+ ' Procedure : DetailO_Format ' Comments : get adjustment amounts ' Parameters: Cancel ' FormatCount - ' Modified : 01 Jul 1998 JSL ' 11 Jul 2003 LBlanken '-	Sub	31	44		✓			2	4331	✓	✓
getAdjustAmounts ()	Sub	54	91		✓			0	4332	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters		Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
getShipRecords ()	Sub	101	157		✓			0	6779	✓	✓
PageFooter1_Format (Cancel As Integer, FormatCount As Integer)	Sub	168	182		✓			2	4340	✓	✓
PageHeader0_Format (Cancel As Integer, FormatCount As Integer)	Sub	194	221		✓			2	4336	✓	✓
Report_Close ()	Sub	233	251		✓			0	4358	✓	✓
Report_Open (Cancel As Integer)	Sub	261	290		✓			1	4350	✓	✓
SetText ()	Sub	300	314		✓			0	4352	✓	✓
Report: rptStatus_Qtr (General Declarations) '+ ' Module : Report_rptStatus_Qtr ' Description: ' Procedures : PageFooter1_Format(Cancel As Integer, FormatCounty PageHeader0_Format(Cancel As Integer, FormatCounty Report_Close() ' Report_Open(Cancel As Integer) ' SetText()			19								
PageFooter1_Format (Cancel As Integer, FormatCount As Integer) ' + ' Procedure : PageFooter1_Format ' Comments : show footer based on flag ' Parameters: Cancel ' FormatCount - ' Modified : 01 Jul 1998 JSL ' 11 Jul 2003 LBlanken ' -	Sub	28	42		>			2	4459	V	V
PageHeader0_Format (Cancel As Integer, FormatCount As Integer)	Sub	52	78		✓			2	4455	✓	✓
Report_Close ()	Sub	90	109		✓			0	4476	✓	✓
Report_Open (Cancel As Integer)	Sub	119	148		✓			1	4468	✓	✓
SetText ()	Sub	158	173		✓			0	4470	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count I	Return Type	Diagram Line	Code Exists	Error Trap
Report: rptStatusAllProducts_mon												
(General Declarations)		1	22									
't 'Module : Report_rptStatus_mon 'Description: 'Procedures : Detail0_Format(Cancel As Integer, FormatCoungetAdjustAmounts() 'getShipRecords() 'PageFooter1_Format(Cancel As Integer, FormatPageHeader0_Format(Cancel As Integer, FormatReport_Close() 'Report_Open(Cancel As Integer) 'SetText()	Count As In	teger)										
Detail0_Format (Cancel As Integer, FormatCount As Integer)	Sub	31	44		✓			2		4302	✓	✓
' Procedure : Detailo_Format ' Comments : get adjustment amounts ' Parameters: Cancel ' FormatCount - ' Modified : 01 Jul 1998 JSL ' 11 Jul 2003 LBlanken												
getAdjustAmounts ()	Sub	54	91		✓			0		4303	✓	✓
getShipRecords ()	Sub	101	157		✓			0		6782	✓	✓
GroupHeader1_Format (Cancel As Integer, FormatCount As Integer)	Sub	160	162		✓			2		4314	✓	
PageFooter1_Format (Cancel As Integer, FormatCount As Integer)	Sub	172	186		✓			2		4311	✓	✓
PageHeader0_Format (Cancel As Integer, FormatCount As Integer)	Sub	196	228		✓			2		4307	✓	✓
Report_Close ()	Sub	240	258		✓			0		4326	✓	✓
Report_Open (Cancel As Integer)	Sub	268	297		✓			1		4318	✓	✓
SetText ()	Sub	307	321		✓			0		4320	~	V

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
Report: rptStatusMatrix												
<pre>(General Declarations) ' Module : Report_rptAnnualCosts ' Description: ' Procedures : GroupHeader5_Print(Cancel As Integer, PrintCount</pre>	: As Integ	1 er)	14									
<pre>Report_Close() Report_Open(Cancel As Integer) SetText()</pre>												
Detail1_Format (Cancel As Integer, FormatCount As Integer)	Sub	15	28		✓			2		6520	✓	
Detail1_Print (Cancel As Integer, PrintCount As Integer)	Sub	109	122		✓			2		6534	✓	
FormatCell (ctlField As Control, ctlMin As Control, ctlMax As Control) ' Comments:	Sub	227	273		✓			3		6521	✓	✓
showed stocks below min, the cell holding the MOS for that part would be highlighted more strongly. ' Parameters: ' Returns: ' Created:	cicular pr	roduct	wou.	ld be	highl	ighted.	When	the <u>p</u>	product was st	ocked out,	the ce	11
GroupHeader0_Print (Cancel As Integer, PrintCount As Integer)	Sub	30	68		✓			2		6785	✓	✓
' Comments : ' Parameters : Cancel ' PrintCount ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL												
GroupHeader5_Print (Cancel As Integer, PrintCount As Integer) ' Comments : ' Parameters : Cancel ' PrintCount ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	70	107		✓			2		6788	V	>
PageHeader0_Format (Cancel As Integer, FormatCount As Integer)	Sub	124	131		✓			2		6548	✓	

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Report_Close () ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL ' ' : June 26, 2009 mahmed ' enable on Application close button on close.	Sub	133	162		✓			0	6560	✓	>
Report_Open (Cancel As Integer) ' Comments : ' Parameters : Cancel ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	164	190		V			1	6553	✓	✓
SetText() ' Comments : ' Parameters : ' Returns : ' Created : 06/16/98 JSL ' Modified : ' July 21, 2009 mahmed ' report subtitle now created from user-defined	Sub	192	222		V			0	6554	V	✓
Report: rptStatusMatrixMethod (General Declarations) ' Module : Report_rptStatusMatrixMethod ' Description: ' Procedures :		1									
Detail1_Format (Cancel As Integer, FormatCount As Integer)	Sub	12	42		✓			2	4365	✓	

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
FormatCell (ctlField As Control, ctlMin As Control, ctlMax As Control) ' Comments:	Sub		288		✓			3		4366	✓	✓
' Anytime the MOS calculation showed stock levels of a product showed stocks below min, the cell holding the MOS for that part would be highlighted more strongly. ' Parameters: ' Returns: ' Created:												
GroupHeader0_Print (Cancel As Integer, PrintCount As Integer)	Sub	44	82		✓			2		6791	✓	✓
' Comments : ' Parameters : Cancel ' PrintCount ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL												
, , , , , , , , , , , , , , , , , , ,												
GroupHeader5_Print (Cancel As Integer, PrintCount As Integer) ' Comments : ' Parameters : Cancel ' PrintCount ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	84	121		✓			2		6794	V	
PageHeader0_Format (Cancel As Integer, FormatCount As Integer)	Sub	123	131		✓			2		4380	✓	
Report_Close () ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	133	161		✓			0		4417	✓	✓
: June 26, 2009 mahmed enable on Application close button on close.												

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
Report_NoData (Cancel As Integer) ' Comments : ' Parameters: Cancel - ' Modified : ',	Sub	163	183		✓			1		4420	✓	✓
Report_Open (Cancel As Integer) ' Comments : ' Parameters : Cancel ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	185	211		✓			1		4410	✓	✓
SetText() ' Comments : ' Parameters : ' Returns : ' Created : 06/16/98 JSL ' Modified : ' July 21, 2009 mahmed ' report subtitle now created from user-defined researched in the second content of th	Sub ange	213	243		✓			0		4411	✓	V
Report: rptStatusMatrixProduct (General Declarations) ' Module : Report_rptStatusMatrixProduct ' Description: ' Procedures :		1	10									
Detail1_Format (Cancel As Integer, FormatCount As Integer)	Sub	11	41		✓			2		4239	✓	
FormatCell (ctlField As Control, ctlMin As Control, ctlMax As Control) ' Comments: ' Anytime the MOS calculation showed stock levels of a product ' the number in that cell would appear in italics. If the MOS ' stocks below min, the cell holding the MOS for that particular ' When the product was stocked out, the cell would be highlight ' Parameters: ' Returns: ' Created: 16 Sep 2009 mahmed	calculat: lar produc	ion sho ct woul	wed d be	high	√	ī.		3		4240	V	V

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
GroupHeader0_Print (Cancel As Integer, PrintCount As Integer) ' Comments : ' Parameters : Cancel ' PrintCount ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	43	81		>			2	6797	V	✓
GroupHeader5_Print (Cancel As Integer, PrintCount As Integer) ' Comments : ' Parameters : Cancel ' PrintCount ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL	Sub	83	120		>			2	6800	V	V
PageHeader0_Format (Cancel As Integer, FormatCount As Integer)	Sub	122	130		✓			2	4254	✓	
Report_Close () ' Comments : ' Parameters : ' Returns : ' Created : ' Modified : 01 Jul 1998 JSL ' ' : June 26, 2009 mahmed ' enable on Application close button on close.	Sub	132	160		✓			0	4293	✓	V
Report_NoData (Cancel As Integer) ' Comments : ' Parameters: Cancel - ' Modified : ',	Sub	162	182		✓			1	4296	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	n : Return Type	Diagram Line	Code Exists	Error Trap
Report_Open (Cancel As Integer) ' Comments : ' Parameters : Cancel ' Returns : ' Created : ' Modified :	Sub	186	213		✓			1		4286	>	✓
SetText () ' Comments : ' Parameters : ' Returns : ' Created : 06/16/98 JSL ' Modified : ' July 21, 2009 mahmed ' report subtitle now created from user-defined ra	Sub	215	245		✓			0		4287	V	V
Report: rptStatusMethod_mon (General Declarations) '	unt As I	nteger)	22									
DetailO_Format (Cancel As Integer, FormatCount As Integer) ' + ' Procedure : DetailO_Format ' Comments : get adjustment amounts ' Parameters: Cancel ' FormatCount - ' Modified : 01 Jul 1998 JSL ' 11 Jul 2003 LBlanken ' -	Sub	31	44		✓			2		4426	V	✓
getAdjustAmounts ()	Sub	54	91		✓			0		4427	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
getShipRecords ()	Sub	101	157		✓			0	6803	✓	✓
PageFooter1_Format (Cancel As Integer, FormatCount As Integer)	Sub	168	182		✓			2	4435	✓	✓
PageHeader0_Format (Cancel As Integer, FormatCount As Integer)	Sub	194	226		✓			2	4431	✓	✓
Report_Close ()	Sub	238	258		✓			0	4450	✓	✓
Report_Open (Cancel As Integer)	Sub	268	297		~			1	4442	~	✓
SetText ()	Sub	307	321		✓			0	4445	✓	✓
Report: rptStatusMethod_QTR											
't 'Module : Report_rptStatusMethod_qtr 'Description: 'Procedures : Detail0_Format(Cancel As Integer, FormatCoungetAdjustAmounts() 'getAdjustAmounts() 'pageFooter1_Format(Cancel As Integer, FormatPageFooter1_Format(Cancel As Integer, FormatPageHeader0_Format(Cancel As Integer, FormatReport_Close() 'Report_Open(Cancel As Integer) 'SetText()	Count As In	teger)									
DetailO_Format (Cancel As Integer, FormatCount As Integer) '+ ' Procedure : DetailO_Format ' Comments : get adjustment amounts ' Parameters: Cancel ' FormatCount - ' Modified : 01 Jul 1998 JSL ' 11 Jul 2003 LBlanken '-	Sub	31	44		✓			2	4481	✓	
getAdjustAmounts ()	Sub	54	91		✓			0	4482	✓	✓
getShipRecords ()	Sub	101	157		✓			0	6806	✓	✓
PageFooter1_Format (Cancel As Integer, FormatCount As Integer)	Sub	168	182		✓			2	4490	✓	✓
PageHeader0_Format (Cancel As Integer, FormatCount As Integer)	Sub	194	007		✓			2		✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Report_Close ()	Sub	238	256		✓			0	4507	✓	✓
Report_Open (Cancel As Integer)	Sub	266	295		✓			1	4499	✓	✓
SetText ()	Sub	305	319		✓			0	4501	✓	✓
Report: rptSupplyPlan											
(General Declarations) '+ ' Module : Report_rptStatus_mon ' Description: ' Procedures : Detail0_Format(Cancel As Integer, FormatCoungetAdjustAmounts() ' getShipRecords() ' PageFooter1_Format(Cancel As Integer, Format') ' PageHeader0_Format(Cancel As Integer, Format') ' Report_Close() ' Report_Open(Cancel As Integer) ' SetText() Detail0_Format (Cancel As Integer, FormatCount As Integer) '+ ' Procedure : Detail0_Format ' Comments : get adjustment amounts ' Parameters: Cancel ' FormatCount - ' Modified : 01 Jul 1998 JSL ' 11 Jul 2003 LBlanken	tCount As In	teger)	44		✓			2	6809	✓	✓
getAdjustAmounts ()	Sub	54	68		✓			0	6812	✓	V
getShipRecords ()	Sub	78	134		✓			0	6815	✓	✓
PageFooter1_Format (Cancel As Integer, FormatCount As Integer)	Sub	145	158		✓			2	4954	✓	✓
PageHeader0_Format (Cancel As Integer, FormatCount As Integer)	Sub	170	196		✓			2	4950	✓	✓
Report_Close ()	Sub	205	223		✓			0	4968	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Report_NoData (Cancel As Integer) ' Comments : ' Parameters: Cancel - ' Modified :	Sub	226	246		✓			1	4971	>	✓
Report_Open (Cancel As Integer)	Sub	255	284		✓			1	4961	✓	V
SetText ()	Sub	294	308		✓			0	4962	✓	✓
Report: rptSupplyPlanBySupplier (General Declarations) '	ount As Ir	nteger)	22		V			2	6818	✓	✓
' Parameters: Cancel ' FormatCount - ' Modified : 01 Jul 1998 JSL ' 11 Jul 2003 LBlanken '- getAdjustAmounts()	Sub	54	68		V			0	6821	✓	V
getShipRecords ()	Sub	78	134		✓			0	6824	✓	✓
PageFooter1_Format (Cancel As Integer, FormatCount As Integer)	Sub	145	158		✓			2	6570	✓	✓
PageHeader0_Format (Cancel As Integer, FormatCount As Integer)	Sub	172	196		✓			2	6566	✓	✓
Report_Close ()	Sub	205	222		✓			0	6583	✓	✓

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Report_Open (Cancel As Integer)	Sub	232	260		✓			1	6577	✓	✓
SetText ()	Sub	270	284		✓			0	6578	✓	✓
Report: rsubReportComments											
<pre>(General Declarations) ' Module : Report_rsubReportComments ' Description: ' Procedures : SetText()</pre>		1	12								
Report_Open (Cancel As Integer) ' Comments : ' Parameters: Cancel - ' Modified : ' '	Sub	24	44		✓			1	2590	>	
SetText() ' Comments : ' Parameters: - ' Modified : ',	Sub	13	22		✓			0	2591	✓	
Report: rsubReportCommentsLS											
<pre>(General Declarations) ' Module : Report_rsubReportComments ' Description: ' Procedures : SetText()</pre>		1	12								
Report_Open (Cancel As Integer) ' Comments : ' Parameters: Cancel - ' Modified : '	Sub	24	33		✓			1	4346	✓	

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
SetText() ' Comments : ' Parameters: - ' Modified : ',	Sub	13	22		✓			0	4347	✓	
Report: srptImport											
(General Declarations)		1	2								
Report_Open (Cancel As Integer)	Sub	3	5		✓			1	532	✓	
SetText() '+ ' Procedure : SetText ' Comments : set text on report ' Parameters: - ' Modified : 01 Jul 1998 JSL ' 31 Jul 2003 LBlanken '-	Sub	13	28		✓			0	533	V	✓
Report: srptlmportInfo											
<pre>(General Declarations) ''+ ' Module</pre>	unt As I	1 nteger)	15								
GroupHeader1_Format (Cancel As Integer, FormatCount As Integer) '	Sub	23	58		>			2	549	V	V
GroupHeader2_Format (Cancel As Integer, FormatCount As Integer)	Sub	60	64		✓			2	557	✓	

Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Type	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Report_Open (Cancel As Integer) ' + ' Procedure : Report_Open ' Comments : set captions and text of report and maximize ' Parameters: Cancel - ' Modified : 01 Jul 1998 JSL ' 31 Jul 2003 LBlanken ' -	Sub	72	92		V			1	608	✓	✓
SetText ()	Sub	102	117		✓			0	609	✓	✓
Report: srptImportShipments (General Declarations)		1	4								
Report_Close ()	Sub	5	15		✓			0	1099	✓	
Report_Open (Cancel As Integer)	Sub	17	20		✓			1	1092	✓	
SetText() '+ ' Procedure : SetText ' Comments : set text on report ' Parameters: - ' Modified : 01 Jul 1998 JSL ' 31 Jul 2003 LBlanken '-	Sub	28	43		V			0	1093	V	✓
Report: srptImportShipmentsImported											
(General Declarations)		1	10								
Detail_Format (Cancel As Integer, FormatCount As Integer)	Sub	11	32		✓			2	1081	✓	✓
Report_Open (Cancel As Integer)	Sub	34	36		✓			1	1086	✓	
ReportFooter_Format (Cancel As Integer, FormatCount As Integer)	Sub	62	64		V			2	1083	✓	

Procedure List with Comments Sorted By Module and Procedure Name

Туре			Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Sub	44	60		✓			0	1087	✓	✓
	1	10								
Sub	11	32		✓			2	1063	✓	✓
Sub	34	36		✓			1	1073	✓	
Sub	61	63		✓			2	1065	✓	
Sub	44	59		✓			0	1074	✓	✓
	Sub Sub Sub	Type Line Sub 44 1 Sub 11 Sub 34 Sub 61	Sub 44 60 1 10 Sub 11 32 Sub 34 36 Sub 61 63	Type Line Line Public Sub 44 60 □ 1 10 Sub 11 32 □ Sub 34 36 □ Sub 61 63 □	Type Line Line Public Private Sub 44 60 □ ✓ 1 10 □ ✓ Sub 11 32 □ ✓ Sub 34 36 □ ✓ Sub 61 63 □ ✓	Type Line Line Public Private Friend Sub 44 60 ✓ □ 1 10 □ ✓ □ Sub 11 32 ✓ □ □ Sub 34 36 □ ✓ □ Sub 61 63 □ ✓ □	Type Line Line Public Private Friend Static Sub 44 60 □ ✓ □ □ 1 10 □	Type Line Line Public Private Friend Static Count Return Type Sub 44 60 ✓ □ 0 1 10 □ 2 Sub 11 32 ✓ □ 2 Sub 34 36 ✓ □ 1 Sub 61 63 ✓ □ 2	Type Line Line Public Private Friend Static Count Return Type Line Sub 44 60 ✓ □ 0 1087 1 10 ✓ □ 2 1063 Sub 34 36 ✓ □ 1 1073 Sub 61 63 ✓ □ 2 1065	Type Line Line Private Friend Static Count Return Type Line Exists Sub 44 60 □ □ □ 0 1087 ☑ 1 10 □