

| tblFacilityCategoryLevels | |
|---------------------------|--|
| PK | <u>fc_l_inglID</u> |
| FK1,I1,U1 FK2,I2,U1 | <u>Fac_Code</u> <u>Program_ID</u> <u>Type_Name</u> |
| - | fc_l_dblMin |
| - | fc_l_dblMax |

| Program | | |
|---------|------------------------|--|
| PK | <u>Program_Name</u> | |
| U1 | Program_ID intOrder | |
| I1 | ParentID | |

| tblCategoryProductJoin | | |
|------------------------|---|--|
| PK,I2 | <u>ID</u> | |
| FK2,I5,I1 FK1,I4,I3 | <u>IngCategoryID</u> <u>strProductID</u> intOrder | |
| - | intDEOrder | |
| - | | |

| Product | |
|----------------|--|
| PK | <u>strProductID</u> |
| U3 U3 I1 | Prod_Name Prod_Dose mtd_ingMethodID Prod_CYP |
| I3 | Prod_Is_Active Prod_Ship_Qty_In Prod_Ship_Qty_Whse Prod_Ship_Qty_SDP pr_sinVolumeln pr_sinVolumeWhse pr_sinVolumeSDP |
| U2 | Pr_ingProductID pr_sinCaseLength pr_sinCaseWidth pr_sinCaseHeight pr_flndicator pr_ingCaseSize Program_Name |
| I2 | DE_Order |
| U1 | pr_intUnitsPerDay pr_fNonFullSupply pr_intRoundCutOff |

| tblProductCost | |
|-----------------------|--|
| PK | <u>pc_ingID</u> |
| FK1,I3,I2,U1 I1,U1 | <u>strProductID</u> <u>pc_datEffective</u> <u>pc_datEnd</u> <u>pc_sngCost</u> |
| - | |
| - | |

| CTF_Item | |
|--|--|
| PK,FK2,I4,I2,I14 PK,FK2,I4,I2,I15,I14 PK,FK3,I16,I12 | Fac_Code P_Date <u>IngCatProductID</u> |
| I14 I14 I4,I13 | Prod_Name Prod_Dose IngProductID Open_Bal Receipts Issues Dispensed Adjustments Adj_Type Closing_Bal 6MO_Balance Err_OB Err_CB DE_Stat |
| FK1,I3,I1 I5 | New_Visits Cont_Visits Err_qty_rqrd Err_qty_rcvd Err_AMC Avg_mnthly_cons Qty_required Qty_received ci_ctrItemID txtNotes Qty_OnOrder Err_qty_DispVsPurpose Qty_OnHand fStockedOut |
| I9 I8 I6 | |
| I11 I10 I7 | |
| U1 | |

| Products | | |
|---------------|----------|-----|
| SCMgr_ERD.vsd | 2/3/2009 | JSI |

| Program | | |
|---------|---------------------|----------|
| PK | <u>Program_Name</u> | |
| U1 | Program_ID | intOrder |
| I1 | ParentID | |

| tblMTDataCenters | |
|------------------|---------------------|
| PK,I1 | <u>dc_GuidID</u> |
| - | <u>dc_strName</u> |
| - | <u>dc_strEmail</u> |
| - | <u>dc_fMain</u> |
| - | <u>dc_fMyCenter</u> |

| tblFacilityCategoryLevels | | |
|---------------------------|------------------|-------------------|
| PK | | <u>fcL_InglID</u> |
| | <u>FK1,I1,U1</u> | <u>Fac_Code</u> |
| | <u>FK2,I2,U1</u> | <u>Program_ID</u> |
| - | | <u>Type_Name</u> |
| - | | <u>fcL_dblMin</u> |
| - | | <u>fcL_dblMax</u> |

| tblDistributionLevels | | |
|-----------------------|--------------------|--|
| PK,I2 | <u>dI_ID</u> | |
| U1 | dI_strLevelName | |
| I1,I3 | dI_intLevelRanking | |
| - | dI_fSDP | |
| - | dI_fWarehouse | |

| Facility | |
|-----------|--------------------------|
| PK | <u>Fac_Code</u> |
| U1 | <u>Fac_Name</u> |
| FK1,I1,I3 | <u>Fac_Type</u> |
| I6 | <u>Sup_Code</u> |
| I5 | Program |
| | Fac_Contact |
| | Fac_Address1 |
| | Fac_Address2 |
| | Fac_City |
| | Fac_State |
| | Fac_Rescode |
| | Fac_Phone |
| | Fac_FAX |
| I4 | <u>Field_Dispende</u> |
| | <u>MaxMOS</u> |
| | <u>MinMOS</u> |
| | <u>Active</u> |
| I9 | <u>Warehouse</u> |
| | <u>Highest_LV</u> |
| FK2,I7 | <u>Distribution_Role</u> |
| FK3,I2,I8 | dc_GuidID |
| U2 | fac_guidID |
| | Consignee_Name |
| | StMaxMOS |
| | Fac_Comment |

| Fac_Type | |
|----------|-----------------------|
| PK | <u>Type_Name</u> |
| U1 | <u>Type_Hierarchy</u> |
| | typ_guidID |

| Type_Group_Types | | |
|------------------|------------------------|------------|
| PK,FK2,I2 | <u>Type_Group_Name</u> | |
| PK,FK1,I1 | <u>Type_Name</u> | |
| U1 | | tgt_guidID |


| Type_Group | |
|------------|------------------------|
| PK | <u>Type_Group_Name</u> |
| U1 | tgp_guidID |
| | TG_Contact |
| | TG_Address1 |
| | TG_Address2 |
| | TG_City |
| | TG_State |
| | TG_Rescode |
| | TG_Phone |
| | TG_FAX |
| | TG_Consignee |

| tblReportingGroupMembers | | |
|--------------------------|---------------------|--------------------|
| PK | | <u>rgm_InglID</u> |
| | <u>FK2,I2,U1,I4</u> | <u>rg_InglID</u> |
| | <u>FK1,I3,I1,U1</u> | <u>rgm_FacCode</u> |

| tblReportingGroup | |
|-------------------|--------------------------------|
| PK | <u>rg_InglID</u> |
| - | rg_txtName |
| I1 | <u>rg_InqParentID</u> |
| - | <u>rg_fAllowMembers</u> |
| - | <u>rg_fAllowRollups</u> |
| - | <u>rg_fIncludeChildMembers</u> |

| CTF_Main | | |
|-----------|-----------------|--|
| PK,FK1,I1 | <u>Fac_Code</u> | |
| PK,I4 | <u>P_Date</u> | |
| I2 | | DE_Date DE_Staff LC_Date LC_Staff <u>CTF_Stat</u> CTF_Comment NoStock_Visits dtmReceived dtmShipment ctf_IngCasesNew ctf_IngCasesRetreatments ctf_IngCasesPediatric dtI_InglID ctf_IngPH81N CTF_Comment_EO |
| | | FK2,I5,I3 |

Adjustments



| Facility | |
|-----------|-------------------|
| PK | <u>Fac Code</u> |
| U1 | Fac Name |
| FK1,I1,I3 | Fac_Type |
| I6 | Sup_Code |
| I5 | Program |
| | Fac_Contact |
| | Fac_Address1 |
| | Fac_Address2 |
| | Fac_City |
| | Fac_State |
| | Fac_Rescode |
| | Fac_Phone |
| | Fac_FAX |
| I4 | Field_Dispende |
| | MaxMOS |
| | MinMOS |
| | Active |
| I9 | Warehouse |
| | Highest_LV |
| FK2,I7 | Distribution_Role |
| FK3,I2,I8 | dc_GuidID |
| U2 | fac_guidID |
| | Consignee_Name |
| | StMaxMOS |
| | Fac_Comment |

| Adj_Type | |
|----------|------------------|
| PK | <u>Type_Code</u> |
| U2 | Type_Name |
| | Always_Negative |
| | UserCanEnter |
| U1 | Adj_Active |
| | adj_guidID |

| CTF_Adjustments | |
|-----------------|-------------------|
| PK | <u>cta_InglID</u> |
| | FK2,I2,U1,I3 |
| | FK1,I1,U1,I4 |
| | - |
| | cta_IngQty |

| tblCategoryProductJoin | |
|------------------------|---------------|
| PK,I2 | <u>ID</u> |
| FK2,I5,I1 | IngCategoryID |
| FK1,I4,I3 | strProductID |
| - | intOrder |
| - | intDEOrder |

| CTF_Item | |
|----------------------|-----------------------|
| PK,FK2,I4,I2,I14 | <u>Fac_Code</u> |
| PK,FK2,I4,I2,I15,I14 | <u>P_Date</u> |
| PK,FK3,I16,I12 | IngCatProductID |
| I14 | Prod_Name |
| I14 | Prod_Dose |
| I4,I13 | IngProductID |
| | Open_Bal |
| | Receipts |
| | Issues |
| | Dispensed |
| | Adjustments |
| FK1,I3,I1 | Adj_Type |
| I5 | Closing_Bal |
| | 6MO_Balance |
| I9 | Err_OB |
| I8 | Err_CB |
| I6 | DE_Stat |
| | New_Visits |
| | Cont_Visits |
| I11 | Err_qty_rqrd |
| I10 | Err_qty_rcvd |
| I7 | Err_AMC |
| | Avg_mnthly_cons |
| | Qty_required |
| | Qty_received |
| | cl_ctrItemID |
| | txtNotes |
| | Qty_OnOrder |
| | Err_qty_DispVsPurpose |
| | Qty_OnHand |
| | fStockedOut |

| CTF_Main | |
|-----------|--------------------------|
| PK,FK1,I1 | <u>Fac_Code</u> |
| PK,I4 | <u>P_Date</u> |
| I2 | DE_Date |
| | DE_Staff |
| | LC_Date |
| | LC_Staff |
| | CTF_Stat |
| | CTF_Comment |
| | NoStock_Visits |
| | dtmReceived |
| | dtmShipment |
| | ctf_IngCasesNew |
| | ctf_IngCasesRetreatments |
| | ctf_IngCasesPediatric |
| FK2,I5,I3 | dtl_InglID |
| | ctf_IngPH81N |
| | CTF_Comment_EO |

| tblIMTDataTransferLog | |
|-----------------------|---------------------|
| PK,I4 | <u>dtl_InglID</u> |
| FK1,I1,I5 | dc_GuidID |
| - | dtl_bytTransferType |
| - | dtl_datTransfer |
| - | dtl_strFileName |
| - | dtl_memNotes |
| - | dtl_IngCounter |
| I3 | dtl_GuidFileID |
| I2 | dtl_fResult |

| CTF_Main_Users | |
|----------------|-----------------|
| PK,FK1,I2,I1 | <u>Fac_Code</u> |
| PK,FK1,I3,I1 | <u>P_Date</u> |
| PK | bytUse |
| | ctf_IngTrack1 |
| | ctf_IngTrack2 |
| | ctf_IngTrack3 |
| | ctf_IngTrack4 |

| tblIPurposeofUse | |
|------------------|--------------------|
| PK | <u>pur_InglID</u> |
| U1 | pur_strName |
| - | pur_strDescription |
| - | pur_fActive |

| CTF_Purpose | |
|-------------|-------------------|
| PK | <u>ctp_InglID</u> |
| | FK1,I1,U1,I2 |
| | FK2,U1,I4,I3 |
| | - |
| | ctf_ItemID |
| | pur_InglID |
| | ctp_IngQty |

| CTF_Demand_Status | |
|-------------------|---------------------|
| PK | <u>P_date</u> |
| | demand_ok |
| | LC_Date |
| | cds_dtmMTLastExport |

| CTF_Demand | |
|------------|-----------------|
| PK,I1 | <u>Fac_Code</u> |
| PK | <u>P_Date</u> |
| PK,I2 | IngCatProdID |
| I3 | Prod_Name |
| I3 | Prod_Dose |
| | Demand |
| | New_Visits |
| | Cont_Visits |
| | Dispensed |

| tblPersonnel | | |
|--------------|-------------------------|--|
| PK,I1 | <u>per_ingPersonID</u> | |
| - | <u>per_strLastName</u> | |
| - | <u>per_strFirstName</u> | |

| tblTrucks | | |
|-----------|-------------------------|--|
| PK,I1 | <u>trk_ingTruckID</u> | |
| U1 | <u>trk_strName</u> | |
| - | <u>trk_strMake</u> | |
| - | <u>trk_strModel</u> | |
| - | <u>trk_intYear</u> | |
| - | <u>trk_ingMaxLoad</u> | |
| - | <u>trk_sngDimHeight</u> | |
| - | <u>trk_sngDimLength</u> | |
| - | <u>trk_sngDimWidth</u> | |

| tblDeliveries | | |
|---------------|--------------------------|--|
| PK,I6 | <u>dlv_ingDeliveryID</u> | |
| FK1,I1,I4 | <u>rte_ingRouteID</u> | |
| FK2,I2,I7 | <u>trk_ingTruckID</u> | |
| - | <u>dlv_dtmDelivery</u> | |
| - | <u>dlv_fAccepted</u> | |
| I5 | <u>dlv_fCompleted</u> | |
| I3 | <u>dlv_fMultiRoute</u> | |
| - | <u>dlv_dtmActual</u> | |

| tblDeliveryStops | | |
|------------------|--------------------------|--|
| PK,I4 | <u>dst_ingStopID</u> | |
| FK1,I2,I1 | <u>dlv_ingDeliveryID</u> | |
| I3 | <u>dlv_strFacCode</u> | |
| I5 | <u>rte_ingRouteID</u> | |
| - | <u>dst_intStopOrder</u> | |
| - | <u>dst_fInventory?</u> | |
| - | <u>dst_sngDistance</u> | |
| - | <u>dst_fAccurate</u> | |

| tblRouteStops | | |
|---------------|----------------------------|--|
| PK,I5 | <u>stp_ingStopID</u> | |
| FK1,I1,I2 | <u>rte_ingRouteID</u> | |
| I4 | <u>stp_intStopOrder</u> | |
| I3 | <u>stp_strFacCode</u> | |
| - | <u>stp_sngDistancePrev</u> | |
| - | <u>stp_sngTimePrev</u> | |
| - | <u>stp_sngDistanceSup</u> | |
| - | <u>stp_sngTimeSup</u> | |

| tblRoutes | | |
|-----------|-------------------------|--|
| PK,I1 | <u>rte_ingRouteID</u> | |
| I3 | <u>rte_strID</u> | |
| I2 | <u>rte_startFacCode</u> | |
| - | <u>rte_desc</u> | |

| tblDeliveryCrew | | |
|-----------------|--------------------------|--|
| PK | <u>crw_ingCrewID</u> | |
| FK2,I3,I2 | <u>dlv_ingDeliveryID</u> | |
| FK1,I4,I1 | <u>per_ingPersonID</u> | |

| tblFacilityInventory_Header | | |
|-----------------------------|---------------------------|--|
| PK,I2 | <u>inv_ingHeaderID</u> | |
| U1 | <u>inv_strFacCode</u> | |
| U1 | <u>inv_dtmPeriod</u> | |
| U1 | <u>inv_flnvOnly</u> | |
| I1 | <u>inv_ingCompletedBy</u> | |
| - | <u>inv_memHeaderNote</u> | |

| tblFacilityInventory | | |
|----------------------|---------------------------|--|
| PK,I7 | <u>inv_ingInventoryID</u> | |
| U1,I2 | <u>inv_strFacCode</u> | |
| U1 | <u>inv_dtmPeriod</u> | |
| I8 | <u>inv_ingProductID</u> | |
| U1,I5 | <u>inv_ingCatProdID</u> | |
| | <u>inv_ingOpeningBal</u> | |
| | <u>inv_ingReceipts</u> | |
| | <u>inv_ingIssues</u> | |
| | <u>inv_ingAdjustments</u> | |
| I4 | <u>inv_sngStock</u> | |
| | <u>inv_flnvOnly</u> | |
| | <u>inv_fmemNote</u> | |
| I3 | <u>inv_ferrOpenBal</u> | |
| FK1,I1,I6 | <u>inv_ingHeaderID</u> | |

| Facility | | |
|-----------|--------------------------|--|
| PK | <u>Fac_Code</u> | |
| U1 | <u>Fac_Name</u> | |
| FK1,I1,I3 | <u>Fac_Type</u> | |
| I6 | <u>Sup_Code</u> | |
| I5 | Program | |
| | Fac_Contact | |
| | Fac_Address1 | |
| | Fac_Address2 | |
| | Fac_City | |
| | Fac_State | |
| | Fac_Rescode | |
| | Fac_Phone | |
| | Fac_FAX | |
| I4 | <u>Field_Dispose</u> | |
| | <u>MaxMOS</u> | |
| | <u>MinMOS</u> | |
| | <u>Active</u> | |
| I9 | <u>Warehouse</u> | |
| | <u>Highest_LV</u> | |
| FK2,I7 | <u>Distribution_Role</u> | |
| FK3,I2,I8 | <u>dc_GuidID</u> | |
| U2 | <u>fac_guidID</u> | |
| | <u>Consignee_Name</u> | |
| | <u>StMaxMOS</u> | |
| | <u>Fac_Comment</u> | |

| tblDistributionNeeds | | |
|----------------------|-----------------------------|--|
| PK,I3 | <u>nds_ingNeedID</u> | |
| I2,U1 | <u>nds_FacCode</u> | |
| U1,I4 | <u>nds_ingProductID</u> | |
| | <u>nds_ingQtyNeeded</u> | |
| | <u>nds_ingQtyDesired</u> | |
| | <u>nds_sngMonthsofStock</u> | |
| I1 | <u>nds_dtmStockMin</u> | |
| | <u>nds_ingEstBalance</u> | |
| | <u>nds_ingMonthlyCons</u> | |
| | <u>nds_dtmLastCount</u> | |
| | <u>nds_dtmLastReport</u> | |
| | <u>nds_ingLastBalance</u> | |

| tblDistributionLevels | | |
|-----------------------|---------------------------|--|
| PK,I2 | <u>dl_ID</u> | |
| U1 | <u>dl_strLevelName</u> | |
| I1,I3 | <u>dl_intLevelRanking</u> | |
| - | <u>dl_fSDP</u> | |
| - | <u>dl_fWarehouse</u> | |

| tbIMTDataCenters | |
|------------------|------------------|
| PK,I1 | <u>dc_GuidID</u> |
| - | dc_strName |
| - | dc_strEmail |
| - | dc_fMain |
| - | dc_fMyCenter |

| tbIMTData TransferLog | |
|-----------------------|-----------------------|
| PK,I4 | <u>dtl_IngID</u> |
| FK1,I1,I5 | dc_GuidID |
| - | dtl_bytTransferType |
| - | dtl_datTransfer |
| - | dtl_strFileName |
| - | dtl_memNotes |
| - | dtl_IngCounter |
| I3 | <u>dtl_GuidFileID</u> |
| I2 | <u>dtl_fResult</u> |

| tbIMtDataChangeLog | | |
|--------------------|------------------|---------------------|
| PK,I1 | <u>dcl_IngID</u> | |
| FK1,I3,I2 | <u>dtl_IngID</u> | <u>dcl_memNotes</u> |
| - | | |

| tbIMTTTableManagement | |
|-----------------------|---|
| | |
| U1 | mtt_strTableName mtt_strTableGroup mtt_fCanModify mtt_bytCanModify |

| Facility | |
|-----------|--|
| PK | <u>Fac_Code</u> |
| U1 | Fac_Name |
| FK1,I1,I3 | Fac_Type |
| I6 | Sup_Code |
| I5 | Program Fac_Contact Fac_Address1 Fac_Address2 Fac_City Fac_State Fac_Rescode Fac_Phone Fac_FAX |
| I4 | Field_Dispose MaxMOS MinMOS Active Warehouse Highest_LV Distribution_Role |
| FK2,I7 | dc_GuidID |
| FK3,I2,I8 | fac_guidID |
| U2 | Consignee_Name StMaxMOS Fac_Comment |

| CTF_Main | | |
|-----------|--|--|
| PK,FK1,I1 | <u>Fac_Code</u> | |
| PK,I4 | <u>P_Date</u> | |
| I2 | DE_Date DE_Staff LC_Date LC_Staff CTF_Stat CTF_Comment NoStock_Visits dtmReceived dtmShipment ctf_IngCasesNew ctf_IngCasesRetreatments ctf_IngCasesPediatric dtl_IngID ctf_IngPH81N CTF_Comment_EO | |
| FK2,I5,I3 | | |

| CTF_Demand | |
|----------------------|--|
| PK,I1 PK PK,I2 | Fac Code |
| | P Date IngCatProdID |
| I3 I3 | Prod_Name Prod_Dose Demand New_Visits Cont_Visits Dispensed |

| CTF_Demand_Status | |
|-------------------|---|
| PK | P_date |
| | demand_ok LC_Date cds_dtmMTLastExport |

| tlkReportingGroupChain | |
|------------------------|-----------------------------------|
| PK,I1 PK,I2 | IngReportingGroupID strFacCode |
| | |

| tblDataReportingPeriods | |
|-------------------------|-------------------------------------|
| PK | dp_intMonths |
| U1 I1 | dp_strPeriodName dp_txtTransCode |

| tblPH81ReqNumber | |
|------------------|-----------------|
| PK | Type_Group_Name |
| PK | ph81_month |
| PK | ph81_year |
| | ph81_number |

| tlkCategoryChain | |
|------------------|---------------------------|
| | |
| I1 I2 | IngParentID IngChildID |

| tlkReportingGroupChain | |
|------------------------|-----------------------------------|
| PK,I1 PK,I2 | IngReportingGroupID strFacCode |
| | |

| tlkDistributionListRunDates | |
|-----------------------------|--------------|
| PK | txtSupplier |
| PK | txtTypeGroup |
| PK | intGroupType |
| | dtmLastRun |

| Reporting | | |
|---------------|----------|-----|
| SCMgr_ERD.vsd | 2/3/2009 | JSI |