#### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Type Line Line Public Private Friend Static Count Return Type Line Exists Trap Form: ANOTHER MONTH (General Declarations) **V** Form\_Open (Cancel As Integer) Sub 7 **✓** 299 Form: fdlgCtfAdjustments (General Declarations) 1 10 ' Module : fdlgCtfAdjustments ' Description: ' Procedures : cmdOK\_Click **V** ✓ cmdOK\_Click () Sub 30 0 317 ' Comments : Close the Form ' Parameters : -' Returns ' Created ' Modified Form: fdlgDataReportsMissing (General Declarations) 1 3 **V ~ V** 17 cmdClose\_Click () Sub 0 323 **~** Form\_Open (Cancel As Integer) Sub 23 320 19 1 Form: fdlgDataReportsUsed (General Declarations) 1 3 **V V V** 17 cmdClose\_Click () Sub 0 331 **~** Sub 0 19 64 326 Form\_Load () ' Comments : Determine the Filter of the data to display. ' Parameters : ' Returns ' Created : 29-Dec-99 Jeff Leiner ' Modified

Total Access Analyzer

#### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Database: SCM2003\_ZAM\_SOURCE.MDB

Code Start End Param Diagram Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Type Line Exists Trap Form: fdlgDeliveryReports (General Declarations) 1 11 ' Module : fdlgSelectProducts ' Description: ' Procedures : cmdOK\_Click cmdCancel Click LstProducts\_Click ' Created : 13-Feb-99 Jeff Leiner/Philip Ngibuini ' Modified : ' 13-Feb-99 Admin Cleaned with CodeTools CheckPrintOK () Function 85 110 ' Comments : Make sure at least one of the reports is selected. If so, : then active the print & preview buttons, else don't. ' Parameters : ' Created : 24-Aug-99 Jeff Leiner ' Modified : 12 33 **~ ~ ~** cmdCancel\_Click () Sub ' Comments : User clicks Cancel which will close this form : and return focus to the calling form which will : handle the event from there. ' Parameters : -' Returns ' Created : 13-Feb-99 JL/PN ' Modified **V** 417 **~** cmdPreview Click () Sub 43 0 ' Comments : Open the Reports in preview mode ' Parameters : ' Created : 24-Aug-99 Jeff Leiner ' Modified

# Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters			Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
<pre>cmdPrint_Click()</pre>		Sub	45	55		<b>✓</b>			0	339	<b>✓</b>	
	arting options, if the app is no et the Inventory form to true. ff Leiner	Sub t using LMIS	57	84		<b>✓</b>			0	334	<b>✓</b>	<b>✓</b>
RunReports (bytPrintMode As Byte)  ' Comments : Open the Sel  ' : user.  ' Parameters :  ' Created : 24-Aug-99 Je  ' Modified :	ected reports in the mode chosen	Sub by the	112	145		<b>✓</b>			1	340	<b>V</b>	<b>✓</b>
Form: fdlgDRPltems  (General Declarations)  ' Module : fdlgDRPItems ' Description: ' Procedures : cmdCancel_Click ' cmdOK_Click	ck		1	11								
cmdCancel_Click()  ' Comments : On Cancel, Cli ' Parameters : - ' Returns : - ' Created : ' Modified :		Sub	12	32		<b>✓</b>			0	1227	<b>V</b>	✓
cmdMissing_Click ()		Sub	72	88		<b>✓</b>			0	1247	<b>✓</b>	<b>✓</b>

### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Type Line Line Public Private Friend Static Count Return Type Line Exists Trap **V V ~** cmdOK Click () Sub 54 0 1225 : On OK, make the form not visible so that focus returns to the ' Comments : calling object. ' Parameters : -' Returns ' Created ' Modified : **V V** cmdReports\_Click () Sub 55 71 0 1229 Sub 90 103 0 1221 Form\_Load () Form: fdlgEnableReports (General Declarations) 16 1 ' Module : Form\_fdlgEnableReports ' Description : ' Procedures : AlterReportVisibility() Form\_Open(Cancel As Integer) **~ ~** AlterReportVisibility () Function 25 57 0 430 ' Procedure : AlterReportVisibility ' Comments : Based on the current value switch the reports visibility to its : Opposite value. ' Parameters : -' Returns ' Modified : 24 Oct 2006 JSL 67 95 🗌 **~ ~** Form\_Open (Cancel As Integer) Sub 423

#### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Exists Type Line Trap Form: fdlgExport (General Declarations) 27 ′+ ' Module : Form fdlqExport ' Description: Form for Exporting Consumption Data out to either xml or txt : format. User Selects the Start period and End periods, the : Products to export, and the file type to produce. Procedures : BuildTreeView() TextExport() XMLExport() cmdClose\_Click() cmdExport Click() cmdFile\_Click() ctlTreeView\_NodeCheck(ByVal Node As Object) Form Load() Form\_Open(Cancel As Integer) fraFormat\_AfterUpdate() ' Modified : ' 30 May 2003 JLeiner - Cleanup code based on CodeReview with lbailey & RHoltz **V V** 35 113 **~** BuildTreeView () Sub ′+ ' Procedure : BuildTreeView ' Comments : Populate the Treeview control with the available categories and : products ' Parameters: -' Modified : 30-May-2003 jleiner **~ V ~** cmdClose\_Click () Sub 441 452 0 -1 **~ ~** Sub 461 533 **~** 0 cmdExport Click () 446 **~ V ~** 0 cmdFile Click () Sub 543 588 485 **V ~ ~** ctlTreeView NodeCheck (BvVal Node As Object) Sub 598 623 1 478 **~ ~ ~** Form\_Load () Sub 632 647 0 440 Form\_Open (Cancel As Integer) Sub **V ~ ~** 656 669 438 **V ~ ~** Sub 679 725 0 fraFormat AfterUpdate () 482 **V V ~** Boolean SetNodeChecked (nodX As Node, fChecked As Boolean) Function 738 778 2 479

### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Line Exists Type Trap **✓ ~ ~** TextExport () Sub 123 231 0 462 **~ ~** XMLExport () Sub 242 432 0 452 **V** Form: fdlgExporttoExcel\_Malawi (General Declarations) 13 ′+ : Form\_fdlgExporttoExcel\_Malawi ' Module ' Description : ' Procedures : cmdClose\_Click() cmdExport\_Click() **~ ~** 33 4232 **~** cmdClose\_Click () Sub 20 0 ′+ ' Procedure : cmdClose\_Click ' Comments : ' Parameters : -' Modified : 01 Nov 2005 JSL **~ V V** cmdExport Click () Sub 42 68 0 4193 **V ~** cmdFile\_Click () Sub 239 275 0 4228 **~** Sub 277 282 **V** 0 4234 fraFormat\_AfterUpdate () MakeCrossTabTable () Function 80 237 🗸 0 Boolean 4194 Form: fdlgFacilityFilter (General Declarations) 14 ' Module : fdlgFacilityFilter ' Description: ' Procedures : CheckforValids cmdCancel\_Click cmdClear\_Click cmdReset\_Click cmdSetFilter\_Click

# Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and F	Parameters	Туре	Start Line			ic Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
CheckforValids ()  ' Comments  ' Parameters  ' Created  ' Modified	: 22-Apr-99 Jeff Leiner :	Sub	15	5	6	✓			0	975	V	<b>✓</b>
cmdCancel_Click()	: when clicked, Dont apply the filter & hide : the form. : : 22-Apr-99 Jeff Leiner :	Sub	57	7	6 _	<b>✓</b>			0	979	<b>V</b>	<b>✓</b>
cmdClear_Click()  ' Comments ' Parameters ' Created ' Modified	: Clear the Filter and Close the form : : 22-Apr-99 Jeff Leiner :	Sub	77	10	3 [	<b>V</b>			0	977	<b>V</b>	<b>V</b>
cmdReset_Click() ' Comments ' ' Parameters	: when clicked reset all fields back to their : defaults :	Sub	104	13	D [	<b>V</b>			0	981	<b>V</b>	<b>V</b>
cmdSetFilter_Click()	: 22-Apr-99 Jeff Leiner : 	Sub	131	20	5 _				0	974	<b>V</b>	<b>V</b>
' Comments ' ' Parameters ' Created ' Modified '	<pre>: Wheh clicked, check the buttons and create a s : and set the filter on the facility form. : : : 21-Apr-99 Jeff Leiner :</pre>	string										
Form_Open (Cancel A	s Integer)	Sub	207	21	1	<b>✓</b>			1	971	<b>✓</b>	

## Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
Form: fdlgGetUserOption												
(General Declarations)		1	4									
Form_Open (Cancel As Integer)	Sub	5	53		<b>✓</b>			1		2048	<b>✓</b>	
ReturnUserValue (IngOption)	Function	66	81	<b>✓</b>	<b>✓</b>			1	Long	2063	<b>✓</b>	<b>✓</b>
Form: fdlgHideNotRequired												
(General Declarations)		1	2									
cmdClose_Click ()	Sub	3	15		<b>✓</b>			0		4165	<b>✓</b>	✓
cmdOK_Click ()	Sub	17	21		<b>✓</b>			0		4163	<b>✓</b>	
Form_Current ()	Sub	23	27		✓			0		4160	✓	
Form: fdlgOptionSelector												
(General Declarations)		1	4									
cmdCancel_Click ()	Sub	5	9		<b>✓</b>			0		2432	<b>✓</b>	
cmdOK_Click ()	Sub	11	25		<b>✓</b>			0		2430	<b>✓</b>	
Form_Open (Cancel As Integer)	Sub	27	75		<b>~</b>			1		2428	<b>✓</b>	
Form: fdlgRptOptionsART												
(General Declarations)		1	2									
cmdView_Click ()	Sub	3	69		<b>V</b>			0		500	<b>✓</b>	
Form: fdlgSaveTableChanges												
(General Declarations)		1	4									
cmdAccept_Click ()	Sub	5	10		<b>~</b>			0		1986	<b>~</b>	
cmdKeep_Click ()	Sub	12	17		<b>✓</b>			0		1988	<b>✓</b>	
Form_Open (Cancel As Integer)	Sub	19	30		<b>✓</b>			1		1982	<b>✓</b>	

## Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Star Line			Public	: Privat	e Frien	d Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Form: fdlgSelectDateRange												
(General Declarations)			1	12								
' Module : fdlgSelectDateRange												
' Description:												
' Procedures : cmdCancel_Click												
' cmdOK_Click												
Form_Open												
cmdCancel_Click ()	Sub	1:	3	33		<b>✓</b>			0	5483	<b>✓</b>	<b>V</b>
' Comments : Close the form, which returns the focus												
: to the calling form.												
' Parameters :												
' Created : 17-Feb-99 Jeff Leiner												
' Modified :												
r												
cmdOK_Click ()	Sub	3	4	90		<b>✓</b>			0	5477	<b>✓</b>	<b>✓</b>
' Comments : Check that the data is OK and then set the												
' : form's visibility to false to return the focus												
' : to the calling form.												
' Parameters :												
' Created : 17-Feb-99 Jeff Leiner												
' Modified :												
'												
Form Ones (intConsel As Integer)	Sub	0	1 '	100	_	<b>V</b>			1	5468	<b>✓</b>	<b>V</b>
Form_Open (intCancel As Integer)	Sub	9	1	123		V			I	3400	V	V
' Comments : Look up the current month and set												
: Date range to a 6 month default.												
' Parameters : ' Created   : 17-Feb-99 Jeff Leiner												
' Created : 17-Feb-99 Jeff Leiner ' Modified :												
modified :												
/												

#### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Param Code Start End Diagram Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Type Line Exists Trap Form: fdlgSelectProducts (General Declarations) 1 11 ' Module : fdlgSelectProducts ' Description: ' Procedures : cmdOK Click cmdCancel Click LstProducts\_Click ' Created : 13-Feb-99 Jeff Leiner/Philip Ngibuini ' Modified : ' 13-Feb-99 Admin Cleaned with CodeTools cmdCancel\_Click () Sub 12 33 ' Comments : User clicks Cancel which will close this form : and return focus to the calling form which will : handle the event from there. ' Parameters : -' Returns ' Created : 13-Feb-99 JL/PN ' Modified : **V ~** cmdOK\_Click () Sub 54 529 ' Comments : Set the form's visibility property to false : so that control is returned to calling form. ' Parameters : ' Created : 13-FEB-99 JL/PN ' Modified : Form Open (Cancel As Integer) Sub 60 524 1 LstProducts Click () Sub 62 85 0 527 ' Comments : When the user selects/deselects a product in : in the listbox determine if any are selected. : if none are then disable the 'OK' button; else : enable it. ' Parameters : -' Returns ' Created : 13-Feb-99 JL/PN ' Modified :

' Created

' Modified

:

: 13-Feb-99 JL/PN

Procedure List with Comments
Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Param Code Start End Diagram Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Type Line Exists Trap Form: fdlgSelectProductsDRP (General Declarations) 1 11 ' Module : fdlgSelectProducts ' Description: ' Procedures : cmdOK Click cmdCancel Click LstProducts\_Click ' Created : 13-Feb-99 Jeff Leiner/Philip Ngibuini ' Modified : ' 13-Feb-99 Admin Cleaned with CodeTools cmdCancel\_Click () Sub 12 33 ' Comments : User clicks Cancel which will close this form : and return focus to the calling form which will : handle the event from there. ' Parameters : -' Returns ' Created : 13-Feb-99 JL/PN ' Modified : **V ~** cmdOK\_Click () Sub 54 539 ' Comments : Set the form's visibility property to false : so that control is returned to calling form. ' Parameters : ' Created : 13-FEB-99 JL/PN ' Modified : Form Open (Cancel As Integer) Sub 60 534 1 LstProducts Click () Sub 62 85 0 537 ' Comments : When the user selects/deselects a product in : in the listbox determine if any are selected. : if none are then disable the 'OK' button; else : enable it. ' Parameters : -' Returns

## Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Publi	c Priva	te Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Form: fdlgSetFrontEnd (General Declarations)		1	2	2							
cmdClose_Click ()	Sub	3	16	; <u> </u>	<b>✓</b>			0	2711	<b>✓</b>	<b>✓</b>
cmdUpdate_Click ()	Sub	26	54	· 🗆	<b>✓</b>			0	2705	<b>✓</b>	<b>✓</b>
Form_Current ()	Sub	57	63	3 🗌	<b>✓</b>			0	2701	<b>✓</b>	
Form: fdlgSetLanguage (General Declarations)		1	2	2							
cboLanguage_AfterUpdate ()	Sub	3	15	; <u></u>	<b>✓</b>			0	244	<b>✓</b>	
cmdClose_Click ()	Sub	17	30	) [	<b>✓</b>			0	255	<b>✓</b>	<b>✓</b>
Form_Current ()	Sub	32	50	) [	<b>✓</b>			0	239	<b>✓</b>	
Form: fdlgSupplyChain_DEV											
(General Declarations)		1	2	2							
Form_Open (Cancel As Integer)	Sub	3	32	2	<b>✓</b>			1	544	<b>✓</b>	
ocxPop1_OnSelect (ByVal item As Integer)	Sub	34	53	3 🗌	<b>✓</b>			1	550	<b>✓</b>	
SelectChildNodes (nodX As Node)	Sub	74	104	· 🗀	<b>✓</b>			1	551	<b>✓</b>	<b>~</b>
tvwSupplyChain_MouseUp (ByVal Button As Integer, ByVal Shift As Integer, ByVal x As Long, ByVal y As Long)	Sub	57	63	3	<b>✓</b>			4	556	<b>V</b>	
Form: fdlgUgandaSelectSupplier											
<pre>(General Declarations)     '+     ' Module</pre>		1	18	3							

## Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Publ	ic Privat	e Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
<pre>cmdCancel_Click()    '+    ' Procedure : cmdCancel_Click    ' Comments :    ' Parameters : -    ' Modified : 22 Sep 2005 JSL    '-</pre>	Sub	25	38		<b>V</b>			0	4566	<b>✓</b>	<b>✓</b>
cmdOK_Click ()	Sub	47	67		<b>✓</b>			0	4561	<b>V</b>	<b>✓</b>
Form_Load ()	Sub	70	78		<b>✓</b>			0	4549	<b>✓</b>	
Form_Open (Cancel As Integer)	Sub	86	100		✓			1	4546	<b>✓</b>	✓
fraReportedFilter_AfterUpdate ()	Sub	102	111		<b>✓</b>			0	4568	<b>✓</b>	
lstSupplier_AfterUpdate ()	Sub	113	118		<b>✓</b>			0	4557	<b>✓</b>	
SetCommandButtons ()	Sub	129	141	<b>✓</b>	<b>✓</b>			0	4558	<b>~</b>	<b>✓</b>
SetReportFilterDates ()	Sub	152	181	<b>✓</b>	✓			0	4551	<b>✓</b>	<b>✓</b>
Form: frmAbout (General Declarations)  ' Module : frmSplash ' Description: ' Procedures : Form_Timer		1	15								
Form_Open (Cancel As Integer)	Sub	16	28		<b>✓</b>			1	258	<b>~</b>	
Form_Timer()  'Comments: 'Parameters: - 'Returns: - 'Created: 'Modified:	Sub	30	51		<b>V</b>			0	261	<b>V</b>	✓
Form: frmAdjustment (General Declarations)		1	4	,							

## Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
Adj_Type_AfterUpdate()  '	Sub type	12	38		<b>V</b>			0		4882	<b>V</b>	<b>✓</b>
Dispensed_AfterUpdate ()	Sub	41	45		<b>✓</b>			0		-1		
Dispensed_BeforeUpdate (Cancel As Integer)	Sub	47	55		<b>✓</b>			1		4885	<b>✓</b>	
Form_Load ()	Sub	57	67		<b>✓</b>			0		4888	<b>✓</b>	
GetCTLRight (ctl As Control)	Function	140	142		<b>✓</b>			1	Double	-1	<b>~</b>	
New_Visits_AfterUpdate ()	Sub	69	77		<b>✓</b>			0		4895	<b>✓</b>	
Qty_OnOrder_AfterUpdate ()	Sub	79	83		<b>✓</b>			0		4901	<b>✓</b>	
Qty_OnOrder_BeforeUpdate (Cancel As Integer)	Sub	85	95		<b>✓</b>			1		4904	<b>✓</b>	
txtSumPurposeofUse_Click ()	Sub	105	138		<b>✓</b>			0		4911	<b>✓</b>	<b>~</b>
txtSumPurposeofUse_KeyPress (KeyAscii As Integer)	Sub	144	148		<b>✓</b>			1		4910	<b>✓</b>	
Form: frmAdjustmentTypes  (General Declarations)  ' Module : frmAdjustmentTypes ' Description: ' Procedures : SetOneView ' cboFind_AfterUpdate ' cmdCancel_Click ' cmdNew_Click ' cmdNext_Click ' cmdPrev_Click ' Form_Current ' Form_Open ' SetFormMode		1	26									

# Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
cboFind_AfterUpdate()  'Comments : Move to the selected Record 'Parameters: 'Created : 6/30/98 1:53:57 PM JSL 'Modified : '	Sub	55	78		<b>✓</b>			0	573	<b>✓</b>	<b>✓</b>
cmdCancel_Click()  ' Comments : Either places the form in Edit mode or Cancel ' : depending on the current state of m_fEditMode ' Parameters : ' Created : 7/14/98 8:08:44 AM JSL ' Modified : '	Sub Changes	79	133		<b>✓</b>			0	585	<b>✓</b>	V
<pre>cmdNew_Click()     ''+     ' Procedure : cmdNew_Click     ' Comments : Starts a new record or save changes to the curr     '</pre>			191		<b>✓</b>			0	583	<b>✓</b>	<b>\</b>
cmdNext_Click()  ' Comments : Move to the Next record ' Parameters : - ' Returns : - ' Created : ' Modified : 9/4/98 - JSL	Sub	192	211		<b>✓</b>			0	580	<b>V</b>	<b>✓</b>
<pre>cmdPrev_Click()   ' Comments : Move to the previous record   ' Parameters : -   ' Returns : -   ' Created :   ' Modified : 9/4/98 - JSL   '   '   '   '   '   '   '   '   '</pre>	Sub	212	231		<b>✓</b>			0	577	<b>&gt;</b>	<b>✓</b>

## Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Form_Current()  ' Comments : Update the Controls for the current record ' Parameters : ' Created : 6/30/98 2:26:35 PM JSL ' Modified : 10-dec-2003 jleiner - disable user from modify: ' : computer generated records	Sub ing	232	268		<b>✓</b>			0	559	✓	
Form_Open (intCancel As Integer)  ' Comments : On Opening the form, set the starting actions ' Parameters : ' Created : 6/30/98 2:00:12 PM JSL ' Modified : '	Sub	269	293		<b>✓</b>			1	560	<b>V</b>	<b>✓</b>
SetFormMode()  ' Comments : Toggles the form between Edit and View Mode ' Parameters : ' Created : 8/28/98 12:05:35 PM JSL ' Modified : ' .	Sub	294	395		<b>✓</b>			0	562	✓	<b>✓</b>
SetOneView (fBlnShowAll As Boolean)  ' Comments : Set the form to limit the display to the current Parameters: ' Created : 7/14/98 8:08:44 AM JSL ' Modified :	Sub nt view	27	54	<b>✓</b>	<b>✓</b>			1	4918	✓	<b>V</b>
Form: frmAssignCategories (General Declarations)		1	5								
BuildTreeView ()	Sub	6	79		<b>✓</b>			0	611	<b>✓</b>	
cboProduct_AfterUpdate ()	Sub	139	144		<b>✓</b>			0	610	<b>✓</b>	
cboProduct_BeforeUpdate (Cancel As Integer)	Sub	146	160		<b>✓</b>			1	608	<b>✓</b>	
cmdCancel_Click ()	Sub	162	166		<b>✓</b>			0	619	<b>✓</b>	
cmdClose_Click ()	Sub	209	237		<b>✓</b>			0	616	<b>~</b>	<b>✓</b>

# Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
CreateChangesRecordSet ()	Sub	239	248		<b>~</b>			0		614	<b>✓</b>	
CreateParenttoRoot (ctl As Control, IngNodeID As Long)	Function	81	137		<b>✓</b>			2	Boolean	612	<b>✓</b>	<b>✓</b>
ctlTree_NodeCheck (ByVal Node As Object)	Sub	170	198		<b>✓</b>			1		606	<b>✓</b>	
Form_Open (Cancel As Integer)	Sub	200	208		<b>✓</b>			1		604		
SaveChanges ()	Sub	250	289		<b>✓</b>			0		617	<b>✓</b>	
Form: frmCatOrder												
(General Declarations)		1	28									
<pre>' Description: Allow the user to specify the Category Order an '</pre>	String)											
BuildTreeView ()  '+ ' Procedure : BuildTreeView ' Comments : Fills the Treeview control with the proper commo ' : for the facility ' Parameters: - ' Modified : 20 Jun 2003 JLeiner '-	Sub dity grou		111 ducts		<b>✓</b>			0		625	<b>✓</b>	<b>✓</b>
cmdClose_Click ()	Sub	208	222		<b>V</b>			0		662	<b>✓</b>	<b>✓</b>
cmdMoveDown_Click ()	Sub	232	327		<b>V</b>			0		647	<b>✓</b>	<b>✓</b>
cmdMoveLast_Click ()	Sub	337	471		<b>✓</b>			0		652	<b>✓</b>	<b>✓</b>
cmdMoveTop_Click ()	Sub	481	572		<b>V</b>			0		634	<b>~</b>	<b>✓</b>

### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
CmdMoveUp_Click ()	Sub	582	666		<b>V</b>			0		642	<b>✓</b>	<b>✓</b>
cmdRebuildTree_Click ()	Sub	675	689		<b>✓</b>			0		657	<b>✓</b>	<b>✓</b>
ctlTreeView_NodeClick (ByVal Node As Object)	Sub	698	710		<b>✓</b>			1		631	<b>✓</b>	<b>✓</b>
EnableMoveButtons ()	Sub	120	147		<b>✓</b>			0		628	<b>✓</b>	<b>✓</b>
Form_Open (Cancel As Integer)	Sub	719	778		<b>✓</b>			1		622	<b>✓</b>	<b>✓</b>
OrderChildren (nodX As Node, intCounter As Integer)	Function	936	988		<b>V</b>			2	Long	659	<b>✓</b>	<b>✓</b>
RedoDataEntryOrder ()	Sub	903	922		<b>✓</b>			0		658	<b>✓</b>	<b>✓</b>
RefreshTreeview ()	Sub	877	891		<b>✓</b>			0		635	<b>✓</b>	<b>✓</b>
SetCategoryState ()	Sub	833	866		<b>✓</b>			0		638	<b>✓</b>	<b>✓</b>
SetRstOrder (rst As Recordset, strParentField As String)	Sub	157	199		<b>V</b>			2		624	<b>✓</b>	<b>✓</b>
TrapCategoryState ()	Sub	790	823		<b>✓</b>			0		636	<b>✓</b>	<b>✓</b>

#### Form: frmCommodityGroups

(General Declarations) 1 32

′+ ' Module : Form\_frmCommodityGroups ' Description: Form for managing Commodity Groups ' Procedures : cboFind\_AfterUpdate() SetFormMode() SetOneView(fBlnShowAll As Boolean) cmdCancel\_Click() cmdNew\_Click() cmdNext\_Click() cmdPrev\_Click() cmdPrint\_Click() Form\_Current() Form\_Open(intCancel As Integer) lstCommodities\_DblClick(intCancel As Integer) ParentID\_Enter() ' Created : 22-Apr-99 Admin ' Modified : ' 05 Jun 2003 JLeiner

## Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре		rt E e L		Public	Private	Friend	Static	Param Count Return 1	Diagran Гуре Line	Code Exists	Error Trap
cboFind_AfterUpdate()  '+ ' Procedure: cboFind_AfterUpdate ' Comments : Move to the selected Record ' Parameters: ' Created : 6/30/98 1:53:57 PM JSL ' Modified : '-	Sub	2	40	60		<b>✓</b>			0	679	V	<b>&gt;</b>
cmdCancel_Click ()	Sub	22	22	279		<b>✓</b>			0	723	<b>V</b>	<b>✓</b>
cmdClose_Click ()	Sub	28	32	287		<b>✓</b>			0	708	<b>✓</b>	
cmdDelete_Click ()	Sub	28	39	345		<b>✓</b>			0	693	<b>✓</b>	<b>✓</b>
cmdNew_Click ()	Sub	35	55	412		<b>✓</b>			0	721	<b>✓</b>	<b>✓</b>
cmdNext_Click ()	Sub	42	23	435		<b>✓</b>			0	718	<b>✓</b>	<b>✓</b>
cmdPrev_Click ()	Sub	44	16	458		<b>✓</b>			0	715	<b>✓</b>	<b>✓</b>
cmdPrint_Click ()	Sub	47	70	484		<b>✓</b>			0	681	<b>✓</b>	<b>✓</b>
Form_Current ()	Sub	49	94	522		<b>✓</b>			0	667	<b>✓</b>	<b>✓</b>
Form_Open (intCancel As Integer)	Sub	53	32	572		<b>✓</b>			1	668	<b>✓</b>	<b>✓</b>
IstCommodities_DblClick (intCancel As Integer)	Sub	58	33	615		<b>✓</b>			1	704	<b>V</b>	<b>✓</b>
ParentID_Enter ()	Sub	62	25	639		<b>✓</b>			0	690	<b>✓</b>	<b>✓</b>
SetFormMode ()	Sub	7	70	184		✓			0	672	<b>✓</b>	<b>✓</b>
SetOneView (fBlnShowAll As Boolean)	Sub	19	94	211	<b>✓</b>	✓			1	4921	✓	<b>✓</b>

#### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Exists Type Line Trap Form: frmCTF (General Declarations) 1 29 ′+ ' Module : Form frmCTF ' Description: Main Data Form. ' Procedures : BuildTreeView() ResetCTFFilter() SetDisplayControls() cboFacility\_AfterUpdate() cmdEarliest\_Click() cmdNext\_Click() cmdLatest Click() cmdPrevious\_Click() ctlTreeView\_NodeClick(ByVal Node As Object) Form Open(Cancel As Integer) **✓ V** Sub 292 354 AddProductName\_Click () 0 'Addded by Moses 2010 12 12 Add the selected Item in combo to the CTF\_Items sub form product list **~ ~** 37 139 **~** BuildTreeView () Sub 0 4944 ′+ ' Procedure : BuildTreeview ' Comments : Fills the Treeview control with the proper commodity groups/products : for the facility ' Parameters: -' Modified : 14-May-2003 jleiner **~** cboFacility\_AfterUpdate () Sub 363 423 **V** 0 4943 **~ ~ ~ ~** cboFacilityType\_AfterUpdate () Sub 460 515 0 **V ~ ~** CheckDHO () Sub 1354 1394 0 4965 **V** chkEmergencyOrder\_Click () Sub 519 533 **~** 0 'Added by Friday Simfukwe 19th May 2009 **V ~** chkSpecialOrders\_Click () Sub 535 558 0 4925 **~** Sub 586 0 cmdCases\_Click () 560 **V ~ ~** cmdEarliest\_Click () Sub 594 618 0 **~** cmdEO\_Click () Sub 622 627 **V** 0 4924

## Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
cmdFindBy_Click () 'Change state	Sub	629	677		<b>V</b>			0			<b>✓</b>	
cmdLatest_Click ()	Sub	685	708		<b>✓</b>			0			<b>✓</b>	<b>✓</b>
cmdNext_Click ()	Sub	717	731		<b>✓</b>			0			<b>✓</b>	<b>✓</b>
cmdPrevious_Click ()	Sub	741	755		<b>✓</b>			0			<b>✓</b>	<b>✓</b>
cmdPrint_Click ()	Sub	767	780		<b>✓</b>			0			<b>✓</b>	<b>✓</b>
cmdSpecialOrders_Click ()	Sub	783	785		<b>✓</b>			0		-1	<b>✓</b>	
ctf_IngCasesNew_BeforeUpdate (Cancel As Integer)	Sub	787	797		<b>✓</b>			1			<b>✓</b>	
ctf_IngCasesPediatric_BeforeUpdate (Cancel As Integer)	Sub	799	809		<b>✓</b>			1			<b>✓</b>	
ctf_IngCasesRetreatments_BeforeUpdate (Cancel As Integer)	Sub	811	821		<b>✓</b>			1			<b>✓</b>	
ctlTreeView_NodeClick (ByVal Node As Object)	Sub	830	933		<b>✓</b>			1			<b>✓</b>	<b>✓</b>
dtmReceived_BeforeUpdate (Cancel As Integer)	Sub	935	948		<b>✓</b>			1			<b>✓</b>	
dtmShipment_BeforeUpdate (Cancel As Integer)	Sub	950	964		<b>✓</b>			1			<b>✓</b>	
Form_AfterUpdate ()  ' Added by Moses 2010/12/16	Sub	968	972		<b>✓</b>			0			<b>✓</b>	
Form_Load ()	Sub	980	995		<b>~</b>			0			<b>~</b>	<b>~</b>
Form_Open (Cancel As Integer)	Sub	1005	1114		<b>~</b>			1		4926	<b>~</b>	<b>✓</b>
Form_Unload (Cancel As Integer)	Sub	1210	1214		<b>✓</b>			1			<b>~</b>	
fsubCTF_ltem_Enter() 'Added by Moses 2010\12\16	Sub	1216	1219		<b>V</b>			0			<b>~</b>	
GotoPeriod (dtmPeriod As Date)	Sub	1124	1208		<b>~</b>			1		4948	<b>✓</b>	<b>~</b>
RemoveProductName_Click() ' Remove NonfullSupply Item from list	Sub	1221	1273		<b>✓</b>			0			<b>~</b>	
ResetCTFFilter ()	Sub	148	164		<b>✓</b>			0		4976	<b>✓</b>	<b>✓</b>

## Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
SetDisplayControls ()	Sub	173	289		<b>V</b>			0		4966	<b>✓</b>	<b>✓</b>
txtFacCode_AfterUpdate ()	Sub	1276	1312		<b>✓</b>			0			<b>✓</b>	<b>✓</b>
txtFacilityName_AfterUpdate ()	Sub	1315	1351		✓			0		4974	<b>✓</b>	<b>✓</b>
UpdatePhysicalCount ()	Function	425	450		✓			0		4971	✓	<b>✓</b>
Form: frmCTF_Adjustments (General Declarations)		1	7									
cmdCancel_Click ()	Sub	152	189	<b>✓</b>	<b>✓</b>			0			<b>✓</b>	<b>✓</b>
cmdOK_Click ()	Sub	8	53		<b>✓</b>			0			<b>✓</b>	<b>✓</b>
ctp_IngQty_KeyDown (KeyCode As Integer, Shift As Integer)	Sub	55	72		✓			2		-1	<b>✓</b>	
Form_AfterUpdate ()	Sub	74	77		<b>✓</b>			0			<b>✓</b>	
Form_Load ()	Sub	79	142		✓			0			<b>✓</b>	
Form_Open (Cancel As Integer)	Sub	191	199		<b>✓</b>			1			<b>✓</b>	
getAdjType ()	Function	285	334	<b>✓</b>	<b>✓</b>			0	String		<b>✓</b>	<b>~</b>
getSum ()	Function	210	237	<b>✓</b>	<b>✓</b>			0	Long	-1	<b>✓</b>	<b>~</b>
getSumTotalAdj ()	Function	247	275	<b>✓</b>	<b>✓</b>			0	Long		<b>✓</b>	<b>✓</b>
Form: frmCTF_Adjustments_EO (General Declarations)		1	7									
cmdCancel_Click ()	Sub	154	191	<b>✓</b>	<b>~</b>			0		3111	<b>✓</b>	<b>✓</b>
cmdOK_Click ()	Sub	8	55		<b>V</b>			0		3099	~	<b>✓</b>
ctp_IngQty_KeyDown (KeyCode As Integer, Shift As Integer)	Sub	57	74		<b>V</b>			2	_	-1	<b>✓</b>	
Form_AfterUpdate ()	Sub	76	79		<b>✓</b>			0	_	3093	<b>✓</b>	
Form_Load ()	Sub	81	144		<b>✓</b>			0		3097	<b>✓</b>	

## Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
Form_Open (Cancel As Integer)	Sub	193	201		<b>✓</b>			1		3094	<b>~</b>	
getAdjType ()	Function	287	336	<b>✓</b>	<b>✓</b>			0	String	3107	<b>✓</b>	<b>✓</b>
getSum ()	Function	212	239	<b>✓</b>	<b>✓</b>			0	Long	-1	<b>✓</b>	<b>✓</b>
getSumTotalAdj ()	Function	249	277	✓	<b>✓</b>			0	Long	3106	<b>✓</b>	<b>✓</b>
Form: frmCTF_Purpose												
(General Declarations)		1	7									
cmdCancel_Click ()	Sub	144	181	<b>✓</b>	✓			0		2965	✓	<b>✓</b>
cmdOK_Click ()	Sub	8	60		<b>✓</b>			0		2955	<b>✓</b>	✓
ctp_IngQty_KeyDown (KeyCode As Integer, Shift As Integer)	Sub	62	79		<b>✓</b>			2		2963	<b>✓</b>	
Form_AfterUpdate ()	Sub	81	84		<b>✓</b>			0		2949	<b>✓</b>	
Form_Load ()	Sub	86	134		<b>✓</b>			0		2953	<b>✓</b>	
Form_Open (Cancel As Integer)	Sub	183	191		<b>✓</b>			1		2950	<b>✓</b>	
getSum ()	Function	202	229	<b>✓</b>	<b>✓</b>			0	Long	2958	<b>✓</b>	✓
Form: frmCTF_Purpose_EO												
(General Declarations)		1	7									
cmdCancel_Click ()	Sub	148	185	<b>✓</b>	<b>✓</b>			0		3083	<b>✓</b>	<b>✓</b>
cmdOK_Click ()	Sub	8	64		<b>✓</b>			0		3071	<b>✓</b>	<b>✓</b>
ctp_IngQty_KeyDown (KeyCode As Integer, Shift As Integer)	Sub	66	83		<b>✓</b>			2		3081	<b>~</b>	
Form_AfterUpdate ()	Sub	85	88		<b>~</b>			0		3065	<b>~</b>	
Form_Load ()	Sub	90	138		<b>~</b>			0		3069	<b>~</b>	
Form_Open (Cancel As Integer)	Sub	187	195		<b>✓</b>			1		3066	<b>✓</b>	
getSum ()	Function	206	233	<b>✓</b>	<b>✓</b>			0	Long	3076	<b>✓</b>	<b>✓</b>

#### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Procedure Name and Parameters	Туре	Start End Line Line Public F	Private F	riend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Form: frmCTF_Users (General Declarations)		1 7							
<pre>cmdCancel_Click()    '+    ' Procedure : cmdCancel_Click    ' Comments : Undo any changes and closes the form    ' Parameters:</pre>	Sub	14 32	<b>✓</b>			0		<b>✓</b>	<b>V</b>
cmdOK_Click ()	Sub	41 61 🗌	<b>✓</b>			0		<b>✓</b>	<b>✓</b>
Form_Error (DataErr As Integer, Response As Integer)	Sub	63 83 🗌	<b>✓</b>			2		<b>✓</b>	
Form_Open (intCancel As Integer)	Sub	92 143 🗌	<b>✓</b>			1		<b>✓</b>	<b>✓</b>
UpdateARTTotal ()	Function	230 246	<b>✓</b>			0 Long		<b>✓</b>	<b>✓</b>
ValidateRecordData ()	Function	156 219	<b>✓</b>			0 Boolean		✓	<b>✓</b>

#### Form: frmDeliveries

(General Declarations) 1 36

′+ ' Module : Form\_frmDeliveries ' Description: form for managing deliveries ' Procedures : cboFind\_AfterUpdate() LoadSelectedItems() SetFormMode() SetOneView(fBlnShowAll As Boolean) UndoProductChanges() cmdAdditem\_Click() cmdCancel\_Click() cmdNew\_Click() cmdNext\_Click() cmdPrev\_Click() cmdPrint\_Click() cmdRemoveItem\_Click() Form\_Close() Form\_Current() Form\_Open(intCancel As Integer) : 14-May-99 jleiner ' Created ' Modified : 18 Jul 2003 JLeiner

## Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
cboFind_AfterUpdate()  '+ ' Procedure : cboFind_AfterUpdate ' Comments : Move to the selected Record ' Parameters: ' Created : 6/30/98 1:53:57 PM JSL ' Modified : '-	Sub	44	60		<b>✓</b>			0	753	<b>V</b>	✓
cmdAdditem_Click ()	Sub	326	382		<b>✓</b>			0	843	<b>✓</b>	<b>✓</b>
cmdCancel_Click ()	Sub	393	449		<b>✓</b>			0	864	<b>✓</b>	<b>✓</b>
cmdNew_Click ()	Sub	460	499		<b>✓</b>			0	859	<b>✓</b>	<b>✓</b>
cmdNext_Click ()	Sub	509	521		<b>✓</b>			0	856	<b>✓</b>	<b>✓</b>
cmdPrev_Click ()	Sub	532	544		<b>✓</b>			0	853	<b>✓</b>	<b>✓</b>
cmdPrint_Click ()	Sub	554	569		<b>✓</b>			0	833	<b>✓</b>	<b>✓</b>
cmdRemoveltem_Click ()	Sub	580	631		<b>✓</b>			0	849	✓	<b>~</b>
dlv_dtmActual_BeforeUpdate (Cancel As Integer)	Sub	640	659		<b>✓</b>			1	836	✓	<b>~</b>
dlv_dtmDelivery_BeforeUpdate (Cancel As Integer)	Sub	669	687		<b>✓</b>			1	755	✓	<b>✓</b>
Form_Current ()	Sub	696	723		<b>✓</b>			0	733	<b>✓</b>	<b>✓</b>
Form_Open (intCancel As Integer)	Sub	733	793		<b>✓</b>			1	734	<b>✓</b>	<b>~</b>
LoadSelectedItems ()	Sub	70	106		<b>✓</b>			0	867	✓	<b>~</b>
SetFormMode ()	Sub	116	225		<b>✓</b>			0	747	<b>✓</b>	<b>~</b>
SetOneView (fBlnShowAll As Boolean)	Sub	235	252	✓	<b>✓</b>			1	4982	<b>✓</b>	<b>✓</b>
UndoProductChanges ()	Sub	262	315		<b>✓</b>			0	865	<b>✓</b>	<b>✓</b>

Sorted By Module and Procedure Name

**Procedure List with Comments** 

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
Form: frmDistributionLevels												
(General Declarations)		1	28									
' Module : frmDistributionLevels ' Description:												
' Procedures : SetOneView ' cboFind_AfterUpdate ' cmdCancel_Click												
' cmdNew_Click ' cmdNext_Click ' cmdPrev_Click												
' Form_Current ' Form_Open												
' lstFacilities_DblClick ' SetFormMode												
cboFind_AfterUpdate ()	Sub	57	80		<b>✓</b>			0		884	<b>✓</b>	<b>✓</b>
' Comments : Move to the selected Record ' Parameters :												
'Created : 6/30/98 1:53:57 PM JSL 'Modified :												
·												
cmdCancel_Click ()	Sub	81	135		<b>V</b>			0		1090	<b>✓</b>	<b>V</b>
'Comments : Either places the form in Edit mode or Ca. ' : depending on the current state of m_fEdit												
' Parameters : ' Created   : 7/14/98 8:08:44 AM JSL												
' Modified :												
·												
cmdNew_Click ()	Sub	137	213		<b>~</b>			0		1088	<b>~</b>	<b>~</b>
'Comments : Starts a new record or save changes to the record depending on the state of m_fEditM. 'Parameters:												
' Created : 7/14/98 8:08:44 AM JSL												
' Modified : 12-Sep-2003 jleiner - Check for dirty on .	Save.											
<u> </u>												

# Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start E Line L		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
<pre>cmdNext_Click()   ' Comments : Move to the next record.   ' Parameters : -   ' Returns : -   ' Created :   ' Modified : 9/4/98 - JSL   '   '</pre>	Sub	214	233		<b>✓</b>			0		1085	<b>V</b>	<b>V</b>
cmdPrev_Click()  ' Comments : Move to the previous Record ' Parameters : - ' Returns : - ' Created : ' Modified : 9/4/98 - JSL	Sub	234	253		<b>✓</b>			0		900	V	<b>V</b>
cmdPrint_Click ()	Sub	264	278		<b>✓</b>			0		886	<b>✓</b>	<b>✓</b>
Form_Current()  ' Comments : Update the Controls for the current record ' Parameters : ' Created : 6/30/98 2:26:35 PM JSL ' Modified :	Sub	280	310		<b>V</b>			0		871	<b>✓</b>	<b>✓</b>
Form_Open (intCancel As Integer)  ' Comments : On Opening the form, set the starting actions ' Parameters : ' Created : 6/30/98 2:00:12 PM JSL ' Modified : ',	Sub	311	346		<b>V</b>			1		872	<b>V</b>	<b>V</b>
IstFacilities_DblClick (intCancel As Integer)  ' Comments : Open to the specified facility on the : facility form and wait for return ' Parameters : intCancel - ' Created : 24-May-99 Jeff Leiner ' Modified : ',	Sub	347	380		<b>V</b>			1		903	<b>V</b>	V

## Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	: Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
SetFormMode ()	Sub	381	482	: 🗆	<b>~</b>			0	877	<b>~</b>	<b>~</b>
' Comments : Toggles the form between Edit and View Mode											
' Parameters :											
' Created : 8/28/98 12:05:35 PM JSL											
' Modified :											
, ,											
SetOneView (fBlnShowAll As Boolean)	Sub	29	56	<b>✓</b>	<b>✓</b>			1	4985	<b>✓</b>	<b>✓</b>
' Comments : Set the form to limit the display to the curren	nt view										
' Parameters :											
' Created : 7/14/98 8:08:44 AM JSL											
' Modified :											
ı											
Form: frmDRPFacilityInvNotes											
(General Declarations)		1	3	}							
cmdCancel_Click ()	Sub	18	35		<b>✓</b>			0	1105	<b>✓</b>	<b>✓</b>
cmdOK_Click ()	Sub	4	17		<b>✓</b>			0	1103	<b>✓</b>	<b>✓</b>
Form_Open (Cancel As Integer)	Sub	37	41		<b>✓</b>			1	1100	<b>✓</b>	
Form_Open (Cancer As integer)	Sub	31	41		•	Ш		I	1100	V	L

#### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Exists Type Line Trap Form: frmDRPFacilityNeeds (General Declarations) 1 31 ′+ ' Module : Form frmDRPFacilityNeeds ' Description: form for determining Facility Needs/shipment planning ' Procedures : CalculateLoad() cboFind\_AfterUpdate() cboTruck AfterUpdate() cmdAutoFill\_Click() cmdClose\_Click() cmdCommit\_Click() cmdPrint Click() cmdRemoveAll\_Click() cmdRemoveStop\_Click() cmdRoute Click() Form\_Close() Form\_Current() Form\_Open(intCancel As Integer) fraSortOrder AfterUpdate() lstFacilities\_DblClick(intCancel As Integer) SetCommandStates : 03-Jun-99 ' Created ' Modified ' 15 Jul 2003 JLeiner ' 08 Sep 2003 jleiner - added setcommandstates to enable/disable actions as needed. **V ~ ~** Sub 41 105 0 1109 CalculateLoad () ′+ ' Procedure : CalculateLoad ' Comments : Determines the percentage of capacity filled on the : current vehicle ' Parameters: ' Created : 09-Jun-99 Jeff Leiner ' Modified : **V V ~** 115 140 cboFind\_AfterUpdate () Sub 0 1168 **~ V ~** cboTruck\_AfterUpdate () Sub 150 165 0 1207 cmdAutoFill\_Click () Sub 176 244 **✓** 0 1283 **~** cmdClose\_Click () Sub 253 278 **~** 0 1171 **✓ V** 

## Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
cmdCommit_Click ()	Sub	288	361		<b>V</b>			0		1193	<b>✓</b>	<b>✓</b>
cmdPrint_Click ()	Sub	371	404		<b>✓</b>			0		1180	<b>✓</b>	<b>✓</b>
cmdRemoveAll_Click ()	Sub	414	451		<b>✓</b>			0		1277	<b>✓</b>	<b>✓</b>
cmdRemoveStop_Click ()	Sub	461	512		<b>✓</b>			0		1261	<b>✓</b>	<b>✓</b>
cmdRoute_Click ()	Sub	522	555		<b>✓</b>			0		1270	<b>✓</b>	<b>✓</b>
DeliveryDateInConflict ()	Function	866	887		<b>✓</b>			0	Boolean	1196	<b>✓</b>	<b>✓</b>
dlv_dtmDelivery_BeforeUpdate (Cancel As Integer)	Sub	558	568		<b>✓</b>			1		1175	<b>✓</b>	
Form_Current ()	Sub	577	609		<b>✓</b>			0		1108	<b>✓</b>	<b>✓</b>
Form_Open (intCancel As Integer)	Sub	620	676		<b>✓</b>			1		1112	<b>✓</b>	<b>✓</b>
fraSortOrder_AfterUpdate ()	Sub	687	739		<b>✓</b>			0		1210	<b>✓</b>	<b>✓</b>
IstFacilities_DblClick (intCancel As Integer)	Sub	752	853		<b>✓</b>			1		1217	<b>✓</b>	<b>✓</b>
SetCommandStates ()	Sub	897	928		<b>✓</b>			0		1281	<b>✓</b>	<b>✓</b>
Form: frmDRPInventory (General Declarations)		1	3									
cboFacility_AfterUpdate ()	Sub	4	10		<b>✓</b>			0		1311	<b>✓</b>	
cboPeriod_AfterUpdate ()	Sub	462	468		<b>✓</b>			0		1318	<b>✓</b>	
cboPeriod_GotFocus ()	Sub	470	474		<b>✓</b>			0		1320	<b>✓</b>	
CheckNextMonthsOpenBal()  ' Comments : Once the The closing Balance has been accepted  ' check it agains the following periods (if it e  ' Parameters :  ' Returns :  ' Created : 16-Dec-99 Jeff Leiner  ' Modified :  '		563	641		<b>V</b>			0	Boolean	1299	V	<b>✓</b>

## Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and F	'arameters		Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
' Created ' Modified '	(() : When clicked, add inventory records for the va : facility and Date combination. : : 30-Jul-99 Jeff Leiner :	Sub alid	35	103		<b>✓</b>			0	1336	<b>V</b>	<b>V</b>
' Created ' Modified	()  : Open the Product Select form, and set a filter : product list to not include products already h : : 30-Jul-99 Jeff Leiner :		105	169		<b>V</b>			0	1328	V	V
cmdChangeDate_Click	: update the inventory dates : for the existing records.	Sub	171	272		<b>V</b>			0	1360	<b>V</b>	<b>✓</b>
' Created ' Modified '	: Delete the Inventory records for the selected : Facility and Date. : : 28-Jul-99 Jeff Leiner :	Sub	274	314		<b>✓</b>			0	1322	<b>✓</b>	✓
' Created ' Modified '	ck()  : Open the Product Select form, and set a filter : product list to include the products already h : use delete the selected items from the count : : 30-Jul-99 Jeff Leiner :		316	378		V			0	1355	V	V

## Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Line Exists Type Trap **~** cmdNote\_Click() Sub **V** 0 1293 **~** 642 661 **V ~** Form\_BeforeUpdate (Cancel As Integer) Sub 380 427 1 1295 **V** ' Comments : Determine if the Numbers add up : (Open Bal + Receipts - Issues + Adjustments = Closing Balance) ' Parameters : ' Returns ' Created : 16-Dec-99 Jeff Leiner ' Modified **~ ~** 429 460 0 1307 Form\_Load () Sub ' Comments : When Starting Select the most 1st facility and then default to most current inventory for the facility ' Parameters : ' Created : 28-Jul-99 Jeff Leiner ' Modified **~** 476 487 1303 **~** Form\_Open (Cancel As Integer) Sub ✓ ✓ **~** inv\_IngOpeningBal\_BeforeUpdate (Cancel As Integer) Sub 489 561 1 1350 ' Comments ' Parameters : ' Returns ' Created : 16-Dec-99 Jeff Leiner ' Modified **~ ~** SetProductFilter () Sub 12 33 0 1344 Form: frmDRPInventory Only (General Declarations) 3 **~ ~** cboFacility\_AfterUpdate () Sub 10 0 1394 cboPeriod\_AfterUpdate () Sub 511 517 0 1388 cboPeriod\_BeforeUpdate (Cancel As Integer) Sub 80 1384 **V** cboPeriod GotFocus () Sub 519 524 0 1390

## Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Para	ameters		Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
' Parameters : ' Created : ' Modified :	When clicked, add inventory records for the vafacility and Date combination.  30-Jul-99 Jeff Leiner	Sub alid	108	176		<b>✓</b>			0	1410	<b>V</b>	<b>✓</b>
Parameters: Created: Modified:	Open the Product Select form, and set a filter product list to not include products already h		178	245		<b>✓</b>			0	1404	V	<b>&gt;</b>
Parameters: Created: Modified:	update the inventory dates for the existing records. 09-Aug-99 Jeff Leiner	Sub	247	352		<b>V</b>			0	1428	V	<b>V</b>
Parameters: Created: Modified:	Delete the Inventory records for the selected Facility and Date. 28-Jul-99 Jeff Leiner	Sub	354	394		<b>V</b>			0	1398	<b>V</b>	<b>✓</b>
' : ' : ' Parameters :	Open the Product Select form, and set a filter product list to include the products already has delete the selected items from the count 30-Jul-99 Jeff Leiner		396	471		<b>V</b>			0	1423	V	V

# Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	n t Return Type	Diagram Line	Code Exists	Error Trap
cmdNote_Click ()	Sub	82	106		<b>~</b>			0		1372	<b>✓</b>	<b>✓</b>
Form_Load()  ' Comments : When Starting Select the most 1st facility and then default to most current inventory for the ' Parameters : ' Created : 28-Jul-99 Jeff Leiner ' Modified : ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '			509		<b>✓</b>			0		1378	<b>V</b>	<b>✓</b>
Form_Open (Cancel As Integer)	Sub	526	536		<b>~</b>			1		1374	<b>✓</b>	
SetProductFilter ()	Sub	12	69		<b>✓</b>			0		1380	<b>✓</b>	
Form: frmFacilities												
<pre>(General Declarations)     ''+     ' Module    : Form_frmFacilities     ' Description: The main form for Adding/Editing Facilities     ' Procedures : cboFind_AfterUpdate()</pre>		1	51									
AllowsMembers (strNodeID As String)	Function	1277	1306		<b>✓</b>			1	Boolean	999	✓	<b>✓</b>
BuildTreeView ()	Sub	1139	1215		<b>✓</b>			0		907	<b>✓</b>	<b>✓</b>
CaptureCatMaxMins ()	Sub	997	1038		✓			0		1046	<b>✓</b>	<b>✓</b>

## Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
cboDistribution_AfterUpdate ()	Sub	278	300		<b>~</b>			0	1069	<b>~</b>	<b>✓</b>
cboDistribution_BeforeUpdate (Cancel As Integer)	Sub	52	64		<b>✓</b>			1	4988	<b>✓</b>	
cboFind_AfterUpdate ()	Sub	73	90		<b>✓</b>			0	938	<b>✓</b>	<b>✓</b>
cmdCancel_Click ()	Sub	311	365		<b>✓</b>			0	1039	<b>~</b>	<b>✓</b>
cmdClose_Click ()	Sub	375	395		<b>~</b>			0	1005	<b>✓</b>	<b>~</b>
cmdDelete_Click ()	Sub	398	417		<b>~</b>			0	1024	<b>✓</b>	
cmdFilter_Click ()	Sub	426	439		<b>~</b>			0	969	<b>✓</b>	<b>~</b>
cmdFindBy_Click ()	Sub	442	483		<b>~</b>			0	984	<b>✓</b>	
cmdNew_Click ()	Sub	493	570		<b>~</b>			0	1037	<b>✓</b>	<b>~</b>
cmdNext_Click ()	Sub	579	592		<b>✓</b>			0	1034	<b>✓</b>	<b>~</b>
cmdPrev_Click ()	Sub	601	614		<b>~</b>			0	1031	<b>✓</b>	<b>~</b>
cmdPrint_Click ()	Sub	623	638		<b>~</b>			0	1013	<b>✓</b>	<b>~</b>
cmdShowAll_Click ()	Sub	647	670		<b>✓</b>			0	996	<b>✓</b>	<b>~</b>
CreateChangesRecordSet ()	Sub	1314	1365		<b>~</b>			0	1061	<b>~</b>	<b>✓</b>
ctlTreeView_NodeCheck (ByVal Node As Object)	Sub	673	723		<b>~</b>			1	998	<b>~</b>	
Form_BeforeInsert (Cancel As Integer)	Sub	726	733		<b>~</b>			1	912	<b>~</b>	
Form_Current ()	Sub	742	774		<b>~</b>			0	905	<b>~</b>	<b>✓</b>
Form_Open (intCancel As Integer)	Sub	784	831		<b>~</b>			1	917	<b>~</b>	<b>✓</b>
RefreshTreeviewNodeDisplay ()	Sub	1444	1477		<b>~</b>			0	927	<b>~</b>	<b>✓</b>
RestoreCatMaxMins ()	Sub	1049	1088		<b>✓</b>			0	1041	<b>~</b>	<b>✓</b>
SaveTreeChanges ()	Sub	1375	1433		<b>✓</b>			0	1060	<b>✓</b>	<b>✓</b>
SetFormMode ()	Sub	100	242		<b>✓</b>			0	925	✓	<b>✓</b>

## Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
SetOneView (fShowAll As Boolean)	Sub	252	269	<b>✓</b>	<b>✓</b>			1		2493	<b>✓</b>	<b>✓</b>
SetSelectedGroups ()	Sub	1226	1266		<b>✓</b>			0		1062	<b>✓</b>	<b>✓</b>
Sup_Code_AfterUpdate ()	Sub	841	862		<b>✓</b>			0		1071	<b>✓</b>	<b>✓</b>
Sup_Code_NotInList (NewData As String, Response As Integer)	Sub	1090	1094		<b>✓</b>			2		1077	<b>✓</b>	
tabFacilityInfo_Change ()	Sub	1096	1131		<b>✓</b>			0		1008	<b>✓</b>	<b>✓</b>
UpdateScreenforUserRights ()	Sub	873	920	<b>✓</b>	<b>✓</b>			0		933	<b>✓</b>	<b>✓</b>
ValidateData ()	Function	933	986	<b>V</b>	<b>✓</b>			0	Boolean	1048	✓	<b>✓</b>
Form: frmFacilityEvents												
(General Declarations)		1	5									
<pre>cmdCancel_Click()     '+     ' Procedure : cmdCancel_Click     ' Comments : Undo any changes and closes the form     ' Parameters:</pre>	Sub	12	30		✓			0		1464	<b>V</b>	<b>✓</b>
cmdOK_Click ()	Sub	39	60		<b>✓</b>			0		1454	<b>✓</b>	<b>✓</b>
fev_datEffective_BeforeUpdate (Cancel As Integer)	Sub	113	126		<b>✓</b>			1		1466	<b>~</b>	
Form_Error (DataErr As Integer, Response As Integer)	Sub	63	77		<b>✓</b>			2		1445	<b>✓</b>	
Form_Load ()	Sub	79	85		<b>✓</b>			0		1444	<b>✓</b>	
Form_Open (intCancel As Integer)	Sub	93	111		<b>✓</b>			1		1439	<b>✓</b>	<b>✓</b>
ValidateRecord ()	Function	139	177		<b>✓</b>			0	Boolean	1455	✓	✓

**Total Access Analyzer** 

Database: SCM2003\_ZAM\_SOURCE.MDB

#### **Procedure List with Comments**

Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
Form: frmFacilityTypes												
(General Declarations)		1	40									
' Module : frmFacilityTypes												
' Description:												
' Procedures : SetOneView												
cboFind_AfterUpdate												
$^{\prime}$ $cmdAddProduct\_Click$												
' cmdCancel_Click												
' cmdMoveDown_Click												
' cmdMoveUP_Click												
' cmdNew_Click												
' cmdNext_Click												
' cmdPrev_Click												
cmdPrint_Click												
cmdRemoveProduct_Click												
Form_Current												
' Form_Open ' LoadFacTypeProducts												
lstFacilities_DblClick												
' ReorderFacTypeProducts												
' SetFormMode												
' UndoProductChanges												
cboFind_AfterUpdate ()	Sub	64	86		<b>✓</b>			0		1489	<b>✓</b>	<b>✓</b>
' Comments : Move to the selected Record ' Parameters :												
' Created : 6/30/98 1:53:57 PM JSL												
' Modified :												
1												
'												
cmdAddProduct_Click ()	Sub	87	171		<b>V</b>			0		1520	<b>V</b>	<b>~</b>
' Comments : When Add the Selected Available Product to th	ne											
: tblFacilityTypeProducts table												
' Parameters :												
' Created : 22-Apr-99 Jeff Leiner												
' Modified : 24-Mar-04 jleiner, added checks for null type	_name											
r.												
·												

### Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
cmdCancel_Click()  ' Comments : Either places the form in Edit mode or Cance ' : depending on the current state of m_fEditMode ' Parameters: ' Created : 7/14/98 8:08:44 AM JSL ' Modified : '	_	172	236		<b>✓</b>			0		1550	<b>&gt;</b>	<b>✓</b>
<pre>cmdMoveDown_Click()</pre>		237	305		<b>✓</b>			0		1545	<b>✓</b>	<b>\</b>
' Created : 5-MAY-99 Jeff Leiner ' Modified :												
CmdMoveUp_Click()  ' Comments : When Clicked Move the selected products in  ' : up in order by changing the intDEOrder in  ' : tblFacilityTypeProducts table  ' Parameters :  ' Created : 5-MAY-99 Jeff Leiner  ' Modified :	Sub the list	306	367		<b>✓</b>			0		1540	<b>\</b>	<b>&gt;</b>
cmdNew_Click()  ' Comments : Starts a new record or save changes to the c ' : record depending on the state of m_fEditMode ' Parameters : ' Created : 7/14/98 8:08:44 AM JSL ' Modified : ',	Sub urrent	368	441		<b>✓</b>			0		1547	<b>V</b>	<b>✓</b>
<pre>cmdNext_Click()   ' Comments :   ' Parameters : -   ' Returns : -   ' Created :   ' Modified : 9/4/98 - JSL   '   '   '   '   '   '   '   '   '</pre>	Sub	442	461		<b>V</b>			0		1542	V	V

#### Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters		Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
cmdPrev_Click()  ' Comments : ' Parameters : - ' Returns : - ' Created : ' Modified : 9/4/98 - JSL	Sub	462	481		<b>V</b>			0	1537	<b>V</b>	<b>✓</b>
<pre>cmdPrint_Click()    ' Comments :    ' Parameters : -    ' Returns : -    ' Created :    ' Modified :    '    '</pre>	Sub	482	503		<b>V</b>			0	1496	<b>✓</b>	✓
<pre>cmdRemoveProduct_Click()</pre>	Sub Products	504	578		<b>V</b>			0	1531	V	<b>V</b>
Form_Current()  ' Comments : Update the Controls for the current record ' Parameters : ' Created : 6/30/98 2:26:35 PM JSL ' Modified : ',	Sub	580	614		✓			0	1475	<b>✓</b>	✓
Form_Open (intCancel As Integer)  ' Comments : On Opening the form, set the starting actions ' Parameters : ' Created : 6/30/98 2:00:12 PM JSL ' Modified : '	Sub	615	651		<b>✓</b>			1	1476	<b>V</b>	✓

#### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Exists Type Line Trap **~** Sub **V** 0 1554 **V** LoadFacTypeProducts () 652 689 ' Comments ' Parameters : -' Returns ' Created ' Modified : lstAvailableProducts\_AfterUpdate () Sub 691 697 **~** 0 1494 **~ ~** lstFacilities\_DblClick (intCancel As Integer) Sub 699 733 1 1491 ' Comments : Open to the specified facility on the : facility form and wait for return ' Parameters : ' Created : 24-May-99 Jeff Leiner ' Modified lstFacTypeProducts\_AfterUpdate () Sub 887 893 **✓** 0 1516 **~** Sub **V** 0 SetFormMode () 734 830 1482 ' Comments : Toggles the form between Edit and View Mode ' Parameters : : 8/28/98 12:05:35 PM JSL ' Created ' Modified : **~ ~** SetOneView (fBlnShowAll As Boolean) Sub 63 1 4992 ' Comments : Set the form to limit the display to the current view ' Parameters : ' Created : 7/14/98 8:08:44 AM JSL ' Modified : **~ ~ V** UndoProductChanges () Sub 831 885 1551 ' Comments : Undo the Changes made to the original Group Memberships ' Parameters : : 23-Apr-99 Jeff Leiner ' Created ' Modified :

Total Access Analyzer

Database: SCM2003 ZAM SOURCE.MDB

#### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Line Exists Type Trap **~** 904 934 🗸 1521 **V** ValidateDataOK() **Function** Boolean Form: frmLinkedTables (General Declarations) 1 15 ' Module : frmLinkedTables ' Description: ' Procedures : cmdClear Click cmdUpdateSelected\_Click lstTables Click SetCommandButtons **✓** 50 **✓** cmdBrowse\_Click () Sub 0 1598 **~ ~ ~** cmdClear\_Click () Sub 52 72 0 1595 ' Comments : Clear the selected choices in the listbox ' Parameters : : 01-Jun-99 Jeff Leiner ' Created ' Modified : 16-Apr-04 jleiner - Added test to make sure table should exist : (earlier version of the software) and to upgrade db cmdClose Click () Sub 86 0 1603 **✓ V** cmdUpdateSelected\_Click () Sub 89 205 0 1580 ' Comments ' Parameters : ' Created : 28-May-99 Jeff Leiner ' Modified : Sub 208 221 **~** 0 1574 **~** Form\_Load () Form\_Open (Cancel As Integer) Sub 224 245 **~** 1 1568 **V ~** IstTables\_Click () Sub 248 267 0 1577 ' Comments ' Parameters : -' Returns ' Created ' Modified

### Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
SetCommandButtons()  ' Comments : set the Command Buttons when the selected list ' Parameters : ' Created : 01-Jun-99 Jeff Leiner ' Modified : ',	Sub st is modii	16 Fied	42		<b>✓</b>			0	1601	V	V
Form: frmMtCtfExport											
(General Declarations)		1	6								
chkDisplay_AfterUpdate ()	Sub	7	20		<b>✓</b>			0	1719	<b>✓</b>	
cmdClear_Click ()	Sub	22	32		<b>✓</b>			0	1728	<b>✓</b>	
cmdExport_Click ()	Sub	34	63		<b>✓</b>			0	1624	<b>✓</b>	
cmdSelectAll_Click ()	Sub	65	75		<b>✓</b>			0	1722	<b>✓</b>	
cmdSelectModified_Click ()	Sub	77	81		<b>✓</b>			0	1725	<b>✓</b>	
EnableOptions ()	Sub	150	175		<b>✓</b>			0	1729	<b>✓</b>	<b>~</b>
Form_Open (Cancel As Integer)	Sub	83	105		<b>✓</b>			1	1609	<b>✓</b>	
IstPeriods_AfterUpdate ()	Sub	136	140		<b>✓</b>			0	1616	<b>✓</b>	
RefreshListbox ()	Sub	116	134	<b>V</b>	<b>V</b>			0	1610	<b>~</b>	<b>V</b>

#### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Exists Type Line Trap Form: frmMTDataCenters (General Declarations) 40 ′+ ' Module : Form frmCommodityGroups ' Description: Form for managing Commodity Groups ' Procedures : cboFind\_AfterUpdate() SetFormMode() SetOneView(fBlnShowAll As Boolean) cmdCancel\_Click() cmdNew\_Click() cmdNext\_Click() cmdPrev Click() cmdPrint\_Click() Form\_Current() Form\_Open(intCancel As Integer) lstMembers\_DblClick(intCancel As Integer) rg\_lngParentID\_Enter() ' Created : 22-Apr-99 Admin ' Modified ' 05 Jun 2003 JLeiner **V** BuildTreeView () Sub 636 676 **V** 0 1766 **~ V V V** cboFind\_AfterUpdate () Sub 48 68 0 1774 ′+ ' Procedure: cboFind\_AfterUpdate ' Comments : Move to the selected Record ' Parameters : ' Created : 6/30/98 1:53:57 PM JSL ' Modified : **V ~ ~** Sub 234 290 1797 cmdCancel\_Click () 0 **~ ~** cmdClose\_Click () Sub 293 297 0 1783 **~ ~** Sub 299 324 **~** 0 cmdDelete Click () 4995 **V ~** cmdNew Click () Sub 334 412 0 1795 **~ V ~** cmdNext\_Click () Sub 423 435 0 1789 Sub 446 458 **V V ~** cmdPrev\_Click () 0 1786

#### Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
cmdPrint_Click ()	Sub	470	484		<b>V</b>			0	1776	<b>✓</b>	<b>✓</b>
Form_BeforeInsert (Cancel As Integer)	Sub	487	491		<b>✓</b>			1	1746	<b>✓</b>	
Form_Current ()	Sub	518	547		<b>✓</b>			0	1742	<b>✓</b>	<b>✓</b>
Form_Load ()	Sub	550	554		<b>✓</b>			0	1765	<b>✓</b>	
Form_Open (intCancel As Integer)	Sub	563	603		<b>✓</b>			1	1749	<b>~</b>	<b>✓</b>
ocxPop1_OnSelect (ByVal item As Integer)	Sub	678	702		<b>✓</b>			1	1769	<b>~</b>	
RefreshMemberList ()	Sub	613	625		<b>✓</b>			0	1807	<b>✓</b>	<b>~</b>
SaveDataCenters ()	Sub	822	866		<b>✓</b>			0	1804	<b>✓</b>	<b>~</b>
SelectAllNodes ()	Sub	919	939	<b>✓</b>	<b>✓</b>			0	1763	<b>✓</b>	<b>~</b>
SelectChildNodes (nodX As Node)	Sub	725	758		✓			1	1770	<b>✓</b>	<b>~</b>
SetFormMode ()	Sub	78	196		<b>✓</b>			0	1753	<b>✓</b>	<b>~</b>
SetOneView (fBlnShowAll As Boolean)	Sub	206	223	<b>✓</b>	<b>✓</b>			1	1760	<b>✓</b>	<b>~</b>
SetPopupText ()	Sub	887	908		✓			0	1751	<b>✓</b>	<b>~</b>
SetTreeviewNodes ()	Sub	769	811		<b>~</b>			0	1744	<b>~</b>	<b>~</b>
tww SupplyChain_MouseUp (ByVal Button As Integer, ByVal Shift As Integer, ByVal x As Long, ByVal y As Long)	Sub	708	714		<b>✓</b>			4	1792	<b>~</b>	
twwSupplyChain_NodeCheck (ByVal Node As Object)	Sub	868	876		<b>✓</b>			1	1793	<b>~</b>	
ValidateData ()	Function	493	509		<b>✓</b>			0 Boolean	1800	<b>✓</b>	
Form: frmMTDataCenterSelect											
(General Declarations)		1	11								
cmdDCAdd_Click ()	Sub	41	56		<b>V</b>			0	1740	✓	<b>✓</b>
cmdDCBuild_Click ()	Sub	65	100		<b>✓</b>			0	1826	✓	<b>✓</b>
cmdDCDelete_Click ()	Sub	109	145		<b>✓</b>			0	1820	✓	<b>✓</b>

### Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start End Line Line Public	Private I	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
cmdDCEdit_Click ()	Sub	154 170	<b>✓</b>			0	1816	<b>✓</b>	<b>✓</b>
cmdDCExport_Click ()	Sub	173 207	<b>✓</b>			0	1915	<b>✓</b>	<b>✓</b>
cmdImport_Click ()	Sub	209 219	<b>✓</b>			0	1948	<b>✓</b>	
cmdLogs_Click ()	Sub	221 225	<b>✓</b>			0	1921	<b>✓</b>	
EnableOptions ()	Sub	12 32	<b>✓</b>			0	1823	<b>✓</b>	<b>✓</b>
Form_Open (Cancel As Integer)	Sub	233 255	<b>✓</b>			1	1732	<b>✓</b>	<b>✓</b>
IstDataCenters_Click ()	Sub	264 277	<b>✓</b>			0	1734	<b>✓</b>	<b>✓</b>
Form: frmMTImport									
(General Declarations)		1 16							
cmdGetFile_Click ()	Sub	51 131	<b>✓</b>			0	2135	<b>~</b>	<b>✓</b>
cmdImport_Click ()	Sub	140 240	<b>✓</b>			0	1956	<b>✓</b>	<b>✓</b>
Form_Open (Cancel As Integer)	Sub	249 270	<b>✓</b>			1	1952	<b>✓</b>	<b>✓</b>
SetDetailDisplay (fValid As Boolean)	Sub	17 42 🗸	<b>✓</b>			1	2148	<b>✓</b>	<b>✓</b>
Form: frmMTLogFiles									
(General Declarations)		1 2							
cmdClose_Click ()	Sub	3 14 🗌	<b>✓</b>			0	1941	<b>~</b>	
Form_Open (Cancel As Integer)	Sub	16 56	<b>✓</b>			1	1923	<b>~</b>	
IstTransfers_DblClick (Cancel As Integer)	Sub	58 62	<b>~</b>			1	1936	<b>✓</b>	
Form: frmMTLogFilesV2									
(General Declarations)		1 2							
Form_Open (Cancel As Integer)	Sub	3 27 🗌	✓			1	2155	✓	

Sorted By Module and Procedure Name

**Procedure List with Comments** 

Procedure Name and F	Parameters	Туре	Start Line		Public	c Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Form: frmPersor	nnel											
(General Declarations)			1	24	ļ							
' Module ' Description ' Procedures '												
' Parameters ' Created ' Modified '	: Move to the selected Record	Sub	53	76	; <u> </u>	<b>✓</b>			0	2173	<b>V</b>	<b>V</b>
, ' Parameters ' Created ' Modified '	: Either places the form in Edit mode or Cancel C : depending on the current state of m_fEditMode : : 7/14/98 8:08:44 AM JSL :	Sub Thanges	77	131		✓			0	2205	✓	<b>\</b>
, ' Parameters ' Created ' Modified ,	: Starts a new record or save changes to the curr : record depending on the state of m_fEditMode : : 7/14/98 8:08:44 AM JSL :	Sub rent	132	182	!	V			0	2203	V	<b>V</b>

### Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
<pre>cmdNext_Click()</pre>	Sub	183	202		<b>✓</b>			0	2200	<b>&gt;</b>	<b>✓</b>
cmdPrev_Click()  ' Comments : ' Parameters : - ' Returns : - ' Created : ' Modified : 9/4/98 - JSL	Sub	203	222		<b>✓</b>			0	2197	<b>V</b>	✓
cmdPrint_Click ()	Sub	224	230		<b>✓</b>			0	2175	<b>✓</b>	<b>✓</b>
Form_Current()  ' Comments : Update the Controls for the current record ' Parameters : ' Created : 6/30/98 2:26:35 PM JSL ' Modified : ',	Sub	232	262		<b>✓</b>			0	2161	<b>V</b>	✓
Form_Open (intCancel As Integer)  ' Comments : On Opening the form, set the starting actions ' Parameters : ' Created : 6/30/98 2:00:12 PM JSL ' Modified : ',	Sub	263	297		<b>✓</b>			1	2162	<b>V</b>	<b>&gt;</b>
SetFormMode()  ' Comments : Toggles the form between Edit and View Mode ' Parameters : ' Created : 8/28/98 12:05:35 PM JSL ' Modified : ',	Sub	298	399		<b>V</b>			0	2167	<b>V</b>	<b>✓</b>

#### Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	: Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
SetOneView (fBInShowAll As Boolean)  'Comments: Set the form to limit the display to the curr' Parameters: 'Created: 7/14/98 8:08:44 AM JSL 'Modified:	Sub rent view	25	52	✓	<b>✓</b>			1		4998	<b>&gt;</b>	<b>✓</b>
Form: frmProductCost_detail (General Declarations)		1	5									
cmdCancel_Click()  '+ ' Procedure : cmdCancel_Click ' Comments : Undo any changes and closes the form ' Parameters: - ' Modified : 16 Jul 2003 JLeiner '-	Sub	12	30		<b>✓</b>			0		2272	<b>✓</b>	<b>✓</b>
cmdOK_Click ()	Sub	39	60		<b>✓</b>			0		2257	<b>✓</b>	<b>✓</b>
Form_Error (DataErr As Integer, Response As Integer)	Sub	63	99		<b>✓</b>			2		2245	<b>✓</b>	
Form_Load ()	Sub	101	107		<b>✓</b>			0		2244	<b>✓</b>	
Form_Open (intCancel As Integer)	Sub	115	128		<b>✓</b>			1		2242	<b>✓</b>	<b>✓</b>
pc_datEffective_BeforeUpdate (Cancel As Integer)	Sub	130	143		<b>~</b>			1		2274	<b>✓</b>	
pc_sngCost_BeforeUpdate (Cancel As Integer)	Sub	206	218		<b>✓</b>			1		2280	<b>✓</b>	
ValidateProductCost ()	Function	156	204		<b>✓</b>			0	Boolean	2258	<b>✓</b>	<b>✓</b>

#### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Exists Type Line Trap Form: frmProducts (General Declarations) 60 ′+ ' Module : Form frmProducts ' Description: The Form for the management of Product/commodity records ' Procedures : cboFind\_AfterUpdate() SetFormMode() SetOneView(fBlnShowAll As Boolean) SetText() cmdCancel\_Click() cmdNew\_Click() cmdNext Click() cmdPrev\_Click() cmdPrint\_Click() Form Current() Form\_Open(intCancel As Integer) ' Created : 07-Jul-99 Admin ' Modified ' 20 Jun 2003 JLeiner ' 20 Feb 2004 JLeiner - Addeds Rights setting. Sub 1232 1294 **V** 0 2321 **~ ~** AddProducttoFacilityTypes () **V V ~** BuildTreeView () Sub 211 288 0 2216 **V V ~** CaptureProductCosts () Sub 61 107 0 2316 **V V ~** cboFind\_AfterUpdate () Sub 298 317 0 2236 cmdCancel\_Click () Sub 674 762 **V** 0 2311 **V ~ V ~** cmdCostAdd\_Click () Sub 765 776 0 2288 **~ ✓** 0 2304 cmdCostDelete Click () Sub 778 790 **V ~** cmdCostEdit\_Click () Sub 792 804 0 2240 **V ~ V** cmdNew\_Click () Sub 814 895 0 2308 Sub 906 918 **V** 0 2301 **~ ~** cmdNext\_Click () **✓ ~ ~** cmdPrev\_Click () Sub 929 941 0 2291 **V V V** cmdPrint\_Click () Sub 953 969 0 2338

#### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Procedure Name and Parameters	Туре	Start End Line Line Public	Private	Friend	Static	Param Count F	Return Type	Diagram Line	Code Exists	Error Trap
CreateChangesRecordSet ()	Sub	326 345	<b>✓</b>			0		2351	<b>~</b>	<b>✓</b>
ctlTreeView_NodeCheck (ByVal Node As Object)	Sub	980 1020	<b>✓</b>			1		2294	<b>~</b>	<b>✓</b>
ctlTreeView_NodeClick (ByVal Node As Object)	Sub	1030 1047	<b>✓</b>			1		2296	<b>~</b>	<b>✓</b>
Form_Current ()	Sub	1057 1089	<b>✓</b>			0		2215	<b>~</b>	<b>✓</b>
Form_Open (intCancel As Integer)	Sub	1099 1155	<b>✓</b>			1		2219	<b>✓</b>	<b>✓</b>
IstProductCosts_Click ()	Sub	1159 1164	<b>✓</b>			0		2238	<b>~</b>	
IstProductCosts_DblClick (Cancel As Integer)	Sub	1166 1171	<b>✓</b>			1		2239	<b>✓</b>	
pr_intUnitsPerDay_BeforeUpdate (Cancel As Integer)	Sub	1173 1183	<b>✓</b>			1		2332	<b>✓</b>	
RestoreProductCosts ()	Sub	118 197 🗌	<b>✓</b>			0		2312	<b>✓</b>	<b>✓</b>
SaveTreeChanges ()	Sub	354 408	<b>✓</b>			0		2317	<b>✓</b>	<b>✓</b>
SetFormMode ()	Sub	418 551	<b>✓</b>			0		2229	<b>✓</b>	<b>✓</b>
SetOneView (fBlnShowAll As Boolean)	Sub	561 578 🗹	<b>✓</b>			1		5001	<b>✓</b>	<b>✓</b>
SetSelectedCategories ()	Sub	588 628	<b>✓</b>			0		2352	<b>✓</b>	<b>✓</b>
SetText ()	Sub	639 663	✓			0		2225	<b>~</b>	<b>✓</b>
tabTopics_Change ()	Sub	1191 1220	<b>✓</b>			0		2349	<b>✓</b>	<b>✓</b>

#### Form: frmPurposeofUse

(General Declarations)

' Module

: frmPurposeofUse

' Description:

' Procedures : SetOneView

cboFind\_AfterUpdate
cmdCancel\_Click
cmdNew\_Click
cmdNext\_Click
cmdPrev\_Click
Form\_Current
Form\_Open
SetFormMode

1 24

# Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
cboFind_AfterUpdate()  ' Comments : Move to the selected Record ' Parameters: ' Created : 6/30/98 1:53:57 PM JSL ' Modified : ',	Sub	48	71		<b>✓</b>			0	2364	<b>✓</b>	<b>✓</b>
cmdCancel_Click()  ' Comments : Either places the form in Edit mode or Cancel ( ' : depending on the current state of m_fEditMode ' Parameters : ' Created : 7/14/98 8:08:44 AM JSL ' Modified : ' .	Sub Changes	72	127		<b>V</b>			0	2401	<b>V</b>	<b>✓</b>
cmdClose_Click ()	Sub	136	189		<b>✓</b>			0	2387	<b>✓</b>	<b>✓</b>
cmdDelete_Click ()	Sub	199	241		<b>✓</b>			0	2377	<b>✓</b>	<b>✓</b>
cmdNew_Click()  ' Comments : Starts a new record or save changes to the curry : record depending on the state of m_fEditMode ' Parameters: ' Created : 7/14/98 8:08:44 AM JSL ' Modified :	Sub rent	243	293		<b>V</b>			0	2399	V	<b>V</b>
cmdNext_Click()  ' Comments : ' Parameters : - ' Returns : - ' Created : ' Modified : 9/4/98 - JSL	Sub	294	313		<b>✓</b>			0	2396	V	<b>✓</b>

#### Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
<pre>cmdPrev_Click()   ' Comments :   ' Parameters : -   ' Returns : -   ' Created :   ' Modified : 9/4/98 - JSL   '   '   '   '   '   '   '   '   '</pre>	Sub	314	333		<b>✓</b>			0		2393	<b>V</b>	<b>&gt;</b>
cmdPrint_Click ()	Sub	335	341		<b>✓</b>			0		2366	<b>✓</b>	<b>✓</b>
Form_Current()  ' Comments : Update the Controls for the current record ' Parameters : ' Created : 6/30/98 2:26:35 PM JSL ' Modified : '	Sub	343	369		<b>V</b>			0		2355	<b>V</b>	<b>&gt;</b>
Form_Open (intCancel As Integer)  ' Comments : On Opening the form, set the starting actions ' Parameters : ' Created : 6/30/98 2:00:12 PM JSL ' Modified : ',	Sub	370	393		<b>V</b>			1		2356	✓	<b>V</b>
SetFormMode()  ' Comments : Toggles the form between Edit and View Mode ' Parameters : ' Created : 8/28/98 12:05:35 PM JSL ' Modified : '	Sub	394	497		<b>✓</b>			0		2358	✓	<b>V</b>
SetOneView (fBInShowAll As Boolean)  ' Comments : Set the form to limit the display to the currer ' Parameters : ' Created : 7/14/98 8:08:44 AM JSL ' Modified : '	Sub nt view	25	47	<b>✓</b>	<b>V</b>			1		5004	✓	<b>V</b>
Form: frmReportDefinitions (General Declarations)		1	2									

#### Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
cboFind_AfterUpdate() ' Find the record that matches the control.	Sub	27	39		<b>✓</b>			0	2410	<b>✓</b>	
rep_IngParameterCode_Click ()	Sub	3	14		<b>✓</b>			0	2425	<b>✓</b>	
rep_IngUserCode_Click ()	Sub	16	26		<b>✓</b>			0	2435	<b>✓</b>	
TransComment_DblClick (Cancel As Integer)	Sub	42	46		<b>✓</b>			1	2422	<b>✓</b>	
TransText_DblClick (Cancel As Integer)	Sub	49	53		<b>✓</b>			1	2412	<b>✓</b>	
Form: frmReportingGroups											
(General Declarations)		1	50								
<pre>Module : Form_frmReportingGroups Description : Procedures : cboFind_AfterUpdate() RefreshMemberList() SetFormMode() SetOneView(fBlnShowAll As Boolean) UndoMemberChanges() cmdAddMember_Click() cmdCancel_Click() cmdClose_Click() cmdDelete_Click() cmdNew_Click() cmdNew_Click() cmdPrev_Click() cmdPrev_Click() cmdPrev_Click() cmdRemoveMember_Click() form_Current() Form_Open(intCancel As Integer) rg_fAllowMembers_BeforeUpdate(Cancel As Integer) rg_lngParentID_Enter()</pre>	er)										
<pre>cboFind_AfterUpdate ()     '+     ' Procedure: cboFind_AfterUpdate     ' Comments : Move to the selected Record     Parameters :     ' Created : 6/30/98 1:53:57 PM JSL     ' Modified :     '-</pre>	Sub	58	79		<b>V</b>			0	2457	<b>✓</b>	<b>&gt;</b>

#### Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line	End Line	Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
cmdAddMember_Click ()	Sub	330	400		<b>~</b>			0		2517	<b>✓</b>	<b>✓</b>
cmdCancel_Click ()	Sub	411	477		<b>✓</b>			0		2498	<b>✓</b>	<b>✓</b>
cmdClose_Click ()	Sub	486	500		<b>✓</b>			0		2481	<b>✓</b>	<b>✓</b>
cmdDelete_Click ()	Sub	509	565		<b>✓</b>			0		2465	<b>✓</b>	<b>✓</b>
cmdNew_Click ()	Sub	576	641		<b>✓</b>			0		2496	<b>✓</b>	<b>✓</b>
cmdNext_Click ()	Sub	652	664		<b>✓</b>			0		2487	<b>✓</b>	<b>✓</b>
cmdPrev_Click ()	Sub	675	687		<b>✓</b>			0		2484	<b>✓</b>	<b>✓</b>
cmdPrint_Click ()	Sub	699	713		<b>~</b>			0		2459	<b>✓</b>	<b>✓</b>
cmdRemoveMember_Click ()	Sub	722	767		<b>~</b>			0		2527	<b>✓</b>	<b>✓</b>
Form_Current ()	Sub	777	803		<b>~</b>			0		2441	<b>✓</b>	<b>~</b>
Form_Open (intCancel As Integer)	Sub	813	871		<b>✓</b>			1		2443	<b>✓</b>	<b>✓</b>
lstMembers_DblClick (intCancel As Integer)	Sub	882	916		<b>✓</b>			1		2490	<b>✓</b>	<b>✓</b>
RefreshMemberList ()	Sub	90	113		<b>~</b>			0		2529	<b>✓</b>	<b>✓</b>
RestoreMemberChoices ()	Sub	1019	1040		<b>✓</b>			0		2522	<b>✓</b>	<b>✓</b>
rg_fAllowMembers_BeforeUpdate (Cancel As Integer)	Sub	926	949		<b>✓</b>			1		2476	<b>✓</b>	<b>✓</b>
rg_IngParentID_Enter ()	Sub	959	972		<b>✓</b>			0		2462	<b>✓</b>	<b>✓</b>
SaveMemberChoices ()	Sub	983	1008		<b>✓</b>			0		2521	<b>✓</b>	<b>✓</b>
SetFormMode ()	Sub	123	233		<b>✓</b>			0		2450	<b>✓</b>	<b>✓</b>
SetOneView (fBlnShowAll As Boolean)	Sub	243	260	<b>~</b>	<b>✓</b>			1		5007	<b>✓</b>	<b>✓</b>
UndoMemberChanges ()	Sub	272	321	<b>✓</b>	<b>✓</b>			0		2499	✓	<b>✓</b>
Form: frmReportingGroups_Test (General Declarations)		1	4									

#### Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
BuildTreeView ()	Sub	86	172		<b>✓</b>			0	2539	<b>~</b>	<b>✓</b>
ctlTreeView_DblClick ()	Sub	5	44		<b>✓</b>			0	2548	<b>✓</b>	<b>✓</b>
Form_Activate ()	Sub	46	55		<b>✓</b>			0	5010	<b>✓</b>	
Form_AfterUpdate ()	Sub	57	63		<b>✓</b>			0	2537	<b>✓</b>	
Form_Current ()	Sub	65	71		<b>✓</b>			0	2532	<b>✓</b>	
Form_Load ()	Sub	73	78		<b>✓</b>			0	2542	<b>✓</b>	
MarkChildNodes (nodStart As Node)	Sub	224	273		<b>✓</b>			1	2535	<b>✓</b>	<b>✓</b>
MarkIncludedNodes (IngID As Long)	Sub	183	213		<b>✓</b>			1	2533	<b>~</b>	<b>✓</b>
ResetNodes ()	Sub	285	303		<b>✓</b>			0	2534	✓	<b>✓</b>
Form: frmReportingPeriods											
(General Declarations)  ' Module : frmReportingPeriods ' Description: ' Procedures : SetOneView ' cboFind_AfterUpdate ' cmdCancel_Click ' cmdNew_Click ' cmdNext_Click ' cmdPrev_Click ' form_Current ' Form_Open ' SetFormMode		1	24								
cboFind_AfterUpdate()  ' Comments : Move to the selected Record ' Parameters : ' Created : 6/30/98 1:53:57 PM JSL ' Modified : '	Sub	53	76		✓			0	2562	V	<b>✓</b>

#### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Type Line Exists Trap **~** Sub **V ~** cmdCancel Click () 77 131 0 2576 ' Comments : Either places the form in Edit mode or Cancel Changes : depending on the current state of m\_fEditMode ' Parameters : ' Created : 7/14/98 8:08:44 AM JSL ' Modified : cmdNew\_Click () Sub 132 170 **V** 0 2572 **~ ~** ' Comments : Starts a new record or save changes to the current : record depending on the state of m\_fEditMode ' Parameters : ' Created : 7/14/98 8:08:44 AM JSL ' Modified : **~** 171 190 2569 **~ ~** cmdNext\_Click () Sub ' Comments ' Parameters : -' Returns ' Created ' Modified : 9/4/98 - JSL **V ~** cmdPrev\_Click () Sub 191 210 0 2566 ' Comments : ' Parameters : -' Returns ' Created ' Modified : 9/4/98 - JSL **~ ~** Form Current () Sub 211 238 0 2553 **~** ' Comments : Update the Controls for the current record ' Parameters : ' Created : 6/30/98 2:26:35 PM JSL ' Modified :

### Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Form_Open (intCancel As Integer)  ' Comments : On Opening the form, set the starting actions ' Parameters : ' Created : 6/30/98 2:00:12 PM JSL ' Modified : '	Sub	239	262		✓			1	2554	V	<b>\</b>
SetFormMode()  ' Comments : Toggles the form between Edit and View Mode ' Parameters : ' Created : 8/28/98 12:05:35 PM JSL ' Modified : ',	Sub	263	360		✓			0	2556	V	V
SetOneView (fBInShowAll As Boolean)  ' Comments : Set the form to limit the display to the currer ' Parameters: ' Created : 7/14/98 8:08:44 AM JSL ' Modified : ' '	Sub nt view	25	52	<b>✓</b>	✓			1	5015	V	<b>✓</b>

#### **Procedure List with Comments** Sorted By Module and Procedure Name

Monday, January 10, 2011

Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Exists Type Line Trap Form: frmRoutes (General Declarations) 42 ′+ ' Module : Form frmRoutes ' Description: Form for defining the Delivery Routes for the DRP ' Procedures : cboFind\_AfterUpdate() LoadSelectedItems() ReorderStops() SetFormMode() SetOneView(fBlnShowAll As Boolean) UndoRouteStopChanges() cmdAdditem Click() cmdCancel Click() cmdMoveDown\_Click() CmdMoveUp\_Click() cmdNew\_Click() cmdNext\_Click() cmdPrev\_Click() cmdPrint Click() cmdRemoveItem\_Click() Form Current() Form\_Open(intCancel As Integer) lstAvailable\_Click() lstSelected\_Click() lstSelected DblClick(intCancel As Integer) : 14-May-99 ileiner ' Created ' Modified : 16 Jul 2003 JLeiner 68 **~** 0 2599 **~ ~** cboFind\_AfterUpdate () Sub 50 ' Procedure : cboFind\_AfterUpdate ' Comments : Move to the selected Record ' Parameters: ' Created : 6/30/98 1:53:57 PM JSL ' Modified : **V V ~** cmdAdditem Click () Sub 399 495 0 2626 **~ V ~** cmdCancel\_Click () Sub 507 595 0 2651 **~ ✓** cmdMoveDown\_Click () Sub 606 673 0 2642 CmdMoveUp\_Click () Sub 685 744 0 2637 **~ ~** 

#### Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Type	Start End Line Line Publi	c Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
cmdNew_Click ()	Sub	756 835	<b>✓</b>			0	2644	<b>✓</b>	<b>✓</b>
cmdNext_Click ()	Sub	846 858	<b>✓</b>			0	2639	<b>✓</b>	<b>✓</b>
cmdPrev_Click ()	Sub	869 881	<b>✓</b>			0	2634	<b>✓</b>	<b>✓</b>
cmdPrint_Click ()	Sub	890 896	<b>✓</b>			0	2603	<b>✓</b>	<b>✓</b>
cmdRemoveItem_Click ()	Sub	907 950	<b>✓</b>			0	2632	<b>✓</b>	<b>✓</b>
Form_BeforeUpdate (Cancel As Integer)	Sub	961 983 🗌	<b>✓</b>			1	2584	<b>✓</b>	<b>✓</b>
Form_Current ()	Sub	992 1018	<b>✓</b>			0	2583	<b>✓</b>	<b>✓</b>
Form_Open (intCancel As Integer)	Sub	1028 1066	<b>✓</b>			1	2586	<b>✓</b>	<b>✓</b>
LoadSelectedItems ()	Sub	77 90 🗌	<b>✓</b>			0	2646	<b>✓</b>	<b>✓</b>
lstAvailable_Click ()	Sub	1075 1092	<b>✓</b>			0	2601	<b>✓</b>	<b>✓</b>
lstSelected_Click ()	Sub	1101 1120	<b>✓</b>			0	2612	<b>✓</b>	<b>✓</b>
IstSelected_DblClick (intCancel As Integer)	Sub	1129 1150	<b>✓</b>			1	2613	<b>✓</b>	<b>✓</b>
ReorderStops ()	Sub	100 131 🗌	<b>✓</b>			0	2657	<b>✓</b>	<b>✓</b>
SetFormMode ()	Sub	141 254	<b>✓</b>			0	2593	<b>✓</b>	<b>✓</b>
SetOneView (fBlnShowAll As Boolean)	Sub	264 281 🗸	<b>✓</b>			1	5018	<b>✓</b>	<b>✓</b>
UndoRouteStopChanges ()	Sub	291 387 🗌	<b>✓</b>			0	2652	<b>✓</b>	<b>✓</b>

Procedure List with Comments
Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line			: Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
Form: frmRouteStops												
(General Declarations)		1	16	;								
'H' ' Module : Form_frmRouteStops ' Description: Defines the Stops on a Delivery Route for DRP ' Procedures : SetText() ' cmdCancel_Click() ' cmdOK_Click() ' Form_Open(intCancel As Integer) ' Created : 17-May-99 jleiner ' Modified : ' 16 Jul 2003 JLeiner '-												
cmdCancel_Click ()	Sub	59	77	<b>7</b>	<b>✓</b>			0		2622	<b>✓</b>	<b>✓</b>
cmdOK_Click ()	Sub	86	98	3 🗌	<b>✓</b>			0		2620	<b>✓</b>	<b>✓</b>
Form_Open (intCancel As Integer)	Sub	107	124	ı 🗌	<b>✓</b>			1		2615	<b>✓</b>	<b>✓</b>
SetText ()	Sub	25	50	) [	<b>✓</b>			0		2617	<b>✓</b>	<b>✓</b>
'+ ' Procedure : SetText ' Comments : Sets the Captions on the form to the proper lan ' : Setting ' Parameters: ' Created : 11-Jun-99 Jeff Leiner ' Modified : '-	nguage/											
Form: frmSplashnew												
(General Declarations)  ' Module : frmSplash ' Description: ' Procedures : Form_Timer		1	13	i								
Form_Open (Cancel As Integer)	Sub	1/	37	, <u> </u>	<b>✓</b>			1		2	<b>✓</b>	

### Procedure List with Comments Sorted By Module and Procedure Name

Туре			Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Sub	39	82		✓			0	14	<b>✓</b>	<b>✓</b>
	1	20								
Sub	21	26		<b>V</b>			2	2722	<b>✓</b>	
Sub	34	57		<b>V</b>			0	2696	<b>✓</b>	<b>✓</b>
Sub	60	64		<b>✓</b>			0	2699	<b>✓</b>	
Sub	72	119		<b>✓</b>			0	2687	<b>✓</b>	<b>✓</b>
Sub	128	157		<b>✓</b>			0	2677	<b>~</b>	<b>✓</b>
Sub	166	199		<b>✓</b>			0	2669	<b>✓</b>	<b>✓</b>
Sub	208	260		<b>✓</b>			1	2664	<b>✓</b>	<b>✓</b>
Sub	262	273		<b>✓</b>			1	2715	<b>✓</b>	
Sub	275	283		<b>✓</b>			0	2725	<b>✓</b>	
	Sub	Type Line   Sub 39	Sub 39 82  1 20  Sub 21 26  Sub 34 57  Sub 60 64  Sub 72 119  Sub 128 157  Sub 166 199  Sub 208 260  Sub 262 273	Type         Line         Line         Public           Sub         39         82	Type         Line         Line         Public         Private           Sub         39         82         □         ✓           Sub         21         26         □         ✓           Sub         34         57         □         ✓           Sub         60         64         □         ✓           Sub         72         119         □         ✓           Sub         128         157         □         ✓           Sub         166         199         □         ✓           Sub         208         260         □         ✓           Sub         262         273         □         ✓	Type         Line         Line         Public         Private         Friend           Sub         39         82         □         ✓         □           Sub         21         26         □         ✓         □           Sub         34         57         □         ✓         □           Sub         60         64         □         ✓         □           Sub         72         119         □         ✓         □           Sub         128         157         □         ✓         □           Sub         208         260         □         ✓         □           Sub         262         273         □         ✓         □	Type       Line       Line       Public       Private       Friend       Static         Sub       39       82       □       ✓       □       □         Sub       21       26       □       ✓       □       □         Sub       34       57       □       ✓       □       □         Sub       60       64       □       ✓       □       □         Sub       128       157       □       ✓       □       □         Sub       166       199       □       ✓       □       □         Sub       208       260       □       ✓       □       □         Sub       262       273       □       ✓       □       □	Type       Line Line Public Private       Friend       Static       Count Return Type         Sub       39       82       □       ♥       □       0	Type         Line         Line         Public         Private         Friend         Static         Count         Return Type         Line           Sub         39         82         □         ☑         □         0         14           1         20         □         □         0         14           Sub         21         26         □         ☑         □         2         2722           Sub         34         57         □         ☑         □         0         2696           Sub         60         64         □         ☑         □         0         2699           Sub         72         119         □         ☑         □         0         2687           Sub         128         157         □         ☑         □         0         2677           Sub         166         199         □         ☑         □         0         2669           Sub         262         273         □         □         □         1         2664           Sub         262         273         □         □         □         □         □         □         2715 <td>Type         Line         Line         Public         Private         Friend         Static         Count         Return Type         Line         Exists           Sub         39         82         ✓         ✓         0         14         ✓           Sub         1         20         ✓         0         14         ✓           Sub         21         26         ✓         2         2722         ✓           Sub         34         57         ✓         0         2696         ✓           Sub         60         64         ✓         0         2699         ✓           Sub         72         119         ✓         0         2687         ✓           Sub         128         157         ✓         0         2677         ✓           Sub         166         199         ✓         0         2669         ✓           Sub         208         260         ✓         1         2664         ✓           Sub         262         273         ✓         1         1         2715         ✓</td>	Type         Line         Line         Public         Private         Friend         Static         Count         Return Type         Line         Exists           Sub         39         82         ✓         ✓         0         14         ✓           Sub         1         20         ✓         0         14         ✓           Sub         21         26         ✓         2         2722         ✓           Sub         34         57         ✓         0         2696         ✓           Sub         60         64         ✓         0         2699         ✓           Sub         72         119         ✓         0         2687         ✓           Sub         128         157         ✓         0         2677         ✓           Sub         166         199         ✓         0         2669         ✓           Sub         208         260         ✓         1         2664         ✓           Sub         262         273         ✓         1         1         2715         ✓

**Procedure List with Comments** Sorted By Module and Procedure Name

Procedure Name and Pa	arameters	Туре	Start Line		Public	c Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
Form: frmTempla	te												
(General Declarations)			1	25									
' Module : ' Description: ' Procedures :	<pre>cboFind_AfterUpdate cmdCancel_Click cmdClose_Click</pre>												
,	<pre>cmdNew_Click cmdNext_Click cmdPrev_Click Form_Current Form_Open SetFormMode</pre>												
' Parameters : ' Created : ' Modified :	6/30/98 1:53:57 PM JSL	Sub	54	77		V			0		2736	<b>✓</b>	<b>✓</b>
' Parameters : ' Created : ' Modified :	Either places the form in Edit mode or Cancel C depending on the current state of m_fEditMode 7/14/98 8:08:44 AM JSL	Sub Changes	78	132		V			0		2750	<b>V</b>	<b>\</b>
' Created :	-	Sub	133	153		V			0		2738	V	V

# Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
<pre>cmdNew_Click()</pre>	Sub rent	154	192		<b>V</b>			0	2746	<b>✓</b>	<b>V</b>
cmdNext_Click()  ' Comments : ' Parameters : - ' Returns : - ' Created : ' Modified : 9/4/98 - JSL	Sub	193	212		<b>✓</b>			0	2743	<b>✓</b>	<b>✓</b>
cmdPrev_Click()  ' Comments : ' Parameters : - ' Returns : - ' Created : ' Modified : 9/4/98 - JSL	Sub	213	232		<b>V</b>			0	2740	V	<b>V</b>
Form_Current()  ' Comments : Update the Controls for the current record ' Parameters : ' Created : 6/30/98 2:26:35 PM JSL ' Modified : '	Sub	233	260		<b>✓</b>			0	2728	<b>✓</b>	✓
Form_Open (intCancel As Integer)  ' Comments : On Opening the form, set the starting actions ' Parameters : ' Created : 6/30/98 2:00:12 PM JSL ' Modified : ',	Sub	261	282		<b>V</b>			1	2729	<b>&gt;</b>	<b>&gt;</b>

#### Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
SetFormMode()  ' Comments : Toggles the form between Edit and View Mode ' Parameters : ' Created : 8/28/98 12:05:35 PM JSL ' Modified :	Sub	283	383		<b>✓</b>			0	2730	<b>✓</b>	V
SetOneView (fBlnShowAll As Boolean)  ' Comments : Set the form to limit the display to the current Parameters: ' Created : 7/14/98 8:08:44 AM JSL ' Modified :	Sub nt view	26	53	✓	<b>✓</b>			1	5021	<b>V</b>	V
Form: frmTestMsg											
(General Declarations)		1	4								
Command1_Click ()	Sub	5	22		✓			0	2756	✓	
Form: frmTranslateSystemText (General Declarations)		1	2								
btnClose_Click ()	Sub	31	44		<b>✓</b>			0	2420	<b>✓</b>	<b>✓</b>
btnSave_Click ()	Sub	3	16		<b>✓</b>			0	2416	<b>✓</b>	<b>✓</b>
btnUndo_Click ()	Sub	17	30		<b>✓</b>			0	2418	<b>✓</b>	<b>~</b>
Form_Current ()	Sub	46	54		<b>✓</b>			0	2414	<b>~</b>	

**Total Access Analyzer** 

Database: SCM2003\_ZAM\_SOURCE.MDB

#### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Type Line Exists Trap Form: frmTrucks (General Declarations) 1 25 ' Module : frmTrucks ' Description: ' Procedures : SetOneView cboFind\_AfterUpdate cmdCancel\_Click cmdNew\_Click cmdNext\_Click cmdPrev\_Click Form\_Current Form Open SetFormMode SetText 54 77 **~** 2781 **~ ~** cboFind\_AfterUpdate () Sub 0 ' Comments : Move to the selected Record ' Parameters : ' Created : 6/30/98 1:53:57 PM JSL ' Modified : **~** 78 132 2810 **~** cmdCancel\_Click () Sub ' Comments : Either places the form in Edit mode or Cancel Changes : depending on the current state of m\_fEditMode ' Parameters : ' Created : 7/14/98 8:08:44 AM JSL ' Modified : **~** 2809 **~ ~** cmdNew Click () Sub 133 183 0 ' Comments : Starts a new record or save changes to the current : record depending on the state of m\_fEditMode ' Parameters : ' Created : 7/14/98 8:08:44 AM JSL ' Modified :

# Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
<pre>cmdNext_Click()</pre>	Sub	184	203		<b>✓</b>			0	2806	<b>&gt;</b>	<b>✓</b>
cmdPrev_Click()  ' Comments : ' Parameters : - ' Returns : - ' Created : ' Modified : 9/4/98 - JSL	Sub	204	223		<b>✓</b>			0	2803	<b>V</b>	✓
cmdPrint_Click ()	Sub	225	229		<b>✓</b>			0	2783	<b>✓</b>	
Form_Current()  ' Comments : Update the Controls for the current record ' Parameters : ' Created : 6/30/98 2:26:35 PM JSL ' Modified : '	Sub	231	261		<b>✓</b>			0	2765	<b>V</b>	<b>✓</b>
Form_Open (intCancel As Integer)  ' Comments : On Opening the form, set the starting actions ' Parameters : ' Created : 6/30/98 2:00:12 PM JSL ' Modified : ',	Sub	262	299		<b>✓</b>			1	2766	<b>V</b>	<b>&gt;</b>
SetFormMode()  ' Comments : Toggles the form between Edit and View Mode ' Parameters : ' Created : 8/28/98 12:05:35 PM JSL ' Modified : ',	Sub	300	401		<b>✓</b>			0	2775	<b>V</b>	<b>✓</b>

### Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
SetOneView (fBlnShowAll As Boolean)  ' Comments : Set the form to limit the display to the curren ' Parameters : ' Created : 7/14/98 8:08:44 AM JSL ' Modified : ', ',	Sub at view	26	53		<b>✓</b>			1	5024	<b>✓</b>	<b>✓</b>
SetText()  ' Comments : Sets the Captions on the form to the proper la ' : Setting ' Parameters : ' Created : 11-Jun-99 Jeff Leiner ' Modified : ' .	Sub nguage/	402	436		<b>✓</b>			0	2773	<b>✓</b>	<b>✓</b>
Form: fsubCTF_Item (General Declarations)		1	4								
Adj_Type_AfterUpdate()  ''+ ' Comments : Verify the user has entered a valid adjustment ' Parameters : - ' Returns : - ' Created : ' Modified : 15-May-2003 '-	Sub type	12	38		✓			0	2969	<b>V</b>	✓
Dispensed_AfterUpdate ()	Sub	41	45		<b>~</b>			0	2940		
Dispensed_BeforeUpdate (Cancel As Integer)	Sub	47	55		<b>✓</b>			1	2938	<b>✓</b>	
Form_Load ()	Sub	57	67		<b>✓</b>			0	2912	<b>✓</b>	
Form_Open (Cancel As Integer)	Sub	69	195		<b>✓</b>			1	2879	<b>✓</b>	
GetCTLRight (ctl As Control)	Function	268	270		<b>✓</b>			1 Double	2910	<b>✓</b>	
New_Visits_AfterUpdate ()	Sub	197	205		<b>✓</b>			0	2991	<b>✓</b>	
Qty_OnOrder_AfterUpdate ()	Sub	207	211		<b>✓</b>			0	2981	<b>✓</b>	
Qty_OnOrder_BeforeUpdate (Cancel As Integer)	Sub	213	223		✓			1	2976	<b>✓</b>	

# Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Type	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
txtSumPurposeofUse_Click ()	Sub	233	266		<b>✓</b>			0	2943	<b>✓</b>	<b>✓</b>
txtSumPurposeofUse_KeyPress (KeyAscii As Integer)	Sub	272	276		<b>✓</b>			1	2966	✓	
Form: fsubCTF_Item_EO_Zambia											
(General Declarations)		1	4								
Adj_Type_AfterUpdate ()  '+ ' Comments : Verify the user has entered a valid adjustment ' Parameters : - ' Returns : - ' Created : ' Modified : 15-May-2003	Sub	12	38		✓			0	3115	<b>V</b>	<b>✓</b>
Adjustments_Click()  ' +     ' Procedure : Adjustments_Click()     ' Comments : Open the the Adjustment form to enter/view     ' : the uses     ' Parameters :     ' Created : 02 OCT 2006 mahmed	Sub	47	82		✓			0	3087	✓	✓
' Modified : 31 OCT 2006 jleiner - moved procedure from got			106		<b>V</b>				2442	<b>~</b>	<b>~</b>
Adjustments_KeyPress (KeyAscii As Integer)	Sub	90	106					1	3112		
<pre>Dispensed_AfterUpdate ()     'Me!Avg_cons = CalculateAMC(Me!Fac_Code, Me!P_Date, Me!lngCat</pre>	Sub ProductID		111		<b>✓</b>			0	3056		
Dispensed_BeforeUpdate (Cancel As Integer)	Sub	113	120		<b>✓</b>			1	3054	<b>✓</b>	
Form_Current ()	Sub	121	123		<b>✓</b>			0	3001	<b>✓</b>	
Form_Load ()	Sub	125	136		<b>~</b>			0	3047	<b>✓</b>	
Form_Open (Cancel As Integer)	Sub	138	315		<b>✓</b>			1	3004	<b>✓</b>	
GetCTLRight (ctl As Control)	Function	408	410		<b>✓</b>			1 Double	3045	<b>✓</b>	
New_Visits_AfterUpdate ()	Sub	317	325		<b>✓</b>			0	3140	<b>✓</b>	
Qty_OnOrder_AfterUpdate ()	Sub	327	331		<b>✓</b>			0	3125	<b>✓</b>	

# Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Qty_OnOrder_BeforeUpdate (Cancel As Integer)	Sub	333	343		<b>~</b>			1	3120	<b>✓</b>	
Qty_received_AfterUpdate ()	Sub	345	354		<b>✓</b>			0	3133	<b>✓</b>	
Qty_received_Click ()	Sub	356	358		<b>✓</b>			0	5027	<b>✓</b>	
Qty_received_GotFocus ()	Sub	360	362		<b>~</b>			0	3137	<b>✓</b>	
txtSumPurposeofUse_Click ()	Sub	373	406		<b>✓</b>			0	3059	<b>✓</b>	<b>✓</b>
txtSumPurposeofUse_KeyPress (KeyAscii As Integer)	Sub	420	436		<b>✓</b>			1	3084	<b>✓</b>	<b>✓</b>
Form: fSubCTF_Item_Malawi											
(General Declarations)		1	2								
Adj_Type_AfterUpdate()  '+ ' Comments : Verify the user has entered a valid adjustment ' Parameters : - ' Returns : - ' Created : ' Modified : 15-May-2003 '-	Sub	10	36		<b>✓</b>			0	5030	<b>✓</b>	<b>✓</b>
Form_Load ()	Sub	39	43		<b>V</b>			0	3156	<b>✓</b>	
Form_Open (Cancel As Integer)	Sub	45	91		<b>✓</b>			1	3154	<b>✓</b>	
GetMonthsofStock (ctlClose As Control, ctlDispensed As Control)	Function	101	140		<b>✓</b>			2 Variant	3164	<b>✓</b>	<b>✓</b>
GetQtyRequired ()	Function	152	183		<b>✓</b>			0 Double	3160	<b>✓</b>	<b>✓</b>
UpdateNeeds ()	Function	196	212		<b>✓</b>			0 Integer	3159	<b>V</b>	<b>✓</b>
Form: fsubCTF_Item_Zambia (General Declarations)		1	4								

# Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
Adj_Type_AfterUpdate ()  '	Sub type	12	38		<b>✓</b>			0			✓	<b>▽</b>
Adjustments_Click ()	Sub	49	84		<b>✓</b>			0			<b>✓</b>	<b>✓</b>
Adjustments_KeyPress (KeyAscii As Integer)	Sub	92	108		✓			1			<b>✓</b>	<b>✓</b>
Avg_consALL_LostFocus ()	Sub	111	113		<b>✓</b>			0		-1	<b>✓</b>	
DaysStockedOut_AfterUpdate ()	Sub	115	127		<b>✓</b>			0			<b>✓</b>	
Dispensed_AfterUpdate () 'Me!Avg_cons = CalculateAMC(Me!Fac_Code, Me!P_Date, Me!lngCath	Sub ProductID)	129	131		<b>✓</b>			0				
Dispensed_BeforeUpdate (Cancel As Integer)	Sub	133	140		<b>✓</b>			1			<b>✓</b>	
Form_Current ()	Sub	141	143		<b>✓</b>			0			<b>✓</b>	
Form_Load ()	Sub	145	162		<b>✓</b>			0			<b>✓</b>	
Form_Open (Cancel As Integer)	Sub	164	327		<b>✓</b>			1			<b>✓</b>	
GetCTLRight (ctl As Control)	Function	419	421		<b>✓</b>			1	Double		<b>~</b>	
New_Visits_AfterUpdate ()	Sub	329	337		<b>~</b>			0			<b>✓</b>	
Qty_OnOrder_AfterUpdate ()	Sub	339	343		<b>✓</b>			0			<b>✓</b>	
Qty_OnOrder_BeforeUpdate (Cancel As Integer)	Sub	345	355		<b>~</b>			1			<b>✓</b>	
Qty_received_AfterUpdate ()	Sub	357	366		<b>~</b>			0			<b>✓</b>	
Qty_received_Click ()	Sub	368	370		<b>~</b>			0		5033	<b>✓</b>	
Qty_received_GotFocus ()	Sub	372	374		<b>✓</b>			0			<b>✓</b>	
txtSumPurposeofUse_Click ()	Sub	384	417		<b>✓</b>			0			<b>✓</b>	<b>✓</b>

#### Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Paran Coun	n t Return Type	Diagram Line	Code Exists	Error Trap
txtSumPurposeofUse_KeyPress (KeyAscii As Integer)	Sub	431	447		<b>✓</b>			1			<b>✓</b>	<b>✓</b>
Form: fSubCTF_Item_Zimbabwe												
(General Declarations)		1	4									
Adj_Type_AfterUpdate ()	Sub	12	38		<b>✓</b>			0		3226	<b>✓</b>	<b>✓</b>
'Comments : Verify the user has entered a valid adjustme' 'Parameters : - 'Returns : -	ent type											
'Created : 'Modified : 15-May-2003 '-												
Dispensed_AfterUpdate ()	Sub	41	45		<b>✓</b>			0		3214		
Dispensed_BeforeUpdate (Cancel As Integer)	Sub	47	55		<b>✓</b>			1		3212	<b>✓</b>	
Form_Load ()	Sub	57	61		<b>✓</b>			0		3205	<b>~</b>	
Form_Open (Cancel As Integer)	Sub	63	172		<b>✓</b>			1		3173	<b>~</b>	
GetCTLRight (ctl As Control)	Function	244	246		<b>✓</b>			1	Double	3204	<b>~</b>	
New_Visits_AfterUpdate ()	Sub	174	181		<b>✓</b>			0		3245	<b>~</b>	
Qty_OnOrder_AfterUpdate ()	Sub	183	187		<b>✓</b>			0		3238	<b>~</b>	
Qty_OnOrder_BeforeUpdate (Cancel As Integer)	Sub	189	199		<b>~</b>			1		3233	<b>~</b>	
txtSumPurposeofUse_Click ()	Sub	209	242		<b>✓</b>			0		3217	<b>~</b>	<b>✓</b>
txtSumPurposeofUse_KeyPress (KeyAscii As Integer)	Sub	248	252		<b>✓</b>			1		3223	✓	
Form: fsubDRPProducts												
(General Declarations)  ' Module : fsubDRPProducts ' Description: ' Procedures : Form_Open ' GetVolume ' SetText		1	14									
' txtQtyDesired_AfterUpdate												

### Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
Form_Load ()	Sub	15	19		<b>✓</b>			0		1237	<b>✓</b>	
Form_Open (intCancel As Integer) ' Comments:	Sub	21	43		<b>✓</b>			1		1233	<b>✓</b>	<b>✓</b>
' Parameters : intCancel - ' Returns : - ' Created : ' Modified : '												
GetVolume (IngDesired As Long)	Function	44	82		<b>✓</b>			1	Double	-1	<b>✓</b>	<b>✓</b>
'Comments : Calculated the Volume of the Product in the S 'Parameters : The Desired Qty 'Created : 07-Jul-99 Jeff Leiner 'Modified : '	Shipment											
SetText ()	Sub	83	111		<b>✓</b>			0		1235	<b>✓</b>	<b>✓</b>
'Comments: Sets the Captions on the form to the proper : 'Setting 'Parameters: 'Created: 11-Jun-99 Jeff Leiner 'Modified:	language/											
txtQtyDesired_AfterUpdate ()	Sub	112	162		<b>V</b>			0		1243	<b>~</b>	<b>V</b>
'Comments: Validate that the Qty Requested is of the prosecution of th	oper Qty											
Form: fsubFacilityCategoryMinMax												
(General Declarations)		1	2									
fcl_dblMax_BeforeUpdate (Cancel As Integer)	Sub	3	12		<b>✓</b>			1		957	<b>✓</b>	
fcl_dblMin_BeforeUpdate (Cancel As Integer)	Sub	14	22		<b>✓</b>			1		963	<b>~</b>	
Form_AfterUpdate ()	Sub	24	30		<b>✓</b>			0		952	<b>✓</b>	

**Procedure List with Comments** Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	: Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Form_BeforeUpdate (Cancel As Integer)	Sub	32	64		<b>✓</b>			1	941	<b>~</b>	
Form_Load ()	Sub	66	70		<b>✓</b>			0	954	<b>✓</b>	
Form: NewMonth											
(General Declarations)		1	10								
' Module : NewMonth											
' Description:											
' Procedures : Form_Open											
Form_Open (intCancel As Integer)	Sub	11	35		<b>✓</b>			1	3253	<b>✓</b>	<b>~</b>
Comments :				_	_						_
' Parameters : intCancel -											
'Returns : -											
' Created :											
' Modified :											
Form: Switchboard											
(General Declarations)		1	18								
' Module : Switchboard											
' Description: Main Menu Switchboard for the application											
' Procedures : cmdClose_Click											
' FillOptions											
' Form_Current											
' Form_Open											
' Form_Timer											
' HandleButtonClick											
cboLanguage_AfterUpdate ()	Sub	26	43		<b>~</b>			0	285	<b>~</b>	<b>~</b>
'+	•	_0						v		ت ا	ت
' Procedure : cboLanguage_AfterUpdate											
' Comments : When a language is selected, update the system	language										
; and refresh the form.											
' Parameters: -											
' Modified :											
'-											
cmdClose_Click ()	Sub	52	67		<b>✓</b>			0	281	<b>✓</b>	<b>✓</b>
CHICOSE_Click ()	Sub	52	07	Ш	V			0	201	V	
cmdLinkedTables_DblClick (Cancel As Integer)	Sub	137	141		<b>✓</b>			1	291	<b>✓</b>	
· · · · · · · · · · · · · · · · · · ·											

# Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
FillOptions ()	Sub	76	134		<b>✓</b>			0		253	<b>~</b>	<b>✓</b>
Form_Current ()	Sub	150	190		<b>✓</b>			0		248	<b>✓</b>	<b>✓</b>
Form_Open (intCancel As Integer)	Sub	199	218		<b>✓</b>			1		263	<b>✓</b>	<b>✓</b>
GetDataCenterName ()	Function	357	374	<b>✓</b>	<b>✓</b>			0	String	294	<b>~</b>	<b>✓</b>
HandleButtonClick (intBtn As Integer)	Function	228	345		✓			1		206	✓	<b>✓</b>
Form: tlkTranslateSystemText												
(General Declarations)		1	2									
btnClose_Click ()	Sub	17	30		<b>✓</b>			0		3272	<b>✓</b>	<b>✓</b>
btnSave_Click ()	Sub	3	16		<b>✓</b>			0		3270	<b>✓</b>	<b>✓</b>
btnUndo_Click ()	Sub	31	44		<b>✓</b>			0		3274	✓	<b>✓</b>
Form: Type_Group												
(General Declarations)  ' Module : Type_Group  ' Description:  ' Procedures : SetOneView  ' cboFind_AfterUpdate  ' cmdAddTypes_Click  ' cmdCancel_Click  ' cmdNew_Click  ' cmdNext_Click  ' cmdPrev_Click  ' cmdPrev_Click  ' cmdPrev_Click  ' cmdRemoveTypes_Click  ' cmdRemoveTypes_Click  ' SetForm_Open  ' SetFormMode  UndoTypeChanges		1	34									

# Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
<pre>cboFind_AfterUpdate()    ' Comments : Move to the selected Record    ' Parameters :    ' Created : 6/30/98 1:53:57 PM JSL    ' Modified :    '    '</pre>	Sub	63	86		<b>✓</b>			0	3289	<b>V</b>	✓
<pre>cmdAddTypes_Click()</pre>	Sub	87	157		<b>✓</b>			0	3304	V	<b>\</b>
<pre>cmdCancel_Click()</pre>	Sub Changes	158	222		<b>✓</b>			0	3321	<b>V</b>	<b>&gt;</b>
cmdNew_Click()  ' Comments : Starts a new record or save changes to the curry : record depending on the state of m_fEditMode ' Parameters : ' Created : 7/14/98 8:08:44 AM JSL ' Modified :	Sub rent	223	276		✓			0	3319	<b>V</b>	<b>✓</b>
<pre>cmdNext_Click()   ' Comments :   ' Parameters : -   ' Returns : -   ' Created :   ' Modified : 9/4/98 - JSL   '   '   '   '</pre>	Sub	277	296		<b>✓</b>			0	3316	V	V

# Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
cmdPrev_Click()  'Comments: 'Parameters: - 'Returns: - 'Created: 'Modified: 9/4/98 - JSL	Sub	297	316		<b>V</b>			0		3309	<b>V</b>	<b>Y</b>
<pre>cmdPrint_Click()    ' Comments :    ' Parameters : -    ' Returns : -    ' Created :    ' Modified :    '</pre>	Sub	317	338		<b>V</b>			0		3293	V	<b>V</b>
cmdRemoveTypes_Click()  ' Comments : Remove the Selected Types in the lstType Listb  ' : from the type_group_type table  ' Parameters : ' Created : 22-Apr-99 Jeff Leiner ' Modified : '	Sub	339	404		<b>V</b>			0		3312	V	<b>V</b>
Form_Current()  ' Comments : Update the Controls for the current record ' Parameters : ' Created : 6/30/98 2:26:35 PM JSL ' Modified : '	Sub	405	439		<b>✓</b>			0		3277	<b>V</b>	✓
Form_Open (intCancel As Integer)  ' Comments : On Opening the form, set the starting actions ' Parameters : ' Created : 6/30/98 2:00:12 PM JSL ' Modified : '	Sub	440	475		<b>V</b>			1		3278	V	<b>V</b>

# Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
SetFormMode()  ' Comments : Toggles the form between Edit and View Mode ' Parameters : ' Created : 8/28/98 12:05:35 PM JSL ' Modified : '	Sub	476	581		<b>V</b>			0	3280	<b>V</b>	<b>✓</b>
SetOneView (fBInShowAll As Boolean)  ' Comments : Set the form to limit the display to the current Parameters: ' Created : 7/14/98 8:08:44 AM JSL ' Modified :	Sub nt view	35	62	<b>✓</b>	<b>✓</b>			1	5036	<b>V</b>	✓
UndoTypeChanges ()  ' Comments : Undo the Changes made to the original Group No. 1	Sub Memberships		639		<b>✓</b>			0	3322	<b>✓</b>	<b>✓</b>
Form: Type_Group_old  (General Declarations)  ' Module : Type_Group ' Description: ' Procedures : SetOneView ' cboFind_AfterUpdate ' cmdAddTypes_Click ' cmdCancel_Click ' cmdNew_Click ' cmdNext_Click ' cmdPrev_Click ' cmdPrev_Click ' cmdRemoveTypes_Click ' cmdRemoveTypes_Click ' cmdRemoveTypes_Click ' cmdRemoveTypes_Click ' cmdProm_Open ' SetFormMode ' UndoTypeChanges		1	34								

# Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
cboFind_AfterUpdate()  ' Comments : Move to the selected Record ' Parameters : ' Created : 6/30/98 1:53:57 PM JSL ' Modified : ',	Sub	63	86		<b>✓</b>			0	3342	<b>✓</b>	✓
<pre>cmdAddTypes_Click()</pre>	Sub	87	157		✓			0	3349	<b>V</b>	<b>✓</b>
<pre>cmdCancel_Click()</pre>	Sub Thanges	158	222		<b>V</b>			0	3368	V	<b>V</b>
<pre>cmdNew_Click()     ' Comments : Starts a new record or save changes to the curr     ' : record depending on the state of m_fEditMode     ' Parameters :     ' Created : 7/14/98 8:08:44 AM JSL     ' Modified :     '</pre>	Sub rent	223	276		<b>✓</b>			0	3366	<b>✓</b>	✓
<pre>cmdNext_Click()   ' Comments :   ' Parameters : -   ' Returns : -   ' Created :   ' Modified : 9/4/98 - JSL   '   '   '   '   '   '   '   '   '</pre>	Sub	277	296		<b>V</b>			0	3363	<b>V</b>	<b>V</b>

# Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
cmdPrev_Click()  ' Comments : ' Parameters : - ' Returns : - ' Created : ' Modified : 9/4/98 - JSL	Sub	297	316		<b>✓</b>			0	3360	<b>V</b>	<b>✓</b>
<pre>cmdPrint_Click()     ' Comments :     ' Parameters : -     ' Returns : -     ' Created :     ' Modified :     '</pre>	Sub	317	338		<b>✓</b>			0	3346	<b>✓</b>	<b>✓</b>
cmdRemoveTypes_Click()  ' Comments : Remove the Selected Types in the lstType Listbox ' : from the type_group_type table ' Parameters : ' Created : 22-Apr-99 Jeff Leiner ' Modified : '	Sub ox	339	404		<b>V</b>			0	3356	V	<b>V</b>
Form_Current()  ' Comments : Update the Controls for the current record ' Parameters : ' Created : 6/30/98 2:26:35 PM JSL ' Modified : '	Sub	405	439		<b>✓</b>			0	3330	<b>✓</b>	✓
Form_Open (intCancel As Integer)  ' Comments : On Opening the form, set the starting actions ' Parameters : ' Created : 6/30/98 2:00:12 PM JSL ' Modified : '	Sub	440	475		<b>V</b>			1	3331	<b>V</b>	✓

# Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
SetFormMode()  ' Comments : Toggles the form between Edit and View Mode ' Parameters : ' Created : 8/28/98 12:05:35 PM JSL ' Modified : '	Sub	476	581		<b>✓</b>			0		3333	<b>V</b>	<b>&gt;</b>
SetOneView (fBInShowAll As Boolean)  ' Comments : Set the form to limit the display to the current ' Parameters : ' Created : 7/14/98 8:08:44 AM JSL ' Modified : '	Sub t view	35	62	<b>✓</b>	<b>✓</b>			1		5039	✓	<b>V</b>
UndoTypeChanges()  ' Comments : Undo the Changes made to the origional Group Me ' Parameters : ' Created : 23-Apr-99 Jeff Leiner ' Modified : '	Sub emberships		639		<b>✓</b>			0		3369	V	<b>✓</b>
Module: Attach_Data												
(General Declarations)  ' Module : Attach_Data ' Description: This module contains the procedures that update ' : Back-End and update its version. It also create ' : the back-end database. ' Procedures : AttachData ' open_database ' upgrade_data												
AddFaciltyTypeProductRelationship (dbData As Database)	Function	1671	1743					1	Boolean	5127	<b>✓</b>	<b>✓</b>
AddMultiTierFields (Optional dbData As Database)	Function	1956	2305					1	Boolean	146	<b>✓</b>	<b>✓</b>
AddMultiTierGuids (dbData As Database)	Function	2679	2764	<b>✓</b>				1	Boolean	181	<b>✓</b>	<b>~</b>
AddMultiTierKeys (dbData As Database)	Function	2390	2507	<b>✓</b>				1	Boolean	173	<b>✓</b>	<b>✓</b>
AddMultiTierTableMgmt (dbData As Database)	Function	2520	2589	<b>✓</b>				1	Boolean	177	<b>✓</b>	<b>✓</b>

# Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
AddNewUserNeedFields (dbData As Database)	Function	1754	1810					1	Boolean	5129	<b>✓</b>	<b>V</b>
AddproductTable (dbData As Database)	Function	1933	1943					1		5140	<b>~</b>	
AttachData()  ' Comments : Update connection information in attached table ' Parameters : - ' Returns : Integer - ' Created : ' Modified :	Function	23	143					0	Integer	4834	V	<b>✓</b>
AttachTable (strTable As String, strDataFile As String)	Function	1016	1062	<b>✓</b>				2	Boolean	87	<b>~</b>	<b>✓</b>
CheckRepairProducttblCategoryProductJoin (dbData As Database)	Function	2816	2842	<b>✓</b>				1	Boolean	195	<b>~</b>	<b>✓</b>
CreateProductCost (dbData As Database)	Function	1821	1931					1	Boolean	138	<b>~</b>	<b>✓</b>
CreateTableFacilityCategoryLevels (dbData As Database)	Function	1076	1185					1	Boolean	106	<b>✓</b>	<b>✓</b>
CreateTablePurposeOfUse (dbData As Database)	Function	831	995	<b>✓</b>				1	Boolean	5151	<b>✓</b>	<b>✓</b>
CreateTableReportingGroups (dbData As Database)	Function	1198	1426					1	Boolean	111	<b>✓</b>	<b>✓</b>
CreateTrackingTable (dbData As Database)	Function	1437	1598					1	Boolean	129	<b>✓</b>	<b>✓</b>
FixRelationshipsDistribution (dbData As Database)	Sub	2353	2377	<b>✓</b>				1		172	<b>~</b>	<b>~</b>
<pre>open_database()   ' Comments : Open the BackEnd database as a Database object   ' : and return a pointer to the database.   ' Parameters : -   ' Returns : Database -   ' Created :   ' Modified :   ',   ',   '</pre>	Function in the cu		163 works	<b>▼</b> space				0	Database	5144	<b>✓</b>	<b>&gt;</b>
ReviseMultiTierTableMgmt (dbData As Database)	Function	2600	2666		<b>V</b>			1	Boolean	187	<b>~</b>	<b>~</b>
SetDataVersion (strVersion As String, Optional dbData As Database)	Sub	2316	2342	<b>✓</b>				2		72	<b>✓</b>	<b>✓</b>
SetFieldDescription (fld As Field, strValue As String)	Sub	800	820	<b>✓</b>				2		5132	<b>✓</b>	<b>✓</b>

# Procedure List with Comments Sorted By Module and Procedure Name

TestCreateUse()	Procedure Name and	Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
UpdateTextFieldSize (dbData As Database, strField As String, strTable As String, Function 2774 2804	SetInactiveDate ()		Sub	1611	1659					0		5146	<b>✓</b>	<b>✓</b>
IngSize As Long)  upgrade_data (Optional strDB As String="")	TestCreateUse ()		Function	997	1003					0	Boolean	5149	<b>✓</b>	
Comments: This function performs any version specific upgrades which need to be made to the data file. versions are produced the appropriate code should be added to this module.  Parameters: - Returns: - Created: Bill Felling 01-APR-98 Modified: 01-APR-2004 Added Upgrades process to keep backend db  Current with front end requirements.  Module: basAccessCurrentVersion  (General Declarations)  1 24  Module: basAccessCurrentVersion  Description: this file reads the current version of access being used and  Escription: this file reads the current version of access being used and  Procedures: AccessCurVer()  Created: 12 dec 2001 lbailey Modified: 17 dec 2001 jleiner - Added Keys for CLSID, .Mdb, .mde  30 Jul 2003 JLeiner - Converted from vbs to VB  AccessCurVer (strCommand As String)  Sub 32 114		dbData As Database, strField As String, strTable As String,	Function	2774	2804	<b>✓</b>				4	Boolean	190	✓	<b>✓</b>
(General Declarations)  '+  ' Module : basAccessCurrentVersion ' Description: this file reads the current version of access being used and ' : stores it in the registry. ' Procedures : AccessCurVer() ' : ErrorMsg ' Created : 12 dec 2001 lbailey ' Modified : 17 dec 2001 jleiner - Added Keys for CLSID, .Mdb, .mde ' : 30 Jul 2003 JLeiner - Converted from vbs to VB '-  AccessCurVer(strCommand As String)  Sub 32 114	' Comments ' ' Parameters ' Returns ' Created	<ul> <li>This function performs any version specific need to be made to the data file. versions a appropriate code should be added to this mode:         <ul> <li>-</li> <li>Bill Felling 01-APR-98</li> <li>01-Apr-2004 Added Upgrades process to keep be</li> </ul> </li> </ul>	upgrades wh re produced ule.	ich	788	<b>✓</b>				1		69	<b>V</b>	<b>✓</b>
'+ ' Procedure : AccessCurVer ' Comments : Save/restores the current version of Access on the users	(General Declarations '+ ' Module ' Description ' ' Procedures ' Created ' Modified	: basAccessCurrentVersion n: this file reads the current version of access : stores it in the registry. : AccessCurVer() : ErrorMsg : 12 dec 2001 lbailey : 17 dec 2001 jleiner - Added Keys for CLSID, .	Mdb, .mde	•	24									
' : computer ' Parameters: strCommand - ' Modified : 30 Jul 2003 JLeiner '-	'+ ' Procedure : ' Comments : ' : ' Parameters: ' Modified :	AccessCurVer Save/restores the current version of Access on computer strCommand -		32	114					1		15	<b>✓</b>	<b>✓</b>
ErrorMsg (strMsg As String) Sub 124 143 □ □ □ 1 41 ✔	ErrorMsg (strMsg As	String)	Sub	124	143					1		41	✓	<b>✓</b>

**Total Access Analyzer** 

Database: SCM2003 ZAM SOURCE.MDB

Sorted By M

Procedure List with Comments
Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Exists Type Line Trap Module: basConstants (General Declarations) 96 Module: basDRPFunctions (General Declarations) 16 ' Module : basDRPFunctions ' Description: Contains functions used in calculating DRP specific operations. ' Procedures : CalculateFacilityNeeds GetEndOfPeriod GetProductVolumeGetStartOfPeriod ReorderDeliveryStops Round RoundtoNextNumber **V ~** AddShipment (IngDeliveryID As Long, strFacCode As String, intStopOrder As Integer, 781 844 1288 Sub IngRouteID As Long) ' Comments : Given a Delivery Insert a stop and its products ' Parameters : : 27-Jul-99 Jeff Leiner ' Created ' Modified : CalcAllDeliveries () **V** Sub 1299 1313 0 5153 **~** CalculateDRPDistances (IngDeliveryID As Long, Optional fDisplayErrors As Boolean) Sub 1173 1297 2 1184 ' Comments : Calculate the Distances to travel for the stops on the : passed in delivery. ' Parameters : ' Returns ' Created : 03-Jan-00 Jeff Leiner ' Modified

Procedure List with Comments
Sorted By Module and Procedure Name

Monday, January 10, 2011

Time: 12:45:26 PM User: Admin

Procedure Name and I	Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
Comments  Parameters  Created Modified	s (strFacCode As String, dtmPeriod As Date)  : This function will determine the calculate the : Facilities under the parent facility. This will looking at the last known inventory levels and : demand. Quantities will be generated to bring : up to maximum levels. : strFacCode dtmPeriod - : 19-May-99 Jeff Leiner : 22-Jul-2004 jleiner - Added CategoryMinMax Fun	ill includ I the calc g the faci	the led ulated						2		1122	<b>&gt;</b>	<b>&gt;</b>
' Comments ' Parameters ' Created ' Modified	strFacCode As String, IngProductID As Long)  : For a given facilitiy and Product Calculate the Average Demand : : 29-Jul-99 Jeff Leiner :	Function e	993	1063					2	Double	1166	<b>✓</b>	<b>✓</b>
GetDRPPrevCloseBal Date)  'Comments 'Parameters 'Created 'Modified '	(strFacCode As String, IngProductID As Long, dtmPeriod As  : Returns the previous recorded closing balance : : 29-Jul-99 Jeff Leiner :	Function  for the p	953 roduci						3	Long	5762	V	<b>✓</b>
GetDRPPrevCloseBAI As Date) ' Comments ' Parameters ' Created ' Modified '	LifExist (strFacCode As String, IngProductID As Long, dtmPeriod  : Returns the previous recorded closing balance : : 29-Jul-99 Jeff Leiner :	Function for the p		1103					3	Long	5772	✓	✓

**Total Access Analyzer** 

' Modified

:

GetRoutesCoveredByDelivery (IngDeliveryID As Long)

Database: SCM2003\_ZAM\_SOURCE.MDB

## Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Param Start End Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Type Line Exists Trap **V ~** GetEndOfPeriod (dtmIn As Date) **Function** 440 471 Date 1158 ' Comments : For a passed in date, get the Last day of the data period : in which it resides ' Parameters : dtmIN - StartingPeriod : date ' Returns ' Created : 03-Jun-99 Jeff Leiner ' Modified : **~ V** GetFacilityVolume (strFacCode As String, fScheduled As Boolean) Function 682 735 2 Double 5156 : For the Facility in Question return the volume : of the desired/scheduled shipment, depending on the : flag ' Parameters : ' Created : 26-Jul-99 Jeff Leiner ' Modified **~ V** GetLastReportDate (strFacCode As String, fFullVisitOnly As Boolean) Function 1109 1171 2 Date 1238 ' Comments : Get the last recorded report for the Facility ' Parameters : ' Returns : Date ' Created : 23-Dec-99 Jeff Leiner ' Modified **V** Double GetProductVolume (IngAmount As Long, IngCatProductID As Long, strFacCode As Function 472 539 3 352 String) ' Comments : Calculated the Volume of the Product in the Shipment ' Parameters : lngAmount lngCatProductID - the categoryProductID strFacCode -' Returns : Double -' Created : 07-Jul-99 Jeff Leiner

Function

1315 1338

398

String

Total Access Analyzer

Database: SCM2003\_ZAM\_SOURCE.MDB

### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Line Exists Type Trap **V** 1286 GetShipmentVolume (IngDeliveryID) Function 737 779 Double : Returns the shipment volume for the stops under : the shipment ' Parameters : ' Created : 27-Jul-99 Jeff Leiner ' Modified GetStartOfPeriod (dtmIn As Date) Function 540 567 Date 1124 **~ ~** ' Comments : For a passed in date, get the first day of the data period : in which it resides ' Parameters : dtmIn : date ' Returns ' Created : 03-Jun-99 Jeff Leiner ' Modified **~ ~** MakeInventoryProducts (strFacCode As String, dtmPeriod As Date, Optional Sub 846 951 4 1332 IngProductID As Long, Optional blnInvOnly As Boolean) **V ~** ReorderDeliveryStops (IngDeliveryID As Long) Function 568 623 1 Long 1273 ' Comments : Takes the Stops for a given Delivery and Orders them into : the stop order ' Parameters : lngDeliveryID - the Delivery in Question : 09-Jul-99 Jeff Leiner ' Created ' Modified : 5821 **V** Round (ByVal dblNumber As Double, ByVal intDecimals As Integer) Function Double ' Comments : Rounds a number to a specified number of decimal places (0.5 is rounded up). ' Parameters: dblNumber - number to round intDecimals - number of decimal places to round to (positive for right of decimal, negative for left) ' Returns : Rounded number ' Created ' Modified :

# Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
RoundtoNextNumber (dblValue As Double, intDecimals As Integer)  ' Comments : Rounds a number to a specified number of decimal  ' : remainder than the value is rounded up).  ' Parameters: dblValue - number to round  ' intDecimals - number of decimal places to round  ' (positive for right of decimal, negat.  ' Returns : Rounded number  ' Created :  ' Modified :  '	to	-	679					2	Double	3820	V	<b>&gt;</b>
Module: basErrorHandler												
(General Declarations)		1	13									
HandleError (strError As String, Optional IngErr As Long, Optional strTitle As String, Optional IngOption As Long=1, Optional IngMsgBoxOptions As Long=vbCritical)	Function	57	92					5	Long	592	<b>✓</b>	<b>✓</b>
HandleError_UniqueID (ParamArray varArgs() As Variant)	Sub	14	41					1		589	<b>~</b>	<b>✓</b>
HandleNotInList (strValue As String)	Function	103	121					1	Integer	1078	<b>✓</b>	<b>✓</b>
Module: basExportReports_Malawi (General Declarations)		1	11									
AddBoxtoCell (ByRef objRange As Object)	Sub	412	430	<b>~</b>				1		4223	<b>✓</b>	<b>✓</b>
AggregateWorksheettoExcel (strFile As String)  '+ ' Procedure : AggregateWorksheettoExcel ' Comments : Creates the AggregateWorksheet results to an exc ' Parameters : ' Returns : Boolean - True if ok ' Created : 20 Oct 2005 jleiner ' Modified : '-	Function cel works		152	✓				1	Boolean	4197	<b>✓</b>	<b>V</b>
GetAlignment ()	Function	322	345					0		5159	<b>~</b>	
GetColumnID (IngColID As Long)	Function	359	392	<b>✓</b>				1	String	5170	<b>✓</b>	<b>✓</b>
PicklisttoExcel (strFile As String)	Function	173	319	<b>✓</b>				1	Boolean	4216	<b>✓</b>	<b>~</b>

# Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	: Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
RunAggregateWorksheet ()	Sub	154	162					0		5161	<b>~</b>	
RunPicklisttoExcel ()	Sub	394	402					0		5165	<b>✓</b>	
TestforZeroRowTotal (rst As Recordset, intStartColumn As Integer)	Function	457	491	<b>✓</b>				2	Boolean	4212	<b>✓</b>	<b>✓</b>
TestGetColumnID ()	Sub	432	442					0		5169	✓	
Module: basFacilityCategoryMinMax												
(General Declarations)		1	13									
GenerateFacilityCategories ()	Sub	14	78					0		1557	✓	<b>✓</b>
GenerateSingleFacilityCategories (strFacCode As String, strFacType As String)	Sub	89	138					2		5172	<b>✓</b>	$\checkmark$
getFacilityCatMax (strFacCode As String, IngCategoryID As Long)	Function	184	226					2	Double	5176	<b>~</b>	<b>✓</b>
getFacilityCatMin (strFacCode As String, IngCategoryID As Long)	Function	238	279					2	Double	5178	<b>✓</b>	<b>✓</b>
getFacilityMax (strFacCode As String, IngCategoryID As Long, dblFacilityMax As Double)	Function	292	329					3	Double	1154	✓	✓
getFacilityMin (strFacCode As String, IngCategoryID As Long, dblFacilityMin As Double)	Function	342	379					3	Double	1156	<b>✓</b>	<b>✓</b>
RemoveDeadFacilityCategories ()	Sub	150	173					0		5174	<b>✓</b>	<b>✓</b>
Module: basFormRights												
(General Declarations)		1	12									
SetFieldRights (frm As Form, fEnabled As Boolean)	Sub	60	118	<b>~</b>				2		2668	<b>~</b>	<b>✓</b>
SetFormFunctionForRights (frmIn As Form)	Function	13	49	<b>V</b>				1	Integer	567	✓	<b>~</b>
Module: basFormTools												
(General Declarations)		1	5									

Total Access Analyzer

# Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Database: SCM2003\_ZAM\_SOURCE.MDB

Procedure Name and Parameters	Туре	Start Line		Public	: Private	Friend	Static	Param Count	n t Return Type	Diagram Line	Code Exists	Error Trap
EditCancelClick (frm As Form, fEditMode As Boolean, fOneView As Boolean, fViewAll As Boolean, strBookmark As String, ctlDefault As Control)	Sub	14	73					6		5180	<b>✓</b>	<b>✓</b>
Procedure: EditCancelClick(frm as Form) Comments: Dual purpose Control. Either places the form cor Cancel Changes depending on the current sta Parameters: frm - the calling form Created: 20-Jun-2003 jleiner Modified:			le									
SetFormMode (frm As Form, fEditMode As Boolean, fViewAll As Boolean)	Sub	85	194		<b>✓</b>			3		5181	<b>✓</b>	<b>✓</b>
Module: basGetUserOption												
(General Declarations)		1	17									
getUserSelectedOption (Inguse As Long)	Function	18	43	<b>✓</b>				1	Long	2046	<b>✓</b>	<b>✓</b>
Module: basGlobals												
(General Declarations)		1	14									
GetBuildType ()	Function	15	29	<b>✓</b>				0	Long	5188	<b>✓</b>	<b>✓</b>
Module: basGlobalSystemVariables												
(General Declarations)		1	15									
' Module : basGlobalSystemVariables												
' Description: Functions to return the values of system param' Procedures : GetCheckType	eters.											
' GetDataInterval												
' GetDRPStore												
' GetUnits												
' UsingDRP ' UsingLMIS												
AllowedByUserType (IngOption As Long)	Function	630	646					1	Boolean	5698	<b>V</b>	<b>✓</b>
GetAttachedDataVersion ()	Function	546	572	<b>✓</b>				0	String	5190	<b>✓</b>	<b>✓</b>

## Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Exists Type Line Trap **~ ~** 2929 GetCheckType () **Function** 36 Integer ' Comments : Determine the level of automatic data checking for the CTF form. ' Parameters : -' Returns : Integer -' Created ' Modified GetCurrentPeriod () Function 102 132 0 Date 5485 **~ ~ ~ ~** GetDataAlarm () Function 300 330 0 Integer 1255 ' Comments : Return the Number of Months to set as the Alarm : for outdated data ' Parameters : -' Returns : integer -' Created ' Modified **~ ~** 56 5802 GetDataInterval () Function Integer ' Comments : get the reporting period (monthly, Quarterly, etc.) ' Parameters : -: Integer -' Returns ' Created ' Modified : **V V** GetDRPStore () String 5769 Function ' Comments : Returns the Facility Code of the Main DRP Store : If not set then returns the Central Store. ' Parameters : ' Created : 08-Jul-99 Jeff Leiner ' Modified : 513 535 **~ ~** GetExpectedDataVersion () 1581 Function 0 String GetMultiTierRole (Optional strDB As String="") Function 721 733 Integer 188 **~ ~** GetMyMultiTierID () Function 745 760 0 String 5192 **~ ~ V** GetSamplePeriods () Function 332 344 Integer 327

# Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	n : Return Type	Diagram Line	Code Exists	Error Trap
GetStartDate ()	Function	680	710					0	Date	5195	<b>~</b>	<b>✓</b>
GetTestRcvAmount ()	Function	356	387					0	Boolean	2930	<b>✓</b>	<b>✓</b>
GetTrackingType()  'Comments : 'Parameters: 'Returns : Integer - 'Created : 03/30/05 14:47 j 'Modified :	Function	649	669					0	Integer	4937	<b>▽</b>	<b>✓</b>
GetUnits()  ' Comments : Get the unit of measure for the dimensions (for Parameters: - ' Returns : String - ' Created : ' Modified :	Function eet or Mete		163					0	String	2794	<b>✓</b>	<b>✓</b>
GetUserRightsLevel ()	Function	436	461	<b>✓</b>				0	Integer	5699	<b>✓</b>	<b>✓</b>
IsZambiaUser ()	Function	772	784					0	Boolean	5197	<b>✓</b>	<b>✓</b>
SetSystemParameter (strField As String, varValue As Variant)  ' Comments : set the passed in value for specified system programmeters : strfield - the field to set  ' : varValue - the value to set it to  ' Returns : -  ' Created : 27-Mar-2003 jleiner  ' Modified :	Sub parameter	390	425					2		5222	<b>&gt;</b>	<b>Y</b>
SetUserRightsLevel (IngFrontEnd As Long)	Function	473	500	<b>✓</b>				1	Long	2706	<b>~</b>	<b>✓</b>
UsingCatMinMax ()	Function	605	617	<b>✓</b>				0	Boolean	5759	<b>V</b>	<b>✓</b>

Total Access Analyzer

Database: SCM2003\_ZAM\_SOURCE.MDB

## Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Exists Type Line Trap **~ ~** 5695 UsingDRP() **Function** 164 184 Boolean : Determine if the DRP module is enabled. true = is enabled ' Comments ' Parameters : -' Returns : Boolean -' Created ' Modified : **~** UsingLMIS () Function 185 205 Boolean 5701 **~** ' Comments : Determine if the LMIS module is enabled. true = is enabled ' Parameters : -' Returns : Boolean -' Created ' Modified **V V** ✓ UsingNewUsersOnly () Function 284 296 0 Boolean 5136 **V V** UsingOSMax () Function 786 806 0 Boolean 5660 ' Comments : Determine if the DRP module is enabled. true = is enabled ' Parameters : -' Returns : Boolean -' Created : Nov 7, 2006 mahmed ' Modified : **V ~** UsingPurposeofUse () Function 237 250 0 Boolean 5703 **~ ~** UsingQtyOnHand () Function 582 594 **V** Boolean 4929 UsingQtyOnOrder () **Function** 261 273 3187 0 Boolean **~** UsingServiceStatistics () 207 226 Boolean 5702 Function ' Comments : Determine if the LMIS module is enabled. true = is enabled ' Parameters : -: Boolean -' Returns ' Created ' Modified :

Total Access Analyzer

#### Procedure List with Comments

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Database: SCM2003\_ZAM\_SOURCE.MDB

Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
Module: basGuidGenerator												
(General Declarations)		1	41									
' modCreateGUID - Create a Globally Unique Identifier (GUID) ' 1997/07/11 Copyright © 1997, Larry Rebich, The Bridge, Inc. ' 1999/12/13 Use API StringFromGUID2 to format the GUID and 1 From: http://vbthunder.com/, Ben Baird		s a st	ring	′ –								
' Samples: ' {3201047B-FA1C-11D0-B3F9-004445535400} ' {0547C3D5-FA24-11D0-B3F9-004445535400}												
CreateGUID ()	Function	42	57	<b>✓</b>				0	String	183	<b>✓</b>	
Module: basHistoricalDataFunctions												
(General Declarations)		1	13									
IsFacilityActiveforPeriod (dtmPeriod As Date, dtmStart As Variant, dtmEnd As Variant)	Function	14	46					3	Boolean	5200	<b>✓</b>	<b>✓</b>
Module: basMsgbox												
(General Declarations)		1	85									
MessageBoxH (hwndThreadOwner As Long, hwndOwner As Long)	Function	86	124	<b>✓</b>				2	Long	2758	<b>✓</b>	
MsgBoxHookProc (ByVal uMsg As Long, ByVal wParam As Long, ByVal IParam As Long)	Function	127	162	<b>✓</b>				3	Long	5202	<b>✓</b>	

### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Line Line Public Private Friend Static Count Return Type Procedure Name and Parameters Type Line Exists Trap Module: basMTFunctions (General Declarations) 46 ′+ ' Module : basMTFunctions ' Description : ' Procedures : AddChangeLogEntry(lngID As Long, strMsg As String) ContinueifFileAlreadyImported(strFile As String, Optional bytResult As mtTransferResult = mtTransferAll) CreateDataCenterFromDB() CreateMultiTierMaster() GetDBDataCenter() GetMTGuidField(strTable As String) GetSendersMTRole(strDB As String) getTransferFileGuid(strFile As String) GetTransferFileType(bytType As Byte) HasEditRightsMT(bytDataArea As Byte) HasEditRightsMTTable(strDB As String, strTableName As String) OverwriteExistingRecord(strTable As String) PeriodModifiedSinceExport(varDateExport As Variant, varDateModified As Variant) SetDataCenterRights(Optional strDB As String = "", Optional intMTRole As Integer, Optional intUserRole As Integer) SetMTTableRights(bytOption As Byte) SetMyDataCenter(strGuidID As String) ShouldOverwritePeriod(strFacCode As String, dtmPeriod As Date) WhoHasEditRightsMTTable(strDB As String, strTableName As String) WriteFileHeader(strDB As String, objDC As clsMTDataCenter, datTimeStamp As Date, objNotes As clsMTTransferLog) **V ~** AddChangeLogEntry (IngID As Long, strMsq As String) Sub 2 2086 73 122 **V** ContinueifFileAlreadyImported (strFile As String, Optional bytResult As Function 2 Boolean 1957 mtTransferResult=mtTransferAll) CreateDataCenterFromDB () 134 232 **~ ~** Function 0 Boolean 5210 **~ ~** CreateMultiTierMaster () Sub 242 272 0 2690 **V V ~** GetDBDataCenter () Function 283 304 0 String 915 **~ V** GetMTGuidField (strTable As String) Function 315 346 String 2111 **~** GetSendersMTRole (strDB As String) Function 357 371 **V** 1 Byte 1972 **V V ~** getTransferFileGuid (strFile As String) Function 382 409 **~** String 2038 **~** 420 432 **~** GetTransferFileType (bytType As Byte) Function 2157 String **V ~** HasEditRightsMT (bytDataArea As Byte) Function 444 499 1 Boolean 569

## Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Exists Type Line Trap **~** HasEditRightsMTTable (strDB As String, strTableName As String) 510 530 5224 **V Function** Boolean OverwriteExistingRecord (strTable As String) **Function** 542 568 **V** 1 Byte 1980 **V ~ ~** PeriodModifiedSinceExport (varDateExport As Variant, varDateModified As Variant) **V V Function** 606 2 Boolean 1620 581 SetDataCenterRights (Optional strDB As String="", Optional intMTRole As Integer, 618 692 **~ ~** Sub 3 5227 Optional intUserRole As Integer) **V ~ V** SetMTTableRights (bytOption As Byte) Sub 703 757 1 5221 SetMyDataCenter (strGuidID As String) **Function** 768 796 **V** Boolean 5217 **V ~ V ~ ~** ShouldOverwritePeriod (strFacCode As String, dtmPeriod As Date) 823 2 Byte 2045 Function 808 **~** WhoHasEditRightsMTTable (strDB As String, strTableName As String) 2 Function 836 855 Bvte 1968 **~ ~** WriteFileHeader (strDB As String, objDC As clsMTDataCenter, datTimeStamp As Date, Sub 869 901 ~ 4 1655 objNotes As clsMTTransferLog) Module: basPathFunctions (General Declarations) 4 **~ V** String 1692 GetApplicationRootPath () Function : Get the path to the UDS folder (strip off the program folder) ' Comments ' Parameters : ' Created ' Modified : 1/4/2001 11:39:42 AM JSL **~ ~** 4198 getDefaultExcelTemplatePath () Function 93 String ' Comments : Return the export path (root path + \export folder) ' Parameters : ' Created ' Modified : 1/4/2001 11:41:35 AM JSL

Procedure List with Comments
Sorted By Module and Procedure Name

Monday, January 10, 2011

Time: 12:45:26 PM User: Admin

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
<pre>getDefaultExportPath()   ' Comments : Return the export path (root path + \export for   ' Parameters :   ' Created :   ' Modified : 1/4/2001 11:41:35 AM JSL   '   '   '   '   '   '   '   '   '</pre>	Function lder)	33	62					0	String	1691	V	<b>V</b>
Module: basProductOrderFunctions												
(General Declarations)		1	3									
getCategoryProductOrderMax (IngCategoryID As Long)	Function	73	99					1	Long	2318	✓	<b>✓</b>
getFacTypeProductOrderMax (strFacType As String)	Function	150	176					1	Long	2325	<b>✓</b>	<b>✓</b>
OrderCategoryMembers (IngCategoryID As Long, IngCounter As Long)  '+ ' Procedure : OrderCategoryMembers ' Comments : For a Category, order its children and then Sible ' : orders are set in the tlkcategoryProductJoin tak ' : data entry order. (Recursive Function) ' Parameters: IngCategoryID, the Category ' : IngCounter, the current DE order number ' Returns : Long - ' Created : 14 Jul 2003 11:30 JLeiner ' Modified : '-		15	61					2	Long	2319	<b>&gt;</b>	<b>V</b>
ReorderFacTypeProducts (strFacType As String)  ' Comments : ' Parameters : - ' Returns : - ' Created : ' Modified : ',	Sub	101	137					1		1556	<b>V</b>	<b>V</b>
Module: basReferences												
(General Declarations)		1										
ReferenceInfo ()	Function	5	34					0		11	<b>✓</b>	<b>V</b>

### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Line Line Public Private Friend Static Count Return Type Exists Procedure Name and Parameters Type Line Trap Module: basRegistryFunctions (General Declarations) 1 109 ′+ ' Module : basRegistryFunctions ' Description: FMS toolkit registry functions Procedures: RegCreateNewKey\_TSB(lngRootKey As Long, strKeyName As String) RegDeleteKey\_TSB(lngRootKey As Long, strKeyName As String) RegDeleteValue TSB(lngRootKey As Long, strKeyName As String, strValueName As String) ReqEnumerateSubKeys\_TSB(lnqRootKey As Long, strKeyName As String, arrKeys() As String, lngKeyCount As Long) RegGetKeyValue\_TSB(lngRootKey As Long, strKeyName As String, strValueName As String) RegSetKeyValue\_TSB(lngRootKey As Long, strKeyName As String, strValueName As String, varValue As Variant, lngValueType As Long) : 30 Jul 2003 JLeiner - Converted from vbs to VB Modified RegCreateNewKey\_TSB (IngRootKey As Long, strKevName As String) 122 144 **~ ~** Function Boolean 5232 ' Procedure : RegCreateNewKey\_TSB ' Comments : Creates a new key ' Parameters: lngRootKey - root key value, must be one of the following constants reqHKeyClassesRoot regHKeyCurrentUser regHKevLocalMachine regHKeyUsers strKeyName - The name of the key to create : True if successful, False otherwise Returns ' Modified : 30 Jul 2003 JLeiner **~ ~** RegDeleteKey\_TSB (IngRootKey As Long, strKeyName As String) Function 159 175 Boolean 5236 2 **V V** RegDeleteValue TSB (IngRootKey As Long. strKeyName As String. strValueName As Function 191 213 3 Boolean 5239 String) **V V** RegEnumerateSubKeys\_TSB (IngRootKey As Long, strKeyName As String, arrKeys() **Function** 229 283 Boolean 5243 As String, IngKeyCount As Long) **V V** RegGetKeyValue\_TSB (IngRootKey As Long, strKeyName As String, strValueName As Function 299 361 3 Variant 16 String) 22 **~ V** RegSetKeyValue TSB (IngRootKey As Long, strKeyName As String, strValueName As **Function** 379 411 Boolean String, varValue As Variant, IngValueType As Long) Module: basReportingGroupFunctions (General Declarations) 1 11

# Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
AddReportingChainChildren (IngID As Long, IngChainRoot As Long)	Function	94	150					2	Long	2503	<b>✓</b>	<b>✓</b>
MakeReportingGroupChain ()	Function	12	92					0	Long	2501	<b>✓</b>	<b>✓</b>
SetSelectedGroups ()	Sub	161	174					0		5251	<b>✓</b>	<b>✓</b>
Module: basSafeWrappers												
(General Declarations)		1	13									
SafeClng (varExpression As Variant)	Function	111	123	<b>✓</b>				1	Variant	5253	<b>✓</b>	<b>✓</b>
SafeCStr (varExpression As Variant)	Function	42	54	<b>✓</b>				1	String	1737	<b>✓</b>	<b>✓</b>
SafeCVDate (varExpression As Variant)	Function	89	101	<b>✓</b>				1	Variant	5255	<b>✓</b>	<b>✓</b>
SafeFormat (varExpression As Variant, strFormat As String, Optional FirstDayofWeek As VbDayOfWeek=vbSunday, Optional FirstWeekofYear As VbFirstWeekOfYear=vbFirstJan1)	Function	14	30	<b>✓</b>				4	Variant	5796	<b>✓</b>	<b>✓</b>
SafeNulltoString (varExpression As Variant)	Function	134	146	<b>✓</b>				1	String	5257	<b>✓</b>	<b>✓</b>
SafeNZ (varExpression As Variant, Optional varReturn As Variant=0)	Function	158	170	<b>✓</b>				2	Variant	5812	<b>V</b>	<b>✓</b>
SafeTrim (varExpression As Variant, IngCharacters As Long)	Function	182	195	<b>✓</b>				2	String	5259	<b>V</b>	<b>✓</b>
SafeUCase (varExpression As Variant)	Function	66	78	<b>✓</b>				1	Variant	2797	<b>✓</b>	<b>✓</b>
Module: basShellExecute												
(General Declarations)		1	36									
fHandleFile (stFile As String, IShowHow As Long)	Function	37	67					2		1938	<b>~</b>	
Module: basStyle												
(General Declarations)  '+ ' Module : basStyle ' Description: ' Procedures : SetStyle(lngStyle As Long, ctlTemp As Control)		1	14									

Procedure List with Comments

Monday, January 10, 2011

Sorted By Module and Procedure Name Time: 12:45:26 PM User: Admin

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
SetStyle (IngStyle As Long, ctlTemp As Control)  '+ ' Procedure : SetStyle	Function	24	115					2		363	<b>✓</b>	<b>✓</b>
'Comments : Sets the style based on table for forms and r 'Parameters: lngStyle - unique identifier for style 'ctlTemp - control to apply style to 'Returns : -	eports											
' Modified : 30 May 2003 LBlanken as per code review ' 16 Jun 2003 LBlanken ' -												
Module: basTranslate												
(General Declarations)		1	24									
' <del>+</del>												
' Module : basTranslate												
' Description: Functions for Translating/formatting UI												
' Procedures : getCtlText(bytType As Byte, strObject As Str	ing, strCTL	As Sti	ing,	bytF	ropert	y As By	/te, 0 <u>1</u>	otiona	l bytIndex As	Byte)		
' getLanguage()												
<pre>' GetReportDates()</pre>												
<pre>getReportTitle(strReport As String)</pre>												
' GetStatusText(strForm As String, strCTL As S	tring, bytIn	dex As	s Byt	e)								
getText(strTextID As String)												
' InsertDisplayValues(strMessage As String, Pa	_											
' ReplaceString_TSB(strTextIn As String, strFi	_		_			-		itive	As Boolean)			
' SetFormStatusText(frmIn As Form, Optional by	_	_	otion	aı by	rtType	As Byte	∍/					
' SetReportCaptions(rptIn As Report, Optional	bytinaex As	Byte)										
' TransYesNo(varValue As Variant)												
' UpdateLanguageCombo(cboLanguage As ComboBox) ' GetReportPages()												
AddSystemText (strCode As String, strText As String)	Function	896	952	<b>✓</b>				2	String	5261	<b>✓</b>	<b>✓</b>
getAMCCaption (Optional bytVerbose As Byte=1, Optional bytLines As Byte=1)	Function	856	885					2	String	3832	<b>V</b>	<b>V</b>

### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Exists Type Line Trap **~ ~** getCtlText (bytType As Byte, strObject As String, strCTL As String, bytProperty As 98 368 Function 5 String Byte. Optional bytIndex As Byte) ' Procedure : getCtlText Comments : Returns a Translation value for one field value Parameters: bytType - Form (0) or Report (1) strObject - The Form\Report Name - The Control to get strCTLbytProperty - The property to return the value for bytIndex - which value (may have more then one) : string - the value of the field ' Returns ' Created : 23-APR-01 Jeff Leiner ' Modified : 09 Jul 2003 JLeiner **~ ~** Function 108 154 0 Integer 359 getLanguage () 163 221 **V ~** GetReportDates () Function 0 String 509 **~ V V** GetReportPages (intPage As Integer, intPages As Integer) Function 798 817 2 String 345 **V V** GetReportPeriodTrans (dtmln As Date) Function 830 844 String 4492 **V ~** getReportTitle (strReport As String) Function 232 245 1 5263 **~ V** GetStatusText (strForm As String, strCTL As String, bytIndex As Byte) 297 String 5266 Function 258 7 **V ~** getText (strTextID As String) Function 310 348 String 1 **V V** GetTranslationField (rstTranslation As Recordset) Function 757 785 Field 4 **~** InsertDisplayValues (strMessage As String, ParamArray varValues() As Variant) Function 361 388 2 Strina 52 **~ V ~** ReplaceString\_TSB (strTextIn As String, strFind As String, strReplace As String, Function 402 436 Strina 4990 fCaseSensitive As Boolean) 3 **V ~** SetFormStatusText (frmIn As Form, Optional bytIndex As Byte, Optional bytType As Sub 452 560 3 Byte) SetReportCaptions (rptln As Report, Optional bytIndex As Byte=0, Optional Sub 574 675 3 358 **V ~** fDefaultHeader As Boolean=False) **~ V** TransYesNo (varValue As Variant) Function 685 702 1 String 1611 **V** Sub **V** UpdateLanguageCombo (cboLanguage As ComboBox) 713 746 2670

## Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Exists Type Line Trap Module: basTreeViewFunctions (General Declarations) CreateFacilityParenttoRoot (strNodeID As String, ctlTreeview As Control) 184 262 **V ~ Function** Boolean 545 **V V** CreateParenttoRoot (IngNodeID As Long, ctlTreeview As Control) Function 14 87 2 Boolean 443 ' Procedure : CreateParenttoRoot ' Comments : For a given nodeID in the treeview, make sure it parent : nodes exist all to the root (ParentID = 0). This procedure : makes Recursive calls to itself. ' Parameters: lngNodeID - The parent node to test for : ctlTreeview - The Treeview being populated ' Returns : Boolean - True returns that the node exists. ' Modified : 99 172 **~** CreateReportingGroupParenttoRoot (IngNodeID As Long, ctlTreeview As Control) Boolean 908 Function **V** 275 291 FacilityExists (strFacCode As String) Function Boolean 546 Module: basTSBUtilities (General Declarations) 1 68 592 631 **~** CaseConvert\_TSB (strIn As String, intMode As Integer) Function 2 String 5269 ' Comments : Converts a string to upper case, lower case, or proper case ' Parameters: strIn - string to convert intMode - converion mode: 1 = lower case 2 = upper case 3 = proper case Returns : converted string **V ~** ConvertTSB2Win (TSB Struct As TSBAPI OPENFILE, Win Struct As 381 426 2 5288 Sub TSBAPI WINOPENFILENAME) ' Comments : Converts the passed TSBAPI structure to a Windows structure ' Parameters: TSB Struct - record of type TSBAPI OPENFILE Win\_Struct - record of type TSBAPI\_WINOPENFILENAME ' Returns : Nothing

# Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
ConvertWin2TSB (Win_Struct As TSBAPI_WINOPENFILENAME, TSB_Struct As TSBAPI_OPENFILE)  ' Comments : Converts the passed TSBAPI structure to a Windo ' Parameters: Win_Struct - record of type TSBAPI_WINOPENFILEN ' TSB_Struct - record of type TSBAPI_OPENFILE ' Returns : Nothing '		<b>428</b> e	447					2		495	✓	<b>V</b>
CreateDatabase_TSB (strDatabaseName As String, fEncrypt As Integer)  ' Comments : Creates the named database ' Parameters: strDatabase - full path and name of the database ' fEncrypt - true to encrypt the database, False ' Returns : True if successful, False otherwise '			744					2	Boolean	1695	✓	V
CreateFilterString_TSB (ParamArray varFilt() As Variant)  ' Comments : Builds a Windows formatted filter string for "f  ' Parameters: varFilter - parameter array in the format:  ' Text, Filter, Text, Filter  Such as:  ' "All Files (*.*)", "*.*", "Text Fi  ' Returns : windows formatted filter string			312 * . TXT					1	String	5287	<b>V</b>	<b>V</b>
DirExists_TSB (strDir As String)  ' Comments : determines if the named directory exists ' Parameters: strDir - directory to check ' Returns : True - directory exists, False otherwise	Function	679	687					1	Boolean	4200	<b>✓</b>	
DomainCount_TSB (strDatabase As String, strField As String, strDomain As String, strCriteria As String)  ' Comments : returns number of records in a specified set of ' Parameters: strDatabase - path and name of database to look ' strField - name of the field to count ' strDomain - name of the table or query to searc ' strCriteria - string expression specifying the ' ' Returns : number of records in specified set	in or "" ( h in	blanŀ		ing)						4941	✓	V

# Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
DomainLookup_TSB (strDatabase As String, strField As String, strDomain As String, strCriteria As String)  ' Comments: Returns a field value in a specified set of reconstruction of the strDatabase of the field to return strDomain of the table or query to search strCriteria of the specified field as a variant or NUMB.	in or "" h in WHERE claus	(blank se of	the o	query	or bl	ank foi	no co	nstra		5225	<b>✓</b>	<b>&gt;</b>
DomainMax_TSB (strDatabase As String, strField As String, strDomain As String, strCriteria As String)  ' Comments: Returns the Maximum value of a field in a specify Parameters: strDatabase - path and name of database to look strField - name of the field to return the Maximum value of the table or query to search strCriteria - string expression specifying the Value of the specified field as a variance.	in or ""   mum value i h in WHERE claus	f reco (blank for se of	str.	query	or bl	ank foi	no co	nstra	ints (all rec	5271 cords)	✓	<b>V</b>
GetCurrentPath_TSB ()  ' Comments : returns that path that the currently database is ' Parameters: none ' Returns : path of current database ' Modified : '	Function s located		590					0	String	10	V	<b>✓</b>
GetCustomSaveFile (strExt As String, strDir As String, strFile As String)	Function	466	493					3	Variant	487	<b>✓</b>	
GetNamePart_TSB (strln As String)  ' Comments : Returns the name and extension of a fully qualify Parameters: strIn - path and name to parse ' Returns : file name + extension '	Function fied file i	69 name	87					1	String	5273	✓	
GetOpenFile_TSB (strInitialDir As String, strTitle As String)  ' Comments : Simple file open routine. For additional options ' Parameters: strInitialDir - path for the initial directory, ' strTitle - title for the dialog ' Returns : string path, name and extension of the file sele	or blank i	FileOp				tory		2	String	5275	<b>✓</b>	<b>V</b>

## Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Type Line Exists Trap **V** 5281 **V** GetOpenFileEX TSB (typOpenFile As TSBAPI OPENFILE) Function 108 137 String ' Comments : Extended file open routine ' Parameters: typOpenFile - record of type TSBAPI\_OPENFILE. ' Returns : Path, name and extension of the file selected GetPathPart\_TSB (strPath As String) 90 105 Function String 1937 **~** ' Comments : Returns the path part of a string ' Parameters: strPath - string to parse ' Returns : path part 5286 **~ ~** GetSaveFile TSB (strInitialDir As String, strTitle As String, strDefName As String) Function 188 239 3 String ' Comments : Simple file save routine. For additional options, use GetFileSaveEX\_TSB() ' Parameters: strInitialDir - path for the initial directory, or blank for the current directory strTitle - title for the dialog strDefName - default file name and extension to use Returns : string path, name and extension of the file specified **V** GetSaveFileEX TSB (typOpenFile As TSBAPI OPENFILE) 241 270 492 **~** Function String ' Comments : Extended file save routine ' Parameters: typOpenFile - record of type TSBAPI\_OPENFILE. ' Returns : Path, name and extension of the file selected **V V** KillFile TSB (strFile As String) Function Boolean 1906 ' Comments : deletes the named file, handling errors if the file does not exist ' Parameters: strFile - path and name of the file to delete ' Returns : True if the file was deleted. False otherwise **V** ParsePath TSB (strIn As String, strDrive As String, strPath As String, strFileName As Function 314 379 Boolean 483 String, strExtension As String) ' Comments : parses the passed full path into its component parts ' Parameters: strIn - fully qualified path to parse : strDrive - set to the drive letter strPath - set to the path strFileName - set to the file name (without the extension) strExtension - set to the file's extension Returns : True if successful, False otherwise

# Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	: Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
RemoveNulls_TSB (strln As String)  ' Comments : Removes terminator from a string ' Parameters: strIn - string to modify ' Return : modified string '	Function	449	464					1	String	496	V	
Round_TSB (ByVal dblNumber As Double, ByVal intDecimals As Integer)  ' Comments : Rounds a number to a specified number of decimal ' Parameters: dblNumber - number to round ' intDecimals - number of decimal places to round ' (positive for right of decimal, negative for right of decimal) ' Returns : Rounded number	l to				up).			2	Double	3821	✓	
Module: basXMLFunctions (General Declarations)		1	13									
'+ ' Module : basXMLFunctions ' Description : ' Procedures : AppendElement(rdxml As DOMDocument, strNodePa ' AppendTitle(rdxml As DOMDocument, strTitle As ' convertToElementTree(rdxml As DOMDocument, gr	String)											
AppendElement (rdxml As DOMDocument, strNodePath As String, strTitle As String, strValue As String)	Function	24	46					4	DOMDocument	5294	✓	<b>✓</b>
'Procedure : AppendElement 'Comments : 'Parameters : rdxml 'strNodePath 'strTitle 'strValue - 'Returns : DOMDocument - 'Modified : 09 Aug 2005 JSL												
AppendTitle (rdxml As DOMDocument, strTitle As String)	Function	57	96	<b>V</b>				2	DOMDocument	5296	<b>✓</b>	<b>~</b>
convertToElementTree (rdxml As DOMDocument, groupName As String, entryName As String, fInsertRST As Boolean)	Function	109	151					4	DOMDocument	5298	<b>✓</b>	<b>✓</b>
Module: clsEditor			07									
(General Declarations)		1	97									

## Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Line Exists Type Trap **~** EditRule1 (ByRef xVal As Variant) 105 123 825 **Function** Long 'EditRule1() 'is the inval a number? 'lbailey '25 may 2002 **~** EditRule10 (ByRef xVal As Variant) **Function** 356 372 Long 780 'EditRule10() 'is the inval a negative number? (does not include 0) 'lblankenship '25 sept 2002 ✓ 396 EditRule11 (ByRef xVal As Variant) Function Long 782 'EditRule11() 'is the inval a non-positive number? (includes 0) 'lblankenship '25 sept 2002 EditRule12 (ByRef xVal As Variant) **V Function** 404 420 Long 784 'EditRule12() 'is the inval a non-negative number? (includes 0) 'lblankenship '25 sept 2002 **~** EditRule13 (ByRef xVal As Variant) **Function** 428 446 Long 786 'EditRule13() 'is the inval a positive integer? (does not include 0) 'lblankenship '25 sept 2002

## Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Line Exists Type Trap **V** EditRule14 (ByRef xVal As Variant) 454 472 789 **Function** Long 'EditRule14() 'is the inval a negative integer? (does not include 0) 'lblankenship '25 sept 2002 **~** EditRule15 (ByRef xVal As Variant) Function 480 498 Long 792 'EditRule15() 'is the inval a non-positive integer? (includes 0) 'lblankenship '25 sept 2002 **~** 506 524 EditRule16 (ByRef xVal As Variant) Function Long 795 'EditRule16() 'is the inval a non-negative integer? (includes 0) 'lblankenship '25 sept 2002 **V** EditRule17 (ByRef xVal As Variant) Function 533 554 Long 798 EditRule18 (ByRef xVal As Variant) **~** Function 563 582 1 Long 774 Long **~** EditRule19 (ByRef xVal As Variant) Function 590 608 802 'EditRule19() 'is the inval a positive percent? (does not include 0) 'lblankenship '25 sept 2002 **~** EditRule2 (ByRef xVal As Variant) Function 133 149 1 Long 829

## Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Line Exists Type Trap **V** EditRule20 (ByRef xVal As Variant) 616 634 804 **Function** Long 'EditRule20() 'is the inval a negative percent? (does not include 0) 'lblankenship '25 sept 2002 **~** EditRule21 (ByRef xVal As Variant) Function 642 660 Long 807 'EditRule21() 'is the inval a non-positive percent? (includes 0) 'lblankenship '25 sept 2002 **~** 668 686 EditRule22 (ByRef xVal As Variant) Function Long 810 'EditRule22() 'is the inval a non-negative percent? (includes 0) 'lblankenship '25 sept 2002 EditRule23 (ByRef xVal As Variant) Function 695 716 Long 813 EditRule24 (ByRef xVal As Variant) 724 743 **~** Function Long 816 'EditRule24() 'is the inval a positive percent <= 100? 'lblankenship '25 sept 2002 **~** EditRule25 (ByRef xVal As Variant) Function 751 769 Long 819 'EditRule25() 'is the inval a non-negative currecy? (includes 0) 'lblankenship '9 Oct 2002

## Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Paran Coun	n t Return Type	Diagram Line	Code Exists	Error Trap
EditRule26 (ByRef xVal As Variant)  'EditRule26()  'is the inval not empty?  'lblankenship '9 Oct 2002	Function	777	789					1	Long	821	✓	
EditRule27 (ByRef xVal As Variant)  'EditRule27()  'is the inval a positive currency? (does not include 0)  'lblankenship '9 oct 2002	Function	797	815					1	Long	822	<b>✓</b>	
EditRule28 (ByRef xVal As Variant)  'EditRule28()  'is the inval a positive number of days per year? (does not  'lblankenship '25 sept 2002	Function  include 0)	823	842					1	Long	824	✓	
EditRule3 (ByRef xVal As Variant)	Function	160	179					1	Long	759	<b>✓</b>	
EditRule30 (ByRef xVal As Variant)	Function	1114	1132					1	Long	826	✓	
EditRule31 (ByRef xVal As Variant)	Function	1141	1159					1	Long	828	<b>✓</b>	
EditRule4 (ByRef xVal As Variant)	Function	188	206					1	Long	761	<b>✓</b>	
EditRule5 (ByRef xVal As Variant)	Function	217	235					1	Long	763	<b>✓</b>	
EditRule6 (ByRef xVal As Variant)	Function	246	267					1	Long	765	<b>✓</b>	

# Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
EditRule7 (ByRef xVal As Variant)  'EditRule7()	Function	275	298					1	Long	769	✓	
'is the inval an integer?												
'lbailey '25 may 2002 '												
EditRule8 (ByRef xVal As Variant)  'EditRule8()	Function	306	324					1	Long	773	✓	
'is the inval a percentage >100?												
'lblankenship '25 sept 2002 '												
EditRule9 (ByRef xVal As Variant)	Function	332	348					1	Long	778	<b>✓</b>	
'EditRule9()												
'is the inval a positive number? (does not include 0)												
'lblankenship '25 sept 2002 '												
GetErrorDescription ()	Function	1027	1032					0	String	-1	<b>✓</b>	
Round_TSB (ByVal dblNumber As Double, ByVal intDecimals As Integer)  ' Comments : Rounds a number to a specified number of decimal ' Parameters: dblNumber - number to round ' intDecimals - number of decimal places to round ' (positive for right of decimal, negat. ' Returns : Rounded number ' Modified :	to			 mded	up).			2	Double	3774	<b>V</b>	<b>✓</b>

## Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start I Line L		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
UpdateDirtyFlag (flsDirty As Boolean, varValue1 As Variant, varValue2 As Variant)  ' Comments : Detemine if the dirty flag should be set to true ' : Never change to false if True, if settofalse the ' Parameters: flsDirty - The presentvalue of the Dirty Flag ' : varValue1 - 1st value to test ' : varvalue2 - the second value to test ' Returns : Boolean - True, if Was Dirty. ' : True, if Now dirty. ' : False, if was false and is still False ' Created : 13-Jun-2002	en compare	_	tri					3	Boolean	5300	<b>&gt;</b>	
Validate (ByRef xInVal As Variant, ByVal nEditRule As Integer, Optional strLabel As String, Optional strORMsg As String, Optional fMessage = True)	Function	859 1	016					5	Long	756	<b>✓</b>	
ValuesDiffer (varValue1 As Variant, varValue2)  ' Comments : determine if the values are different. Check for  ' Parameters: varValue1 - 1st value to test  ' : varvalue2 - the second value to test  ' Returns : Boolean - True if different  ' Created : 13-Jun-2002	Function r nulls 1st	1034 1	063	<b>✓</b>				2	Boolean	5301	<b>V</b>	
Module: clsMTBackgroundImport		4	00									
<pre>(General Declarations)  '</pre>	OC As clsMT mport As Re ex As Strin g, strIndex	ecordse ng, sti c As St	t) KeyF	Field			-		-	_	_	
GetShouldOverwrite (rstData As Recordset, rstImport As Recordset)	Function	323	419		<b>✓</b>			2	Boolean	1978	<b>V</b>	<b>~</b>

### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Exists Type Line Trap **~ ~** 39 153 🗸 1963 Import (strFile As String) Function Boolean ' Procedure : Import : Basic Import Procedure, attempts to import each table using Comments : ImportTableChanges Function if all ok then save all the changes : (commit) and exit Parameters : strFile - the .mdb to import : Boolean - True if import OK ' Returns : 15 Aug 2005 jleiner ' Created ' Modified : **~ ~** 300 310 🗸 ImportFile (strDateRange As String) Let -1 **~ ~** Get 290 ImportFile () 280 0 String -1 **V V V** ImportTableChanges (strTable As String, strIndex As String, strKeyField1 As String, Function 430 589 5 Boolean 1966 Optional strKeyField2 As String="", Optional strKeyField3 As String="") ImportTableChangesReconcile (strTable As String, strIndex As String, strKeyField1 As 600 747 **✓ ~ ~** Function Boolean 2109 String, Optional strKeyField2 As String="", Optional strKeyField3 As String="", Optional fRemoveOld As Boolean=False) **~ ~ V** MakeMasterDBBackground (strFile As String, objDC As clsMTDataCenter) **Function** 165 269 2 Boolean 2106 **V ~ ~** ReconcileFacilityDCGuid () Function 759 815 0 Boolean 2003 **V ~ ~** TableEditRights (strTable As String) **Function** 826 881 1967 1 Byte **V V V** UpdateMasterSystemTable () **Function** 893 949 0 Boolean 2107 **~ V** UpdateSystemTable () Function 961 1005 0 Boolean 1964 Module: clsMTCTF (General Declarations) 1 11 **~ ~** AddBackGroundTables (fDCWizard As Boolean) **~ Function** 766 799 Boolean 1633 **V ~ ~** AddFacilityData () Function 867 925 0 Boolean 1636 AddProductData () Function 937 994 **✓** 0 Boolean 1643 **V V V** 0 4871 **V ~** Class Terminate () Sub 289 284

## Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
CreateDateFilter (lst As ListBox)	Sub	299	328	<b>✓</b>				1		1625	<b>✓</b>	<b>✓</b>
CreateExportFile (strDataCenterID As String, Optional dtmStart As Date, Optional dtmEnd As Date, Optional fDCWizard As Boolean=False)	Function	121	282	<b>✓</b>				4	Boolean	1628	✓	<b>✓</b>
CreateFilteredInsertSQL (strTable As String)	Function	838	856		<b>✓</b>			1	String	1650	<b>✓</b>	<b>✓</b>
CreateInsertSQL (strTable As String)	Function	811	826		<b>✓</b>			1	String	1649	<b>✓</b>	<b>✓</b>
DataCenter (objDC As clsMTDataCenter)	Set	60	71		<b>✓</b>			1		-1	<b>✓</b>	<b>✓</b>
DataCenter ()	Get	40	50	<b>✓</b>				0	clsMTDataCenter	-1	<b>✓</b>	<b>✓</b>
DataFile ()	Get	81	91	<b>✓</b>				0	String	2027	<b>✓</b>	<b>✓</b>
DataFile (strFile As String)  '+ ' Procedure : DataFile (let) ' Comments : Set the Data file value ' Parameters : ' Created : 25 Jul 2005 jleiner ' Modified : '-	Let	99	109	<b>✓</b>				1		2027	<b>V</b>	<b>V</b>
DateFilter()  '+ ' Procedure : DateFilter ' Comments : ' Parameters : ' Returns : String ' Created : 08 Aug 2005 jleiner ' Modified : '-	Get	20	30	<b>✓</b>				0	String	1688	<b>✓</b>	<b>✓</b>
Import (strFile As String, strDataCenterID As String)	Function	339	752	✓				2	Boolean	2025	<b>~</b>	<b>~</b>

### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Exists Type Line Trap Module: clsMTDataCenter (General Declarations) 1 21 ′+ ' Module : clsMTDataCenter ' Description : ' Procedures : Get EMail() Get ID() Let ID(strID As String) Get Name() AddLog(strMsg As String, Optional strUser As String = "") Load(strID As String) **V ~** AddLog (strMsg As String, Optional strUser As String="") Function 114 124 2 Boolean -1 **~ ~** EMail () Get 30 40 **V** 0 String -1 ' Procedure : EMail ' Comments : gets the e-mail address ' Parameters : ' Returns : String ' Created : 25 Jul 2005 jleiner ' Modified : **~ ~** 61 ID () Get 0 String -1 ID (strID As String) Let 71 81 **✓** 1 -1 **~ ~ V V** Load (strID As String) **Function** 136 163 1689 1 Long **~** Name () Get 92 102 0 String 1934 Module: clsMTDataCenterMgr (General Declarations) 1 12 **~** AddConfigData () Function 252 329 **V** 0 1869 **~** Long **~ ~ ~** AddFacilityData () Function 340 419 Boolean 1877 431 488 **V V ~** AddProductData () Function 0 Boolean 1884 **V V V** AddTrackingData () Function 558 634 0 Boolean 1893 **V ~ ✓** Class\_Terminate () Sub 636 642 0 4874

## Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Coun	n Return Type	Diagram Line	Code Exists	Error Trap
CreateFile (strDataCenterID As String, fFullFile As Boolean, Optional fDCWizard As Boolean)	Function	101	240	<b>~</b>				3	Boolean	1827	<b>✓</b>	<b>✓</b>
CreateFilteredInsertSQL (strTable As String)	Function	528	547		<b>✓</b>			1	String	1891	<b>✓</b>	<b>✓</b>
CreateInsertSQL (strTable As String)	Function	499	516		<b>✓</b>			1	String	1902	<b>✓</b>	<b>✓</b>
DataCenter()  '+ ' Procedure : DataCenter ' Comments : Get a pointer to the DataCenter object ' Parameters : ' Returns : Object ' Created : 25 Jul 2005 jleiner ' Modified : '-	Get	21	31	✓				0	clsMTDataCenter	-1	✓	<b>V</b>
DataCenter (objDC As clsMTDataCenter)	Set	41	52	<b>v</b>				1		-1	<b>✓</b>	<b>✓</b>
DataFile ()	Get	62	72	<b>✓</b>				0	String	-1	<b>✓</b>	<b>✓</b>
DataFile (strFile As String)  ' + ' Procedure : DataFile (let) ' Comments : Set the Data file value ' Parameters : ' Created : 25 Jul 2005 jleiner ' Modified : ' -	Let	80	90	<b>✓</b>				1		-1	<b>V</b>	<b>&gt;</b>
Import (strFile As String)	Function	654	691	<b>✓</b>				1	Boolean	1960	<b>✓</b>	<b>✓</b>
ImportDataCenter (strFile As String)	Function	702	791	<b>V</b>				1	Long	2102	<b>✓</b>	<b>~</b>
Module: clsMTTransferLog (General Declarations)		1	17									
Class_Initialize ()	Sub	582	587		<b>✓</b>			0		4877	<b>✓</b>	
Class_Terminate ()	Sub	589	594		<b>~</b>			0		4880	<b>✓</b>	
CreateLogEntry ()	Function	416	452	<b>✓</b>				0	Boolean	1667	<b>~</b>	<b>✓</b>
DataCenter (objDC As clsMTDataCenter)	Set	389	400	✓				1		2029	<b>✓</b>	<b>✓</b>

## Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters		Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
DataCenter ()	Get	369	379	<b>✓</b>				0	clsMTDataCenter	2029	<b>✓</b>	<b>✓</b>
dbFile (db As Database)	Set	125	136	<b>✓</b>				1		-1	<b>✓</b>	<b>✓</b>
'+ ' Procedure : dbFile ' Comments : ' Parameters : ' Created : 04 Aug 2005 jleiner ' Modified : '-												
dbFile ()	Get	106	117	<b>✓</b>				0	Database	-1	✓	<b>✓</b>
FileGuidID (strFileGuidID As String)	Let	86	96	<b>✓</b>				1		2037	<b>✓</b>	<b>✓</b>
FileGuidID ()	Get	66	76	<b>✓</b>				0	String	2037	<b>✓</b>	<b>✓</b>
FileID (IngCounterID As Long)  '	Let	269	279	<b>✓</b>				1		1671	<b>✓</b>	<b>✓</b>
FileID ()	Get	251	261	✓				0	Long	1671	✓	<b>✓</b>
FileName (strFile As String)  '+ ' Procedure : FileName ' Comments : ' Parameters : ' Created : 04 Aug 2005 jleiner ' Modified : '-	Let	307	317	<b>✓</b>				1		2032	<b>✓</b>	<b>✓</b>
FileName ()	Get	289	299	<b>~</b>				0	String	2032	<b>✓</b>	<b>✓</b>
GetInitialFileCreated ()	Function	557	579	<b>✓</b>				0	Boolean	1831	<b>✓</b>	<b>✓</b>
GetNextKeyID ()	Function	605	631	<b>✓</b>				0	Long	4879	<b>✓</b>	<b>✓</b>
GetNextLogID ()	Function	519	546	<b>✓</b>				0	Long	1668	<b>✓</b>	<b>✓</b>

Procedure List with Comments
Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Line Exists Type Trap **~** ID () Get 147 158 🗸 0 Long 2085 **~ ~** Notes (varNotes As Variant) Let 228 238 🗸 1 2095 **V** ' Procedure : Notes ' Comments : ' Parameters : ' Created : 04 Aug 2005 jleiner ' Modified : **~ ~** Notes () Get 210 220 🗸 0 Variant 2095 **~** 54 2094 Result (fResult As Boolean) Let ' Procedure : Result ' Comments : ' Parameters : ' Created : 24 Aug 2005 jleiner ' Modified : ' \_ **~ V** Result () Get 36 Boolean 2094 ′+ ' Procedure : Result ' Comments : ' Parameters : ' Returns : Boolean ' Created : 24 Aug 2005 jleiner ' Modified : **~ V** TransferDate () Get 170 180 🗸 0 Date 2070 **~ ~** TransferDate (dtmTransfer As Date) Let 189 199 **✓** 1 2070 **~ ~** TransferType (bytTransferType As Byte) Let 346 356 🗸 1 2034 ′+ ' Procedure : TransferType ' Comments : ' Parameters : : 04 Aug 2005 jleiner ' Created ' Modified : 328 338 🗸 2034 **~ ~** TransferType () Get 0 Byte

## Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Paran Coun	n t Return Type	Diagram Line	Code Exists	Error Trap
UpdateLogEntry ()	Function	464	507	<b>✓</b>				0	Boolean	2068	<b>✓</b>	<b>✓</b>
Module: clsSQLholder												
(General Declarations)		1	25									
'H ' Module : clsSQLholder ' Description : ' Procedures : Get FromSQL() Let FromSQL(strSQL As String) Get OrderSQL() Let OrderSQL(strSQL As String) Get SelectSQL() Let SelectSQL(strSQL As String) Get WhereSQL(strSQL As String) Get WhereSQL() Let WhereSQL(strSQL As String) StripSQL(strSQL As String)												
FromSQL (strSQL As String)	Let	54	64	<b>✓</b>				1		4931	<b>✓</b>	<b>✓</b>
FromSQL()  '+ ' Procedure : FromSQL ' Comments : ' Parameters : ' Returns : String ' Created : 16 Jul 2004 j ' Modified :	Get	34	44	<b>✓</b>				0	String	4931	<b>V</b>	<b>✓</b>
OrderSQL (strSQL As String)	Let	95	105	<b>✓</b>				1		4932	<b>✓</b>	<b>~</b>
OrderSQL ()	Get	75	85	<b>✓</b>				0	String	4932	<b>✓</b>	<b>✓</b>
SelectSQL ()	Get	116	126	<b>~</b>				0	String	4930	<b>~</b>	<b>~</b>
SelectSQL (strSQL As String)	Let	136	146	<b>~</b>				1		4930	<b>~</b>	<b>~</b>
StripSQL (strSQL As String)	Sub	198	227					1		-1	<b>~</b>	<b>✓</b>
WhereSQL (strSQL As String)	Let	177	187	<b>✓</b>				1		-1	<b>~</b>	<b>~</b>
WhereSQL ()	Get	157	167	<b>✓</b>				0	String	-1	<b>✓</b>	<b>✓</b>

Total Access Analyzer

Database: SCM2003 ZAM SOURCE.MDB

### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Code Start End Param Diagram Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Type Line Exists Trap **Module: Converted Macros** (General Declarations) 1 14 ' Module : Converted Macros ' Description: This Module contains the coverted code for all of the : macros that existed in the earlier versions of ecmis. ' Procedures : DeleteRec NewRec PrintFile PrintForm **V ~** DeleteRec () 48 599 Function Boolean ' Comments : Delete the selected record. ' Parameters : -' Returns ' Created ' Modified : **~ V** 68 5303 NewRec () Function ' Comments : Move to a new record ' Parameters : -' Returns : -' Created ' Modified : **V V** 89 PrintFile () Function 69 5305 ' Comments : Print the current object. ' Parameters : -' Returns : -' Created ' Modified : PrintForm () Function 90 111 0 5307 **~ ~** ' Comments : the print the currently selected item on the : the active object ' Parameters : -' Returns : -' Created ' Modified :

#### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error
Procedure Name and Parameters Type Line Line Public Private Friend Static Count Return Type Line Exists Trap

#### **Module: CTF Tools** (General Declarations) 58 ' Module : CTF\_Tools ' Description: Functions for the Commidity Tracking Form. ' Procedures : another mth(ctlfaccode As Control, datNewMonth As Date) CalculateAMC(strFacCode As String, dtmCTFDate As Date, lngCatProdID As Long) CalculateROD() Check\_receipts(ctlReceived As Control) Check\_types(strTypeGroup As String) CheckAVG(strFacCode As String, dtmCTFDate As Date, strProdName As String, strProdDose As String, lngCatProdID As Long, ctlDispensed As Control, ctlAMC As Control, ctlErr\_AMC As Control) CheckCB(strProdName As String, ctlOpen\_Bal As Control, ctlReceipts As Control, ctlIssues As Control, ctlDispensed As Control, ctlAdjustments As Control, ctlAdj\_Type As Control, ctlClosing\_Bal As Control, ctlErr\_CB As Control) CheckOB(strFacCode As String, dtmCTFDate As Date, lngCatProdID As Long, ctlOpen\_Bal As Control, ctlErr\_OB As Control) CheckRCV(strFacCode As String, dtmCTFDate As Date, lngCatProdID As Long, ctlReceipts As Control, ctlErr\_RCV As Control) CheckROD(dblMaxMonths As Double, ctlClose Bal As Control, ctlAvg cons As Control, ctlRequired As Control, ctlErr ROD As Control) ClearCTF\_Item(strFacCode As String, dtmCTFDate As Date) DisplayComments(strFacCode As String, dtmCTFDate As Date, strProdName As String, strProdDose As String, ctlDispensed As Control, ctlAMC As Control, ctlErr\_AMC As Control) FinalCheck(ctlOpen Bal As Control, ctlReceipts As Control, ctlIssues As Control, ctlDispensed As Control, ctlAdjustments As Control, ctlAdj\_Type As Control, ctlClosing\_Bal As Control, ctlErr\_CB As Control) GetPeriodLabel(dtmPDate As Date) GetRepComments(ctlSelReport As Control) MakeCTF Item(strFacCode As String, strProgram As String, dtmCTFDate As Date) MakeCTF\_Main(dtmNewPeriod As Date, Optional strFacCode As String) Remember\_field() SetCalculatedValues() StockoutOccurred(strFacCode As String, lngProductID As Long, dtmPeriod As Date) Sure(strUserTitle As String, strUserMessage As String) UpdateAudit(strFacCode As String, dtmCTFDate As Date) CalculateQSD() As Double GetSumAdjustments(lngItemID As Long) MakeCTF Adjustments(lngCTFItemID As Long) MakeCTF Item EO(strFacCode As String, strProgram As String, dtmCTFDate As Date) Created : 17-DEC-93 Peter C. Paterson ' Modified : 17 Jun 2003 JLeiner Modified : 2 October, 2006 mahmed : October 26, 2006 mahmed Commented !Adjustments.SetFocus that causes a popup form to open. This property is used to get a workaround to setFocus to a field after its AfterUpdate Event Modified : Added MakeCTF Item EO to handle emergency orders

#### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Line Line Public Private Friend Static Count Return Type Exists Procedure Name and Parameters Type Line Trap **~ ~** 2 another mth (ctlfaccode As Control, datNewMonth As Date) Function 71 120 308 ' Procedure : Another Mth : This function creates a blank CTF Main record for a given month : and facility. It is called by the Initialize New Processing : Month form. Parameters : ctlfaccode datNewMonth -' Returns ' Created : Philip Ngibuini 1-Sep-98 ' Modified **~ ~** CalculateAMC (strFacCode As String, dtmCTFDate As Date, IngCatProdID As Long) Function 139 324 Double 2845 **~ V** CalculateNewUserNeeds () Function 3023 3072 0 Double 2993 **V V** CalculateQSD () Function 386 439 Double 3135 ′+ ' Procedure : CalculateOSD : Determine the minimum quuntity to be supplied for the current ' Comments : product on the ctf item form. ' Parameters : ' Returns : Double : 11-Oct-2006 mahmed ' Created ' Modified **~ ~** CalculateRQD () Function 336 376 Double 2853 Check receipts (ctlReceived As Control) 492 Boolean 2986 **~ ~** Function 451 **V ~** Check\_types (strTypeGroup As String) Function 503 552 1 Boolean 5309 CheckAVG (strFacCode As String, dtmCTFDate As Date, strProdName As String, **~** Function 578 677 8 2855 strProdDose As Variant, IngCatProdID As Long, ctlDispensed As Control, ctlAMC As Control, ctlErr\_AMC As Control) **~ V** CheckAVG\_ALL (strFacCode As String, dtmCTFDate As Date, strProdName As String, Function 679 769 8 5314 strProdDose As Variant, IngCatProdID As Long, ctlDispensed As Control, ctlAMC As Control, ctlErr AMC As Control) **V V** CheckCB (strProdName As String, ctlOpen\_Bal As Control, ctlReceipts As Control, Function 927 1082 9 2820 ctllssues As Control, ctlDispensed As Control, ctlAdjustments As Control, ctlAdj\_Type As Control, ctlClosing\_Bal As Control, ctlErr\_CB As Control)

## Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
CheckDISPENSED_ALL (strFacCode As String, dtmCTFDate As Date, strProdName As String, strProdDose As Variant, IngCatProdID As Long, ctlDispensed As Control, ctlAMC As Control, ctlErr_AMC As Control)	Function	771	859					8		5325	<b>✓</b>	<b>~</b>
CheckOB (strFacCode As String, dtmCTFDate As Date, lngCatProdID As Long, ctlOpen_Bal As Control, ctlErr_OB As Control)  'Function CheckOB(strFacCode As String, dtmCTFDate As Date, string)  Control) As Boolean	Function strProdName		1190	, str	□ ProdDo	ose As S	String,	5 ct10	Boolean  pen_Bal As Co	2919 ontrol, ctlEr	✔ rr_OB A	<b>✓</b>
CheckRCV (strFacCode As String, dtmCTFDate As Date, lngCatProdID As Long, ctlReceipts As Control, ctlErr_RCV As Control)  'Function CheckRCV(strFacCode As String, dtmCTFDate As Date, strProdName As String, strProdDose As String, ctlReceipts As Control, ctlErr_RCV As Control)	Function	1213	1309					5		2928	<b>✓</b>	<b>✓</b>
CheckRCV_Zam (strFacCode As String, dtmCTFDate As Date, lngCatProdID As Long, ctlReceipts As Control, ctlErr_RCV As Control)	Function	1329	1441					5			✓	<b>✓</b>
CheckRQD (dblMaxMonths As Double, ctlClose_Bal As Control, ctlAvg_cons As Control, ctlRequired As Control, ctlErr_RQD As Control)	Function	1462	1551					5	Boolean	2867	<b>✓</b>	<b>✓</b>
CheckRQD_ALL (dblMaxMonths As Double, ctlClose_Bal As Control, ctlAvg_cons As Control, ctlRequired As Control, ctlErr_RQD As Control)	Function	1555	1640					5	Boolean	2869	✓	<b>✓</b>
chkDispensedvsPurpose (ctlDispensed As Control, IngltemID As Long, Err_qty_DispVsPurpose As Control)	Function	2962	3011	<b>✓</b>				3	Boolean	2860	✓	<b>✓</b>
ClearCTF_Item (strFacCode As String, dtmCTFDate As Date)	Function	1654	1705					2	Integer	5335	<b>~</b>	<b>✓</b>
DisplayComments (strFacCode As String, dtmCTFDate As Date, strProdName As String, strProdDose As String, ctlDispensed As Control, ctlAMC As Control, ctlErr_AMC As Control)	Function	1723	1755	<b>✓</b>				7		5342	<b>✓</b>	<b>~</b>
FinalCheck (ctlOpen_Bal As Control, ctlReceipts As Control, ctlIssues As Control, ctlDispensed As Control, ctlAdjustments As Control, ctlAdj_Type As Control, ctlClosing_Bal As Control, ctlErr_CB As Control)	Function	1778	1854					8		2819	<b>✓</b>	<b>~</b>
FixAMCFieldforNewUserNeeds ()	Function	3084	3200					0	Boolean	5135	<b>✓</b>	<b>~</b>
fnDaysStockedOut (strFacCode As String, dtmCTFDate As Date, strProdName As String, strProdDose As Variant, IngCatProdID As Long, ctlDispensed As Control, ctlAMC As Control, ctlAMC As Control, ctlAMC As Control,	Function	892	897					8		3150		
GetPeriodLabel (dtmPDate As Date)	Function	1867	1914					1	String	471	<b>✓</b>	<b>✓</b>
GetRepComments (ctlSelReport As Control)	Function	1926	1977					1	String	5345	<b>✓</b>	<b>~</b>

## Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start End Line Line	Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
GetShipmentQty (strFacCode As String, IngProductID As Long, IngQty As Long)	Function	3212 3284					3	Long	5352	<b>✓</b>	<b>✓</b>
GetSumAdjustments (IngItemID As Long)	Function	2680 2707	<b>✓</b>				1	Long	3449	<b>✓</b>	<b>✓</b>
'Procedure : GetSumAdjustments 'Comments : Returns the Sum of the Adjustments for the CTF_ 'Parameters : IngItemID the CTF_Item to get the some for 'Returns : Long - 'Created : 02 October 2006 mahmed 'Modified :	_Item reco	rd.									
GetSumAdjustmentsEO (IngItemID As Long)	Function	2718 2745	<b>✓</b>				1	Long	3543	<b>✓</b>	<b>✓</b>
GetSumPurposeofUse (IngItemID As Long)	Function	2612 2637	<b>✓</b>				1	Long	3827	<b>✓</b>	<b>✓</b>
GetSumPurposeofUseEO (IngItemID As Long)	Function	2646 2671	<b>✓</b>				1	Long	3058	<b>~</b>	<b>✓</b>
'+ ' Procedure : GetSumPurposeofUseEO ' Comments : Returns the Sum of the Purpose of use for the ( ' Parameters : IngItemID the CTF_Item to get the some for ' Returns : Long - ' Created : 09 Apr 2004 JLeiner ' Modified : '-	CTF_Item r	record.									
getUserAdjType (IngItemID As Long)	Function	3294 3336	<b>✓</b>				1	String	2829	<b>✓</b>	<b>✓</b>
LastMonthPhysicalCount (strFacCode As String, dtmCTFDate As Date, strProdName As String, strProdDose As Variant, IngCatProdID As Long, ctlDispensed As Control, ctlAMC As Control, ctlErr_AMC As Control)	Function	862 890					8		3148	<b>✓</b>	
MakeCTF_Adjustments (IngCTFItemID As Long)  '+ ' Procedure : MakeCTF_Adjustments ' Comments : Create the CTF_Adjustment Records for the given ' Parameters : IngCTFItemID - the item to create the records in ' Created : 02 Oct 2006 mahmed ' Modified : '-		2855 2898					1			<b>V</b>	✓

## Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start I Line I		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
MakeCTF_Adjustments_EO (IngCTFItemID As Long)  '+ ' Procedure : MakeCTF_Adjustments_EO ' Comments : Create the CTF_Adjustment Records for the give ' Parameters : IngCTFItemID - the item to create the records ' Created : 28 Feb 2007 mahmed ' Modified : '-		2906 2 n_ID	2949					1		3088	✓	<b>✓</b>
MakeCTF_Item (strFacCode As String, strProgram As String, dtmCTFDate As Date)	Function	1990 2	2119					3		4953	<b>✓</b>	<b>✓</b>
MakeCTF_Item_EO (strFacCode As String, strProgram As String, dtmCTFDate As Date)	Function	2132 2	2247					3		4958	✓	<b>✓</b>
MakeCTF_Main (dtmNewPeriod As Date, Optional strFacCode As String)	Function	2263 2	2359					2	Boolean	3258	<b>✓</b>	<b>✓</b>
MakeCTF_Purpose (IngCTFItemID As Long)	Sub	2754 2	2796					1		4912	<b>✓</b>	<b>✓</b>
MakeCTF_Purpose_EO (IngCTFItemID As Long)  ' + ' Procedure : MakeCTF_Purpose_EO ' Comments : Create the CTF_Purpose Records for the given C' Parameters : IngCTFItemID - the item to create the records ' Created : ' Modified : 28 Feb 2007 ' customized for Emergency Order ' -		2805 2						1		3060	<b>V</b>	<b>✓</b>
Remember_field ()	Function	2371 2	2406	<b>✓</b>				0		5354	✓	<b>✓</b>
SetCalculatedValues (Optional fOverrideRQD As Boolean=0)	Sub	2418 2	2450					1		2843	<b>✓</b>	<b>✓</b>
StockoutOccurred (strFacCode As String, IngProductID As Long, dtmPeriod As Date)	Function	2464 2	2501					3	Boolean	2849	<b>✓</b>	<b>✓</b>
Sure (strUserTitle As String, strUserMessage As String)	Function	2517 2	2542					2		5338	<b>✓</b>	<b>✓</b>
UpdateAudit (strFacCode As String, dtmCTFDate As Date)	Function	2555 2	2601					2		2832	✓	<b>~</b>
Module: Demand_Status_Tools (General Declarations)		1	15									
' Module : Demand_Status_Tools ' Description: Demand_Status_Tools manipulate the CTF_Demand_ ' : governs when the CTF_Demand records for a give				ated.								***

Sorted By Module and Procedure Name

**Procedure List with Comments** 

Procedure Name and Parameters	Туре	Start Line			Private	Friend	Static	Paran Coun	n t Return Type	Diagram Line	Code Exists	Error Trap
AddStatusPeriod (datDtmPeriod As Date)  ' Comments : Add the Selected Data period to the ctf_deman  : Table  ' Parameters : dtmPeriod - the Period to Add  ' Created : 30-Apr-99 Jeff Leiner  ' Modified :	Sub d_status	16	5	57				1		3264	<b>&gt;</b>	<b>✓</b>
Clear_demand_status (datC_date As Date)  ' Comments : Update_Demand_Status - This function sets the ' : given date to whatever is passed as the second ' : If necessary, a new record is created. ' Parameters : datC_date - Date to clear the status for. ' Returns : - ' Created : 27MAR98 - Bill Felling ' Modified :			lag					1		1074	<b>V</b>	<b>✓</b>
Get_demand_status (datC_date As Date)  ' Comments : Get_Demand_Status - This function returns the ' : for a given date. If no record exists for that ' : one with a status of false.  ' Parameters : datC_date - The date to get the status for.  ' Returns : Boolean - ' Created : 27MAR98 - Bill Felling  ' Modified :		atus f.	_	29 🗌				1	Boolean	1128	<b>V</b>	<b>✓</b>
reset_all_demand()  ' Comments : This function invalidates all calculated demand ' : through all demand_status records and setting ' : field to false. It is used whenever a change ' Parameters : - ' Returns : - ' Created : 27MAR98 - Bill Felling ' Modified :	their dema	and_ok			ade.			0		1072	V	<b>✓</b>

Total Access Analyzer

Database: SCM2003\_ZAM\_SOURCE.MDB

### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Exists Type Line Trap **~ V** Set demand status (datC date As Date) **Function** 166 186 1144 ' Comments : Set\_Demand\_Status - This function sets the demand status flag : for a given date to True. ' Parameters : datC date - The date to set. ' Returns : -' Created : 27MAR98 -Bill Felling ' Modified : **~ V** Update\_demand\_status (datC\_date As Date, fNewStatus As Boolean) Function 187 231 2 1075 ' Comments : This function sets the status flag for the given date : to the passed in value. Parameters : datC\_date fNewStatus -: -' Returns ' Created : 27MAR98 -Bill Felling ' Modified : Module: Misc\_Tools (General Declarations) 1 14 ' Module : Misc Tools ' Description: ' Procedures : IsLoaded Open\_Admin\_Form Open\_Form Open\_Supervisor\_Form Return\_To\_Form **V** 5356 **~ ~** AddAppProperty (strName As String, varType As Variant, varValue As Variant) Function 421 450 3 Integer ' Comments : Adds a property and value to the Database ' Parameters : strName varType varValue -' Returns : Integer -' Modified : BitCompare (IngValue1 As Long, IngValue2 As Long) Function 515 527 2 Boolean 5700 **~ ~** 

Sorted By Module and Procedure Name

**Procedure List with Comments** 

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
<pre>getListInString (IstCTL As ListBox, fIsString As Boolean)    ' Comments : Create a Comma-Delimited In String for the sele    ' : multi select listbox    ' Parameters :    ' Created : 6/8/2001 3:32:03 PM JSL    ' Modified :    '    '</pre>	Function cted rows		383 e					2	String	5358	V	<b>✓</b>
InchesToTwips (sngInches As Single)	Function	540	553					1	Long		<b>✓</b>	<b>✓</b>
IsLoaded (varMyFormName)  ' Comments : Given the name of a form see if it is loaded by ' : looking for it the forms container ' Parameters : varMyFormName - the form to see if it loaded ' Returns : True if loaded; False if not Loaded ' Created : ' Modified : 04-SEP-98 - JSL	Function	15	44					1		5594	<b>✓</b>	<b>✓</b>
Lpad (strValue As String, strPadCharacter As String, intPaddedLength As Integer)	Function	565	585					3		3426	<b>✓</b>	<b>✓</b>
MakeSwitchboard ()  ' Comments : based on which parameters the user is using generally in the new switchboard options  ' Parameters : ' Created : 01-Jun-99 Jeff Leiner ' Modified : 26 May 2004 JLeiner - Fixed bug in filter loging in the second of the sec			158					0		198	<b>V</b>	<b>✓</b>
MakeUSDate (varDate As Variant)	Function	488	494					1	Variant	5773	<b>✓</b>	
MakeUSDateTime (varDate As Variant)	Function	496	504					1	Variant	453	<b>~</b>	
Movepointer (frmActive As Form, varDirection As Variant)  ' Comments : Move the focus to next or previous record (varD'  ' : If at the beginning or end of recordset then 1  ' Parameters : frmActive - The form to move on  ' varDirection - the Direction to move  ' Returns :  ' Created :  ' Modified : 8/27/98 - JSL		254	345					2		3364	<b>V</b>	<b>✓</b>

### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Type Line Exists Trap **~** 159 180 🗸 5360 Open Admin Form (strFormName As String) Function 1 ' Comments : This function limits access to a form to the Admin user. ' Parameters : strFormName -' Returns ' Created : 28MAR98 -Bill Felling ' Modified : Open\_Form (strFormName As String) Function 181 202 **✓** 1 5361 **~ ~** ' Comments : This function hides the current form and opens a new one. ' Parameters : strFormName -' Returns : -' Created : 28MAR98 - Bill Felling ' Modified : 203 228 **~ ~** Open\_Supervisor\_Form (strFormName As String) Function 5365 ' Comments : This function limits access to a form to either the : Admin or Supervisor user. ' Parameters : strFormName -' Returns : -' Created : 28MAR98 -Bill Felling ' Modified : **V** 229 252 **~** Return\_To\_Form (strFormName As String) Function 1 302 ' Comments : This function should replace a number of macros now : used to close one form and open its parent. ' Parameters : strFormName -' Returns ' Created : 28MAR98 -Bill Felling ' Modified : **~** SafeDivide (varNum As Variant, varDen As Variant) Function 463 486 2 Variant 5369 **V** SetListValue (ctl As Control, varDesiredValue As Variant, varDefaultValue As Variant) Function 394 419 3 Variant 5371

**Total Access Analyzer** 

**Procedure List with Comments** 

Database: SCM2003 ZAM SOURCE.MDB

Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Type Line Exists Trap Module: modData (General Declarations) 92 ' Module : modDataFile ' Description: Contains functions for finding / attaching the back end database : tables to the front-end ' Procedures : AttachBackEnd ConvertTSB2Win ConvertWin2TSB CreateFilterString CreateTablePointer DirExists FileExists **GetAttachedPath** *GetAttachedType* GetOpenFile GetPathPart MakeTempTable ReAttachAllTables ReAttachTable RemoveNulls TableExists TSB AttachBackEnd () Sub 94 273 0 **~** ' Comments : Look at the linked tables by Database and : validate the connections ' Parameters : ' Created : 05-Apr-99 Jeff Leiner ' Modified ConvertTSB2Win (TSB Struct As mtypTSBAPI OPENFILE, Win Struct As 274 322 2 Sub mtypTSBAPI\_WINOPENFILENAME) ' Comments : Converts the passed TSBAPI structure to a Windows structure ' Parameters: TSB\_Struct - record of type TSBAPI\_OPENFILE Win\_Struct - record of type TSBAPI\_WINOPENFILENAME ' Returns : Nothing ' Created ' Modified

Total Access Analyzer

Database: SCM2003 ZAM SOURCE.MDB

#### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Line Line Public Private Friend Static Count Return Type Procedure Name and Parameters Type Line Exists Trap ConvertWin2TSB (Win Struct As mtypTSBAPI WINOPENFILENAME, TSB Struct As **V** 323 346 2 48 mtypTSBAPI\_OPENFILE) ' Comments : Converts the passed TSBAPI structure to a Windows structure ' Parameters : Win Struct - record of type TSBAPI WINOPENFILENAME TSB\_Struct - record of type TSBAPI\_OPENFILE ' Returns : Nothing ' Created ' Modified : CreateDBPointer (strTable As String) Function 421 448 Database 5373 ' Comments : Create a pointer the tables Database ' Parameters : strTable - the table to create the link on ' Returns : Database -' Created ' Modified : CreateFilterString (ParamArray varFilt() As Variant) 347 390 Strina **V ~** Function ' Comments : Builds a Windows formatted filter string for "file type" ' Parameters: varFilter - parameter array in the format: Text, Filter, Text, Filter ... Such as: "All Files (\*.\*)", "\*.\*", "Text Files (\*.TXT)", "\*.TXT" ' Returns : windows formatted filter string ' Created ' Modified : 391 419 CreateTablePointer (strTable As String) Function Recordset ' Comments : Create a pointer on a attached table to open : a recordset as a table type ' Parameters : strTable - the table to create the link on : Recordset -' Returns ' Created : ' Modified :

## Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Param Start End Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Type Line Exists Trap **V** 5376 DirExists (strDir As String) Function 451 470 Boolean ' Comments : determines if the named directory exists ' Parameters: strDir - directory to check ' Returns : True - directory exists, False otherwise ' Created ' Modified : FileExists (strDest As String) Function 471 487 Boolean 5378 **~ ~** ' Comments : Determines if the named file exists ' Parameters: strDest - file to check ' Returns : True-file exists, false otherwise ' Created ' Modified : **V ~** GetAttachedPath (strDatabase As String, strTable As String) Function 488 527 2 String 5374 ' Comments : returns the attached path of the named table ' Parameters: strDatabase - name and path of database to look in or "" (blank string) for the current database strTable - name of table to get the path for ' Returns : path ' Created : ' Modified : **~** GetAttachedType (strDatabase As String, strTable As String) Function 528 573 2 String 5383 ' Comments : returns the type of the named attached table ' Parameters: strDatabase - name and path of database to look in or "" (blank string) for the current database strTable - name of table to check ' Returns : attachment type ' Created ' Modified :

#### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Line Line Public Private Friend Static Count Return Type Procedure Name and Parameters Line Exists Trap **V** GetOpenFile (strInitialDir As String, strTitle As String) Function 574 624 2 String ' Comments : Simple file open routine. For additional options, use GetFileOpenEX() ' Parameters: strInitialDir - path for the initial directory, or blank for the current directory strTitle - title for the dialog ' Returns : string path, name and extension of the file selected ' Created ' Modified : **V** GetPathPart (strPath As String) Function 625 653 1 String 5380 ' Comments : Returns the path part of a string ' Parameters: strPath - string to parse ' Returns : path part ' Created : ' Modified : **~** MakeTempTable (strTable As String) Function 654 707 Boolean 2647 ' Comments : copies the named table from one database to another. This simple version only copies field names, datatypes and data. Indexes and other properties are not copied. ' Parameters: strDatabase - path and name of the database or "" (blank string) for the current database strTable - name of the table to copy strDestination - path and name of the database to copy to ' Returns : True if successful, False otherwise ' Created : ' Modified : ReAttachAllTables (strDatabase As String, strNewPath As String) Function 708 752 2 Boolean 5382 ' Comments : Relinks all the attached tables to a new database ' Parameters: strDatabase - Path and name of database containing the attached table(s) or "" (blank string) for the current database strNewPath - full path of the database to attach to ' Returns : True if successful, False otherwise ' Created ' Modified :

#### **Procedure List with Comments**

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Paran Coun	n t Return Type	Diagram Line	Code Exists	Error Trap
ReAttachTable (strDatabase As String, strTable As String, strPath As String)  ' Comments : Re-attaches the named table to the named path ' Parameters: strDatabase - Path and name of database containi ' strTable - table name of the attached table ' strPath - path name of the database containing to the structure of the stream of the database containing to the containing t		tached	<b>794</b>	☐ le or	"" (£	olank s	□ tring)	3 for t	Boolean  the current of	5384 latabase	<b>V</b>	<b>✓</b>
RemoveNulls (strln As String)  ' Comments : Removes terminator from a string ' Parameters : strln - string to modify ' Return : modified string ' Created : ' Modified :	Function	795	823					1	String	49	<b>V</b>	✓
TableExists_TSB (strDatabase As String, strTable As String)  ' Comments : Determines if the named table exists in the name ' Parameters : strDatabase - path and name of the database to strTable - name of the table to check ' Returns : True - table exists, False - table does not exi ' Created : ' Modified : '	look in or	se	858	□ k str	ing) f	Cor the	curre	2 nt dat	Boolean abase	4564	✓	<b>✓</b>
Module: modgetstatus (General Declarations)		1	3									
1 ()  ' Comments : Generate a table of the Label and button capti ' : Objects ' Parameters : None ' Returns : None ' Created : 03/23/2000 JSL 'On Error Resume Next	Sub	120	134					0		5393	<b>V</b>	

### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Type Line Exists Trap Sub 5393 1 () 224 235 0 ' Comments : Generate a table of the Label and button captions : Objects ' Parameters : None ' Returns : None ' Created : 03/23/2000 JSL 'On Error Resume Next 1 (Optional strForm As String="") Sub 398 406 1 5393 **~ ~** : Generate a table of the Label and button captions : Objects ' Parameters : None ' Returns : None ' Created : 03/23/2000 JSL 1 () Sub 439 451 0 5393 1 () Sub 636 657 0 5393 : Generate a table of the Label and button captions ' Comments : Objects ' Parameters : None ' Returns : None ' Created : 03/23/2000 JSL 'On Error Resume Next **~** 2 () Sub 494 517 0 5399 Comments : Generate a table of the status bar text for all form : Objects ' Parameters : None ' Returns : None ' Created : 03/23/2000 JSL 'On Error Resume Next 2 () 5399 **~** Sub 0 : Generate a table of the status bar text for all form ' Comments : Objects ' Parameters : None ' Returns : None : 03/23/2000 JSL ' Created 'On Error Resume Next

### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Line Exists Type Trap **~** 2 () Sub 52 0 5399 ' Comments : Generate a table of the status bar text for all form : Objects ' Parameters : None ' Returns : None ' Created : 03/23/2000 JSL 'On Error Resume Next **~ V** 3 () Sub 168 181 0 5412 : Generate a table of the ToolTips for Objects Comments ' Parameters : None ' Returns : None ' Created : 03/23/2000 JSL 4 (strReport As String) Sub 291 312 5402 1 BuildSwitchboardCaptions () Sub 324 349 0 5405 BuildTranslationTable () Sub 316 322 0 5407 setButtonColor () Sub 82 0 5420 54 Module: modImportKenya (General Declarations) 6 **~ ~** 80 CreateFacilityInventoryReports () **Function** 0 5423 CreateFacilityInventoryVisits () **Function** 82 139 0 5426 Module: modStacks (General Declarations) 1 27 : modStacks ' Module ' Description: Contains functions for the creation of the stack used : in tracking the progression of open forms in the database. Procedures : CloseStackForm OpenStackForm PopStack PushStack

## Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line I		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
CloseStackForm ()  ' Comments : Close the Currently Stacked form and make top form visible. etc.  ' Parameters : ' Created : 05-Apr-99 Jeff Leiner ' Modified :	Sub of the sta	28 a <i>ck</i>	65					0		303	✓	<b>✓</b>
OpenStackForm (strForm As String, fBlnHide As Boolean, fBlnClose As Boolean, intType As Integer, Optional varWhere As Variant, Optional varArgs As Variant)  ' Comments: Open the requested in form and add it to the second in the control of the calling form if requested.  ' Parameters: strForm - the Form to Open  ' : blnHide - if true, hide the calling form  ' : blnclose - if true, close the calling form  ' : intType - the Form open mode (dialog, etc)  ' : varWhere - an optional where clause to open the  ' : varArgs - any optional opening Arguments.  ' Created: 4/2/99 Jeff Leiner  ' Modified:		se	144					6		208	V	<b>&gt;</b>
PopStack()  'Comments: Pops the current procedure name off the error here are also as a possible current procedure name off the error here.  'Returns: Nothing 'Created: 'Modified: '	Sub mandling sta	<b>145</b> ack	173					0		304	✓	<b>✓</b>
PushStack (strForm As String)  ' Comments : Pushes the supplied procedure name onto the err ' Parameters: strForm - name of the currently executing proce ' Returns : Nothing ' Created : ' Modified : '	-	174 g staci						1		216	✓	<b>✓</b>
Module: Module1 (General Declarations)		1	2									

# Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
CreateFieldList (strTable As String)	Sub	113	160					1		5434	<b>~</b>	<b>✓</b>
CreateQueryList ()	Sub	42	73					0		5428	<b>✓</b>	
CreateReportList ()	Sub	3	40					0		5430	<b>✓</b>	
'Comments : Generate a table of Reports and their records : Objects 'Parameters : None 'Returns : None 'Created : 01/03/2011 JSL '	ources	-										
CreateTableList ()	Sub	75	111					0		5433	<b>✓</b>	<b>✓</b>
FieldTypeName (fld As DAO.Field)  'Purpose: Converts the numeric results of DAO Field.Type to te	Function ext.	162	220					1	String	5435	<b>V</b>	

#### **Procedure List with Comments**

Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Line Line Public Private Friend Static Count Return Type Procedure Name and Parameters Type Line Exists Trap Module: Rep Tools (General Declarations) 37 ′+ ' Module : Rep Tools Description: This module contains a collection of tools for : the ECMIS reporting sub-system. Procedures : ClearTable(strTargetTable As String) DoReport(ctlReport As Control, ctlPeriod As Control, ctlYear As Control) Get\_Report\_Title(strReport As String) GetFieldDemand(datCTFPeriod As Date) HidePreviewBar() LargestOf(intA As Integer, intB As Integer) MakeSupplyChain() MakeTransFile(datCTFPeriod As Date) MOS(ctlDemand As Control, ctlClosing Bal As Control) Percentage(dblNum As Double, dblDen As Double) Rep no data() Restock(ctlMaxStock As Control, ctlClosing\_Bal As Control) ReturnLowestReportingLevel() SetDateRanges(ctlPeriod As Control, ctlYear As Control, ctlRange1 As Control, ctlRange2 As Control, ctlRange3 As Control) showPreviewBar() SmallestOf(intA As Integer, intB As Integer) GetPH81NSequence(dtPeriod As Date, strFacCode As String) As Long GetUserNotes(ctfItemId As Long) GetAllAdjNotes(ctfItemId As Long) GetComputerAdjNotes(ctfItemId As Long) GetUserAdjNotes(ctfItemId As Long) GetComputerAdiAmount GetAdjSign(strAdjName As String) As String : 3-JAN-94 Peter C. Paterson ' Created ' Modified ' 14 Jul 2003 JLeiner ' 2 October 2006 mahmed **~** AddProgramParent (rstPrograms As Recordset, rstChain As Recordset) **Function** 1227 1265 2 Long 710 ClearTable (strTargetTable As String) **Function** 46 63 1 5447 **~ ~** ' Procedure : ClearTable ' Comments : Deletes all records in the specified table. ' Parameters: strTargetTable - the table to delete from ' Returns : -' Created : 5-JAN-93 -Peter C. Paterson ' Modified : 14 Jul 2003 JLeiner

# Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
ControlGetRightEdge (ctl As Control)	Function	1313	1327	<b>~</b>				1	Double	3839	<b>V</b>	<b>V</b>
ControlMovetoRightEdge (ctlMove As Control, ctlEdge As Control)	Sub	1340	1353	<b>✓</b>				2		3838	<b>✓</b>	<b>✓</b>
DataError (strCode As String, strProdID As String)  '+ ' Procedure : GetSumPurposeofUse ' Comments : Returns the Sum of the Purpose of use for the C' ' Parameters : IngItemID the CTF_Item to get the some for ' Returns : Long - ' Created : 09 Apr 2004 JLeiner ' Modified : '-	Function  TF_Item r	72 record.		<b>✓</b>				2	String	5437	<b>V</b>	<b>✓</b>
DoReport (ctlReport As Control, ctlPeriod As Control, ctlYear As Control)	Function	143	356					3		5439	<b>✓</b>	<b>✓</b>
Get_Report_Title (strReport As String)	Function	367	386	<b>✓</b>				1	String	4796	<b>~</b>	<b>✓</b>
GetAdjSign (strAdjName As String)	Function	2086	2101					1	String	5453	<b>~</b>	<b>✓</b>
GetAllAdjNotes (ctfltemId As Long, Optional strEOflag As String="")  ' Comments : Returns consolidate notes (computer and User)  ' Parameters :  ' Created : 06-Oct-06 mahmed  ' Modified :  '	Function given the	1809 ctfit		ī				2	String	3446	<b>✓</b>	<b>✓</b>
GetBitwiseOptionValue (IngType As Long, IngValue As Long)	Function	1508	1531					2	Long	2426	<b>✓</b>	<b>~</b>
GetComputerAdjAmount (ctfltemId As Long)  ' Comments : Returns computer generated notes given the ctf ' Parameters : ' Created : 06-Oct-06 mahmed ' Modified : ' '	Function item id	1879	1908					1	String	3440	<b>V</b>	✓
GetComputerAdjAmountEO (ctfltemId As Long)  ' Comments : Returns computer generated notes given the ctf ' Parameters : ' Created : 28-Feb-07 mahmed ' Modified : ' '	Function item id	1909	1938					1	String	3542	<b>V</b>	<b>V</b>

## Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start End Line Line	Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
GetComputerAdjNotes (ctfltemId As Long, Optional strEOflag As String="")  ' Comments : Returns computer generated notes given the computer senseted in the computer sensete	Function tfitem id	1829 1878					2	String	3447	✓	<b>V</b>
GetCriteriaIndicator ()	Function	2141 2161					0	String	5593	<b>✓</b>	<b>✓</b>
GetCriteriaProdName ()	Function	2111 2132					0	String	5589	<b>✓</b>	<b>✓</b>
GetFacilityName (strFacCode)	Function	1544 1559					1	String	1451	<b>✓</b>	<b>✓</b>
GetFieldDemand (datCTFPeriod As Date)	Function	400 648					1		1138	<b>✓</b>	<b>✓</b>
getFilterStartDate (strSupplier As String, strTypeGroup As String, intGroupType As Integer)	Function	1606 1657	<b>✓</b>				3	Variant	4553	<b>✓</b>	<b>✓</b>
GetHideNonOrderedProducts ()	Function	1364 1386					0	Integer	4158	<b>✓</b>	<b>~</b>
GetPH81NHIVTK_Number (dtPeriod As Date, strFacTypeGroup As String)	Function	2056 2076					2	String	3425	<b>✓</b>	<b>✓</b>
GetPH81NSequence (dtPeriod As Date, strFacCode As String)	Function	1737 1762					2	String	3396	<b>~</b>	<b>✓</b>
GetProductCostforPeriod (strProductID As String, dtmPeriod As Date)	Function	1437 1465					2	Single	5455	<b>~</b>	<b>✓</b>
GetProductDesc (strProductID As String)	Function	1399 1426					1	String	2255	<b>~</b>	<b>~</b>
GetReportProcedure (strReportTitle As String)	Function	108 124	<b>~</b>				1	String	5690	<b>~</b>	<b>~</b>
GetShipmentCaseQty (IngOrderQty As Long, IngMinShipQty As Long)	Function	1571 1595					2	Long	4542	<b>~</b>	<b>~</b>
GetUserAdjNotes (ctfltemId As Long, Optional strEOflag As String="")  ' Comments : Returns User Adjustments notes given the ctf ' Parameters : ' Created : 06-Oct-06 mahmed ' Modified : '	Function item id	1940 1994					2	String	3452	✓	<b>V</b>

## Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start End Line Line	Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
GetUserNotes (ctfItemId As Long, Optional strEOflag As String="")  ' Comments : Returns user entered notes given the ctfit ' Parameters : ' Created : 06-Oct-06 mahmed ' Modified : 15-Sep-07 Khurram Cheema	Function em id	1763 1808					2	String	3768	V	V
getValidReportingPeriod (intPeriodLength As Integer)	Function	1277 1300	<b>✓</b>				1	Boolean	5458	<b>✓</b>	<b>✓</b>
HidePreviewBar ()	Function	658 671					0		5461	<b>✓</b>	✓
LargestOf (intA As Integer, intB As Integer)	Function	683 699					2	Integer	5463	<b>✓</b>	✓
MakeCategoryChain ()	Sub	1178 1217					0		709	<b>✓</b>	✓
MakePH81_Sequence (dtmNewPeriod As Date, strFacTypeGroup As String)	Function	2005 2045					2		3422	<b>✓</b>	✓
MakeSupplyChain ()	Function	714 800					0		1130	<b>✓</b>	<b>✓</b>
MakeTransFile (datCTFPeriod As Date)	Function	813 838					1		1127	<b>✓</b>	✓
MarkStockedOutRecord (rptIn As Report)	Sub	1476 1497					1		5069	<b>✓</b>	<b>✓</b>
MOS (ctlDemand As Control, ctlClosing_Bal As Control)	Function	851 873					2	Double	4772	<b>~</b>	<b>✓</b>
Percentage (dblNum As Double, dblDen As Double)	Function	886 907					2	Double	5731	<b>✓</b>	✓
Rep_no_data ()	Function	918 943	<b>✓</b>				0		372	<b>~</b>	<b>✓</b>
Restock (ctlMaxStock As Control, ctlClosing_Bal As Control)	Function	956 985					2	Double	4776	<b>~</b>	<b>✓</b>
ReturnLowestReportingLevel ()	Function	997 1025					0		5824	<b>~</b>	✓
SetDateRanges (ctlPeriod As Control, ctlYear As Control, ctlRange1 As Control, ctlRange2 As Control, ctlRange3 As Control)	Function	1041 1114					5		5465	<b>✓</b>	<b>✓</b>
setFilterStartDate (strSupplier As String, strTypeGroup As String, intGroupType As Integer, dtmLastRun As Date)	Sub	1667 1726	<b>~</b>				4		4562	<b>V</b>	<b>~</b>
showPreviewBar ()	Function	1124 1137					0		5487	<b>~</b>	<b>✓</b>
SmallestOf (intA As Integer, intB As Integer)	Function	1149 1168					2	Integer	1142	<b>~</b>	<b>✓</b>

Total Access Analyzer

#### **Procedure List with Comments**

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Database: SCM2003\_ZAM\_SOURCE.MDB

Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram E Line	Code Exists	Error Trap
Module: Type_Group_Tools (General Declarations)		1	14								
' Module : Type_Group_Tools ' Description: This module contains a collection of tools for ' : manipulating type groups. ' Procedures : create_type_string ' data_integrity_error ' type_is_included		·	1-7								
create_type_string (strType As String)  ' Comments : Given a user selected type group or a single ty ' : function determines which types have actually k ' : If the user selected a group, each type which i ' : group has been selected. If the user selected ' : only that type has been selected. A comma deli ' : suitable for use by the type_is_included funct ' : all selected types is returned.  ' Parameters : strType - ' Returns : - ' Created : 31MAR98 - Bill Felling ' Modified : 05MAY1999 - Jeff Leiner, Cleaned up the perform	Deen select is part of a single t imited stri tion and co	ted. that type, ing	107					1	5489	✓	<b>&gt;</b>
data_integrity_error (strErrMsg As String)  ' Comments : Display a message box with the passed in string ' : as the message ' Parameters : strErrMsg - Body of message ' Returns : - ' Created : 28MAR98 - Bill Felling ' Modified :	Function	108	132	<b>V</b>				1	5493	<b>✓</b>	<b>✓</b>
<pre>type_is_included (strTypestring As String, strThistype As String)  ' Comments : This function examines a comma-delimited type I  ' : to determine if a specific type is part of the  ' Parameters : strTypestring -  ' : strThistype -  ' Returns : Boolean -  ' Created : 31MAR98 - Bill Felling  ' Modified :  '</pre>		133	158					2 Boolean	5498	<b>✓</b>	V

## Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	: Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Report: Adjustments Summary (General Declarations)		1	2								
Report_Open (Cancel As Integer)	Sub	3	8		<b>✓</b>			1	3387	<b>✓</b>	
Report: Computerized_PH81N											
(General Declarations)  ' Module : Stock_Movement_Report ' Description: ' Procedures : Detail2_Format ' Report_NoData		1	11								
Detail2_Format (intCancel As Integer, intFormatCount As Integer)  ' Comments : Determine the value of the dblFinal' to set the ': [Qty_Required] field on the report.  ' Parameters : intCancel ' intFormatCount -  ' Returns : -  ' Created : ' Modified :	Sub	12	66		<b>&gt;</b>			2	5042	<b>\</b>	<b>✓</b>
Detail2_Print (Cancel As Integer, PrintCount As Integer)	Sub	68	72		<b>✓</b>			2	5046	<b>✓</b>	
PageHeader0_Format (Cancel As Integer, FormatCount As Integer)	Sub	74	76		<b>✓</b>			2	3394	<b>✓</b>	
Report_NoData (intCancel As Integer)  ' Comments : Notify user of no report data and quit the report	Sub ort.	78	112		<b>V</b>			1	5049	<b>V</b>	<b>✓</b>
Report_Open (Cancel As Integer)	Sub	115	123		<b>~</b>			1	3401	<b>✓</b>	

#### **Procedure List with Comments** Sorted By Module and Procedure Name

Monday, January 10, 2011

Time: 12:45:26 PM User: Admin

Туре				ublic	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
	1	1	1								
Sub	12	? 6	6		<b>✓</b>			2	5053	<b>✓</b>	<b>✓</b>
Sub	68	3 7	<b>7</b> 2		<b>✓</b>			2	5057	<b>✓</b>	
Sub	74	. 7	76		<b>✓</b>			2	3408	<b>✓</b>	
Sub ort.	78	3 11	2		<b>V</b>			1	5060	V	<b>✓</b>
Sub	115	12	23		<b>V</b>			1	3414	<b>✓</b>	
	1	1	1								
	Sub Sub Sub Sub	Type Line  1  Sub 12  Sub 74  Sub 78  Sub 115	Type Line Line  1 1  Sub 12 6  Sub 74 7  Sub 78 11  Sub 115 12	Sub 12 66  Sub 68 72  Sub 74 76  Sub 78 112  Sub 115 123	Type         Line         Line         Public           1         11           Sub         12         66	Type         Line         Line         Public         Private           1         11           Sub         12         66         □         ✓           Sub         74         76         □         ✓           Sub         78         112         □         ✓           Sub         115         123         □         ✓	Type         Line         Line         Public         Private         Friend           1         11         11 <td< td=""><td>Type         Line         Line         Public         Private         Friend         Static           1         11</td><td>Type         Line         Line         Public         Private         Friend         Static         Count         Return Type           1         11         11         2         2         2         2           Sub         68         72         □         □         2         2           Sub         74         76         □         □         2         2           Sub         78         112         □         □         1         1           Sub         115         123         □         □         □         1</td><td>Type         Line         Line         Public         Private         Friend         Static         Count         Return Type         Line           1         11         11         2         5053         5053         5053         5057         5057         5057         5057         5050         11         5060         11         5060         5057         <t< td=""><td>Type         Line         Line         Public         Private         Friend         Static         Count         Return Type         Line         Exists           1         11         11         11         11         11         11         11         11         11         11         11         11         11         12         12         5053         ✓         ✓         ✓         12         5057         ✓         ✓         ✓         ✓         ✓         12         5057         ✓</td></t<></td></td<>	Type         Line         Line         Public         Private         Friend         Static           1         11	Type         Line         Line         Public         Private         Friend         Static         Count         Return Type           1         11         11         2         2         2         2           Sub         68         72         □         □         2         2           Sub         74         76         □         □         2         2           Sub         78         112         □         □         1         1           Sub         115         123         □         □         □         1	Type         Line         Line         Public         Private         Friend         Static         Count         Return Type         Line           1         11         11         2         5053         5053         5053         5057         5057         5057         5057         5050         11         5060         11         5060         5057 <t< td=""><td>Type         Line         Line         Public         Private         Friend         Static         Count         Return Type         Line         Exists           1         11         11         11         11         11         11         11         11         11         11         11         11         11         12         12         5053         ✓         ✓         ✓         12         5057         ✓         ✓         ✓         ✓         ✓         12         5057         ✓</td></t<>	Type         Line         Line         Public         Private         Friend         Static         Count         Return Type         Line         Exists           1         11         11         11         11         11         11         11         11         11         11         11         11         11         12         12         5053         ✓         ✓         ✓         12         5057         ✓         ✓         ✓         ✓         ✓         12         5057         ✓

# Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Detail2_Format (intCancel As Integer, intFormatCount As Integer)  ' Comments : Determine the value of the 'dblFinal' to set the  ' : [Qty_Required] field on the report.  ' Parameters : intCancel  ' intFormatCount -  ' Returns : -  ' Created :  ' Modified :	Sub	12	66		<b>&gt;</b>			2	5064	<b>V</b>	
Detail2_Print (Cancel As Integer, PrintCount As Integer)	Sub	68	72		<b>✓</b>			2	5068	<b>✓</b>	
PageHeader0_Format (Cancel As Integer, FormatCount As Integer)	Sub	74	77		<b>✓</b>			2	3421	<b>✓</b>	
Report_NoData (intCancel As Integer)  ' Comments : Notify user of no report data and quit the report Parameters: intCancel - ' Returns : - ' Created : ' Modified :	Sub ert.	79	113		<b>✓</b>			1	5071	<b>✓</b>	<b>V</b>
Report_Open (Cancel As Integer)	Sub	116	124		<b>V</b>			1	3432	✓	
Report: Computerized_RR  (General Declarations)  '	s Integ ount As int As I	er) Integer nteger)	21								

Total Access Analyzer

Database: SCM2003 ZAM SOURCE.MDB

#### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Exists Type Line Trap **~ ~** DetailRR Format (Cancel As Integer, FormatCount As Integer) Sub 37 162 **V** 2 3439 ' Procedure : DetailRR\_Format ' Comments : Format the detail section to highlight errors. Items with errors will be bolded, italized and enlarged for the following: Beginning balance ? closing balance from previous month Quantity Received ?Quantity Supplied from previous month Adjustments if there was a computer generated adjustment Physical Count if the calculation across is not correct (and therefore generating an adjustment) Inputted AMC ? calculated AMC Order quantity ? calculated order quantity Parameters : intCancel intFormatCount -Created : October 10, 2006 - mahmed ' Modified : 06 Nov 2006 JSL **~ ✓ ~** DetailRR\_Print (Cancel As Integer, PrintCount As Integer) Sub 172 185 2 3445 **~** GroupFooter0 Format (Cancel As Integer, FormatCount As Integer) Sub 195 202 2 3460 **V V V** GroupFooter0 Print (Cancel As Integer, PrintCount As Integer) Sub 204 218 2 3462 GroupFooter0\_Retreat () Sub 220 222 **V** 0 **V** 3463 GroupHeader0\_Print (Cancel As Integer, PrintCount As Integer) Sub 231 243 2 3458 **~ V V** Sub 252 284 1 5075 Report\_NoData (intCancel As Integer) ' Comments : Notify user of no report data and quit the report. ' Parameters : intCancel -' Returns ' Created ' Modified : **✓ ~ ~** Report\_Open (Cancel As Integer) Sub 293 310 1 3471 ReportHeader Print (Cancel As Integer, PrintCount As Integer) Sub 320 332 **V** 2 3456

# Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011

Time: 12:45:26 PM User: Admin

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
Report: Computerized_RR_ED												
(General Declarations)		1	21									
'H' 'Module : Report_Computerized_RR 'Description : 'Procedures : DetailRR_Format(Cancel As Integer, Format DetailRR_Print(Cancel As Integer, PrintComputerion of Cancel As Integer, Format GroupFooterO_Format(Cancel As Integer, Format GroupHeaderO_Print(Cancel As Integer, PrintComputerion of Cancel As Integer) Report_NoData(intCancel As Integer) ReportHeader_Print(Cancel As Integer, PrintCancel As Integer, Print	ount As Intege ormatCount As intCount As In	r) Integen teger)	r)									
DetailRR_Format (Cancel As Integer, FormatCount As Integer)	Sub	37	162		<b>V</b>			2		3479	<b>V</b>	<b>V</b>
Procedure : DetailRR_Format Comments : Format the detail section to highlight er: Items with errors will be bolded, italized Beginning balance ? closing balance from p Quantity Received ?Quantity Supplied from Adjustments if there was a computer general Physical Count if the calculation across of Inputted AMC ? calculated AMC Order quantity ? calculated order quantity Parameters : intCancel IntFormatCount - Created : October 10, 2006 - mahmed Modified : 06 Nov 2006 JSL	d and enlarged previous month previous mont. ated adjustmen is not correct	h t				ating a	n adju:	stment	)			
DetailRR_Print (Cancel As Integer, PrintCount As Integer)	Sub	172	185		<b>✓</b>			2		3484	<b>~</b>	<b>✓</b>
GroupFooter0_Format (Cancel As Integer, FormatCount As Integer)	Sub	195	202		<b>V</b>			2		3491	<b>✓</b>	
GroupFooter0_Print (Cancel As Integer, PrintCount As Integer)	Sub	204	218		<b>V</b>			2				
Oroupi obleto_i finit (Gancei As integer, i finitoduni As integer)					ت					3493	<b>✓</b>	<b>✓</b>
GroupFooter0_Retreat ()	Sub	220	222		<b>✓</b>			0		3493	<b>✓</b>	<b>✓</b>

**Total Access Analyzer** 

**Procedure List with Comments** 

Monday, January 10, 2011

Database: SCM2003\_ZAM\_SOURCE.MDB Sorted By Module and Procedure Name Time: 12:45:26 PM User: Admin Start End Diagram Codo Error

Procedure Name and Parameters	Туре	Line		Public	Private	Friend	Static	Param Count Re	eturn Type	Diagram Line	Exists	Trap
Report_NoData (intCancel As Integer)  ' Comments : Notify user of no report data and quit the report Parameters : intCancel - ' Returns : - ' Created : ' Modified :	Sub ort.	252	284		✓			1		5079	<b>V</b>	<b>&gt;</b>
Report_Open (Cancel As Integer)	Sub	293	310		<b>✓</b>			1		3502	<b>✓</b>	<b>✓</b>
ReportHeader_Print (Cancel As Integer, PrintCount As Integer)	Sub	320	332		✓			2		3487	<b>✓</b>	<b>✓</b>
Report: Computerized_RR_ED_DHO  (General Declarations)  '	As Integei Count As l unt As Int	r) Integer teger)	21									
DetailRR_Format (Cancel As Integer, FormatCount As Integer)  '+ ' Procedure : DetailRR_Format ' Comments : Format the detail section to highlight errors. ' Items with errors will be bolded, italized and Beginning balance ? closing balance from previous Quantity Received ?Quantity Supplied from previous Adjustments if there was a computer generated Physical Count if the calculation across is not Inputted AMC ? calculated AMC ' Order quantity ? calculated order quantity ' Parameters : intCancel ' intFormatCount - ' Created : October 10, 2006 - mahmed ' Modified : 06 Nov 2006 JSL	ous month ious month adjustment	for th		 llowi		Ting a	n adjus	2 stment)		3510	<b>V</b>	<b>V</b>
DetailRR_Print (Cancel As Integer, PrintCount As Integer)	Sub	172	185		<b>✓</b>			2		3515	✓	<b>✓</b>

## Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
GroupFooter0_Format (Cancel As Integer, FormatCount As Integer)	Sub	195	202		<b>✓</b>			2	3522	<b>~</b>	
GroupFooter0_Print (Cancel As Integer, PrintCount As Integer)	Sub	204	218		<b>✓</b>			2	3524	<b>~</b>	<b>✓</b>
GroupFooter0_Retreat ()	Sub	220	222		<b>✓</b>			0	3525	<b>✓</b>	
GroupHeader0_Print (Cancel As Integer, PrintCount As Integer)	Sub	231	243		<b>✓</b>			2	3520	<b>✓</b>	<b>✓</b>
Report_NoData (intCancel As Integer)  ' Comments : Notify user of no report data and quit the rep ' Parameters : intCancel - ' Returns : - ' Created : ' Modified : '	Sub port.	252	284		<b>✓</b>			1	5083	<b>V</b>	<b>V</b>
Report_Open (Cancel As Integer)	Sub	293	310		<b>✓</b>			1	3533	<b>✓</b>	<b>✓</b>
ReportHeader_Print (Cancel As Integer, PrintCount As Integer)	Sub	320	332		<b>✓</b>			2	3518	<b>✓</b>	<b>✓</b>
Report: Computerized_RR_ED_DHO_EO (General Declarations)		1	21								

'Module : Report\_Computerized\_RR
'Description :
'Procedures : DetailRR\_Format(Cancel As Integer, FormatCount As Integer)
'DetailRR\_Print(Cancel As Integer, PrintCount As Integer)
'GroupFooterO\_Format(Cancel As Integer, FormatCount As Integer)
'GroupHeaderO\_Print(Cancel As Integer, PrintCount As Integer)
'Report\_NoData(intCancel As Integer)
'Report\_Open(Cancel As Integer)

ReportHeader\_Print(Cancel As Integer, PrintCount As Integer)

#### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Exists Type Line Trap **~ ~** DetailRR Format (Cancel As Integer, FormatCount As Integer) Sub 37 158 **V** 2 3541 ' Procedure : DetailRR\_Format ' Comments : Format the detail section to highlight errors. Items with errors will be bolded, italized and enlarged for the following: Beginning balance ? closing balance from previous month Quantity Received ?Quantity Supplied from previous month Adjustments if there was a computer generated adjustment Physical Count if the calculation across is not correct (and therefore generating an adjustment) Inputted AMC ? calculated AMC Order quantity ? calculated order quantity Parameters : intCancel intFormatCount -' Created : October 10, 2006 - mahmed ' Modified : 06 Nov 2006 JSL **✓ ~ ~** DetailRR\_Print (Cancel As Integer, PrintCount As Integer) Sub 168 179 2 3547 GroupFooter0\_Format (Cancel As Integer, FormatCount As Integer) Sub 189 201 3554 **V** GroupHeader0 Print (Cancel As Integer, PrintCount As Integer) Sub 211 223 2 3552 **~** Report\_NoData (intCancel As Integer) 1 232 264 5087 ' Comments : Notify user of no report data and quit the report. ' Parameters : intCancel -' Returns ' Created ' Modified : Report\_Open (Cancel As Integer) Sub 273 289 1 3563 ReportHeader\_Print (Cancel As Integer, PrintCount As Integer) **V** 2 3550 Sub 299 311

Total Access Analyzer

**Procedure List with Comments** 

Database: SCM2003\_ZAM\_SOURCE.MDB

Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Type Line Exists Trap Report: Computerized\_RR\_ED\_EO (General Declarations) 21 ′+ ' Module : Report Computerized RR ' Description : ' Procedures : DetailRR Format(Cancel As Integer, FormatCount As Integer) DetailRR\_Print(Cancel As Integer, PrintCount As Integer) GroupFooterO Format(Cancel As Integer, FormatCount As Integer) GroupHeader0\_Print(Cancel As Integer, PrintCount As Integer) Report\_NoData(intCancel As Integer) Report\_Open(Cancel As Integer) ReportHeader Print(Cancel As Integer, PrintCount As Integer) 37 158 **~ V ~** DetailRR\_Format (Cancel As Integer, FormatCount As Integer) Sub 2 3571 ' Procedure : DetailRR\_Format ' Comments : Format the detail section to highlight errors. Items with errors will be bolded, italized and enlarged for the following: Beginning balance ? closing balance from previous month Quantity Received ?Quantity Supplied from previous month Adjustments if there was a computer generated adjustment Physical Count if the calculation across is not correct (and therefore generating an adjustment) Inputted AMC ? calculated AMC Order quantity ? calculated order quantity Parameters : intCancel intFormatCount -: October 10, 2006 - mahmed ' Created ' Modified : 06 Nov 2006 JSL **V ~** DetailRR\_Print (Cancel As Integer, PrintCount As Integer) Sub 168 179 **~** 2 3576 **V** GroupFooter0 Format (Cancel As Integer, FormatCount As Integer) 189 201 **~** 2 Sub 3583 **V** 2 GroupHeader0 Print (Cancel As Integer, PrintCount As Integer) Sub 211 223 3581 **~** Sub 232 264 1 5091 Report NoData (intCancel As Integer) ' Comments : Notify user of no report data and quit the report. ' Parameters : intCancel -' Returns ' Created ' Modified

# Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Report_Open (Cancel As Integer)	Sub	273	289		<b>✓</b>			1	3592	<b>✓</b>	<b>✓</b>
ReportHeader_Print (Cancel As Integer, PrintCount As Integer)	Sub	299	311		<b>✓</b>			2	3579	✓	<b>✓</b>
Report: Computerized_RR_ED_SO											
<pre>(General Declarations)     ''+     ' Module</pre>	s Integer 'ount As I ent As Inte	) nteger eger)	21								
DetailRR_Format (Cancel As Integer, FormatCount As Integer)  '	ous month ous month djustment	for th				Ting an	adjus	2 stment)	3600	V	V
DetailRR_Print (Cancel As Integer, PrintCount As Integer)	Sub	172	185		<b>✓</b>			2	3605	<b>✓</b>	<b>~</b>
GroupFooter0_Format (Cancel As Integer, FormatCount As Integer)	Sub	195	202		<b>✓</b>			2	3612	<b>~</b>	
GroupFooter0_Print (Cancel As Integer, PrintCount As Integer)	Sub	204	218		<b>✓</b>			2	3614	<b>~</b>	<b>✓</b>
GroupFooter0_Retreat ()	Sub	220	222		<b>✓</b>			0	3615	<b>✓</b>	
GroupHeader0_Print (Cancel As Integer, PrintCount As Integer)	Sub	231	243		<b>✓</b>			2	3610	<b>✓</b>	✓

**Total Access Analyzer** 

Database: SCM2003\_ZAM\_SOURCE.MDB

Procedure List with Comments
Sorted By Module and Procedure Name

Procedure Name and Parameters	Type	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Report_NoData (intCancel As Integer)  ' Comments : Notify user of no report data and quit the report Parameters : intCancel - ' Returns : - ' Created : ' Modified :	Sub ort.	252	284		✓			1	5095	✓	V
Report_Open (Cancel As Integer)	Sub	293	310		<b>✓</b>			1	3623	<b>✓</b>	<b>✓</b>
ReportHeader_Print (Cancel As Integer, PrintCount As Integer)	Sub	320	332		<b>✓</b>			2	3608	<b>✓</b>	<b>✓</b>
Report: Computerized_RR_EO  (General Declarations)  '	As Intege Count As I unt As In	r) Integei teger)									
DetailRR_Format (Cancel As Integer, FormatCount As Integer)  ''+  ' Procedure : DetailRR_Format  ' Comments : Format the detail section to highlight errors.  ' Items with errors will be bolded, italized and  Beginning balance ? closing balance from previ  Quantity Received ?Quantity Supplied from previ  Adjustments if there was a computer generated of the physical Count if the calculation across is not inputted AMC ? calculated AMC  Order quantity ? calculated order quantity  Parameters : intCancel  intFormatCount -  ' Created : October 10, 2006 - mahmed  Modified : 06 Nov 2006 JSL	ous month ious month adjustmen	for th h t		llowi	_	Ling ar	n adjus	2 stment)	3631	<b>V</b>	<b>∨</b>
DetailRR_Print (Cancel As Integer, PrintCount As Integer)	Sub	168	179		<b>✓</b>			2	3636	✓	<b>✓</b>

## Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
GroupFooter0_Format (Cancel As Integer, FormatCount As Integer)	Sub	189	201		<b>~</b>			2	3643	<b>✓</b>	<b>~</b>
GroupHeader0_Print (Cancel As Integer, PrintCount As Integer)	Sub	211	223		<b>✓</b>			2	3641	<b>✓</b>	<b>✓</b>
Report_NoData (intCancel As Integer)  ' Comments : Notify user of no report data and quit the Parameters: intCancel - ' Returns : - ' Created : ' Modified :	Sub report.	232	264		<b>V</b>			1	5099	V	<b>V</b>
Report_Open (Cancel As Integer)	Sub	273	289		<b>✓</b>			1	3652	<b>V</b>	<b>✓</b>
ReportHeader_Print (Cancel As Integer, PrintCount As Integer)	Sub	299	311		<b>✓</b>			2	3639	<b>✓</b>	<b>V</b>
Report: Computerized_RR_HIV  (General Declarations)  '+ ' Module : Report_Computerized_RR ' Description : ' Procedures : DetailRR_Format(Cancel As Integer, Format DetailRR_Print(Cancel As Integer, PrintComputerized_RR		-	21								

GroupFooter0\_Format(Cancel As Integer, FormatCount As Integer)
GroupHeader0\_Print(Cancel As Integer, PrintCount As Integer)

ReportHeader\_Print(Cancel As Integer, PrintCount As Integer)

Report\_NoData(intCancel As Integer)
Report\_Open(Cancel As Integer)

**Procedure List with Comments** Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
DetailRR_Format (Cancel As Integer, FormatCount As Integer)  ''+  ' Procedure : DetailRR_Format ' Comments : Format the detail section to highlight errors.  Items with errors will be bolded, italized and e Beginning balance ? closing balance from previor Quantity Received ?Quantity Supplied from previor Adjustments if there was a computer generated as Physical Count if the calculation across is not Inputted AMC ? calculated AMC ' Order quantity ? calculated order quantity ' Parameters : intCancel intFormatCount - ' Created : October 10, 2006 - mahmed ' Modified : 06 Nov 2006 JSL	us month ous month djustment	or th				□ ting an	n adjus	2 stment)	3660	<b>&gt;</b>	<b>&gt;</b>
DetailRR_Print (Cancel As Integer, PrintCount As Integer)	Sub	168	179		<b>✓</b>			2	3665	<b>✓</b>	✓
GroupFooter0_Format (Cancel As Integer, FormatCount As Integer)	Sub	189	200		<b>✓</b>			2	3672	<b>✓</b>	✓
GroupFooter0_Print (Cancel As Integer, PrintCount As Integer)	Sub	203	205		<b>✓</b>			2	3674	<b>✓</b>	
GroupHeader0_Print (Cancel As Integer, PrintCount As Integer)	Sub	214	225		<b>✓</b>			2	3670	<b>✓</b>	<b>✓</b>
Report_NoData (intCancel As Integer)  ' Comments : Notify user of no report data and quit the report ' Parameters : intCancel - ' Returns : - ' Created : ' Modified : ',	Sub rt.	234	266		<b>V</b>			1	5103	<b>V</b>	<b>V</b>
Report_Open (Cancel As Integer)	Sub	275	292		<b>V</b>			1	3684	<b>✓</b>	<b>V</b>
ReportFooter_Format (Cancel As Integer, FormatCount As Integer) 'm_CTF_Comment = ""	Sub	295	297		<b>V</b>			2	-1		
ReportHeader_Print (Cancel As Integer, PrintCount As Integer)	Sub	306	317		<b>~</b>			2	3668	<b>✓</b>	<b>✓</b>

#### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Type Line Exists Trap Report: Computerized\_RR\_HIV\_EO (General Declarations) 1 21 ′+ ' Module : Report Computerized RR ' Description : ' Procedures : DetailRR\_Format(Cancel As Integer, FormatCount As Integer) DetailRR\_Print(Cancel As Integer, PrintCount As Integer) GroupFooterO Format(Cancel As Integer, FormatCount As Integer) GroupHeader0\_Print(Cancel As Integer, PrintCount As Integer) Report\_NoData(intCancel As Integer) Report\_Open(Cancel As Integer) ReportHeader Print(Cancel As Integer, PrintCount As Integer) **V ~** 37 158 3692 **V** DetailRR\_Format (Cancel As Integer, FormatCount As Integer) Sub 2 ' Procedure : DetailRR\_Format ' Comments : Format the detail section to highlight errors. Items with errors will be bolded, italized and enlarged for the following: Beginning balance ? closing balance from previous month Quantity Received ?Quantity Supplied from previous month Adjustments if there was a computer generated adjustment Physical Count if the calculation across is not correct (and therefore generating an adjustment) Inputted AMC ? calculated AMC Order quantity ? calculated order quantity Parameters : intCancel intFormatCount -: October 10, 2006 - mahmed ' Created ' Modified : 06 Nov 2006 JSL **V ~** DetailRR\_Print (Cancel As Integer, PrintCount As Integer) Sub 168 179 **~** 2 3697 GroupFooter0 Format (Cancel As Integer, FormatCount As Integer) 189 200 **~** 2 3704 Sub 2 GroupFooter0 Print (Cancel As Integer, PrintCount As Integer) Sub 203 205 3706 2 GroupHeader0 Print (Cancel As Integer, PrintCount As Integer) Sub 214 225 3702

# Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Report_NoData (intCancel As Integer)  ' Comments : Notify user of no report data and quit the report Parameters : intCancel - ' Returns : - ' Created : ' Modified :	Sub ort.	234	266		<b>V</b>			1	5107	<b>▽</b>	<b>✓</b>
Report_Open (Cancel As Integer)	Sub	275	292		<b>✓</b>			1	3716	<b>✓</b>	<b>✓</b>
ReportFooter_Format (Cancel As Integer, FormatCount As Integer) 'm_CTF_Comment = ""	Sub	295	297		<b>✓</b>			2	-1		
ReportHeader_Print (Cancel As Integer, PrintCount As Integer)	Sub	306	317		<b>✓</b>			2	3700	✓	<b>✓</b>
Report: Computerized_RR_LAB  (General Declarations)  '	As Integ Count As unt As I	er) Integer nteger)									
DetailRR_Format (Cancel As Integer, FormatCount As Integer)  '+ ' Procedure : DetailRR_Format ' Comments : Format the detail section to highlight errors.  Items with errors will be bolded, italized and Beginning balance ? closing balance from previous Quantity Received ?Quantity Supplied from previous Adjustments if there was a computer generated Physical Count if the calculation across is not Inputted AMC ? calculated AMC Order quantity ? calculated order quantity ' Parameters : intCancel intFormatCount - ' Created : October 10, 2006 - mahmed Modified : 06 Nov 2006 JSL	ous mont ious mon adjustme	d for th h th nt		llowi		Ling an	n adjus	2 stment)	3724	V	<b>V</b>

#### **Procedure List with Comments Sorted By Module and Procedure Name**

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
DetailRR_Print (Cancel As Integer, PrintCount As Integer)	Sub	179	192		<b>✓</b>			2	3729	<b>✓</b>	<b>✓</b>
GroupFooter0_Format (Cancel As Integer, FormatCount As Integer)	Sub	202	209		<b>✓</b>			2	3736	<b>✓</b>	
GroupFooter0_Print (Cancel As Integer, PrintCount As Integer)	Sub	211	225		<b>✓</b>			2	3738	<b>✓</b>	<b>✓</b>
GroupFooter0_Retreat ()	Sub	227	229		<b>V</b>			0	3739	<b>✓</b>	
GroupHeader0_Print (Cancel As Integer, PrintCount As Integer)	Sub	238	250		<b>V</b>			2	3734	<b>✓</b>	<b>✓</b>
Report_NoData (intCancel As Integer)  ' Comments : Notify user of no report data and quit the r ' Parameters : intCancel - ' Returns : - ' Created : ' Modified :	Sub eport.	259	291		V			1	5111	V	<b>V</b>
Report_Open (Cancel As Integer)	Sub	300	317		<b>✓</b>			1	3747	<b>✓</b>	<b>✓</b>
ReportHeader_Print (Cancel As Integer, PrintCount As Integer)	Sub	327	339		<b>✓</b>			2	3732	<b>✓</b>	<b>V</b>
Report: Computerized_RR_LAB_EO (General Declarations)		1	21								

' Module : Report\_Computerized\_RR

' Description :

' Procedures : DetailRR\_Format(Cancel As Integer, FormatCount As Integer) DetailRR\_Print(Cancel As Integer, PrintCount As Integer) GroupFooter0\_Format(Cancel As Integer, FormatCount As Integer) GroupHeader0\_Print(Cancel As Integer, PrintCount As Integer)

Report\_NoData(intCancel As Integer) Report\_Open(Cancel As Integer)

ReportHeader\_Print(Cancel As Integer, PrintCount As Integer)

### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Line Exists Type Trap **~ V** DetailRR Format (Cancel As Integer, FormatCount As Integer) Sub 37 158 **V** 2 3755 ' Procedure : DetailRR\_Format Comments : Format the detail section to highlight errors. Items with errors will be bolded, italized and enlarged for the following: Beginning balance ? closing balance from previous month Quantity Received ?Quantity Supplied from previous month Adjustments if there was a computer generated adjustment Physical Count if the calculation across is not correct (and therefore generating an adjustment) Inputted AMC ? calculated AMC Order quantity ? calculated order quantity Parameters : intCancel intFormatCount -Created : October 10, 2006 - mahmed ' Modified : 06 Nov 2006 JSL **✓ ~ ~** DetailRR\_Print (Cancel As Integer, PrintCount As Integer) Sub 168 179 2 3760 **~** GroupFooter0\_Format (Cancel As Integer, FormatCount As Integer) Sub 189 201 3767 **V** GroupHeader0 Print (Cancel As Integer, PrintCount As Integer) Sub 211 223 2 3765 Report\_NoData (intCancel As Integer) 232 264 **V** 1 **~** 5115 ' Comments : Notify user of no report data and quit the report. ' Parameters : intCancel -' Returns ' Created ' Modified : **V V** Report\_Open (Cancel As Integer) Sub 273 289 3776 ReportHeader\_Print (Cancel As Integer, PrintCount As Integer) Sub 299 311 **V** 2 3763 Report: CYP Graph (General Declarations) 2 **~ V** Report\_Open (Cancel As Integer) Sub 3 22 1 3788 **Report: CYP Report** (General Declarations) 2 1

# Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line			ublic	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
Report_Open (Cancel As Integer) 'showPreviewBar	Sub	3		7		<b>~</b>			1		3799	<b>✓</b>	
Report: CYP Report_broken													
(General Declarations)		1		2									
Report_Open (Cancel As Integer)	Sub	3		9		<b>✓</b>			1		3811	<b>✓</b>	
Report: Data_Entry_Error_Report													
(General Declarations)  ' Module : Data_Entry_Error_Report ' Description: ' Procedures : Detail1_Format		1	1	4									
Detail1_Format (intCancel As Integer, intFormatCount As Integer)  ' Comments : Format the detail section to highlight errors.  ' Parameters : intCancel  ' intFormatCount -  ' Returns : -  ' Created : ??/??/???? - Philip Ngibuini  ' Modified :	Sub	15	10	18		✓			2		3818	✓	<b>✓</b>
Report_Open (Cancel As Integer)	Sub	110	14	4		<b>V</b>			1		3829	<b>✓</b>	
Report: Dispensed To User Report													
(General Declarations)		1		4									
GroupFooter2_Format (Cancel As Integer, FormatCount As Integer)	Sub	5		7		<b>V</b>			2		3858	<b>~</b>	
GroupHeader1_Print (Cancel As Integer, PrintCount As Integer)	Sub	9	1	9		<b>✓</b>			2		3856	<b>✓</b>	
Report_Open (Cancel As Integer)	Sub	21	2	29		✓			1		3862	✓	
Report: Facility Dispensed to User Report													
(General Declarations)		1		2									
Report_Open (Cancel As Integer)	Sub	3		9		<b>✓</b>			1		3873	<b>✓</b>	

Procedure List with Comments
Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line			ic Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Report: Facility Product Dispensing Report (General Declarations)  ' Module : Facility Product Dispensing Report ' Description: ' Procedures : Report_Open		1	1	0							
Report_Open (intCancel As Integer)  ' Comments : Upon opening the report open the product dialog ' : to have the user select the products they desir ' : form is opened Modal, so when focus comes back, ' : if the form is still loaded and if it is set th ' : filter to the selected products.  ' Parameters : intCancel - ' Returns : - ' Created : 13-FEB-99 - JL ' Modified : ' .	re. The determine		9	7	V			1	3889	<b>✓</b>	<b>V</b>
Report: Facility_Service_Statistics_Report2  (General Declarations)  ' Module : Facility_Service_Statistics_Report2 ' Description: ' Procedures : GroupHeader0_Format ' PageHeader0_Format		1	1	1							
GroupHeader0_Format (intCancel As Integer, intFormatCount As Integer)  ' Comments : Format the fields based on the facilities Distry ' Parameters : intCancel ' intFormatCount - ' Returns : - ' Created : ??-???-?? Philip Ngibuini ' Modified : 16-FEB-99 Jeff Leiner, Added With Statement	Sub ribution Ro	12 Ple	6	7	V			2	3900	<b>V</b>	<b>✓</b>

## Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Line Exists Type Trap **V ~ ~** PageHeader0\_Format (intCancel As Integer, intFormatCount As Integer) Sub 85 2 3898 ' Comments ' Parameters : intCancel intFormatCount -' Returns ' Created : ' Modified : **V V** Report\_Open (Cancel As Integer) Sub 87 93 1 3908 **Report: Monthly Data Check-List** (General Declarations) 13 ' Module : Report Monthly Data Check-List ' Description: Checklist of Data needed ' Procedures : Report\_Open(Cancel As Integer) **~ ~** Report\_Open (Cancel As Integer) Sub 3915 44 ' Procedure : Report\_Open ' Comments : On Open format the report ' Parameters: ' Created : 24 Jun 2003 11:27 JLeiner ' Modified : **Report: Non-Reporting Facilities** (General Declarations) 2 **V ~** Report\_Open (Cancel As Integer) Sub 3 9 3926 Report: Non-Reporting Facilities\_Old (General Declarations) 1 2 **V** Report\_Open (Cancel As Integer) Sub 3 9 3937 **V** 1

### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Line Exists Type Trap **Report: Over Stocked Facilities Report** (General Declarations) 12 ′+ ' Module : Report\_Over Stocked Facilities Report ' Description: Displays Facilities with overstocked programs ' Procedures : Report\_Open(Cancel As Integer) ' Modified : ' 24 Jun 2003 JLeiner **V** Report\_Open (Cancel As Integer) Sub 47 3949 **V** ′+ ' Procedure : Report\_Open ' Comments : On Open format the report ' Parameters: ' Created : 24 Jun 2003 11:27 JLeiner ' Modified : **Report: Program Adjustments Summary** (General Declarations) 1 12 ′+ : Report\_Program Adjustments Summary ' Module ' Description: Summary of Adjustments By Product ' Procedures : Report\_Open(Cancel As Integer) ' Modified : ' 24 Jun 2003 JLeiner Report\_Open (Cancel As Integer) Sub 44 **V** 3963 **~ ~** 19 1 ' Procedure : Report\_Open ' Comments : On Open format the report ' Parameters: Cancel -' Modified : 24 Jun 2003 JLeiner **Report: Program Dispensed to User Report** (General Declarations) Report\_Open (Cancel As Integer) **~ ~** Sub 8 3973

### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Line Exists Type Trap **Report: Program Product Dispensing Report** (General Declarations) 9 ' Module : Program Product Dispensing Report ' Description: ' Procedures : Report\_Open : 13-Feb-99 Jeff Leiner/Philip Ngibuini ' Created ' Modified : ' 13-Feb-99 Admin Cleaned with CodeTools Report Open (intCancel As Integer) Sub 96 3985 **V V** Comments : Upon opening the report open the product dialog : to have the user select the products they desire. The : form is opened Modal, so when focus comes back, determine : if the form is still loaded and if it is set the report's : filter to the selected products. ' Parameters : intCancel -' Returns ' Created : 13-FEB-99 - JL ' Modified : **Report: Program Service Statistics Report** (General Declarations) 2 9 **~** 3998 **~** Report\_Open (Cancel As Integer) Sub Report: Q CTF Main subreport (General Declarations) Report\_Open (Cancel As Integer) Sub 3 7 **V** 4005 **Report: Reporting Facilities Graph** (General Declarations) 2 9 4023 Report\_Open (Cancel As Integer) Sub 3 Report: rptAdjustments Zambia (General Declarations) 1 2

# Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	Private	Friend	Static	Param Count	Return Type	Diagram Line	Code Exists	Error Trap
Report_Open (Cancel As Integer)	Sub	3	12		<b>✓</b>			1		4037	<b>V</b>	
Report: rptAdjustmentSummaryByFacility												-
(General Declarations)		1	2									
GroupFooter5_Format (Cancel As Integer, FormatCount As Integer)	Sub	3	9		<b>✓</b>			2		-1	<b>✓</b>	
GroupFooter5_Print (Cancel As Integer, PrintCount As Integer)	Sub	11	13		<b>✓</b>			2		-1		
Report_Open (Cancel As Integer)	Sub	15	20		✓			1		4049	<b>✓</b>	
Report: rptAdjustmentSummaryByFacility_old												
(General Declarations)		1	2									
GroupFooter5_Format (Cancel As Integer, FormatCount As Integer)	Sub	3	9		<b>✓</b>			2		-1	<b>✓</b>	
GroupFooter5_Print (Cancel As Integer, PrintCount As Integer)	Sub	11	13		<b>✓</b>			2		-1		
Report_Open (Cancel As Integer)	Sub	15	20		<b>✓</b>			1		4062	<b>✓</b>	
Report: rptAdjustmentSummaryByProduct												
(General Declarations)		1	2									
GroupFooter5_Format (Cancel As Integer, FormatCount As Integer)	Sub	3	9		<b>~</b>			2		4069	<b>✓</b>	
Report_Open (Cancel As Integer)	Sub	11	16		<b>✓</b>			1		4080	<b>V</b>	
Report: rptARTGraphDetail												
(General Declarations)		1	2									
Report_Open (Cancel As Integer)	Sub	3	17		✓			1		4090	<b>V</b>	
Report: rptARTGraphLine												
(General Declarations)		1	2									
Report_Open (Cancel As Integer)	Sub	3	22		<b>✓</b>			1		517	<b>✓</b>	

# Procedure List with Comments Sorted By Module and Procedure Name

Туре	Line I	Line	Public	Privat	e Friend	Static	Count Return Type	Diagram Line	Code Exists	Error Trap
	1	2								
Sub	3	16		<b>✓</b>			1	4101	<b>✓</b>	
	1	2								
Sub	3	8		✓			1	4108	✓	
	1	2								
Sub	3	8		<b>✓</b>			1	4114	<b>✓</b>	
	1	2								
Sub	3	8		<b>✓</b>			1	687	<b>✓</b>	
	1	12								
Sub	13	17		<b>V</b>			2	4121	<b>~</b>	
Sub	19	47		<b>V</b>			1	5119	<b>V</b>	<b>~</b>
he report.										
Sub	50	58		<b>✓</b>			1	4128	<b>✓</b>	
	Sub Sub Sub Sub And	1 Sub 3 Sub 3 Sub 13 Sub 19 Sub 19 Sub 19	Sub 3 16  1 2  Sub 3 8  1 2  Sub 3 8  1 2  Sub 3 8  1 12  Sub 3 8  1 12  Sub 13 17  Sub 19 47	Sub 3 16	1 2   Sub 3 16 ✓   1 2 ✓   Sub 3 8 ✓   Sub 3 8 ✓    Sub  1 12  Sub 1 12  Sub 1 17 ✓  Sub 1 19 47 ✓  Annual Propert.	1 2 Sub 3 16	1 2 Sub 3 16	1       2         Sub       3       16       Image: square squa	1 2         Sub       3 16	1 2 Sub 3 16

## Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Type Line Line Public Private Friend Static Count Return Type Line Exists Trap Report: rptCTF (General Declarations) 1 **~** Detail 1 Print (Cancel As Integer, PrintCount As Integer) Sub 3 7 2 **~ ~ V** Report\_Open (Cancel As Integer) Sub 9 36 1 Report: rptDeliveries (General Declarations) 1 2 **~ V** Report\_Open (Cancel As Integer) Sub 8 366 Report: rptDiscrepancyQtySuppliedVsReceived (General Declarations) **~ ~** Report\_Open (Cancel As Integer) Sub 3 9 4140 Report: rptDistributionLevel (General Declarations) 2 1 **V V** Report\_Open (Cancel As Integer) 3 9 892 Sub 1 Report: rptDistrict\_Malawi (General Declarations) 1 2 Detail\_Print (Cancel As Integer, PrintCount As Integer) 7 **V** 2 **V** Sub 4148 **V** Report\_Open (Cancel As Integer) 28 Sub 10 4155 Report: rptDistrict\_Malawi\_old (General Declarations) 2 1 Report\_Open (Cancel As Integer) Sub 3 19 **V** 1 4172 **V** Report: rptDistrictAggregateMonthlyWorksheet\_Malawi (General Declarations) 1 2 ✓ Report\_Open (Cancel As Integer) 3 48 **V** 4179 Sub 1

# Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line I		Public	Private	e Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Report: rptDistrictWorksheet_Malawi											
(General Declarations)		1	2								
Report_Open (Cancel As Integer)	Sub	3	8		<b>✓</b>			1	4184	<b>✓</b>	
Report: rptDRPDeliveryDistances											
(General Declarations)		1	3								
PageHeader_Format (Cancel As Integer, FormatCount As Integer)	Sub	4	9		<b>✓</b>			2	397	<b>~</b>	
Report_Open (Cancel As Integer)	Sub	11	18		<b>✓</b>			1	402	<b>✓</b>	
SetText ()	Sub	20	33		<b>✓</b>			0	405	<b>✓</b>	
Report: rptDRPFacilityStockForm											
(General Declarations)		1	2								
Report_Open (Cancel As Integer)	Sub	3	9		✓			1	391	✓	
Report: rptDRPPersonnel											
(General Declarations)		1	2								
Report_Open (Cancel As Integer)	Sub	3	9		<b>~</b>			1	2186	<b>~</b>	
Report: rptDRPRoutes											
(General Declarations)		1	2								
Report_Open (Cancel As Integer)	Sub	3	9		<b>~</b>			1	2608	<b>✓</b>	
Report: rptDRPTrucks											
(General Declarations)		1	3								
Report_Open (Cancel As Integer)	Sub	4	12		<b>✓</b>			1	2790	<b>~</b>	

### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Line Exists Type Trap **V ~ ~** SetText () Sub 49 0 2793 ' Comments : Sets the Captions on the form to the proper language/ : Setting ' Parameters : ' Created : 11-Jun-99 Jeff Leiner ' Modified Report: rptExporttoExcel (General Declarations) 1 **V V** Report\_Open (Cancel As Integer) 11 4190 Sub 3 Report: rptFacilityDefinition (General Declarations) 2 Report\_Open (Cancel As Integer) Sub 3 11  $\square$ **V** 1020 1 Report: rptFacilityTypes (General Declarations) 1 2 **V V** Report\_Open (Cancel As Integer) Sub 3 20 1 1511 Report: rptGraphAverageStockLevel (General Declarations) 13 ' Module : Report\_rptGraphAverageStockLevel ' Description: The Average Stock Level Graph (in months) ' Procedures : Report\_Open(Cancel As Integer) 37 **~ ~ ~** Sub 4243 Report\_Open (Cancel As Integer) 20 ' Procedure : Report\_Open ' Comments : Set the Reports Captions and Title in the proper language ' Parameters: Cancel -' Modified : 08 Jul 2003 JLeiner

### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Type Line Line Public Private Friend Static Count Return Type Line Exists Trap Report: rptGraphDispensedToUser (General Declarations) 1 13 ′+ ' Module : Report\_rptGraphDispensedToUser ' Description: Dispensed to User Graph for Product/Periods ' Procedures : Report\_Open(Cancel As Integer) Report Open (Cancel As Integer) Sub 20 39 **~** 4254 **~ ~** ' Procedure : Report\_Open ' Comments : Translate into Current Language ' Parameters: Cancel -' Modified : 08 Jul 2003 JLeiner Report: rptHealthCentre Malawi (General Declarations) 2 1 Detail\_Print (Cancel As Integer, PrintCount As Integer) Sub 7 **V** 2 4261 **~** 25 **V V** Report\_Open (Cancel As Integer) Sub 9 4266 Report: rptHealthCentre Malawi wReceipts (General Declarations) 1 2 Detail\_Print (Cancel As Integer, PrintCount As Integer) 3 7 **~** 4274 **~** Sub 2 **V ~** Report\_Open (Cancel As Integer) Sub 25 4279 Report: rptOverstockRateGraph (General Declarations) 12 ′+ ' Module : Report\_rptOverstockRateGraph ' Description: Display the Overstock Rate Graph ' Procedures : Report\_Open(Cancel As Integer)

### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Type Line Line Public Private Friend Static Count Return Type Line Exists Trap **V V ~** Report\_Open (Cancel As Integer) Sub 18 45 4291 ' Procedure : Report\_Open ' Comments : Set the reports format ' Parameters: Cancel -' Modified : 08 Sep 2007 Khurram cheema Report: rptPackingList (General Declarations) **~** Report\_Open (Cancel As Integer) Sub 3 9 383 Report: rptPercentStockedOut (General Declarations) 13 1 ′+ ' Module : Report\_Stock Imbalances ' Description: Display the Stock Imbalances ' Procedures : Report\_Open(Cancel As Integer) **✓ ~ ~** Report\_Open (Cancel As Integer) 46 Sub 20 4304 ' Procedure : Report\_Open ' Comments : Set the reports format ' Parameters: Cancel -' Modified : 24 Jun 2003 JLeiner Report: rptProductInfo (General Declarations) 2 3 11 🗌 **V V** Report\_Open (Cancel As Integer) Sub 2343 Report: rptPurposeofUse (General Declarations) 2 **V** Report\_Open (Cancel As Integer) Sub 3 8 2372 Report: rptPurposeofUse 2 (General Declarations) 1 2

# Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line I		Public	: Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Report_Open (Cancel As Integer)	Sub	3	8	B 🗌	<b>✓</b>			1	4316	<b>✓</b>	
Report: rptReqForMedSupplies_Malawi (General Declarations)		1	5	5							-
GroupFooter1_Format (Cancel As Integer, FormatCount As Integer)	Sub	6	18	В	<b>✓</b>			2	-1		
GroupFooter1_Print (Cancel As Integer, PrintCount As Integer)	Sub	20	22	2 🗌	<b>✓</b>			2	-1		
Report_Open (Cancel As Integer)	Sub	24	31		✓			1	4326	✓	
Report: rptStockDistribution											
<pre>(General Declarations)    '+    ' Module : Report_rptStockDistribution    ' Description: Shows the Stock break down by Facility Type    ' Procedures : Report_Open(Cancel As Integer)</pre>		1	13	3							
Report_Open (Cancel As Integer)  ' + ' Procedure : Report_Open ' Comments : Set the Language\Format ' Parameters: Cancel - ' Modified : 09 Jul 2003 JLeiner ' -	Sub	20	36	<b>5</b>	<b>V</b>			1	4338	<b>V</b>	✓
Report: rptStockDistribution_ByLevel											
(General Declarations)  '+ ' Module : Report_rptStockDistribution_ByLevel ' Description: Shows the Stock breakdown by Level ' Procedures : Report_Open(Cancel As Integer)		1	13	3							
Report_Open (Cancel As Integer)  '	Sub	20	37	, [	✓			1	4349	<b>V</b>	<b>V</b>

### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Line Exists Type Trap Report: rptStockedAccordingtoPlanRateGraph (General Declarations) 13 ′+ ' Module : Report\_Stock According to plan rate graph ' Description: Display the Stock according to plan rate graph ' Procedures : Report\_Open(Cancel As Integer) Report Open (Cancel As Integer) Sub 47 **~** 4360 **~ ~** 20 ' Procedure : Report\_Open ' Comments : Set the reports format ' Parameters: Cancel -' Modified : 26 Sep 2007 Khurram Cheema Report: rptStockedByPlan (General Declarations) 1 13 ' Module : Report\_Stock Imbalances ' Description: Display the Stock Imbalances ' Procedures : Report\_Open(Cancel As Integer) **V ~** Report\_Open (Cancel As Integer) Sub 20 47 1 4374 ' Procedure : Report\_Open ' Comments : Set the reports format ' Parameters: Cancel -' Modified : 24 Jun 2003 JLeiner Report: rptStockedByPlan\_old (General Declarations) 13 ′+ ' Module : Report Stock Imbalances ' Description: Display the Stock Imbalances ' Procedures : Report\_Open(Cancel As Integer)

## Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Line Exists Type Trap **~ V ~** Report\_Open (Cancel As Integer) Sub 47 4388 ' Procedure : Report\_Open ' Comments : Set the reports format ' Parameters: Cancel -' Modified : 24 Jun 2003 JLeiner Report: rptStockedOut (General Declarations) 1 13 ′ + ' Module : Report\_Stock Imbalances ' Description: Display the Stock Imbalances ' Procedures : Report\_Open(Cancel As Integer) **V V ~** Report\_Open (Cancel As Integer) Sub 20 47 4402 ' Procedure : Report\_Open ' Comments : Set the reports format ' Parameters: Cancel -' Modified : 24 Jun 2003 JLeiner Report: rptStockedOut\_old (General Declarations) 13 ' Module : Report\_Stock Imbalances ' Description: Display the Stock Imbalances ' Procedures : Report\_Open(Cancel As Integer) Report\_Open (Cancel As Integer) Sub 20 47 **✓** 4416 **~ ~** ' Procedure : Report\_Open ' Comments : Set the reports format ' Parameters: Cancel -' Modified : 24 Jun 2003 JLeiner

#### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Exists Type Line Trap Report: rptStockedOutFacilities (General Declarations) 1 13 ′+ ' Module : Report\_Stocked-Out Facilities Report ' Description: Displays Stocked Out Facilities ' Procedures : Report\_Open(Cancel As Integer) Report Open (Cancel As Integer) Sub 20 44 **V** 4427 **~ ~** ' Procedure : Report\_Open ' Comments : Set the Display Options for the report ' Parameters: Cancel -' Modified : 24 Jun 2003 JLeiner Report: rptSummaryConsumptionComparisonByProduct (General Declarations) 3 1 **~** GroupFooter0\_Format (Cancel As Integer, FormatCount As Integer) Sub 6 **V** 2 4437 Sub 14 **V** 2 **~** GroupFooter5\_Format (Cancel As Integer, FormatCount As Integer) 4439 **V** GroupHeader2 Print (Cancel As Integer, PrintCount As Integer) Sub 25 2 4435 16 32 Report\_Open (Cancel As Integer) Sub 27 1 4445 Report: rptSummaryConsumptionComparisonByProduct Prov (General Declarations) 1 **V V** GroupFooter0 Format (Cancel As Integer, FormatCount As Integer) Sub 5 7 2 4454 15 GroupFooter5\_Format (Cancel As Integer, FormatCount As Integer) Sub 9 2 4456 GroupHeader2\_Print (Cancel As Integer, PrintCount As Integer) **V** 2 Sub 17 26 4452 **V V** Report\_Open (Cancel As Integer) Sub 28 33 1 4462 Report: rptSystemConfiguration (General Declarations) 2 **✓ ~** Report\_Open (Cancel As Integer) Sub 3 9 2683

## Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Type Line Line Public Private Friend Static Count Return Type Line Exists Trap Report: rptTotalPatients\_ART (General Declarations) 2 **~** Report\_Open (Cancel As Integer) Sub 3 25 4473 Report: rptTracking\_ART\_ScaleUp (General Declarations) 1 2 **V ~ ~** Report\_Open (Cancel As Integer) 3 166 4485 Sub 1 Report: rptTypeGroups (General Declarations) 1 2 Report\_Open (Cancel As Integer) **~** ✓ 3 11 3298 Sub 1 Report: rptUgandaNMSOrder (General Declarations) 4 **~** Report\_Open (Cancel As Integer) Sub 10 1 4506 **~** Report: rptUgandaNTLPCentralStore (General Declarations) 2 1 **~ ~** 57 2 4513 **~** Detail\_Format (intCancel As Integer, intFormatCount As Integer) Sub 3 ' Comments : Determine the value of the 'dblFinal' to set the : [Qty\_Required] field on the report. Parameters : intCancel intFormatCount -' Returns ' Created : 12/10/2004 Leslie Rock (copied from Stock\_Movement\_Report) ' Modified Report\_Open (Cancel As Integer) 64 **~** 4518 Sub 59 Report: rptUgandaNTLPDistrict (General Declarations) 2 1

# Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line			ic Private	e Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Detail_Format (intCancel As Integer, intFormatCount As Integer)  ' Comments : Determine the value of the dblFinal' to set the  ' : [Qty_Required] field on the report.  ' Parameters : intCancel  ' intFormatCount -  ' Returns : -  ' Created :  ' Modified : 12/10/2004 Leslie Rock (copied from Stock_Movem	Sub ment_Rep	32	8	6				2	4525	<b>V</b>	
Detail_Print (Cancel As Integer, PrintCount As Integer)	Sub	3	3	) [	<b>✓</b>			2	4528	<b>✓</b>	
Report_Open (Cancel As Integer)	Sub	88	9	3	<b>✓</b>			1	4531	✓	
Report: rptUgandaWHSEOrder  (General Declarations)  '	Sub	19			✓			1	4544	✓	✓
Report: rsubCTF_Users (General Declarations)		1		5							
Report_Open (Cancel As Integer)	Sub	6	3	7	<b>✓</b>			1		<b>✓</b>	<b>~</b>
Report: rsubDeliveryProducts (General Declarations)		1		3							
Report_Open (Cancel As Integer)	Sub	4	2	1 _	<b>✓</b>			1	357	<b>✓</b>	

## Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Type Line Line Public Private Friend Static Count Return Type Line Exists Trap Report: rsubFacilityCategoryMinMax (General Declarations) Report: rsubFacilityType\_Facilities (General Declarations) **~ ~** Report\_Open (Cancel As Integer) Sub 3 9 1503 Report: rsubFacilityType\_Products (General Declarations) 1 2 8 **~ ~** Report\_Open (Cancel As Integer) 3 1508 Sub Report: rsubFacStockedByPlan (General Declarations) 1 2 **V** Detail\_Format (Cancel As Integer, FormatCount As Integer) Sub 3 5 **✓** 2 -1 Report: rsubFacStockedOut (General Declarations) 1 2 **~ V** 3 5 Detail\_Format (Cancel As Integer, FormatCount As Integer) Sub 2 -1 Report: rsubTruckDeliveries (General Declarations) 2 1 8 **V V** Report\_Open (Cancel As Integer) 3 2182 Sub **Report: Service Statistics Graph** (General Declarations) 2 1 **V** Report\_Open (Cancel As Integer) Sub 3 10 **V** 1 4581 **Report: Service Statistics Report** (General Declarations) 1 2 Report\_Open (Cancel As Integer) 9 **V V** Sub 3 1 4594

### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Line Exists Type Trap **Report: Site Listing** (General Declarations) Report\_Open (Cancel As Integer) Sub 3 9 4603 **~ Report: Stock Imbalances** (General Declarations) 1 13 ′+ ' Module : Report\_Stock Imbalances ' Description: Display the Stock Imbalances ' Procedures : Report\_Open(Cancel As Integer) Report\_Open (Cancel As Integer) Sub 20 46 **✓** 4614 **~ ~** ' Procedure : Report\_Open ' Comments : Set the reports format ' Parameters: Cancel -' Modified : 24 Jun 2003 JLeiner Report: Stock Imbalances by Facility (General Declarations) 13 1 ' Module : Report\_Stock Imbalances ' Description: Display the Stock Imbalances ' Procedures : Report\_Open(Cancel As Integer) 4626 **~ ~** Report\_Open (Cancel As Integer) Sub 20 46 1 ' Procedure : Report\_Open ' Comments : Set the reports format ' Parameters: Cancel -' Modified : 24 Jun 2003 JLeiner Report: Stock Imbalances by Facility\_Old (General Declarations) 13 ′+ ' Module : Report\_Stock Imbalances ' Description: Display the Stock Imbalances ' Procedures : Report\_Open(Cancel As Integer)

### Procedure List with Comments Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Start End Param Diagram Code Error Procedure Name and Parameters Line Line Public Private Friend Static Count Return Type Line Exists Type Trap **~ ~** Report\_Open (Cancel As Integer) Sub 46 **V** 4638 ' Procedure : Report\_Open ' Comments : Set the reports format ' Parameters: Cancel -' Modified : 24 Jun 2003 JLeiner **Report: Stock Imbalances DCount Issue** (General Declarations) 1 12 ′+ ' Module : Report\_Stock Imbalances ' Description: Display the Stock Imbalances ' Procedures : Report\_Open(Cancel As Integer) **~** GroupFooter0\_Print (Cancel As Integer, PrintCount As Integer) Sub 13 32 2 4646 **V** Report Open (Cancel As Integer) Sub 40 69 4652 Report: Stock Imbalances\_Old (General Declarations) 1 13 ′+ ' Module : Report\_Stock Imbalances ' Description: Display the Stock Imbalances ' Procedures : Report\_Open(Cancel As Integer) **V V V** Report\_Open (Cancel As Integer) Sub 20 46 4664 1 ' Procedure : Report\_Open ' Comments : Set the reports format ' Parameters: Cancel -' Modified : 24 Jun 2003 JLeiner Report: Stock\_Movement\_Report (General Declarations) 11 ' Module : Stock\_Movement\_Report ' Description: ' Procedures : Detail2\_Format Report\_NoData

Total Access Analyzer

Procedure List with Comments
Sorted By Module and Procedure Name

Monday, January 10, 2011 Time: 12:45:26 PM User: Admin

Database: SCM2003\_ZAM\_SOURCE.MDB

Procedure Name and Parameters	Туре	Start Line		Public	: Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Detail2_Format (intCancel As Integer, intFormatCount As Integer)  ' Comments : Determine the value of the dblFinal' to set the ' : [Qty_Required] field on the report. ' Parameters : intCancel ' intFormatCount - ' Returns : - ' Created : ' Modified :	Sub	12	66		<b>&gt;</b>			2	4672	<b>&gt;</b>	<b>&gt;</b>
Detail2_Print (Cancel As Integer, PrintCount As Integer)	Sub	68	72		<b>✓</b>			2	4675	<b>✓</b>	
Report_NoData (intCancel As Integer)  ' Comments : Notify user of no report data and quit the report Parameters: intCancel - ' Returns : - ' Created : ' Modified :	Sub ort.	74	108		<b>V</b>			1	5123	<b>V</b>	<b>✓</b>
Report_Open (Cancel As Integer)	Sub	111	119		✓			1	4684	<b>✓</b>	
Report: Stocked-Out Facilities (Products) Report (General Declarations)  ' Module : Facility Product Dispensing Report ' Description: ' Procedures : Report_Open		1	12								
Detail_Print (intCancel As Integer, intPrintCount As Integer)  ' Comments : ' Parameters : intCancel ' intPrintCount - ' Returns : - ' Created : ' Modified :	Sub	13	37		V			2	4692	V	<b>&gt;</b>

# Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Pa	arameters		Start Line		Public	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
' : ' Parameters : ' Created : ' Modified :	18-Feb-99 Jeff Leiner	Sub	38	61		✓			0	4707	<b>V</b>	<b>&gt;</b>
' : ' : ' : ' Parameters : ' Returns :	Upon opening the report open the product dialog to have the user select the products they desir form is opened Modal, so when focus comes back, if the form is still loaded and if it is set the filter to the selected products.  intCancel -  17-FEB-99 - JL	e. The determine	62	161		<b>V</b>			1	4701	✓	<b>✓</b>
' Comments : ' Parameters : ' Returns : ' Created : ' Modified :	intPrintCount - - 	Sub	162	182		<b>V</b>			2	4694	<b>V</b>	<b>V</b>
' Description:	Report_Stock Imbalances Display the Stock Imbalances Report_Open(Cancel As Integer)		1	13								

# Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line			ublic	Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
Report_Open (Cancel As Integer)  ' + ' Procedure : Report_Open ' Comments : Set the reports format ' Parameters: Cancel - ' Modified : 24 Jun 2003 JLeiner ' -	Sub	20	4	.7		<b>✓</b>			1	4716	V	V
Report: Supply Status Error Report												
(General Declarations)  '+ ' Module : Report_Supply Status Error Report ' Description: Show Supply Status Errors ' Procedures : Report_Open(Cancel As Integer)		1	1	9								
Report_Open (Cancel As Integer)	Sub	20	4	4		<b>✓</b>			1	4734	<b>✓</b>	<b>✓</b>
Report: Supply Status Report  (General Declarations)  ' +  ' Module : Report_Supply Status Report  ' Description: Supply Status Report  ' Procedures : Report_Open(Cancel As Integer)		1	1	3								
Detail1_Print (Cancel As Integer, PrintCount As Integer)	Sub	14	1	6		<b>✓</b>			2	4742	<b>✓</b>	
Report_Open (Cancel As Integer)	Sub	24	4	8		<b>✓</b>			1	4757	<b>✓</b>	<b>~</b>
Report: Supply Status Report_RG  (General Declarations)  ' + ' Module : Report_Supply Status Report ' Description: Supply Status Report ' Procedures : Report_Open(Cancel As Integer)		1	1	3								
Detail1_Print (Cancel As Integer, PrintCount As Integer)	Sub	14	1	6		<b>✓</b>			2	4765	<b>✓</b>	
Report_Open (Cancel As Integer)	Sub	24	4	8		<b>✓</b>			1	4778	✓	<b>✓</b>
Report: Test (General Declarations)		1		2								

# Procedure List with Comments Sorted By Module and Procedure Name

Procedure Name and Parameters	Туре	Start Line		Public	: Private	Friend	Static	Param Count Return Type	Diagram Line	Code Exists	Error Trap
GroupFooter5_Format (Cancel As Integer, FormatCount As Integer)	Sub	3	ç	) [	<b>✓</b>			2	4806	<b>✓</b>	
Report_Open (Cancel As Integer)	Sub	11	16		✓			1	4817	✓	
Report: Under Stocked Facilities Report											
(General Declarations)		1	2	2							
Report_Open (Cancel As Integer)	Sub	3	9	) [	✓			1	4828	✓	