

Package ‘ggRandomForests’

April 26, 2020

Type Package

Title Visually Exploring Random Forests

Version 2.0.3

Date 2020-14-26

Author John Ehrlinger <john.ehrlinger@gmail.com>

Maintainer John Ehrlinger <john.ehrlinger@gmail.com>

License GPL (>=3)

Encoding UTF-8

URL <https://github.com/ehrlinger/ggRandomForests>

BugReports <https://github.com/ehrlinger/ggRandomForests/issues>

Description Graphic elements for exploring Random Forests using the 'randomForest' or 'randomForestSRC' package for survival, regression and classification forests and 'ggplot2' package plotting.

Depends R (>= 3.5.0), randomForestSRC (>= 1.5.5)

Imports randomForest, ggplot2, survival, parallel, tidyr, lintr

Suggests testthat, rmdformats, RColorBrewer, MASS, dplyr, knitr, rmarkdown, plot3D

RoxygenNote 7.1.0

R topics documented:

ggRandomForests-package	2
cache_rfsrc_datasets	4
calc_auc	5
calc_roc.rfsrc	6
combine.gg_partial	7
gg_error	8
gg_interaction	10
gg_minimal_depth	12
gg_minimal_vimp	14
gg_partial	16
gg_partial_coplot.rfsrc	19
gg_rfsrc.rfsrc	20
gg_roc.rfsrc	22

gg_survival	23
gg_variable	24
gg_vimp	27
interaction_data	28
kaplan	31
logit_loess	32
nelson	32
partial_coplot_data	34
partial_data	35
partial_surface_data	38
pbcc_data	40
plot.gg_error	41
plot.gg_interaction	43
plot.gg_minimal_depth	45
plot.gg_minimal_vimp	47
plot.gg_partial	48
plot.gg_partial_list	51
plot.gg_rfsrc	54
plot.gg_roc	55
plot.gg_survival	57
plot.gg_variable	58
plot.gg_vimp	60
print.gg_minimal_depth	62
quantile_pts	63
rfsrc_data	64
shift	66
surface_matrix	67
varsel_data	68
Index	72

ggRandomForests-package

ggRandomForests: Visually Exploring Random Forests

Description

ggRandomForests is a utility package for randomForestSRC (Iswaran et.al. 2014, 2008, 2007) for survival, regression and classification forests and uses the ggplot2 (Wickham 2009) package for plotting results. ggRandomForests is structured to extract data objects from the random forest and provides S3 functions for printing and plotting these objects.

The randomForestSRC package provides a unified treatment of Breiman's (2001) random forests for a variety of data settings. Regression and classification forests are grown when the response is numeric or categorical (factor) while survival and competing risk forests (Ishwaran et al. 2008, 2012) are grown for right-censored survival data.

Many of the figures created by the ggRandomForests package are also available directly from within the randomForestSRC package. However, ggRandomForests offers the following advantages:

- Separation of data and figures: `ggRandomForest` contains functions that operate on either the `rfsrc` forest object directly, or on the output from `randomForestSRC` post processing functions (i.e. `plot.variable`, `var.select`, `find.interaction`) to generate intermediate `ggRandomForests` data objects. S3 functions are provided to further process these objects and plot results using the `ggplot2` graphics package. Alternatively, users can use these data objects for additional custom plotting or analysis operations.
- Each data object/figure is a single, self contained object. This allows simple modification and manipulation of the data or `ggplot2` objects to meet users specific needs and requirements.
- The use of `ggplot2` for plotting. We chose to use the `ggplot2` package for our figures to allow users flexibility in modifying the figures to their liking. Each S3 plot function returns either a single `ggplot2` object, or a list of `ggplot2` objects, allowing users to use additional `ggplot2` functions or themes to modify and customise the figures to their liking.

The `ggRandomForests` package contains the following data functions:

- `gg_rfsrc`: `randomForest[SRC]` predictions.
- `gg_error`: `randomForest[SRC]` convergence rate based on the OOB error rate.
- `gg_roc`: ROC curves for `randomForest` classification models.
- `gg_vimp`: Variable Importance ranking for variable selection.
- `gg_minimal_depth`: Minimal Depth ranking for variable selection (Ishwaran et.al. 2010).
- `gg_minimal_vimp`: Comparing Minimal Depth and VIMP rankings for variable selection.
- `gg_interaction`: Minimal Depth interaction detection (Ishwaran et.al. 2010)
- `gg_variable`: Marginal variable dependence.
- `gg_partial`: Partial (risk adjusted) variable dependence.
- `gg_partial_coplot`: Partial variable conditional dependence (computationally expensive).
- `gg_survival`: Kaplan-Meier/Nelson-Aalen hazard analysis.

Each of these data functions has an associated S3 plot function that returns `ggplot2` objects, either individually or as a list, which can be further customised using standard `ggplot2` commands.

References

- Breiman, L. (2001). Random forests, *Machine Learning*, 45:5-32.
- Ishwaran H. and Kogalur U.B. (2014). Random Forests for Survival, Regression and Classification (RF-SRC), R package version 1.5.5.12.
- Ishwaran H. and Kogalur U.B. (2007). Random survival forests for R. *R News* 7(2), 25–31.
- Ishwaran H., Kogalur U.B., Blackstone E.H. and Lauer M.S. (2008). Random survival forests. *Ann. Appl. Statist.* 2(3), 841–860.
- Ishwaran, H., U. B. Kogalur, E. Z. Gorodeski, A. J. Minn, and M. S. Lauer (2010). High-dimensional variable selection for survival data. *J. Amer. Statist. Assoc.* 105, 205-217.
- Ishwaran, H. (2007). Variable importance in binary regression trees and forests. *Electronic J. Statist.*, 1, 519-537.
- Wickham, H. `ggplot2`: elegant graphics for data analysis. Springer New York, 2009.

cache_rfsrc_datasets *Recreate the cached data sets for the ggRandomForests package*

Description

Recreate the cached data sets for the ggRandomForests package

Usage

```
cache_rfsrc_datasets(set = NA, save = TRUE, pth, ...)
```

Arguments

set	Defaults to all sets (NA), however for individual sets specify one or more of c("airq", "Boston", "iris", "mtcars", "pbc", "veteran")
save	Defaults to write files to the current data directory.
pth	the directory to store files.
...	extra arguments passed to randomForestSRC functions.

Details

Constructing random forests are computationally expensive, and the ggRandomForests operates directly on randomForestSRC objects. We cache computationally intensive randomForestSRC objects to improve the ggRandomForests examples, diagnostics and vignettes run times. The set of precompiled randomForestSRC objects are stored in the package data subfolder, however version changes in the dependant packages may break some functionality. This function was created to help the package developer deal with those changes. We make the function available to end users to create objects for further experimentation.

There are five cached data set types: '

- [rfsrc_data](#) - [rfsrc](#) objects.
- [varsel_data](#) - [var.select](#) minimal depth variable selection objects.
- [interaction_data](#) - [find.interaction](#) minimal depth, pairwise variable interaction matrices.
- [partial_data](#) - [plot.variable](#) objects (partial=TRUE) for partial variable dependence.
- [partial_coplot_data](#) - [plot.variable](#) objects (partial=TRUE) for partial variable dependence.

For the following data sets: #'

- [_iris](#) - The iris data set.
- [_airq](#) - The airquality data set.
- [_mtcars](#) - The mtcars data set.
- [_Boston](#) - The Boston housing data set (MASS package).
- [_pbc](#) - The pbc data set (randomForestSRC package).
- [_veteran](#) - The veteran data set (randomForestSRC package).

See Also

[iris](#) [airq](#) [mtcars](#) [Boston](#) [pbc](#) [veteran](#) [rfsrc_data](#) [varsel_data](#) [interaction_data](#) [partial_data](#) [partial_coplot_data](#)

calc_auc*Area Under the ROC Curve calculator*

Description

Area Under the ROC Curve calculator

Usage

```
calc_auc(x)
```

Arguments

x [gg_roc](#) object

Details

calc_auc uses the trapezoidal rule to calculate the area under the ROC curve.

This is a helper function for the [gg_roc](#) functions.

Value

AUC. 50% is random guessing, higher is better.

See Also

[calc_roc](#) [gg_roc](#) [plot.gg_roc](#)

Examples

```
##  
## Taken from the gg_roc example  
# rfsrc_iris <- rfsrc(Species ~ ., data = iris)  
data(rfsrc_iris)  
  
## Not run:  
gg_dta <- gg_roc(rfsrc_iris, which.outcome=1)  
  
calc_auc(gg_dta)  
  
## End(Not run)  
  
gg_dta <- gg_roc(rfsrc_iris, which.outcome=2)  
  
calc_auc(gg_dta)
```

calc_roc.rfsrc	<i>Reciever Operator Characteristic calculator</i>
----------------	--

Description

Reciever Operator Characteristic calculator

Usage

```
calc_roc.rfsrc(object, yvar, which.outcome = "all", oob = TRUE)
```

Arguments

object	rfsrc or predict.rfsrc object containing predicted response
yvar	True response variable
which.outcome	If defined, only show ROC for this response.
oob	Use OOB estimates, the normal validation method (TRUE)

Details

For a randomForestSRC prediction and the actual response value, calculate the specificity (1-False Positive Rate) and sensitivity (True Positive Rate) of a predictor.

This is a helper function for the [gg_roc](#) functions, and not intended for use by the end user.

Value

A gg_roc object

See Also

[calc_auc](#) [gg_roc](#) [plot.gg_roc](#)

Examples

```
## Taken from the gg_roc example
# rfsrc_iris <- rfsrc(Species ~ ., data = iris)
data(rfsrc_iris)
gg_dta <- calc_roc.rfsrc(rfsrc_iris, rfsrc_iris$yvar, which.outcome=1, oob=TRUE)
gg_dta <- calc_roc.rfsrc(rfsrc_iris, rfsrc_iris$yvar, which.outcome=1, oob=FALSE)
```

combine.gg_partial	<i>combine two gg_partial objects</i>
--------------------	---------------------------------------

Description

The `combine.gg_partial` function assumes the two `gg_partial` objects were generated from the same `rfsrc` object. So, the function joins along the `gg_partial` list item names (one per partial plot variable). Further, we combine the two `gg_partial` objects along the group variable.

Hence, to join three `gg_partial` objects together (i.e. for three different time points from a survival random forest) would require two `combine.gg_partial` calls: One to join the first two `gg_partial` object, and one to append the third `gg_partial` object to the output from the first call. The second call will append a single `lbls` label to the `gg_partial` object.

Usage

```
combine.gg_partial(x, y, lbls, ...)
```

Arguments

<code>x</code>	<code>gg_partial</code> object
<code>y</code>	<code>gg_partial</code> object
<code>lbls</code>	vector of 2 strings to label the combined data.
<code>...</code>	not used

Value

`gg_partial` or `gg_partial_list` based on class of `x` and `y`.

Examples

```
# Load a set of plot.variable partial plot data
data(partial_pbc)

# A list of 2 plot.variable objects
length(partial_pbc)
class(partial_pbc)

class(partial_pbc[[1]])
class(partial_pbc[[2]])

# Create gg_partial objects
ggPrtl.1 <- gg_partial(partial_pbc[[1]])
ggPrtl.2 <- gg_partial(partial_pbc[[2]])

# Combine the objects to get multiple time curves
# along variables on a single figure.
ggpart <- combine.gg_partial(ggPrtl.1, ggPrtl.2,
                             lbls = c("1 year", "3 years"))

# Plot each figure separately
plot(ggpart)
```

```
# Get the continuous data for a panel of continuous plots.
ggcont <- ggpart
ggcont$edema <- ggcont$ascites <- ggcont$stage <- NULL
plot(ggcont, panel=TRUE)

# And the categorical for a panel of categorical plots.
nms <- colnames(sapply(ggcont, function(st){st}))
for(ind in nms){
  ggpart[[ind]] <- NULL
}
plot(ggpart, panel=TRUE)
```

gg_error

randomForestSRC error rate data object

Description

Extract the cumulative (OOB) randomForestSRC error rate as a function of number of trees.

Usage

```
gg_error(object, ...)
```

Arguments

object	rfsrc object.
...	optional arguments (not used).

Details

The `gg_error` function simply returns the `rfsrc$err.rate` object as a data.frame, and assigns the class for connecting to the S3 `plot.gg_error` function.

Value

`gg_error` data.frame with one column indicating the tree number, and the remaining columns from the `rfsrc$err.rate` return value.

References

Breiman L. (2001). Random forests, Machine Learning, 45:5-32.

Ishwaran H. and Kogalur U.B. (2007). Random survival forests for R, Rnews, 7(2):25-31.

Ishwaran H. and Kogalur U.B. (2013). Random Forests for Survival, Regression and Classification (RF-SRC), R package version 1.4.

See Also

[plot.gg_error](#) `rfsrc` `plot.rfsrc`

Examples

```
## Examples from RFSRC package...
## -----
## classification example
## -----
## ----- iris data
## You can build a randomForest
# rfsrc_iris <- rfsrc(Species ~ ., data = iris)
# ... or load a cached randomForestSRC object
data(rfsrc_iris, package="ggRandomForests")

# Get a data.frame containing error rates
gg_dta<- gg_error(rfsrc_iris)

# Plot the gg_error object
plot(gg_dta)

## -----
## Regression example
## -----
## Not run:
## ----- airq data
rfsrc_airq <- rfsrc(Ozone ~ ., data = airquality, na.action = "na.impute")

# Get a data.frame containing error rates
gg_dta<- gg_error(rfsrc_airq)

# Plot the gg_error object
plot(gg_dta)

## End(Not run)

## ----- Boston data
data(rfsrc_Boston, package="ggRandomForests")

# Get a data.frame containing error rates
gg_dta<- gg_error(rfsrc_Boston)

# Plot the gg_error object
plot(gg_dta)

## Not run:
## ----- mtcars data

# Get a data.frame containing error rates
gg_dta<- gg_error(rfsrc_mtcars)

# Plot the gg_error object
plot(gg_dta)

## End(Not run)

## -----
## Survival example
## -----
## Not run:
```

```
## ----- veteran data
## randomized trial of two treatment regimens for lung cancer
data(veteran, package = "randomForestSRC")
rfsrc_veteran <- rfsrc(Surv(time, status) ~ ., data = dta$veteran, ...)

gg_dta <- gg_error(rfsrc_veteran)
plot(gg_dta)

## End(Not run)

## ----- pbc data
# Load a cached randomForestSRC object
data(rfsrc_pbc, package="ggRandomForests")

gg_dta <- gg_error(rfsrc_pbc)
plot(gg_dta)
```

gg_interaction	<i>Minimal</i>	<i>Depth</i>	<i>Variable</i>	<i>Interaction</i>	<i>data</i>	<i>object</i>
	(find.interaction).					

Description

Converts the matrix returned from [find.interaction](#) to a data.frame and add attributes for S3 identification. If passed a [rfsrc](#) object, gg_interaction first runs the [find.interaction](#) function with all optional arguments.

Usage

```
gg_interaction(object, ...)
```

Arguments

object	a rfsrc object or the output from the find.interaction function call.
...	optional extra arguments passed to find.interaction .

Value

gg_interaction object

References

Ishwaran H. (2007). Variable importance in binary regression trees and forests, Electronic J. Statist., 1:519-537.

Ishwaran H., Kogalur U.B., Gorodeski E.Z, Minn A.J. and Lauer M.S. (2010). High-dimensional variable selection for survival data. J. Amer. Statist. Assoc., 105:205-217.

Ishwaran H., Kogalur U.B., Chen X. and Minn A.J. (2011). Random survival forests for high-dimensional data. Statist. Anal. Data Mining, 4:115-132.

See Also

[rfsrc](#) [find.interaction](#) [max.subtree](#) [var.select](#) [vimp](#) [plot.gg_interaction](#)

Examples

```
## Examples from randomForestSRC package...
## -----
## find interactions, classification setting
## -----
## ----- iris data
## iris.obj <- rfsrc(Species ~., data = iris)
## TODO: VIMP interactions not handled yet...
## randomForestSRC::find.interaction(iris.obj, method = "vimp", nrep = 3)
## interaction_iris <- randomForestSRC::find.interaction(iris.obj)
data(interaction_iris, package="ggRandomForests")
gg_dta <- gg_interaction(interaction_iris)

plot(gg_dta, xvar="Petal.Width")
plot(gg_dta, panel=TRUE)

## -----
## find interactions, regression setting
## -----
## Not run:
## ----- air quality data
## airq.obj <- rfsrc(Ozone ~ ., data = airquality)
##
## TODO: VIMP interactions not handled yet...
## randomForestSRC::find.interaction(airq.obj, method = "vimp", nrep = 3)
## interaction_airq <- randomForestSRC::find.interaction(airq.obj)
data(interaction_airq, package="ggRandomForests")
gg_dta <- gg_interaction(interaction_airq)

plot(gg_dta, xvar="Temp")
plot(gg_dta, xvar="Solar.R")

plot(gg_dta, panel=TRUE)

## End(Not run)

## ----- Boston data
data(interaction_Boston, package="ggRandomForests")
gg_dta <- gg_interaction(interaction_Boston)

plot(gg_dta, panel=TRUE)

## Not run:
## ----- mtcars data
data(interaction_mtcars, package="ggRandomForests")
gg_dta <- gg_interaction(interaction_mtcars)

plot(gg_dta, panel=TRUE)

## End(Not run)

## -----
## find interactions, survival setting
## -----
## ----- pbc data
## data(pbc, package = "randomForestSRC")
```

```
## pbc.obj <- rfsrc(Surv(days,status) ~ ., pbc, nsplit = 10)
## interaction_pbc <- randomForestSRC::find.interaction(pbc.obj, nvar = 8)
data(interaction_pbc, package="ggRandomForests")
gg_dta <- gg_interaction(interaction_pbc)

plot(gg_dta, xvar="bili")
plot(gg_dta, panel=TRUE)

## Not run:
## ----- veteran data
data(interaction_veteran, package="ggRandomForests")
gg_dta <- gg_interaction(interaction_veteran)

plot(gg_dta, panel=TRUE)

## End(Not run)
```

gg_minimal_depth	<i>Minimal depth data object</i> ([randomForestSRC]{var.select})
------------------	--

Description

the [randomForestSRC]{var.select} function implements random forest variable selection using tree minimal depth methodology. The gg_minimal_depth function takes the output from [randomForestSRC]{var.select} and creates a data.frame formatted for the [plot.gg_minimal_depth](#) function.

Usage

```
gg_minimal_depth(object, ...)
```

Arguments

object	A [randomForestSRC]{rfsrc} object, [randomForestSRC]{predict} object or the list from the [randomForestSRC]{var.select.rfsrc} function.
...	optional arguments passed to the [randomForestSRC]{var.select} function if operating on an [randomForestSRC]{rfsrc} object.

Value

gg_minimal_depth object, A modified list of variables from the [randomForestSRC]{var.select} function, ordered by minimal depth rank.

See Also

[randomForestSRC]{var.select} [plot.gg_minimal_depth](#)

Examples

```

## Examples from RFSRC package...
## -----
## classification example
## -----
## ----- iris data
## You can build a randomForest
# rfsrc_iris <- rfsrc(Species ~ ., data = iris)
# varsel_iris <- randomForestSRC::var.select(rfsrc_iris)
# ... or load a cached randomForestSRC object
data(varsel_iris, package="ggRandomForests")

# Get a data.frame containing minimaldepth measures
gg_dta<- gg_minimal_depth(varsel_iris)

# Plot the gg_minimal_depth object
plot(gg_dta)

## -----
## Regression example
## -----
## Not run:
## ----- air quality data
# rfsrc_airq <- rfsrc(Ozone ~ ., data = airquality, na.action = "na.impute")
# varsel_airq <- randomForestSRC::var.select(rfsrc_airq)
# ... or load a cached randomForestSRC object
data(varsel_airq, package="ggRandomForests")

# Get a data.frame containing error rates
gg_dta<- gg_minimal_depth(varsel_airq)

# Plot the gg_minimal_depth object
plot(gg_dta)

## End(Not run)

## ----- Boston data
data(varsel_Boston, package="ggRandomForests")

# Get a data.frame containing error rates
plot(gg_minimal_depth(varsel_Boston))

## Not run:
## ----- mtcars data
data(varsel_mtcars, package="ggRandomForests")

# Get a data.frame containing error rates
plot.gg_minimal_depth(varsel_mtcars)

## End(Not run)

## -----
## Survival example
## -----
## Not run:
## ----- veteran data

```

```
## veteran data
## randomized trial of two treatment regimens for lung cancer
# data(veteran, package = "randomForestSRC")
# rfsrc_veteran <- rfsrc(Surv(time, status) ~ ., data = veteran, ntree = 100)
# varsel_veteran <- randomForestSRC::var.select(rfsrc_veteran)
# Load a cached randomForestSRC object
data(varsel_veteran, package="ggRandomForests")

gg_dta <- gg_minimal_depth(varsel_veteran)
plot(gg_dta)

## End(Not run)

## ----- pbc data
data(varsel_pbc, package="ggRandomForests")

gg_dta <- gg_minimal_depth(varsel_pbc)
plot(gg_dta)
```

gg_minimal_vimp

Minimal depth vs VIMP comparison by variable rankings.

Description

Minimal depth vs VIMP comparison by variable rankings.

Usage

```
gg_minimal_vimp(object, ...)
```

Arguments

object	A rfsrc object, predict.rfsrc object or the list from the var.select.rfsrc function.
...	optional arguments passed to the var.select function if operating on an rfsrc object. @return gg_minimal_vimp comparison object. @seealso plot.gg_minimal_vimp var.select @aliases gg_minimal_vimp

Examples

```
## Examples from RFSRC package...
## -----
## classification example
## -----
## ----- iris data
## You can build a randomForest
# rfsrc_iris <- rfsrc(Species ~ ., data = iris)
# varsel_iris <- randomForestSRC::var.select(rfsrc_iris)
# ... or load a cached randomForestSRC object
data(varsel_iris, package="ggRandomForests")
```

```

# Get a data.frame containing minimaldepth measures
gg_dta<- gg_minimal_vimp(varsel_iris)

# Plot the gg_minimal_depth object
plot(gg_dta)

## -----
## Regression example
## -----
## Not run:
## ----- air quality data
# rfsrc_airq <- rfsrc(Ozone ~ ., data = airquality, na.action = "na.impute")
# varsel_airq <- randomForestSRC::var.select(rfsrc_airq)
# ... or load a cached randomForestSRC object
data(varsel_airq, package="ggRandomForests")

# Get a data.frame containing error rates
gg_dta<- gg_minimal_vimp(varsel_airq)

# Plot the gg_minimal_vimp object
plot(gg_dta)

## End(Not run)

## ----- Boston data
data(varsel_Boston, package="ggRandomForests")

# Get a data.frame containing error rates
gg_dta<- gg_minimal_vimp(varsel_Boston)

# Plot the gg_minimal_vimp object
plot(gg_dta)

## Not run:
## ----- mtcars data
data(varsel_mtcars, package="ggRandomForests")

# Get a data.frame containing error rates
gg_dta<- gg_minimal_vimp(varsel_mtcars)

# Plot the gg_minimal_vimp object
plot(gg_dta)

## End(Not run)
## -----
## Survival example
## -----
## Not run:
## ----- veteran data
## randomized trial of two treatment regimens for lung cancer
# data(veteran, package = "randomForestSRC")
# rfsrc_veteran <- rfsrc(Surv(time, status) ~ ., data = veteran, ntree = 100)
# varsel_veteran <- randomForestSRC::var.select(rfsrc_veteran)
# Load a cached randomForestSRC object
data(varsel_veteran, package="ggRandomForests")

```

```

gg_dta <- gg_minimal_vimp(varsel_veteran)
plot(gg_dta)

## End(Not run)
## ----- pbc data
data(varsel_pbc, package="ggRandomForests")

gg_dta <- gg_minimal_vimp(varsel_pbc)
plot(gg_dta)

```

gg_partial	<i>Partial variable dependence object</i>
------------	---

Description

The `plot.variable` function returns a list of either marginal variable dependence or partial variable dependence data from a `rfsrc` object. The `gg_partial` function formulates the `plot.variable` output for partial plots (where `partial=TRUE`) into a data object for creation of partial dependence plots using the `plot.gg_partial` function.

Partial variable dependence plots are the risk adjusted estimates of the specified response as a function of a single covariate, possibly subsetted on other covariates.

An option named argument can name a column for merging multiple plots together

Usage

```
gg_partial(object, ...)
```

Arguments

<code>object</code>	the partial variable dependence data object from <code>plot.variable</code> function
<code>...</code>	optional arguments

Value

`gg_partial` object. A data.frame or list of data.frames corresponding the variables contained within the `plot.variable` output.

References

Friedman, Jerome H. 2000. "Greedy Function Approximation: A Gradient Boosting Machine." *Annals of Statistics* 29: 1189-1232.

See Also

`plot.gg_partial` `plot.variable`

Examples

```

## -----
## classification
## -----
## ----- iris data

## iris "Petal.Width" partial dependence plot
##
# rfsrc_iris <- rfsrc(Species ~., data = iris)
# partial_iris <- plot.variable(rfsrc_iris, xvar.names = "Petal.Width",
#                               partial=TRUE)
data(partial_iris, package="ggRandomForests")

gg_dta <- gg_partial(partial_iris)
plot(gg_dta)

## -----
## regression
## -----
## Not run:
## ----- air quality data
## airquality "Wind" partial dependence plot
##
# rfsrc_airq <- rfsrc(Ozone ~ ., data = airquality)
# partial_airq <- plot.variable(rfsrc_airq, xvar.names = "Wind",
#                               partial=TRUE, show.plot=FALSE)
data(partial_airq, package="ggRandomForests")

gg_dta <- gg_partial(partial_airq)
plot(gg_dta)

gg_dta.m <- gg_dta[["Month"]]
plot(gg_dta.m, notch=TRUE)

gg_dta[["Month"]] <- NULL
plot(gg_dta, panel=TRUE)

## End(Not run)

## ----- Boston data
data(partial_Boston, package="ggRandomForests")

gg_dta <- gg_partial(partial_Boston)
plot(gg_dta, panel=TRUE)

## Not run:
## ----- mtcars data
data(partial_mtcars, package="ggRandomForests")
gg_dta <- gg_partial(partial_mtcars)

gg_dta.cat <- gg_dta
gg_dta.cat[["disp"]] <- gg_dta.cat[["wt"]] <- gg_dta.cat[["hp"]] <- NULL
gg_dta.cat[["drat"]] <- gg_dta.cat[["carb"]] <- gg_dta.cat[["qsec"]] <- NULL

plot(gg_dta.cat, panel=TRUE, notch=TRUE)

```

```

gg_dta[["cyl"]] <- gg_dta[["vs"]] <- gg_dta[["am"]] <- NULL
gg_dta[["gear"]] <- NULL
plot(gg_dta, panel=TRUE)

## End(Not run)

## -----
## survival examples
## -----
## Not run:
## ----- veteran data
## survival "age" partial variable dependence plot
##
# data(veteran, package = "randomForestSRC")
# rfsrc_veteran <- rfsrc(Surv(time,status)~., veteran, nsplit = 10, ntree = 100)
#
## 30 day partial plot for age
# partial_veteran <- plot.variable(rfsrc_veteran, surv.type = "surv",
#                                partial = TRUE, time=30,
#                                xvar.names = "age",
#                                show.plots=FALSE)
data(partial_veteran, package="ggRandomForests")

gg_dta <- gg_partial(partial_veteran[[1]])
plot(gg_dta)

gg_dta.cat <- gg_dta
gg_dta[["celltype"]] <- gg_dta[["trt"]] <- gg_dta[["prior"]] <- NULL
plot(gg_dta, panel=TRUE)

gg_dta.cat[["karno"]] <- gg_dta.cat[["diagtime"]] <- gg_dta.cat[["age"]] <- NULL
plot(gg_dta.cat, panel=TRUE, notch=TRUE)

gg_dta <- lapply(partial_veteran, gg_partial)
gg_dta <- combine.gg_partial(gg_dta[[1]], gg_dta[[2]] )

plot(gg_dta[["karno"]])
plot(gg_dta[["celltype"]])

gg_dta.cat <- gg_dta
gg_dta[["celltype"]] <- gg_dta[["trt"]] <- gg_dta[["prior"]] <- NULL
plot(gg_dta, panel=TRUE)

gg_dta.cat[["karno"]] <- gg_dta.cat[["diagtime"]] <- gg_dta.cat[["age"]] <- NULL
plot(gg_dta.cat, panel=TRUE, notch=TRUE)

## End(Not run)
## ----- pbc data
data("partial_pbc", package = "ggRandomForests")
data("varsel_pbc", package = "ggRandomForests")
xvar <- varsel_pbc$topvars

# Convert all partial plots to gg_partial objects
gg_dta <- lapply(partial_pbc, gg_partial)

# Combine the objects to get multiple time curves
# along variables on a single figure.

```

```

pbc_ggpart <- combine.gg_partial(gg_dta[[1]], gg_dta[[2]],
                                lbls = c("1 Year", "3 Years"))

summary(pbc_ggpart)
class(pbc_ggpart[["bili"]])

# Plot the highest ranked variable, by name.
#plot(pbc_ggpart[["bili"]])

# Create a temporary holder and remove the stage and edema data
ggpart <- pbc_ggpart
ggpart$edema <- NULL

# Panel plot the remainder.
plot(ggpart, panel = TRUE)

#plot(pbc_ggpart[["edema"]], panel=TRUE) #,
# notch = TRUE, alpha = .3, outlier.shape = NA)

```

gg_partial_coplot.rfsrc

Data structures for stratified partial coplots

Description

Data structures for stratified partial coplots

Usage

```

## S3 method for class 'rfsrc'
gg_partial_coplot(
  object,
  xvar,
  groups,
  surv_type = c("mort", "rel.freq", "surv", "years.lost", "cif", "chf"),
  time,
  ...
)

```

Arguments

object	rfsrc object
xvar	list of partial plot variables
groups	vector of stratification variable.
surv_type	for survival random forests, c("mort", "rel.freq", "surv", "years.lost", "cif", "chf")
time	vector of time points for survival random forests partial plots.
...	extra arguments passed to plot.variable function

Value

gg_partial_coplot object. An subclass of a [gg_partial_list](#) object

Examples

```
# Load the forest
data(rfsrc_pbc, package="ggRandomForests")

# Create the variable plot.
ggvar <- gg_variable(rfsrc_pbc, time = 1)

# Find intervals with similar number of observations.
copper_cts <- quantile_pts(ggvar$copper, groups = 6, intervals = TRUE)

# Create the conditional groups and add to the gg_variable object
copper_grp <- cut(ggvar$copper, breaks = copper_cts)

## Not run:
## We would run this, but it's expensive
partial_coplot_pbc <- gg_partial_coplot(rfsrc_pbc, xvar = "bili",
                                       groups = copper_grp,
                                       surv_type = "surv",
                                       time = 1,
                                       show.plots = FALSE)

## End(Not run)
## so load the cached set
data(partial_coplot_pbc, package="ggRandomForests")

# Partial coplot
plot(partial_coplot_pbc) #, se = FALSE)
```

gg_rfsrc.rfsrc

Predicted response data object

Description

Extracts the predicted response values from the [rfsrc](#) object, and formats data for plotting the response using [plot.gg_rfsrc](#).

Usage

```
## S3 method for class 'rfsrc'
gg_rfsrc(object, oob = TRUE, by, ...)
```

Arguments

object	rfsrc object
oob	boolean, should we return the oob prediction , or the full forest prediction.
by	stratifying variable in the training dataset, defaults to NULL
...	extra arguments

Details

surv_type ("surv", "chf", "mortality", "hazard") for survival forests
 oob boolean, should we return the oob prediction , or the full forest prediction.

Value

gg_rfsrc object

See Also

[plot.gg_rfsrc](#) [rfsrc](#) [plot.rfsrc](#) [gg_survival](#)

Examples

```
## -----
## classification example
## -----
## ----- iris data
# rfsrc_iris <- rfsrc(Species ~ ., data = iris)
data(rfsrc_iris, package="ggRandomForests")
gg_dta<- gg_rfsrc(rfsrc_iris)

plot(gg_dta)

## -----
## Regression example
## -----
## Not run:
## ----- air quality data
# rfsrc_airq <- rfsrc(Ozone ~ ., data = airquality, na.action = "na.impute")
data(rfsrc_airq, package="ggRandomForests")
gg_dta<- gg_rfsrc(rfsrc_airq)

plot(gg_dta)

## End(Not run)

## ----- Boston data
data(rfsrc_Boston, package="ggRandomForests")
plot(gg_rfsrc(rfsrc_Boston))

## Not run:
## ----- mtcars data
data(rfsrc_mtcars, package="ggRandomForests")
gg_dta<- gg_rfsrc(rfsrc_mtcars)

plot(gg_dta)

## End(Not run)
## -----
## Survival example
## -----
## Not run:
## ----- veteran data
## randomized trial of two treatment regimens for lung cancer
# data(veteran, package = "randomForestSRC")
```

```

# rfsrc_veteran <- rfsrc(Surv(time, status) ~ ., data = veteran, ntree = 100)
data(rfsrc_veteran, package = "ggRandomForests")
gg_dta <- gg_rfsrc(rfsrc_veteran)
plot(gg_dta)

gg_dta <- gg_rfsrc(rfsrc_veteran, conf.int=.95)
plot(gg_dta)

gg_dta <- gg_rfsrc(rfsrc_veteran, by="trt")
plot(gg_dta)

## End(Not run)

## ----- pbc data
## We don't run this because of bootstrap confidence limits
data(rfsrc_pbc, package = "ggRandomForests")

## Not run:
gg_dta <- gg_rfsrc(rfsrc_pbc)
plot(gg_dta)

gg_dta <- gg_rfsrc(rfsrc_pbc, conf.int=.95)
plot(gg_dta)

## End(Not run)

gg_dta <- gg_rfsrc(rfsrc_pbc, by="treatment")
plot(gg_dta)

```

gg_roc.rfsrc	<i>ROC (Receiver operator curve) data from a classification random forest.</i>
--------------	--

Description

The sensitivity and specificity of a randomForests classification object.

Usage

```

## S3 method for class 'rfsrc'
gg_roc(object, which.outcome, oob = TRUE, ...)

```

Arguments

object	an rfsrc classification object
which.outcome	select the classification outcome of interest.
oob	use oob estimates (default TRUE)
...	extra arguments (not used)

Value

gg_roc data.frame for plotting ROC curves.

See Also[plot.gg_roc rfsrc](#)**Examples**

```
## -----
## classification example
## -----
## ----- iris data
rfsrc_iris <- rfsrc(Species ~ ., data = iris)
data(rfsrc_iris, package="ggRandomForests")

# ROC for setosa
gg_dta <- gg_roc(rfsrc_iris, which.outcome=1)
plot(gg_dta)

# ROC for versicolor
gg_dta <- gg_roc(rfsrc_iris, which.outcome=2)
plot(gg_dta)

# ROC for virginica
gg_dta <- gg_roc(rfsrc_iris, which.outcome=3)
plot(gg_dta)
```

gg_survival

*Nonparametric survival estimates.***Description**

Nonparametric survival estimates.

Usage

```
gg_survival(
  interval = NULL,
  censor = NULL,
  by = NULL,
  data,
  type = c("kaplan", "nelson"),
  ...
)
```

Arguments

interval	name of the interval variable in the training dataset.
censor	name of the censoring variable in the training dataset.
by	stratifying variable in the training dataset, defaults to NULL
data	name of the training data.frame
type	one of ("kaplan", "nelson"), defaults to kaplan-meier
...	extra arguments passed to kaplan or nelson functions.

Details

gg_survival is a wrapper function for generating nonparametric survival estimates using either [nelson](#)-aalen or [kaplan](#)-meier estimates.

Value

A gg_survival object created using the non-parametric kaplan-meier or nelson-aalon estimators.

See Also

[kaplan nelson plot.gg_survival](#)

Examples

```
## ----- pbc data
data(pbc, package="randomForestSRC")
pbc$time <- pbc$days/364.25

# This is the same as kaplan
gg_dta <- gg_survival(interval="time", censor="status",
                      data=pbc)

plot(gg_dta, error="none")
plot(gg_dta)

# Stratified on treatment variable.
gg_dta <- gg_survival(interval="time", censor="status",
                      data=pbc, by="treatment")

plot(gg_dta, error="none")
plot(gg_dta)

# ...with smaller confidence limits.
gg_dta <- gg_survival(interval="time", censor="status",
                      data=pbc, by="treatment", conf.int=.68)

plot(gg_dta, error="lines")
```

gg_variable

Marginal variable depedance data object.

Description

[plot.variable](#) generates a data.frame containing the marginal variable dependance or the partial variable dependence. The gg_variable function creates a data.frame of containing the full set of covariate data (predictor variables) and the predicted response for each observation. Marginal dependence figures are created using the [plot.gg_variable](#) function.

Optional arguments time point (or vector of points) of interest (for survival forests only) time.labels If more than one time is specified, a vector of time labels for differentiating the time points (for survival forests only) oob indicate if predicted results should include oob or full data set.

Usage

```
gg_variable(object, ...)
```

Arguments

object	a rfsrc object
...	optional arguments

Details

The marginal variable dependence is determined by comparing relation between the predicted response from the randomforest and a covariate of interest.

The `gg_variable` function operates on a [rfsrc](#) object, or the output from the [plot.variable](#) function.

Value

`gg_variable` object

See Also

[plot.gg_variable](#) [plot.variable](#)

Examples

```
## -----
## classification
## -----
## ----- iris data
## iris
#rfsrc_iris <- rfsrc(Species ~., data = iris)
data(rfsrc_iris, package="ggRandomForests")

gg_dta <- gg_variable(rfsrc_iris)
plot(gg_dta, xvar="Sepal.Width")
plot(gg_dta, xvar="Sepal.Length")

plot(gg_dta, xvar=rfsrc_iris$xvar.names,
      panel=TRUE) # , se=FALSE)

## -----
## regression
## -----
## Not run:
## ----- air quality data
#rfsrc_airq <- rfsrc(Ozone ~ ., data = airquality)
data(rfsrc_airq, package="ggRandomForests")
gg_dta <- gg_variable(rfsrc_airq)

# an ordinal variable
gg_dta[, "Month"] <- factor(gg_dta[, "Month"])

plot(gg_dta, xvar="Wind")
plot(gg_dta, xvar="Temp")
plot(gg_dta, xvar="Solar.R")
```

```

plot(gg_dta, xvar=c("Solar.R", "Wind", "Temp", "Day"), panel=TRUE)

plot(gg_dta, xvar="Month", notch=TRUE)

## End(Not run)
## Not run:
## ----- motor trend cars data
#rfsrc_mtcars <- rfsrc(mpg ~ ., data = mtcars)
data(rfsrc_mtcars, package="ggRandomForests")
gg_dta <- gg_variable(rfsrc_mtcars)

# mtcars$cyl is an ordinal variable
gg_dta$cyl <- factor(gg_dta$cyl)
gg_dta$am <- factor(gg_dta$am)
gg_dta$vs <- factor(gg_dta$vs)
gg_dta$gear <- factor(gg_dta$gear)
gg_dta$carb <- factor(gg_dta$carb)

plot(gg_dta, xvar="cyl")

# Others are continuous
plot(gg_dta, xvar="disp")
plot(gg_dta, xvar="hp")
plot(gg_dta, xvar="wt")

# panels
plot(gg_dta,xvar=c("disp","hp", "drat", "wt", "qsec"), panel=TRUE)
plot(gg_dta, xvar=c("cyl", "vs", "am", "gear", "carb"), panel=TRUE, notch=TRUE)

## End(Not run)
## ----- Boston data

## -----
## survival examples
## -----
## Not run:
## ----- veteran data
## survival
# data(veteran, package = "randomForestSRC")
# rfsrc_veteran <- rfsrc(Surv(time,status)~., veteran, nsplit = 10, ntree = 100)
data(rfsrc_veteran, package="ggRandomForests")

# get the 1 year survival time.
gg_dta <- gg_variable(rfsrc_veteran, time=90)

# Generate variable dependance plots for age and diagtime
plot(gg_dta, xvar = "age")
plot(gg_dta, xvar = "diagtime", )

# Generate coplots
plot(gg_dta, xvar = c("age", "diagtime"), panel=TRUE, se=FALSE)

# If we want to compare survival at different time points, say 30, 90 day
# and 1 year

```

```

gg_dta <- gg_variable(rfsrc_veteran, time=c(30, 90, 365))

# Generate variable dependance plots for age and diagtime
plot(gg_dta, xvar = "age")

## End(Not run)
## ----- pbc data

```

gg_vimp

*Variable Importance (VIMP) data object***Description**

gg_vimp Extracts the variable importance (VIMP) information from a a [rfsrc](#) object.

Usage

```
gg_vimp(object, nvar, ...)
```

Arguments

object	A rfsrc object or output from vimp
nvar	argument to control the number of variables included in the output.
...	arguments passed to the vimp.rfsrc function if the rfsrc object does not contain importance information.

Value

gg_vimp object. A data.frame of VIMP measures, in rank order.

References

Ishwaran H. (2007). Variable importance in binary regression trees and forests, *Electronic J. Statist.*, 1:519-537.

See Also

[plot.gg_vimp rfsrc vimp](#)

Examples

```

## -----
## classification example
## -----
## ----- iris data
# rfsrc_iris <- rfsrc(Species ~ ., data = iris)
data(rfsrc_iris, package="ggRandomForests")
gg_dta <- gg_vimp(rfsrc_iris)
plot(gg_dta)

## -----
## regression example
## -----

```

```

## Not run:
## ----- air quality data
# rfsrc_airq <- rfsrc(Ozone ~ ., airquality)
data(rfsrc_airq, package="ggRandomForests")
gg_dta <- gg_vimp(rfsrc_airq)
plot(gg_dta)

## End(Not run)

## ----- Boston data
data(rfsrc_Boston, package="ggRandomForests")
gg_dta <- gg_vimp(rfsrc_Boston)
plot(gg_dta)

## Not run:
## ----- mtcars data
data(rfsrc_mtcars, package="ggRandomForests")
gg_dta <- gg_vimp(rfsrc_mtcars)
plot(gg_dta)

## End(Not run)
## -----
## survival example
## -----
## Not run:
## ----- veteran data
data(rfsrc_veteran, package="ggRandomForests")
gg_dta <- gg_vimp(rfsrc_veteran)
plot(gg_dta)

## End(Not run)

## ----- pbc data
data(rfsrc_pbc, package="ggRandomForests")
gg_dta <- gg_vimp(rfsrc_pbc)
plot(gg_dta)

# Restrict to only the top 10.
gg_dta <- gg_vimp(rfsrc_pbc, nvar=10)
plot(gg_dta)

```

interaction_data

Cached [find.interaction](#) matrix objects for examples, diagnostics and vignettes. Data sets storing [find.interaction](#) matrix objects corresponding to training data according to the following naming convention:

- `interaction_iris` - from a `randomForestSR[C]` for the iris data set.
 - `interaction_Boston` - from a `randomForestS[R]C` for the Boston housing data set (MASS package).
 - `interaction_pbc` - from a `randomForest[S]RC` for the pbc data set (randomForestSRC package)
-

Description

Cached `find.interaction` matrix objects for examples, diagnostics and vignettes.

Data sets storing `find.interaction` matrix objects corresponding to training data according to the following naming convention:

- `interaction_iris` - from a `randomForestSRC` for the `iris` data set.
- `interaction_Boston` - from a `randomForestSRC` for the Boston housing data set (MASS package).
- `interaction_pbc` - from a `randomForestSRC` for the `pbc` data set (randomForestSRC package)

Format

`find.interaction` matrix

Details

Constructing the minimal depth interaction matrices on `randomForestSRC` objects are computationally expensive. We cache `find.interaction` matrix objects to improve the `ggRandomForests` examples, diagnostics and vignettes run times. (see `cache_rfsrc_datasets` to rebuild a complete set of these data sets.)

For each data set listed, we build a `rfsrc` (see `rfsrc_data`), then calculate the minimal depth variable interaction table with `find.interaction`. Each data set is built with the `cache_rfsrc_datasets` with the `randomForestSRC` version listed in the `ggRandomForests` DESCRIPTION file.

- `interaction_iris` - The famous (Fisher's or Anderson's) `iris` data set gives the measurements in centimeters of the variables sepal length and width and petal length and width, respectively, for 50 flowers from each of 3 species of `iris`. Build a classification random forest for predicting the species (`setosa`, `versicolor`, and `virginica`) on 5 variables (columns) and 150 observations (rows).
- `interaction_airq` - The `airquality` data set is from the New York State Department of Conservation (ozone data) and the National Weather Service (meteorological data) collected in New York, from May to September 1973. Build regression random forest for predicting Ozone on 5 covariates and 153 observations.
- `interaction_mtcars` - The `mtcars` data was extracted from the 1974 Motor Trend US magazine, and comprises fuel consumption and 10 aspects of automobile design and performance for 32 automobiles (1973-74 models). Build a regression random forest for predicting `mpg` on 10 covariates and 32 observations.
- `interaction_Boston` - The Boston housing values in suburbs of Boston from the MASS package. Build a regression random forest for predicting `medv` (median home values) on 13 covariates and 506 observations.
- `interaction_pbc` - The `pbc` data from the Mayo Clinic trial in primary biliary cirrhosis (PBC) of the liver conducted between 1974 and 1984. A total of 424 PBC patients, referred to Mayo Clinic during that ten-year interval, met eligibility criteria for the randomized placebo controlled trial of the drug D-penicillamine. 312 cases participated in the randomized trial and contain largely complete data. Data from the `randomForestSRC` package. Build a survival random forest for time-to-event death data with 17 covariates and 312 observations (remaining 106 observations are held out).
- `interaction_veteran` - Veteran's Administration randomized trial of two treatment regimens for lung cancer. Build a survival random forest for time-to-event death data with 6 covariates and 137 observations.

References

- #————— randomForestSRC —————
- Ishwaran H. and Kogalur U.B. (2014). Random Forests for Survival, Regression and Classification (RF-SRC), R package version 1.5.5.
- Ishwaran H. and Kogalur U.B. (2007). Random survival forests for R. *R News* 7(2), 25-31.
- Ishwaran H., Kogalur U.B., Blackstone E.H. and Lauer M.S. (2008). Random survival forests. *Ann. Appl. Statist.* 2(3), 841-860.
- #————— Boston data set —————
- Belsley, D.A., E. Kuh, and R.E. Welsch. 1980. *Regression Diagnostics. Identifying Influential Data and Sources of Collinearity*. New York: Wiley.
- Harrison, D., and D.L. Rubinfeld. 1978. "Hedonic Prices and the Demand for Clean Air." *J. Environ. Economics and Management* 5: 81-102.
- #————— Iris data set —————
- Becker, R. A., Chambers, J. M. and Wilks, A. R. (1988) *The New S Language*. Wadsworth & Brooks/Cole. (has iris3 as iris.)
- Fisher, R. A. (1936) The use of multiple measurements in taxonomic problems. *Annals of Eugenics*, 7, Part II, 179-188.
- Anderson, Edgar (1935). The irises of the Gaspé Peninsula, *Bulletin of the American Iris Society*, 59, 2-5.
- #————— pbc data set —————
- Flemming T.R and Harrington D.P., (1991) *Counting Processes and Survival Analysis*. New York: Wiley.
- T Therneau and P Grambsch (2000), *Modeling Survival Data: Extending the Cox Model*, Springer-Verlag, New York. ISBN: 0-387-98784-3.

See Also

iris [Boston](#) [pbc](#) [find.interaction](#) [rfsrc_data](#) [cache_rfsrc_datasets](#) [gg_interaction](#) [plot.gg_interaction](#)

Examples

```
## Not run:
#-----
# iris data - classification random forest
#-----
# load the rfsrc object from the cached data
data(rfsrc_iris, package="ggRandomForests")

# The interaction table
interaction_iris <- find.interaction(rfsrc_iris)

# plot the forest interaction table
gg_dta <- gg_interaction(interaction_iris)
plot(gg_dta, panel=TRUE)

#-----
# MASS::Boston data - regression random forest
#-----
# load the rfsrc object from the cached data
data(rfsrc_Boston, package="ggRandomForests")
```

```

# The interaction table
interaction_Boston <- find.interaction(rfsrc_Boston)

# plot the forest interaction table
gg_dta <- gg_interaction(interaction_Boston)
plot(gg_dta, panel=TRUE)

#-----
# randomForestSRC::pbc data - survival random forest
#-----
# load the rfsrc object from the cached data
data(rfsrc_pbc, package="ggRandomForests")

# The interaction table
interaction_pbc <- find.interaction(rfsrc_pbc)

# plot the forest interaction table
gg_dta <- gg_interaction(interaction_pbc)
plot(gg_dta, panel=TRUE)

## End(Not run)

```

kaplan

*nonparametric kaplan-meier estimates***Description**

nonparametric kaplan-meier estimates

Usage

```
kaplan(interval, censor, data, by = NULL, ...)
```

Arguments

interval	name of the interval variable in the training dataset.
censor	name of the censoring variable in the training dataset.
data	name of the training set data.frame
by	stratifying variable in the training dataset, defaults to NULL
...	arguments passed to the survfit function

Value[gg_survival](#) object**See Also**[gg_survival nelson plot.gg_survival](#)

Examples

```
## Not run:
# These get run through the gg_survival examples.
data(pbc, package="randomForestSRC")
pbc$time <- pbc$days/364.25

# This is the same as gg_survival
gg_dta <- kaplan(interval="time", censor="status",
                 data=pbc)

plot(gg_dta, error="none")
plot(gg_dta)

# Stratified on treatment variable.
gg_dta <- gg_survival(interval="time", censor="status",
                     data=pbc, by="treatment")

plot(gg_dta, error="none")
plot(gg_dta)

## End(Not run)
```

logit_loess	<i>logit_loess takes</i>
-------------	--------------------------

Description

logit_loess takes

Usage

```
logit_loess(gg_dta, xvar, level)
```

Arguments

gg_dta	dataset contains a yhat to smooth
xvar	name of x variable to smooth along
level	quantile level argument for qnorm function.

nelson	<i>nonparametric Nelson-Aalen estimates</i>
--------	---

Description

nonparametric Nelson-Aalen estimates

Usage

```
nelson(interval, censor, data, by = NULL, weight = NULL, ...)
```


Arguments

<code>interval</code>	name of the interval variable in the training dataset.
<code>censor</code>	name of the censoring variable in the training dataset.
<code>data</code>	name of the survival training data.frame
<code>by</code>	stratifying variable in the training dataset, defaults to NULL
<code>weight</code>	for each observation (default=NULL)
<code>...</code>	arguments passed to the <code>survfit</code> function

Value

`gg_survival` object

See Also

`gg_survival nelson plot.gg_survival`

Examples

```
## Not run:
# These get run through the gg_survival examples.
data(pbc, package="randomForestSRC")
pbc$time <- pbc$days/364.25

# This is the same as gg_survival
gg_dta <- nelson(interval="time", censor="status",
                 data=pbc)

plot(gg_dta, error="none")
plot(gg_dta)

# Stratified on treatment variable.
gg_dta <- gg_survival(interval="time", censor="status",
                     data=pbc, by="treatment")

plot(gg_dta, error="none")
plot(gg_dta, error="lines")
plot(gg_dta)

gg_dta <- gg_survival(interval="time", censor="status",
                     data=pbc, by="treatment",
                     type="nelson")

plot(gg_dta, error="bars")
plot(gg_dta)

## End(Not run)
```

partial_coplot_data *Cached [plot.variable](#) objects for examples, diagnostics and vignettes. Data sets storing [rfsrc](#) objects corresponding to training data according to the following naming convention:*

- partial_coplot_Boston - *randomForestS[R]C for the Boston housing data set (MASS package).*
-

Description

Cached [plot.variable](#) objects for examples, diagnostics and vignettes.

Data sets storing [rfsrc](#) objects corresponding to training data according to the following naming convention:

- partial_coplot_Boston - randomForestS[R]C for the Boston housing data set (MASS package).

Format

List of [plot.variable](#) objects

Details

Constructing random forests are computationally expensive. We cache [rfsrc](#) objects to improve the ggRandomForests examples, diagnostics and vignettes run times. (see [cache_rfsrc_datasets](#) to rebuild a complete set of these data sets.)

For each data set listed, we build a [rfsrc](#). Tuning parameters used in each case are documented in the examples. Each data set is built with the [cache_rfsrc_datasets](#) with the randomForestSRC version listed in the ggRandomForests DESCRIPTION file.

- partial_coplot_Boston - The Boston housing values in suburbs of Boston from the MASS package. Build a regression random forest for predicting medv (median home values) on 13 covariates and 506 observations.

References

#————— randomForestSRC —————

Ishwaran H. and Kogalur U.B. (2014). Random Forests for Survival, Regression and Classification (RF-SRC), R package version 1.5.5.

Ishwaran H. and Kogalur U.B. (2007). Random survival forests for R. R News 7(2), 25-31.

Ishwaran H., Kogalur U.B., Blackstone E.H. and Lauer M.S. (2008). Random survival forests. Ann. Appl. Statist. 2(3), 841-860.

#————— Boston data set —————

Belsley, D.A., E. Kuh, and R.E. Welsch. 1980. Regression Diagnostics. Identifying Influential Data and Sources of Collinearity. New York: Wiley.

Harrison, D., and D.L. Rubinfeld. 1978. "Hedonic Prices and the Demand for Clean Air." J. Environ. Economics and Management 5: 81-102.

#————— pbc data set —————

Flemming T.R and Harrington D.P., (1991) Counting Processes and Survival Analysis. New York: Wiley.

T Therneau and P Grambsch (2000), Modeling Survival Data: Extending the Cox Model, Springer-Verlag, New York. ISBN: 0-387-98784-3.

See Also

[Boston](#) [plot.variable](#) [cache_rfsrc_datasets](#)

Examples

```
## Not run:
#-----
# MASS::Boston data - regression random forest
#-----
data(Boston_rfsrc, package="ggRandomForests")

# Cut the codependent variable
rm_pts <- cut_distribution(rfsrc_Boston$xvar$rm, groups=6)
rm_grp <- cut(rfsrc_Boston$xvar$rm, breaks=rm_pts)

# plot.variable for lstat on subsets of rm (this will take some time.)
partial_coplot_Boston <- gg_partial_coplot(rfsrc_Boston, xvar="lstat",
                                           groups=rm_grp,
                                           show.plots=FALSE)

## End(Not run)
```

partial_data

Cached [plot.variable](#) objects for examples, diagnostics and vignettes. Data sets storing [plot.variable](#) objects corresponding to training data according to the following naming convention:

- `partial_iris` - from a `randomForestSR[C]` for the iris data set.
 - `partial_Boston` - from a `randomForestS[R]C` for the Boston housing data set (MASS package).
 - `partial_pbc` - from a `randomForest[S]RC` for the pbc data set (randomForestSRC package)
-

Description

Cached [plot.variable](#) objects for examples, diagnostics and vignettes.

Data sets storing [plot.variable](#) objects corresponding to training data according to the following naming convention:

- `partial_iris` - from a `randomForestSR[C]` for the iris data set.
- `partial_Boston` - from a `randomForestS[R]C` for the Boston housing data set (MASS package).
- `partial_pbc` - from a `randomForest[S]RC` for the pbc data set (randomForestSRC package)

Format

`plot.variable`

Details

Constructing partial plot data with the `randomForestSRC::plot.variable` function are computationally expensive. We cache `plot.variable` objects to improve the `ggRandomForests` examples, diagnostics and vignettes run times. (see `cache_rfsrc_datasets` to rebuild a complete set of these data sets.)

For each data set listed, we build a `rfsrc` (see `rfsrc_data`), then calculate the partial plot data with `plot.variable` function, setting `partial=TRUE`. Each data set is built with the `cache_rfsrc_datasets` with the `randomForestSRC` version listed in the `ggRandomForests` DESCRIPTION file.

- `partial_iris` - The famous (Fisher's or Anderson's) iris data set gives the measurements in centimeters of the variables sepal length and width and petal length and width, respectively, for 50 flowers from each of 3 species of iris. Build a classification random forest for predicting the species (setosa, versicolor, and virginica) on 5 variables (columns) and 150 observations (rows).
- `partial_Boston` - The Boston housing values in suburbs of Boston from the MASS package. Build a regression random forest for predicting `medv` (median home values) on 13 covariates and 506 observations.
- `partial_pbc` - The pbc data from the Mayo Clinic trial in primary biliary cirrhosis (PBC) of the liver conducted between 1974 and 1984. A total of 424 PBC patients, referred to Mayo Clinic during that ten-year interval, met eligibility criteria for the randomized placebo controlled trial of the drug D-penicillamine. 312 cases participated in the randomized trial and contain largely complete data. Data from the `randomForestSRC` package. Build a survival random forest for time-to-event death data with 17 covariates and 312 observations (remaining 106 observations are held out).

References

- # ————— randomForestSRC —————
- Ishwaran H. and Kogalur U.B. (2014). Random Forests for Survival, Regression and Classification (RF-SRC), R package version 1.5.5.
- Ishwaran H. and Kogalur U.B. (2007). Random survival forests for R. *R News* 7(2), 25-31.
- Ishwaran H., Kogalur U.B., Blackstone E.H. and Lauer M.S. (2008). Random survival forests. *Ann. Appl. Statist.* 2(3), 841-860.
- # ————— Boston data set —————
- Belsley, D.A., E. Kuh, and R.E. Welsch. 1980. *Regression Diagnostics. Identifying Influential Data and Sources of Collinearity*. New York: Wiley.
- Harrison, D., and D.L. Rubinfeld. 1978. "Hedonic Prices and the Demand for Clean Air." *J. Environ. Economics and Management* 5: 81-102.
- # ————— Iris data set —————
- Becker, R. A., Chambers, J. M. and Wilks, A. R. (1988) *The New S Language*. Wadsworth & Brooks/Cole. (has `iris3` as `iris`.)
- Fisher, R. A. (1936) The use of multiple measurements in taxonomic problems. *Annals of Eugenics*, 7, Part II, 179-188.
- Anderson, Edgar (1935). The irises of the Gaspé Peninsula, *Bulletin of the American Iris Society*, 59, 2-5.

#----- pbc data set -----

Flemming T.R and Harrington D.P., (1991) Counting Processes and Survival Analysis. New York: Wiley.

T Therneau and P Grambsch (2000), Modeling Survival Data: Extending the Cox Model, Springer-Verlag, New York. ISBN: 0-387-98784-3.

See Also

iris MASS::Boston [pbc plot.variable](#) [rfsrc_data](#) [cache_rfsrc_datasets](#) [gg_partial](#) [plot.gg_partial](#)

Examples

```
## Not run:
#-----
# iris data - classification random forest
#-----
# load the rfsrc object from the cached data
data(rfsrc_iris, package="ggRandomForests")

# The plot.variable call
partial_iris <- plot.variable(rfsrc_iris,
                             partial=TRUE, show.plots=FALSE)

# plot the forest partial plots
gg_dta <- gg_partial(partial_iris)
plot(gg_dta, panel=TRUE)

#-----
# MASS::Boston data - regression random forest
#-----
# load the rfsrc object from the cached data
data(rfsrc_Boston, package="ggRandomForests")

# The plot.variable call
partial_Boston <- plot.variable(rfsrc_Boston,
                                partial=TRUE, show.plots = FALSE )

# plot the forest partial plots
gg_dta <- gg_partial(partial_Boston)
plot(gg_dta, panel=TRUE)

#-----
# randomForestSRC::pbc data - survival random forest
#-----
# load the rfsrc object from the cached data
data(rfsrc_pbc, package="ggRandomForests")

# The plot.variable call -
# survival requires a time point specification.
# for the pbc data, we want 1, 3 and 5 year survival.
partial_pbc <- lapply(c(1,3,5), function(tm){
  plot.variable(rfsrc_pbc, surv.type = "surv",
               time = tm,
               xvar.names = xvar,
               partial = TRUE,
               show.plots = FALSE)
```

```

    })

# plot the forest partial plots
gg_dta <- gg_partial(partial_pbc)
plot(gg_dta)

## End(Not run)

```

`partial_surface_data` *Cached [plot.variable](#) objects for examples, diagnostics and vignettes. Data sets storing [plot.variable](#) objects corresponding to training data according to the following naming convention:*

- `partial_Boston_surf` - from a `randomForestS[R]C` for the Boston housing data set (MASS package).
 - `partial_pbc_surf` - from a `randomForest[S]RC` for the pbc data set (randomForestSRC package)
 - `partial_pbc_time` - from a `randomForest[S]RC` for the pbc data set (randomForestSRC package)
-

Description

Cached [plot.variable](#) objects for examples, diagnostics and vignettes.

Data sets storing [plot.variable](#) objects corresponding to training data according to the following naming convention:

- `partial_Boston_surf` - from a `randomForestS[R]C` for the Boston housing data set (MASS package).
- `partial_pbc_surf` - from a `randomForest[S]RC` for the pbc data set (randomForestSRC package)
- `partial_pbc_time` - from a `randomForest[S]RC` for the pbc data set (randomForestSRC package)

Format

list of [plot.variable](#) objects

Details

Constructing partial plot data with the `randomForestSRC::plot.variable` function are computationally expensive. We cache [plot.variable](#) objects to improve the `ggRandomForests` examples, diagnostics and vignettes run times. (see [cache_rfsrc_datasets](#) to rebuild a complete set of these data sets.)

For each data set listed, we build a [rfsrc](#) (see [rfsrc_data](#)), then calculate the partial plot data with [plot.variable](#) function, setting `partial=TRUE`. Each data set is built with the [cache_rfsrc_datasets](#) with the `randomForestSRC` version listed in the `ggRandomForests` DESCRIPTION file.

- `partial_Boston` - The Boston housing values in suburbs of Boston from the MASS package. Build a regression random forest for predicting `medv` (median home values) on 13 covariates and 506 observations.

- `partial_pbc` - The `pbc` data from the Mayo Clinic trial in primary biliary cirrhosis (PBC) of the liver conducted between 1974 and 1984. A total of 424 PBC patients, referred to Mayo Clinic during that ten-year interval, met eligibility criteria for the randomized placebo controlled trial of the drug D-penicillamine. 312 cases participated in the randomized trial and contain largely complete data. Data from the `randomForestSRC` package. Build a survival random forest for time-to-event death data with 17 covariates and 312 observations (remaining 106 observations are held out).

References

#----- randomForestSRC -----

Ishwaran H. and Kogalur U.B. (2014). Random Forests for Survival, Regression and Classification (RF-SRC), R package version 1.5.5.

Ishwaran H. and Kogalur U.B. (2007). Random survival forests for R. *R News* 7(2), 25-31.

Ishwaran H., Kogalur U.B., Blackstone E.H. and Lauer M.S. (2008). Random survival forests. *Ann. Appl. Statist.* 2(3), 841-860.

#----- Boston data set -----

Belsley, D.A., E. Kuh, and R.E. Welsch. 1980. *Regression Diagnostics. Identifying Influential Data and Sources of Collinearity*. New York: Wiley.

Harrison, D., and D.L. Rubinfeld. 1978. "Hedonic Prices and the Demand for Clean Air." *J. Environ. Economics and Management* 5: 81-102.

#----- pbc data set -----

Flemming T.R and Harrington D.P., (1991) *Counting Processes and Survival Analysis*. New York: Wiley.

T Therneau and P Grambsch (2000), *Modeling Survival Data: Extending the Cox Model*, Springer-Verlag, New York. ISBN: 0-387-98784-3.

See Also

[Boston](#) [pbc](#) [plot.variable](#) [rfsrc_data](#) [cache_rfsrc_datasets](#) [gg_partial](#) [plot.gg_partial](#)

Examples

```
## Not run:
#-----
# MASS::Boston data - regression random forest
#-----
# load the rfsrc object from the cached data
data(rfsrc_Boston, package="ggRandomForests")

# The plot.variable call
partial_Boston <- plot.variable(rfsrc_Boston,
                               partial=TRUE, show.plots = FALSE )

# plot the forest partial plots
gg_dta <- gg_partial(partial_Boston)
plot(gg_dta, panel=TRUE)

#-----
# randomForestSRC::pbc data - survival random forest
#-----
# load the rfsrc object from the cached data
```

```

data(rfsrc_pbc, package="ggRandomForests")

# Restrict the time of interest to less than 5 years.
time_pts <- rfsrc_pbc$time.interest[which(rfsrc_pbc$time.interest<=5)]

# Find the 50 points in time, evenly space along the distribution of
# event times for a series of partial dependence curves
time_cts <- quantile_pts(time_pts, groups = 50)

# Generate the gg_partial_coplot data object
system.time(partial_pbc_time <- lapply(time_cts, function(ct){
  plot.variable(rfsrc_pbc, xvar = "bili", time = ct,
    npts = 50, show.plots = FALSE,
    partial = TRUE, surv.type="surv")
}))
# user system elapsed
# 2561.313 81.446 2641.707

# Find the quantile points to create 50 cut points
alb_partial_pts <- quantile_pts(rfsrc_pbc$xvar$albumin, groups = 50)

system.time(partial_pbc_surf <- lapply(alb_partial_pts, function(ct){
  rfsrc_pbc$xvar$albumin <- ct
  plot.variable(rfsrc_pbc, xvar = "bili", time = 1,
    npts = 50, show.plots = FALSE,
    partial = TRUE, surv.type="surv")
}))
# user system elapsed
# 2547.482 91.978 2671.870

## End(Not run)

```

pbc_data

*pbc_data "fixes" some features of the randomForestSRC pbc data set.
 * groks logical and factor variables (< 5 unique values are factors).
 * Changes the age variable to be in years * changes time variable to
 years * Modifies the treatment factor*

Description

pbc_data "fixes" some features of the randomForestSRC pbc data set.

* groks logical and factor variables (< 5 unique values are factors). * Changes the age variable to be in years * changes time variable to years * Modifies the treatment factor

Usage

pbc_data()

plot.gg_error	<i>Plot a gg_error object</i>
---------------	---

Description

A plot of the cumulative OOB error rates of the random forest as a function of number of trees.

Usage

```
## S3 method for class 'gg_error'
plot(x, ...)
```

Arguments

x	gg_error object created from a rfsrc object
...	extra arguments passed to ggplot functions

Details

The gg_error plot is used to track the convergence of the randomForest. This figure is a reproduction of the error plot from the [plot.rfsrc](#) function.

Value

ggplot object

References

Breiman L. (2001). Random forests, Machine Learning, 45:5-32.

Ishwaran H. and Kogalur U.B. (2007). Random survival forests for R, Rnews, 7(2):25-31.

Ishwaran H. and Kogalur U.B. (2013). Random Forests for Survival, Regression and Classification (RF-SRC), R package version 1.4.

See Also

[gg_error](#) [rfsrc](#) [plot.rfsrc](#)

Examples

```
## Not run:
## Examples from RFSRC package...
## -----
## classification example
## -----
## ----- iris data
## You can build a randomForest
# rfsrc_iris <- rfsrc(Species ~ ., data = iris)
# ... or load a cached randomForestSRC object
data(rfsrc_iris, package="ggRandomForests")

# Get a data.frame containing error rates
gg_dta<- gg_error(rfsrc_iris)
```

```

# Plot the gg_error object
plot(gg_dta)

## -----
## Regression example
## -----
## ----- airq data
# rfsrc_airq <- rfsrc(Ozone ~ ., data = airquality, na.action = "na.impute")
# ... or load a cached randomForestSRC object
data(rfsrc_airq, package="ggRandomForests")

# Get a data.frame containing error rates
gg_dta<- gg_error(rfsrc_airq)

# Plot the gg_error object
plot(gg_dta)

## ----- Boston data
data(rfsrc_Boston, package="ggRandomForests")

# Get a data.frame containing error rates
gg_dta<- gg_error(rfsrc_Boston)

# Plot the gg_error object
plot(gg_dta)

## ----- mtcars data
data(rfsrc_mtcars, package="ggRandomForests")

# Get a data.frame containing error rates
gg_dta<- gg_error(rfsrc_mtcars)

# Plot the gg_error object
plot(gg_dta)

## -----
## Survival example
## -----
## ----- veteran data
## randomized trial of two treatment regimens for lung cancer
# data(veteran, package = "randomForestSRC")
# rfsrc_veteran <- rfsrc(Surv(time, status) ~ ., data = veteran, ntree = 100)

# Load a cached randomForestSRC object
data(rfsrc_veteran, package="ggRandomForests")

gg_dta <- gg_error(rfsrc_veteran)
plot(gg_dta)

## ----- pbc data
# Load a cached randomForestSRC object
data(rfsrc_pbc, package="ggRandomForests")

gg_dta <- gg_error(rfsrc_pbc)
plot(gg_dta)

```

```
## End(Not run)
```

```
plot.gg_interaction    plot.gg_interaction Plot a gg\_interaction object,
```

Description

plot.gg_interaction Plot a [gg_interaction](#) object,

Usage

```
## S3 method for class 'gg_interaction'
plot(x, xvar, lbls, ...)
```

Arguments

x	gg_interaction object created from a rfsrc object
xvar	variable (or list of variables) of interest.
lbls	A vector of alternative variable names.
...	arguments passed to the gg_interaction function.

Value

ggplot object

References

Breiman L. (2001). Random forests, Machine Learning, 45:5-32.
 Ishwaran H. and Kogalur U.B. (2007). Random survival forests for R, Rnews, 7(2):25-31.
 Ishwaran H. and Kogalur U.B. (2013). Random Forests for Survival, Regression and Classification (RF-SRC), R package version 1.4.

See Also

[rfsrc](#) [find.interaction](#) [max.subtree](#) [var.select](#) [vimp](#) [plot.gg_interaction](#)

Examples

```
## Not run:
## Examples from randomForestSRC package...
## -----
## find interactions, classification setting
## -----
## ----- iris data
## iris.obj <- rfsrc(Species ~., data = iris)
## TODO: VIMP interactions not handled yet....
## find.interaction(iris.obj, method = "vimp", nrep = 3)
## interaction_iris <- find.interaction(iris.obj)
data(interaction_iris, package="ggRandomForests")
gg_dta <- gg_interaction(interaction_iris)

plot(gg_dta, xvar="Petal.Width")
```

```

plot(gg_dta, xvar="Petal.Length")
plot(gg_dta, panel=TRUE)

## -----
## find interactions, regression setting
## -----
## ----- air quality data
## airq.obj <- rfsrc(Ozone ~ ., data = airquality)
##
## TODO: VIMP interactions not handled yet...
## find.interaction(airq.obj, method = "vimp", nrep = 3)
## interaction_airq <- find.interaction(airq.obj)
data(interaction_airq, package="ggRandomForests")
gg_dta <- gg_interaction(interaction_airq)

plot(gg_dta, xvar="Temp")
plot(gg_dta, xvar="Solar.R")
plot(gg_dta, panel=TRUE)

## ----- Boston data
data(interaction_Boston, package="ggRandomForests")
gg_dta <- gg_interaction(interaction_Boston)

plot(gg_dta, panel=TRUE)

## ----- mtcars data
data(interaction_mtcars, package="ggRandomForests")
gg_dta <- gg_interaction(interaction_mtcars)

plot(gg_dta, panel=TRUE)

## -----
## find interactions, survival setting
## -----
## ----- pbc data
## data(pbc, package = "randomForestSRC")
## pbc.obj <- rfsrc(Surv(days,status) ~ ., pbc, nsplit = 10)
## interaction_pbc <- find.interaction(pbc.obj, nvar = 8)
data(interaction_pbc, package="ggRandomForests")
gg_dta <- gg_interaction(interaction_pbc)

plot(gg_dta, xvar="bili")
plot(gg_dta, xvar="copper")
plot(gg_dta, panel=TRUE)

## ----- veteran data
data(interaction_veteran, package="ggRandomForests")
gg_dta <- gg_interaction(interaction_veteran)

plot(gg_dta, panel=TRUE)

## End(Not run)

```

plot.gg_minimal_depth *Plot a gg_minimal_depth object for random forest variable ranking.*

Description

Plot a `gg_minimal_depth` object for random forest variable ranking.

Usage

```
## S3 method for class 'gg_minimal_depth'
plot(x, selection = FALSE, type = c("named", "rank"), lbls, ...)
```

Arguments

<code>x</code>	<code>gg_minimal_depth</code> object created from a <code>rfsrc</code> object
<code>selection</code>	should we restrict the plot to only include variables selected by the minimal depth criteria (boolean).
<code>type</code>	select type of y axis labels <code>c("named", "rank")</code>
<code>lbls</code>	a vector of alternative variable names.
<code>...</code>	optional arguments passed to <code>gg_minimal_depth</code>

Value

ggplot object

References

Breiman L. (2001). Random forests, Machine Learning, 45:5-32.

Ishwaran H. and Kogalur U.B. (2007). Random survival forests for R, Rnews, 7(2):25-31.

Ishwaran H. and Kogalur U.B. (2014). Random Forests for Survival, Regression and Classification (RF-SRC), R package version 1.5.

See Also

`var.select` `gg_minimal_depth`

Examples

```
## Not run:
## Examples from RFSRC package...
## -----
## classification example
## -----
## ----- iris data
## You can build a randomForest
# rfsrc_iris <- rfsrc(Species ~ ., data = iris)
# varsel_iris <- var.select(rfsrc_iris)
# ... or load a cached randomForestSRC object
data(varsel_iris, package="ggRandomForests")

# Get a data.frame containing minimaldepth measures
```

```

gg_dta<- gg_minimal_depth(varsel_iris)

# Plot the gg_minimal_depth object
plot(gg_dta)

## -----
## Regression example
## -----
## ----- air quality data
# rfsrc_airq <- rfsrc(Ozone ~ ., data = airquality, na.action = "na.impute")
# varsel_airq <- var.select(rfsrc_airq)
# ... or load a cached randomForestSRC object
data(varsel_airq, package="ggRandomForests")

# Get a data.frame containing error rates
gg_dta<- gg_minimal_depth(varsel_airq)

# Plot the gg_minimal_depth object
plot(gg_dta)

## ----- Boston data
data(varsel_Boston, package="ggRandomForests")

# Get a data.frame containing error rates
plot(gg_minimal_depth(varsel_Boston))

## ----- mtcars data
data(varsel_mtcars, package="ggRandomForests")

# Get a data.frame containing error rates
plot.gg_minimal_depth(varsel_mtcars)

## -----
## Survival example
## -----
## ----- veteran data
## veteran data
## randomized trial of two treatment regimens for lung cancer
# data(veteran, package = "randomForestSRC")
# rfsrc_veteran <- rfsrc(Surv(time, status) ~ ., data = veteran, ntree = 100)
# varsel_veteran <- var.select(rfsrc_veteran)
# Load a cached randomForestSRC object
data(varsel_veteran, package="ggRandomForests")

gg_dta <- gg_minimal_depth(varsel_veteran)
plot(gg_dta)

## ----- pbc data
data(varsel_pbc, package="ggRandomForests")

gg_dta <- gg_minimal_depth(varsel_pbc)
plot(gg_dta)

## End(Not run)

```

plot.gg_minimal_vimp *Plot a [gg_minimal_vimp](#) object for comparing the Minimal Depth and VIMP variable rankings.*

Description

Plot a [gg_minimal_vimp](#) object for comparing the Minimal Depth and VIMP variable rankings.

Usage

```
## S3 method for class 'gg_minimal_vimp'
plot(x, nvar, lbls, ...)
```

Arguments

x	gg_minimal_depth object created from a var.select object
nvar	should the figure be restricted to a subset of the points.
lbls	a vector of alternative variable names.
...	optional arguments (not used)

Value

ggplot object

See Also

[gg_minimal_vimp](#) [var.select](#)

Examples

```
## Not run:
## Examples from RFSRC package...
## -----
## classification example
## -----
## ----- iris data
## You can build a randomForest
# rfsrc_iris <- rfsrc(Species ~ ., data = iris)
# varsel_iris <- var.select(rfsrc_iris)
# ... or load a cached randomForestSRC object
data(varsel_iris, package="ggRandomForests")

# Get a data.frame containing minimaldepth measures
gg_dta<- gg_minimal_vimp(varsel_iris)

# Plot the gg_minimal_depth object
plot(gg_dta)

## -----
## Regression example
## -----
## ----- air quality data
```

```

rfsrc_airq <- rfsrc(Ozone ~ ., data = airquality, na.action = "na.impute")
varsel_airq <- var.select(rfsrc_airq)

# Get a data.frame containing error rates
gg_dta<- gg_minimal_vimp(varsel_airq)

# Plot the gg_minimal_vimp object
plot(gg_dta)

## ----- Boston data
data(varsel_Boston, package="ggRandomForests")

# Get a data.frame containing error rates
gg_dta<- gg_minimal_vimp(varsel_Boston)

# Plot the gg_minimal_vimp object
plot(gg_dta)

## ----- mtcars data
data(varsel_mtcars, package="ggRandomForests")

# Get a data.frame containing error rates
gg_dta<- gg_minimal_vimp(varsel_mtcars)

# Plot the gg_minimal_vimp object
plot(gg_dta)

## -----
## Survival example
## -----
## ----- veteran data
## randomized trial of two treatment regimens for lung cancer
# data(veteran, package = "randomForestSRC")
# rfsrc_veteran <- rfsrc(Surv(time, status) ~ ., data = veteran, ntree = 100)
# varsel_veteran <- var.select(rfsrc_veteran)
# Load a cached randomForestSRC object
data(varsel_veteran, package="ggRandomForests")

gg_dta <- gg_minimal_vimp(varsel_veteran)
plot(gg_dta)

## ----- pbc data
data(varsel_pbc, package="ggRandomForests")

gg_dta <- gg_minimal_vimp(varsel_pbc)
plot(gg_dta)

## End(Not run)

```


Description

Generate a risk adjusted (partial) variable dependence plot. The function plots the `rfsrc` response variable (y-axis) against the covariate of interest (specified when creating the `gg_partial` object).

Usage

```
## S3 method for class 'gg_partial'
plot(x, points = TRUE, error = c("none", "shade", "bars", "lines"), ...)
```

Arguments

<code>x</code>	<code>gg_partial</code> object created from a <code>rfsrc</code> forest object
<code>points</code>	plot points (boolean) or a smooth line.
<code>error</code>	"shade", "bars", "lines" or "none"
<code>...</code>	extra arguments passed to <code>ggplot2</code> functions.

Value

ggplot object

References

Breiman L. (2001). Random forests, *Machine Learning*, 45:5-32.

Ishwaran H. and Kogalur U.B. (2007). Random survival forests for R, *Rnews*, 7(2):25-31.

Ishwaran H. and Kogalur U.B. (2013). Random Forests for Survival, Regression and Classification (RF-SRC), R package version 1.4.

See Also

[plot.variable](#) [gg_partial](#) [plot.gg_partial_list](#) [gg_variable](#) [plot.gg_variable](#)

Examples

```
## Not run:
## -----
## classification
## -----
## ----- iris data

## iris "Petal.Width" partial dependence plot
##
# rfsrc_iris <- rfsrc(Species ~., data = iris)
# partial_iris <- plot.variable(rfsrc_iris, xvar.names = "Petal.Width",
#                             partial=TRUE)
data(partial_iris, package="ggRandomForests")

gg_dta <- gg_partial(partial_iris)
plot(gg_dta)

## -----
## regression
## -----
## ----- air quality data
```

```

## airquality "Wind" partial dependence plot
##
# rfsrc_airq <- rfsrc(Ozone ~ ., data = airquality)
# partial_airq <- plot.variable(rfsrc_airq, xvar.names = "Wind",
#                               partial=TRUE, show.plot=FALSE)
data(partial_airq, package="ggRandomForests")

gg_dta <- gg_partial(partial_airq)
plot(gg_dta)

gg_dta.m <- gg_dta[["Month"]]
plot(gg_dta.m, notch=TRUE)

gg_dta[["Month"]] <- NULL
plot(gg_dta, panel=TRUE)

## ----- Boston data
data(partial_Boston, package="ggRandomForests")

gg_dta <- gg_partial(partial_Boston)
plot(gg_dta)
plot(gg_dta, panel=TRUE)

## ----- mtcars data
data(partial_mtcars, package="ggRandomForests")

gg_dta <- gg_partial(partial_mtcars)

plot(gg_dta)

gg_dta.cat <- gg_dta
gg_dta.cat[["disp"]] <- gg_dta.cat[["wt"]] <- gg_dta.cat[["hp"]] <- NULL
gg_dta.cat[["drat"]] <- gg_dta.cat[["carb"]] <- gg_dta.cat[["qsec"]] <- NULL

plot(gg_dta.cat, panel=TRUE)

gg_dta[["cyl"]] <- gg_dta[["vs"]] <- gg_dta[["am"]] <- NULL
gg_dta[["gear"]] <- NULL
plot(gg_dta, panel=TRUE)

## -----
## survival examples
## -----
## ----- veteran data
## survival "age" partial variable dependence plot
##
# data(veteran, package = "randomForestSRC")
# rfsrc_veteran <- rfsrc(Surv(time,status)~., veteran, nsplit = 10, ntree = 100)
#
## 30 day partial plot for age
# partial_veteran <- plot.variable(rfsrc_veteran, surv.type = "surv",
#                                  partial = TRUE, time=30,
#                                  xvar.names = "age",
#                                  show.plots=FALSE)
data(partial_veteran, package="ggRandomForests")

gg_dta <- gg_partial(partial_veteran[[1]])

```

```

plot(gg_dta)

gg_dta.cat <- gg_dta
gg_dta[["celltype"]] <- gg_dta[["trt"]] <- gg_dta[["prior"]] <- NULL
plot(gg_dta, panel=TRUE)

gg_dta.cat[["karno"]] <- gg_dta.cat[["diagtime"]] <- gg_dta.cat[["age"]] <- NULL
plot(gg_dta.cat, panel=TRUE, notch=TRUE)

gg_dta <- lapply(partial_veteran, gg_partial)
length(gg_dta)
gg_dta <- combine.gg_partial(gg_dta[[1]], gg_dta[[2]] )

plot(gg_dta[["karno"]])
plot(gg_dta[["celltype"]])

gg_dta.cat <- gg_dta
gg_dta[["celltype"]] <- gg_dta[["trt"]] <- gg_dta[["prior"]] <- NULL
plot(gg_dta, panel=TRUE)

gg_dta.cat[["karno"]] <- gg_dta.cat[["diagtime"]] <- gg_dta.cat[["age"]] <- NULL
plot(gg_dta.cat, panel=TRUE, notch=TRUE)

## ----- pbc data

## End(Not run)

```

plot.gg_partial_list	<i>Partial variable dependence plot, operates on a gg_partial_list object.</i>
----------------------	--

Description

Generate a risk adjusted (partial) variable dependence plot. The function plots the [rfsrc](#) response variable (y-axis) against the covariate of interest (specified when creating the gg_partial_list object).

Usage

```

## S3 method for class 'gg_partial_list'
plot(x, points = TRUE, panel = FALSE, ...)

```

Arguments

x	gg_partial_list object created from a gg_partial forest object
points	plot points (boolean) or a smooth line.
panel	should the entire list be plotted together?
...	extra arguments

Value

list of ggplot objects, or a single faceted ggplot object

References

- Breiman L. (2001). Random forests, Machine Learning, 45:5-32.
- Ishwaran H. and Kogalur U.B. (2007). Random survival forests for R, Rnews, 7(2):25-31.
- Ishwaran H. and Kogalur U.B. (2013). Random Forests for Survival, Regression and Classification (RF-SRC), R package version 1.4.

See Also

[plot.variable](#) [gg_partial](#) [plot.gg_partial](#) [gg_variable](#) [plot.gg_variable](#)

Examples

```
## Not run:
## -----
## classification
## -----
## ----- iris data

## iris "Petal.Width" partial dependence plot
##
# rfsrc_iris <- rfsrc(Species ~., data = iris)
# partial_iris <- plot.variable(rfsrc_iris, xvar.names = "Petal.Width",
#                             partial=TRUE)
data(partial_iris, package="ggRandomForests")

gg_dta <- gg_partial(partial_iris)
plot(gg_dta)

## -----
## regression
## -----
## ----- air quality data
## airquality "Wind" partial dependence plot
##
# rfsrc_airq <- rfsrc(Ozone ~ ., data = airquality)
# partial_airq <- plot.variable(rfsrc_airq, xvar.names = "Wind",
#                             partial=TRUE, show.plot=FALSE)
data(partial_airq, package="ggRandomForests")

gg_dta <- gg_partial(partial_airq)
plot(gg_dta)

gg_dta.m <- gg_dta[["Month"]]
plot(gg_dta.m, notch=TRUE)

gg_dta[["Month"]] <- NULL
plot(gg_dta, panel=TRUE)

## ----- Boston data
data(partial_Boston, package="ggRandomForests")

gg_dta <- gg_partial(partial_Boston)
plot(gg_dta)
plot(gg_dta, panel=TRUE)
```

```

## ----- mtcars data
data(partial_mtcars, package="ggRandomForests")

gg_dta <- gg_partial(partial_mtcars)

plot(gg_dta)

gg_dta.cat <- gg_dta
gg_dta.cat[["disp"]] <- gg_dta.cat[["wt"]] <- gg_dta.cat[["hp"]] <- NULL
gg_dta.cat[["drat"]] <- gg_dta.cat[["carb"]] <- gg_dta.cat[["qsec"]] <- NULL

plot(gg_dta.cat, panel=TRUE)

gg_dta[["cyl"]] <- gg_dta[["vs"]] <- gg_dta[["am"]] <- NULL
gg_dta[["gear"]] <- NULL
plot(gg_dta, panel=TRUE)

## -----
## survival examples
## -----
## ----- veteran data
## survival "age" partial variable dependence plot
##
# data(veteran, package = "randomForestSRC")
# rfsrc_veteran <- rfsrc(Surv(time,status)~., veteran, nsplit = 10, ntree = 100)
#
## 30 day partial plot for age
# partial_veteran <- plot.variable(rfsrc_veteran, surv.type = "surv",
#                                partial = TRUE, time=30,
#                                xvar.names = "age",
#                                show.plots=FALSE)
data(partial_veteran, package="ggRandomForests")

gg_dta <- gg_partial(partial_veteran[[1]])
plot(gg_dta)

gg_dta.cat <- gg_dta
gg_dta.cat[["celltype"]] <- gg_dta.cat[["trt"]] <- gg_dta.cat[["prior"]] <- NULL
plot(gg_dta, panel=TRUE)

gg_dta.cat[["karno"]] <- gg_dta.cat[["diagtime"]] <- gg_dta.cat[["age"]] <- NULL
plot(gg_dta.cat, panel=TRUE, notch=TRUE)

gg_dta <- lapply(partial_veteran, gg_partial)
length(gg_dta)
gg_dta <- combine.gg_partial(gg_dta[[1]], gg_dta[[2]] )

plot(gg_dta[["karno"]])
plot(gg_dta[["celltype"]])

gg_dta.cat <- gg_dta
gg_dta.cat[["celltype"]] <- gg_dta.cat[["trt"]] <- gg_dta.cat[["prior"]] <- NULL
plot(gg_dta, panel=TRUE)

gg_dta.cat[["karno"]] <- gg_dta.cat[["diagtime"]] <- gg_dta.cat[["age"]] <- NULL
plot(gg_dta.cat, panel=TRUE, notch=TRUE)

```

```
## ----- pbc data
## End(Not run)
```

plot.gg_rfsrc	<i>Predicted response plot from a gg_rfsrc object.</i>
---------------	--

Description

Plot the predicted response from a [gg_rfsrc](#) object, the [rfsrc](#) prediction, using the OOB prediction from the forest.

Usage

```
## S3 method for class 'gg_rfsrc'
plot(x, ...)
```

Arguments

x	gg_rfsrc object created from a rfsrc object
...	arguments passed to gg_rfsrc .

Value

ggplot object

References

Breiman L. (2001). Random forests, Machine Learning, 45:5-32.

Ishwaran H. and Kogalur U.B. (2007). Random survival forests for R, Rnews, 7(2):25-31.

Ishwaran H. and Kogalur U.B. (2013). Random Forests for Survival, Regression and Classification (RF-SRC), R package version 1.4.

See Also

[gg_rfsrc](#) [rfsrc](#)

Examples

```
## Not run:
## -----
## classification example
## -----
## ----- iris data
# rfsrc_iris <- rfsrc(Species ~ ., data = iris)
data(rfsrc_iris, package="ggRandomForests")
gg_dta<- gg_rfsrc(rfsrc_iris)

plot(gg_dta)

## -----
```

```

## Regression example
## -----
## ----- air quality data
# rfsrc_airq <- rfsrc(Ozone ~ ., data = airquality, na.action = "na.impute")
data(rfsrc_airq, package="ggRandomForests")
gg_dta<- gg_rfsrc(rfsrc_airq)

plot(gg_dta)

## ----- Boston data
data(rfsrc_Boston, package="ggRandomForests")
plot(rfsrc_Boston)

## ----- mtcars data
data(rfsrc_mtcars, package="ggRandomForests")
gg_dta<- gg_rfsrc(rfsrc_mtcars)

plot(gg_dta)

## -----
## Survival example
## -----
## ----- veteran data
## randomized trial of two treatment regimens for lung cancer
# data(veteran, package = "randomForestSRC")
# rfsrc_veteran <- rfsrc(Surv(time, status) ~ ., data = veteran, ntree = 100)
data(rfsrc_veteran, package = "ggRandomForests")
gg_dta <- gg_rfsrc(rfsrc_veteran)
plot(gg_dta)

gg_dta <- gg_rfsrc(rfsrc_veteran, conf.int=.95)
plot(gg_dta)

gg_dta <- gg_rfsrc(rfsrc_veteran, by="trt")
plot(gg_dta)

## ----- pbc data
data(rfsrc_pbc, package = "ggRandomForests")
gg_dta <- gg_rfsrc(rfsrc_pbc)
plot(gg_dta)

gg_dta <- gg_rfsrc(rfsrc_pbc, conf.int=.95)
plot(gg_dta)

gg_dta <- gg_rfsrc(rfsrc_pbc, by="treatment")
plot(gg_dta)

## End(Not run)

```

Description

ROC plot generic function for a `gg_roc` object.

Usage

```
## S3 method for class 'gg_roc'
plot(x, which.outcome = NULL, ...)
```

Arguments

`x` `gg_roc` object created from a classification forest
`which.outcome` for multiclass problems, choose the class for plotting
`...` arguments passed to the `gg_roc` function

Value

ggplot object of the ROC curve

References

Breiman L. (2001). Random forests, *Machine Learning*, 45:5-32.
 Ishwaran H. and Kogalur U.B. (2007). Random survival forests for R, *Rnews*, 7(2):25-31.
 Ishwaran H. and Kogalur U.B. (2013). Random Forests for Survival, Regression and Classification (RF-SRC), R package version 1.4.

See Also

`gg_roc` `rfsrc`

Examples

```
## Not run:
## -----
## classification example
## -----
## ----- iris data
rfsrc_iris <- rfsrc(Species ~ ., data = iris)
data(rfsrc_iris, package="ggRandomForests")

# ROC for setosa
gg_dta <- gg_roc(rfsrc_iris, which.outcome=1)
plot.gg_roc(gg_dta)

# ROC for versicolor
gg_dta <- gg_roc(rfsrc_iris, which.outcome=2)
plot.gg_roc(gg_dta)

# ROC for virginica
gg_dta <- gg_roc(rfsrc_iris, which.outcome=3)
plot.gg_roc(gg_dta)

# Alternatively, you can plot all three outcomes in one go
# by calling the plot function on the forest object.
plot.gg_roc(rfsrc_iris)
```



```
## End(Not run)
```

plot.gg_survival	<i>Plot a gg_survival object.</i>
------------------	---

Description

Plot a [gg_survival](#) object.

Usage

```
## S3 method for class 'gg_survival'
plot(
  x,
  type = c("surv", "cum_haz", "hazard", "density", "mid_int", "life", "proplife"),
  error = c("shade", "bars", "lines", "none"),
  ...
)
```

Arguments

x	gg_survival or a survival gg_rfsrc object created from a rfsrc object
type	"surv", "cum_haz", "hazard", "density", "mid_int", "life", "proplife"
error	"shade", "bars", "lines" or "none"
...	not used

Value

ggplot object

Examples

```
## Not run:
## ----- pbc data
data(pbc, package="randomForestSRC")
pbc$time <- pbc$days/364.25

# This is the same as kaplan
gg_dta <- gg_survival(interval="time", censor="status",
                      data=pbc)

plot(gg_dta, error="none")
plot(gg_dta)

# Stratified on treatment variable.
gg_dta <- gg_survival(interval="time", censor="status",
                      data=pbc, by="treatment")

plot(gg_dta, error="none")
```

```

plot(gg_dta)

# ...with smaller confidence limits.
gg_dta <- gg_survival(interval="time", censor="status",
                      data=pbmc, by="treatment", conf.int=.68)

plot(gg_dta, error="lines")

## End(Not run)

```

plot.gg_variable	<i>Plot a gg_variable object,</i>
------------------	---

Description

Plot a [gg_variable](#) object,

Usage

```

## S3 method for class 'gg_variable'
plot(
  x,
  xvar,
  time,
  time_labels,
  panel = FALSE,
  oob = TRUE,
  points = TRUE,
  smooth = TRUE,
  ...
)

```

Arguments

x	gg_variable object created from a rfsrc object
xvar	variable (or list of variables) of interest.
time	For survival, one or more times of interest
time_labels	string labels for times
panel	Should plots be faceted along multiple xvar?
oob	oob estimates (boolean)
points	plot the raw data points (boolean)
smooth	include a smooth curve (boolean)
...	arguments passed to the ggplot2 functions.

Value

A single ggplot object, or list of ggplot objects

References

- Breiman L. (2001). Random forests, Machine Learning, 45:5-32.
- Ishwaran H. and Kogalur U.B. (2007). Random survival forests for R, Rnews, 7(2):25-31.
- Ishwaran H. and Kogalur U.B. (2013). Random Forests for Survival, Regression and Classification (RF-SRC), R package version 1.4.

Examples

```
## Not run:
## -----
## classification
## -----
## ----- iris data
## iris
#rfsrc_iris <- rfsrc(Species ~., data = iris)
data(rfsrc_iris, package="ggRandomForests")

gg_dta <- gg_variable(rfsrc_iris)
plot(gg_dta, xvar="Sepal.Width")
plot(gg_dta, xvar="Sepal.Length")

## !! TODO !! this needs to be corrected
plot(gg_dta, xvar=rfsrc_iris$xvar.names,
      panel=TRUE, se=FALSE)

## -----
## regression
## -----
## ----- air quality data
#rfsrc_airq <- rfsrc(Ozone ~ ., data = airquality)
data(rfsrc_airq, package="ggRandomForests")
gg_dta <- gg_variable(rfsrc_airq)

# an ordinal variable
gg_dta[, "Month"] <- factor(gg_dta[, "Month"])

plot(gg_dta, xvar="Wind")
plot(gg_dta, xvar="Temp")
plot(gg_dta, xvar="Solar.R")

plot(gg_dta, xvar=c("Solar.R", "Wind", "Temp", "Day"), panel=TRUE)

plot(gg_dta, xvar="Month", notch=TRUE)

## ----- motor trend cars data
#rfsrc_mtcars <- rfsrc(mpg ~ ., data = mtcars)
data(rfsrc_mtcars, package="ggRandomForests")
gg_dta <- gg_variable(rfsrc_mtcars)

# mtcars$cyl is an ordinal variable
gg_dta$cyl <- factor(gg_dta$cyl)
gg_dta$am <- factor(gg_dta$am)
gg_dta$vs <- factor(gg_dta$vs)
gg_dta$gear <- factor(gg_dta$gear)
gg_dta$carb <- factor(gg_dta$carb)
```

```

plot(gg_dta, xvar="cyl")

# Others are continuous
plot(gg_dta, xvar="disp")
plot(gg_dta, xvar="hp")
plot(gg_dta, xvar="wt")

# panel
plot(gg_dta,xvar=c("disp","hp", "drat", "wt", "qsec"), panel=TRUE)
plot(gg_dta, xvar=c("cyl", "vs", "am", "gear", "carb"),panel=TRUE)

## ----- Boston data

## -----
## survival examples
## -----
## ----- veteran data
## survival
data(veteran, package = "randomForestSRC")
rfsrc_veteran <- rfsrc(Surv(time,status)~., veteran, nsplit = 10, ntree = 100)

# get the 1 year survival time.
gg_dta <- gg_variable(rfsrc_veteran, time=90)

# Generate variable dependance plots for age and diagtime
plot(gg_dta, xvar = "age")
plot(gg_dta, xvar = "diagtime")

# Generate coplots
plot(gg_dta, xvar = c("age", "diagtime"), panel=TRUE)

# If we want to compare survival at different time points, say 30, 90 day
# and 1 year
gg_dta <- gg_variable(rfsrc_veteran, time=c(30, 90, 365))

# Generate variable dependance plots for age and diagtime
plot(gg_dta, xvar = "age")
plot(gg_dta, xvar = "diagtime")

# Generate coplots
plot(gg_dta, xvar = c("age", "diagtime"), panel=TRUE)

## ----- pbc data

## End(Not run)

```

plot.gg_vimp

Plot a `gg_vimp` object, extracted variable importance of a `rfsrc` object

Description

Plot a `gg_vimp` object, extracted variable importance of a `rfsrc` object

Usage

```
## S3 method for class 'gg_vimp'
plot(x, relative, lbls, ...)
```

Arguments

x	gg_vimp object created from a rfsrc object
relative	should we plot vimp or relative vimp. Defaults to vimp.
lbls	A vector of alternative variable labels. Item names should be the same as the variable names.
...	optional arguments passed to gg_vimp if necessary

Value

ggplot object

References

Breiman L. (2001). Random forests, Machine Learning, 45:5-32.

Ishwaran H. and Kogalur U.B. (2007). Random survival forests for R, Rnews, 7(2):25-31.

Ishwaran H. and Kogalur U.B. (2013). Random Forests for Survival, Regression and Classification (RF-SRC), R package version 1.4.

See Also

gg_vimp

Examples

```
## Not run:
## -----
## classification example
## -----
## ----- iris data
# rfsrc_iris <- rfsrc(Species ~ ., data = iris)
data(rfsrc_iris, package="ggRandomForests")
gg_dta <- gg_vimp(rfsrc_iris)
plot(gg_dta)

## -----
## regression example
## -----
## ----- air quality data
# rfsrc_airq <- rfsrc(Ozone ~ ., airquality)
data(rfsrc_airq, package="ggRandomForests")
gg_dta <- gg_vimp(rfsrc_airq)
plot(gg_dta)

## ----- Boston data
data(rfsrc_Boston, package="ggRandomForests")
gg_dta <- gg_vimp(rfsrc_Boston)
plot(gg_dta)

## ----- mtcars data
```

```

data(rfsrc_mtcars, package="ggRandomForests")
gg_dta <- gg_vimp(rfsrc_mtcars)
plot(gg_dta)

## -----
## survival example
## -----
## ----- veteran data
data(rfsrc_veteran, package="ggRandomForests")
gg_dta <- gg_vimp(rfsrc_veteran)
plot(gg_dta)

## ----- pbc data
data(rfsrc_pbc, package="ggRandomForests")
gg_dta <- gg_vimp(rfsrc_pbc)
plot(gg_dta)

## End(Not run)

```

```
print.gg_minimal_depth
```

Print a `gg_minimal_depth` object.

Description

Print a `gg_minimal_depth` object.

Usage

```
## S3 method for class 'gg_minimal_depth'
print(x, ...)
```

Arguments

<code>x</code>	a <code>gg_minimal_depth</code> object.
<code>...</code>	optional arguments

Examples

```

## -----
## classification example
## -----
## You can build a randomForest
# rfsrc_iris <- rfsrc(Species ~ ., data = iris)
# varsel_iris <- var.select(rfsrc_iris)
# ... or load a cached randomForestSRC object
data(varsel_iris, package="ggRandomForests")

# Get a data.frame containing minimaldepth measures
gg_dta <- gg_minimal_depth(varsel_iris)
print(gg_dta)

```

```
## -----
## regression example
## -----
## Not run:
# ... or load a cached randomForestSRC object
data(varsel_airq, package="ggRandomForests")

# Get a data.frame containing minimaldepth measures
gg_dta<- gg_minimal_depth(varsel_airq)
print(gg_dta)

# To nicely print a rfsrc::var.select output...
print(varsel_airq)

## End(Not run)

# ... or load a cached randomForestSRC object
data(varsel_Boston, package="ggRandomForests")

# Get a data.frame containing minimaldepth measures
gg_dta<- gg_minimal_depth(varsel_Boston)
print(gg_dta)

# To nicely print a rfsrc::var.select output...
print(varsel_Boston)
```

quantile_pts

Find points evenly distributed along the vectors values.

Description

This function finds point values from a vector argument to produce groups intervals. Setting groups=2 will return three values, the two end points, and one mid point (at the median value of the vector).

The output can be passed directly into the breaks argument of the cut function for creating groups for coplots.

Usage

```
quantile_pts(object, groups, intervals = FALSE)
```

Arguments

object	vector object of values.
groups	how many points do we want
intervals	should we return the raw points or intervals to be passed to the cut function

Value

vector of groups+1 cut point values.

See Also

cut [gg_partial_coplot](#)

Examples

```
data(rfsrc_Boston)

# To create 6 intervals, we want 7 points.
# quantile_pts will find balanced intervals
rm_pts <- quantile_pts(rfsrc_Boston$xvar$rm, groups=6, intervals=TRUE)

# Use cut to create the intervals
rm_grp <- cut(rfsrc_Boston$xvar$rm, breaks=rm_pts)

summary(rm_grp)
```

rfsrc_data

Cached [rfsrc](#) objects for examples, diagnostics and vignettes.

Description

Data sets storing [rfsrc](#) objects corresponding to training data according to the following naming convention:

- rfsrc_iris - randomForestSR[C] for the iris data set.
- rfsrc_Boston - randomForestS[R]C for the Boston housing data set (MASS package).
- rfsrc_pbc - randomForest[S]RC for the pbc data set (randomForestSRC package)

Format

[rfsrc](#) object

Details

Constructing random forests are computationally expensive. We cache [rfsrc](#) objects to improve the ggRandomForests examples, diagnostics and vignettes run times. (see [cache_rfsrc_datasets](#) to rebuild a complete set of these data sets.)

For each data set listed, we build a [rfsrc](#). Tuning parameters used in each case are documented in the examples. Each data set is built with the [cache_rfsrc_datasets](#) with the randomForestSRC version listed in the ggRandomForests DESCRIPTION file.

- rfsrc_iris - The famous (Fisher's or Anderson's) iris data set gives the measurements in centimeters of the variables sepal length and width and petal length and width, respectively, for 50 flowers from each of 3 species of iris. Build a classification random forest for predicting the species (setosa, versicolor, and virginica) on 5 variables (columns) and 150 observations (rows).
- rfsrc_Boston - The Boston housing values in suburbs of Boston from the MASS package. Build a regression random forest for predicting medv (median home values) on 13 covariates and 506 observations.

- `rfsrc_pbc` - The `pbc` data from the Mayo Clinic trial in primary biliary cirrhosis (PBC) of the liver conducted between 1974 and 1984. A total of 424 PBC patients, referred to Mayo Clinic during that ten-year interval, met eligibility criteria for the randomized placebo controlled trial of the drug D-penicillamine. 312 cases participated in the randomized trial and contain largely complete data. Data from the `randomForestSRC` package. Build a survival random forest for time-to-event death data with 17 covariates and 312 observations (remaining 106 observations are held out).

References

#————— `randomForestSRC` —————

Ishwaran H. and Kogalur U.B. (2014). Random Forests for Survival, Regression and Classification (RF-SRC), R package version 1.5.5.

Ishwaran H. and Kogalur U.B. (2007). Random survival forests for R. *R News* 7(2), 25-31.

Ishwaran H., Kogalur U.B., Blackstone E.H. and Lauer M.S. (2008). Random survival forests. *Ann. Appl. Statist.* 2(3), 841-860.

#————— Boston data set —————

Belsley, D.A., E. Kuh, and R.E. Welsch. 1980. *Regression Diagnostics. Identifying Influential Data and Sources of Collinearity*. New York: Wiley.

Harrison, D., and D.L. Rubinfeld. 1978. "Hedonic Prices and the Demand for Clean Air." *J. Environ. Economics and Management* 5: 81-102.

#————— Iris data set —————

Becker, R. A., Chambers, J. M. and Wilks, A. R. (1988) *The New S Language*. Wadsworth & Brooks/Cole. (has `iris3` as `iris`.)

Fisher, R. A. (1936) The use of multiple measurements in taxonomic problems. *Annals of Eugenics*, 7, Part II, 179-188.

Anderson, Edgar (1935). The irises of the Gaspé Peninsula, *Bulletin of the American Iris Society*, 59, 2-5.

#————— `pbc` data set —————

Flemming T.R and Harrington D.P., (1991) *Counting Processes and Survival Analysis*. New York: Wiley.

T Therneau and P Grambsch (2000), *Modeling Survival Data: Extending the Cox Model*, Springer-Verlag, New York. ISBN: 0-387-98784-3.

See Also

`iris` [Boston](#) [pbc](#) [rfsrc](#) [cache_rfsrc_datasets](#) [gg_rfsrc_plot](#) [gg_rfsrc](#) [gg_error_plot](#) [gg_error](#)

Examples

```
## Not run:
#-----
# iris data - classification random forest
#-----
# rfsrc grow call
rfsrc_iris <- rfsrc(Species ~., data = iris)

# plot the forest generalization error convergence
gg_dta <- gg_error(rfsrc_iris)
plot(gg_dta)
```

```

# Plot the forest predictions
gg_dta <- gg_rfsrc(rfsrc_iris)
plot(gg_dta)

#-----
# MASS::Boston data - regression random forest
#-----
# Load the data...
data(Boston, package="MASS")
Boston$chas <- as.logical(Boston$chas)

# rfsrc grow call
rfsrc_Boston <- rfsrc(medv~., data=Boston)

# plot the forest generalization error convergence
gg_dta <- gg_error(rfsrc_Boston)
plot(gg_dta)

# Plot the forest predictions
gg_dta <- gg_rfsrc(rfsrc_Boston)
plot(gg_dta)

#-----
# randomForestSRC::pbc data - survival random forest
#-----
# Load the data...
# For simplicity here. We do a bit of data tidying
# before running the stored random forest.
data(pbc, package="randomForestSRC")

# Remove non-randomized cases
dta.train <- pbc[-which(is.na(pbc$treatment)),]

# rfsrc grow call
rfsrc_pbc <- rfsrc(Surv(years, status) ~ ., dta.train, nsplit = 10,
                  na.action="na.impute")

# plot the forest generalization error convergence
gg_dta <- gg_error(rfsrc_pbc)
plot(gg_dta)

# Plot the forest predictions
gg_dta <- gg_rfsrc(rfsrc_pbc)
plot(gg_dta)

## End(Not run)

```

shift

lead function to shift by one (or more).

Description

lead function to shift by one (or more).

Usage

```
shift(x, shift_by = 1)
```

Arguments

x	a vector of values
shift_by	an integer of length 1, giving the number of positions to lead (positive) or lag (negative) by

Details

Lead and lag are useful for comparing values offset by a constant (e.g. the previous or next value)

Taken from: <http://ctszkin.com/2012/03/11/generating-a-laglead-variables/>

This function allows me to remove the dplyr::lead depends. Still suggest for vignettes though.

Examples

```
d<-data.frame(x=1:15)
#generate lead variable
d$df_lead2<-ggRandomForests:::shift(d$x,2)
#generate lag variable
d$df_lag2<-ggRandomForests:::shift(d$x,-2)
```

surface_matrix	<i>Construct a set of (x, y, z) matrices for surface plotting a gg_partial_coplot object</i>
----------------	--

Description

Construct a set of (x, y, z) matrices for surface plotting a gg_partial_coplot object

Usage

```
surface_matrix(dta, xvar)
```

Arguments

dta	a gg_partial_coplot object containing at least 3 numeric columns of data
xvar	a vector of 3 column names from the data object, in (x, y, z) order

Details

To create a surface plot, the plot3D::surf3D function expects 3 matrices of n.x by n.y. Take the p+1 by n gg_partial_coplot object, and extract and construct the x, y and z matrices from the provided xvar column names.

Examples

```
## Not run:
## From vignette(randomForestRegression, package="ggRandomForests")
##
data(rfsrc_Boston)
rm_pts <- quantile_pts(rfsrc_Boston$xvar$rm, groups=49, intervals=TRUE)

# Load the stored partial coplot data.
data(partial_Boston_surf)

# Instead of groups, we want the raw rm point values,
# To make the dimensions match, we need to repeat the values
# for each of the 50 points in the lstat direction
rm.tmp <- do.call(c,lapply(rm_pts,
                           function(grp){rep(grp, length(partial_Boston_surf))}))

# Convert the list of plot.variable output to
partial_surf <- do.call(rbind,lapply(partial_Boston_surf, gg_partial))

# attach the data to the gg_partial_coplot
partial_surf$rm <- rm.tmp

# Transform the gg_partial_coplot object into a list of three named matrices
# for surface plotting with plot3D::surf3D
srf <- surface_matrix(partial_surf, c("lstat", "rm", "yhat"))

## End(Not run)

## Not run:
# surf3D is in the plot3D package.
library(plot3D)
# Generate the figure.
surf3D(x=srf$x, y=srf$y, z=srf$z, col=topo.colors(10),
       colkey=FALSE, border = "black", bty="b2",
       shade = 0.5, expand = 0.5,
       lighting = TRUE, lphi = -50,
       xlab="Lower Status", ylab="Average Rooms", zlab="Median Value"
)

## End(Not run)
```

varsel_data

Cached `var.select` objects for examples, diagnostics and vignettes. Data sets storing `var.select` objects corresponding to training data according to the following naming convention:

- `varsel_iris` - from a `randomForestSR[C]` for the `iris` data set.
 - `varsel_Boston` - from a `randomForestS[R]C` for the Boston housing data set (MASS package).
 - `varsel_pbc` - from a `randomForest[S]RC` for the `pbc` data set (randomForestSRC package)
-

Description

Cached `var.select` objects for examples, diagnostics and vignettes.

Data sets storing `var.select` objects corresponding to training data according to the following naming convention:

- `varsel_iris` - from a `randomForestSR[C]` for the `iris` data set.
- `varsel_Boston` - from a `randomForestS[R]C` for the Boston housing data set (MASS package).
- `varsel_pbc` - from a `randomForest[S]RC` for the `pbc` data set (`randomForestSRC` package)

Format

`var.select` object

Details

Constructing minimal depth variable selection with the `randomForestSRC::var.select` function is computationally expensive. We cache `var.select` objects to improve the `ggRandomForests` examples, diagnostics and vignettes run times. (see `cache_rfsrc_datasets` to rebuild a complete set of these data sets.)

For each data set listed, we build a `rfsrc` (see `rfsrc_data`), then calculate the minimal depth variable selection with `var.select` function, setting `method="md"`. Each data set is built with the `cache_rfsrc_datasets` with the `randomForestSRC` version listed in the `ggRandomForests` DESCRIPTION file.

- `varsel_iris` - The famous (Fisher's or Anderson's) `iris` data set gives the measurements in centimeters of the variables sepal length and width and petal length and width, respectively, for 50 flowers from each of 3 species of iris. Build a classification random forest for predicting the species (`setosa`, `versicolor`, and `virginica`) on 5 variables (columns) and 150 observations (rows).
- `varsel_Boston` - The Boston housing values in suburbs of Boston from the MASS package. Build a regression random forest for predicting `medv` (median home values) on 13 covariates and 506 observations.
- `varsel_pbc` - The `pbc` data from the Mayo Clinic trial in primary biliary cirrhosis (PBC) of the liver conducted between 1974 and 1984. A total of 424 PBC patients, referred to Mayo Clinic during that ten-year interval, met eligibility criteria for the randomized placebo controlled trial of the drug D-penicillamine. 312 cases participated in the randomized trial and contain largely complete data. Data from the `randomForestSRC` package. Build a survival random forest for time-to-event death data with 17 covariates and 312 observations (remaining 106 observations are held out).

References

————— `randomForestSRC` —————

Ishwaran H. and Kogalur U.B. (2014). Random Forests for Survival, Regression and Classification (RF-SRC), R package version 1.5.5.

Ishwaran H. and Kogalur U.B. (2007). Random survival forests for R. *R News* 7(2), 25-31.

Ishwaran H., Kogalur U.B., Blackstone E.H. and Lauer M.S. (2008). Random survival forests. *Ann. Appl. Statist.* 2(3), 841-860.

————— Boston data set —————

Belsley, D.A., E. Kuh, and R.E. Welsch. 1980. Regression Diagnostics. Identifying Influential Data and Sources of Collinearity. New York: Wiley.

Harrison, D., and D.L. Rubinfeld. 1978. "Hedonic Prices and the Demand for Clean Air." J. Environ. Economics and Management 5: 81-102.

#————— Iris data set —————

Becker, R. A., Chambers, J. M. and Wilks, A. R. (1988) The New S Language. Wadsworth & Brooks/Cole. (has iris3 as iris.)

Fisher, R. A. (1936) The use of multiple measurements in taxonomic problems. Annals of Eugenics, 7, Part II, 179-188.

Anderson, Edgar (1935). The irises of the Gaspé Peninsula, Bulletin of the American Iris Society, 59, 2-5.

#————— pbc data set —————

Flemming T.R and Harrington D.P., (1991) Counting Processes and Survival Analysis. New York: Wiley.

T Therneau and P Grambsch (2000), Modeling Survival Data: Extending the Cox Model, Springer-Verlag, New York. ISBN: 0-387-98784-3.

See Also

[iris](#) [Boston](#) [pbc](#) [var.select](#) [rfsrc_data](#) [cache_rfsrc_datasets](#) [gg_minimal_depth](#) [plot.gg_minimal_depth](#) [gg_minimal_vimp](#) [plot.gg_minimal_vimp](#)

Examples

```
## Not run:
#-----
# iris data - classification random forest
#-----
# load the rfsrc object from the cached data
data(rfsrc_iris, package="ggRandomForests")

# The var.select call
varsel_iris <- var.select(rfsrc_iris)

# plot the forestminimal depth ranking
gg_dta <- gg_minimal_depth(varsel_iris)
plot(gg_dta)

#-----
# MASS::Boston data - regression random forest
#-----
# load the rfsrc object from the cached data
data(rfsrc_Boston, package="ggRandomForests")

# The var.select call
varsel_Boston <- var.select(rfsrc_Boston)

# plot the forestminimal depth ranking
gg_dta <- gg_minimal_depth(varsel_Boston)
plot(gg_dta)

#-----
```

```
# randomForestSRC::pbc data - survival random forest
#-----
# load the rfsrc object from the cached data
data(rfsrc_pbc, package="ggRandomForests")

# The var.select call
varsel_pbc <- var.select(rfsrc_pbc)

# plot the forestminimal depth ranking
gg_dta <- gg_minimal_depth(varsel_pbc)
plot(gg_dta)

## End(Not run)
```

Index

*Topic **datasets**

- interaction_data, 28
- partial_coplot_data, 34
- partial_data, 35
- partial_surface_data, 38
- rfsrc_data, 64
- varsel_data, 68

Boston, 4, 30, 35, 39, 65, 70

cache_rfsrc_datasets, 4, 29, 30, 34–39, 64, 65, 69, 70

calc_auc, 5, 6

calc_roc, 5

calc_roc(calc_roc.rfsrc), 6

calc_roc.rfsrc, 6

combine.gg_partial, 7

combine.gg_partial_list
(combine.gg_partial), 7

find.interaction, 4, 10, 28–30, 43

gg_error, 3, 8, 41, 65

gg_interaction, 3, 10, 30, 43

gg_minimal_depth, 3, 12, 45, 47, 62, 70

gg_minimal_vimp, 3, 14, 47, 70

gg_partial, 3, 7, 16, 37, 39, 48, 49, 51, 52

gg_partial_coplot, 3, 64

gg_partial_coplot
(gg_partial_coplot.rfsrc), 19

gg_partial_coplot.rfsrc, 19

gg_partial_list, 19

gg_partial_list(gg_partial), 16

gg_rfsrc, 3, 54, 57, 65

gg_rfsrc(gg_rfsrc.rfsrc), 20

gg_rfsrc.rfsrc, 20

gg_roc, 3, 5, 6, 55, 56

gg_roc(gg_roc.rfsrc), 22

gg_roc.rfsrc, 22

gg_survival, 3, 21, 23, 31, 33, 57

gg_variable, 3, 24, 49, 52, 58

gg_vimp, 3, 27, 60, 61

ggRandomForests-package, 2

interaction_Boston(interaction_data),
28

interaction_Boston, (interaction_data),
28

interaction_data, 4, 28

interaction_iris(interaction_data), 28

interaction_iris, (interaction_data), 28

interaction_pbc(interaction_data), 28

kaplan, 24, 31

logit_loess, 32

max.subtree, 10, 43

nelson, 24, 31, 32, 33

partial_Boston(partial_data), 35

partial_Boston, (partial_data), 35

partial_Boston_surf
(partial_surface_data), 38

partial_Boston_surf,
(partial_surface_data), 38

partial_coplot_Boston
(partial_coplot_data), 34

partial_coplot_Boston,
(partial_coplot_data), 34

partial_coplot_Boston2
(partial_coplot_data), 34

partial_coplot_Boston2,
(partial_coplot_data), 34

partial_coplot_data, 4, 34

partial_coplot_pbc
(partial_coplot_data), 34

partial_coplot_pbc,
(partial_coplot_data), 34

partial_coplot_pbc2
(partial_coplot_data), 34

partial_data, 4, 35

partial_iris(partial_data), 35

partial_iris, (partial_data), 35

partial_pbc(partial_data), 35

partial_pbc_surf
(partial_surface_data), 38

partial_pbc_surf,
 (partial_surface_data), 38
 partial_pbc_time
 (partial_surface_data), 38
 partial_surface_data, 38
 pbc, 4, 30, 37, 39, 65, 70
 pbc_data, 40
 plot.gg_error, 8, 41, 65
 plot.gg_interaction, 10, 30, 43, 43
 plot.gg_minimal_depth, 12, 45, 70
 plot.gg_minimal_vimp, 14, 47, 70
 plot.gg_partial, 16, 37, 39, 48, 52
 plot.gg_partial_list, 49, 51
 plot.gg_rfsrc, 20, 21, 54, 65
 plot.gg_roc, 5, 6, 23, 55
 plot.gg_survival, 24, 31, 33, 57
 plot.gg_variable, 24, 25, 49, 52, 58
 plot.gg_vimp, 27, 60
 plot.rfsrc, 41
 plot.variable, 4, 16, 19, 24, 25, 34–39, 49,
 52
 predict.rfsrc, 6, 14
 print.gg_minimal_depth, 62

 qnorm, 32
 quantile_pts, 63

 rfsrc, 3, 4, 6–8, 10, 14, 16, 19, 20, 22, 23, 25,
 27, 29, 34, 36, 38, 41, 43, 45, 49, 51,
 54, 57, 58, 60, 61, 64, 65, 69
 rfsrc_Boston (rfsrc_data), 64
 rfsrc_Boston, (rfsrc_data), 64
 rfsrc_data, 4, 29, 30, 36–39, 64, 69, 70
 rfsrc_iris (rfsrc_data), 64
 rfsrc_iris, (rfsrc_data), 64
 rfsrc_pbc (rfsrc_data), 64
 rfsrc_pbc, (rfsrc_data), 64
 rfsrc_pbc_test (rfsrc_data), 64

 shift, 66
 surface_matrix, 67

 var.select, 4, 10, 14, 43, 45, 47, 68–70
 var.select.rfsrc, 14
 varsel_Boston (varsel_data), 68
 varsel_Boston, (varsel_data), 68
 varsel_data, 4, 68
 varsel_iris (varsel_data), 68
 varsel_iris, (varsel_data), 68
 varsel_pbc (varsel_data), 68
 veteran, 4
 vimp, 10, 27, 43
 vimp.rfsrc, 27