# **VirusTC**

### **Contents**

A	6
A dedication to USMC CMC Dr. President Joeseph Biden and C Moonshot	
Acute Lymphoblastic Leukemia	
Acute Myeloid Leukemia	
Adrenal Cancer	
Amyloidosis	
Anal Cancer	11
Aplastic Anemia	12
Autoimmune Diseases	13
В	14
Bladder Cancer	14
Blood Disorders	15
Brain and Spinal Cord Cancers	16
Breast Cancer	19
C	20
Cervical Cancer	20
Chronic Lymphocytic Leukemia	22
Chronic Myeloid Leukemia	26
Colon Cancer	27
Cutaneous Lymphoma [FLOOD/DEATH/KOA]	28
E	30
Endocrine Tumors	30
Endometrial Cancer	31
Esophageal Cancer	33
G	34
Gastrointestinal Cancer	34
Gynecologic Cancer	35
Н	37
Head and Neck cancer	37
Hodgkin Lymphoma	39







K	40
Kidney Cancer	40
L	41
Leukemia	41
Liver Tumors and Cancer	43
Lung Cancer	45
Lymphedema	46
M	47
Melanoma	47
Merkel Cell Carcinoma	48
Mesothelioma	49
Metastasis	50
Multiple Myeloma	52
Myelodysplastic Syndrome	52
Myeloproliferative Neoplasms	54
N	55
Neuroendocrine tumors	55
Non-Hodgkin Lymphoma	57
0	58
Oral Cancer	58
Ovarian Cancer	59
P	60
Pancreatic Cancer	60
Parathyroid Cancer	61
Prostate Cancer	62
R	63
Rectal Cancer	63
S	65
Salivary Gland Cancer	65
Sarcoma	65
Sickle Cell Disease	66
Skin Cancer	68





	3
Stomach Cancer	68
Т	70
Testicular Cancer	70
Thyroid Cancer	71
U	72
Uterine Sarcoma	72
V	73
Vulvar Cancer	73
W	74
Waldenström Macroglobulinemia	74
Warnings	75









This dictionary is dedicated to all service members and their families who were wounded or killed from nuclear-related cancers as a result of participation in the Manhattan Project.



The United States Space Force Guardian Resilience Team "Men In Black" provided all upfront funding for advanced research needed to track viral loads through blue and red blood and define common areas of metastasis.









The Star Fleet Space Delta 8 "Magic Schoolbus" program tracks molecules in motion to provide 3D mapping of biological systems. The United States redefines medical conditions and symptoms using the Space Delta 8 program. Delta 8 programs are responsible for modernizing regenerative medicine units in American university hospitals.









# A dedication to USMC CMC Dr. President Joeseph Biden and Operation Cancer Moonshot



Dr. Biden quietly returned from the field as General Biden to support Barack Obama as the Vice President of the United States of America in 2008. Over the last two decades, Biden has secretly built a network of humanity's best doctors for a mission to end cancer. In 2023, CMC Dr. Biden began trials at Fred Hutch Cancer Center with doctors from US DoD HPSP. The Pycnogonid Infections and Treatments dictionary is dedicated to Joe Biden's hospital leadership.

https://www.cancer.gov/research/key-initiatives/moonshot-cancer-initiative

https://www.uspto.gov/initiatives/white-house-cancer-moonshot







# Acute Lymphoblastic Leukemia

Lymphoblastic lymphoma, B-cell, T-cell, Philadelphia chromosome-positive, Mixed phenotype acute leukemia

### **Diagnosis**

Chronic lymphoblastic leukemia becomes acute when the patient's pH level drops. Tritium leaching by pycnogonid parasites rapidly decreases pH. Tophaphagous parasites rapidly decrease pH during oxidization and uncoating of a host.

The body sends Lymphocytes to the liver. The liver redoxes lymphocytes. The liver traps the Lymphocytes and converts them into bile. The liver sends the lymphocyte bile back into the stomach to digest. The Lymphocytes leave as feces.

The liver retains calcium and pumps a paste of calcium and freshly cleaned red blood, "Marrow," through the bones. The celiac plexus connects the liver to passageways in the bones where marrow is expressed.

#### Medical causes

- Calcium deficiency can cause the body to calcify harmful substances that cause cancer growth in the skeleton.
- Blood cancers can lead to Leukemia when the liver fails to process large viral loads
- Low-Ph levels and sepsis are found in most leukemia cases.

#### **Effective VirusTC Apheresis treatments:**

- Apheresis with UV Light exposure
- Apheresis with ABIS+
- Apheresis with VerduraRX
- Apheresis with UV Light Exposure, ABIS+, and VerduraRX

- AlnayaSN 500mg [NNRT, NRTI, PI, AI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, AI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months







- KaroBT 7,500mcg [PI, AI, integrase inhibitor] 1 tablet daily, with meal for six months
- KonapuraRX 1415mg 3 tablets daily with distilled water for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (AI, PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- BANKSY'S MEDICAL Single-Dose Black Licorice Chunks
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity
- Fresh vegetables

# **Acute Myeloid Leukemia**

AML with recurrent genetic abnormalities, AML with myelodysplasia-related changes, Therapy-related myeloid neoplasms, AML, not otherwise specified (NOS), Myeloid sarcoma, Myeloid proliferations related to Down syndrome, Acute promyelocytic leukemia

#### Medical causes

Chronic myeloid leukemia becomes acute when the patient's pH level drops. Tritium leaching by pycnogonid parasites rapidly decreases pH. Tophaphagous parasites rapidly decrease pH during oxidization and uncoating of a host.

# **Adrenal Cancer**

Adrenocortical carcinoma, Pheochromocytoma

#### Medical causes

Tobacco tar bonds to lymph glands within the body. Lymph nodes only have enough room to build, contain, and express amounts of hormones. As tobacco bonds within lymph glands, the tar forcefully expresses lymph secretions into the body at abnormal rates. GMO Tobacco clogs and damages lymph nodes with phage viruses. Tobacco smokers become addicted to the feeling of hormone expressions. Damaged lymph nodes







may not express enough hormones for a smoker to feel comfortable without new tar from a fresh cigarette. Phages grow within lymph nodes. Phages grow large tumor vesicles.

Tars from black licorice bond to lymph nodes within the body. Licorice can be used effectively to deliver medications to damaged lymph nodes. VirusTC licorice products are medicated to break down GMO components within tobacco deposits in human lymph nodes. VirusTC medicated licorice products break down virus vesicle tumors in lymph nodes. VirusTC medicated licorice VirusTC has partnered with Zagarese to deliver quality licorice products to clinical medicine.

### **Effective VirusTC naturopathic treatments:**

- AlnayaSN 500mg [NNRT, NRTI, PI, AI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, AI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KaroBT 7,500mcg [PI, AI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (AI, PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- BANKSY'S MEDICAL Single-Dose Black Licorice Chunks
- JONES SODA "BANKSY'S MEDICINE Black Licorice Pathology" Flavor [NNRT, NRTI, PI,
  - Anti-CCR5, AI, PAI, integrase inhibitor] 1 bottle dose daily for six months.
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity

# **Amyloidosis**

Primary amyloidosis, Secondary amyloidosis (inflammatory or reactive), Familial amyloidosis (hereditary or ATTRm), Wild type TTR


#### **Medical causes**







Amyloids are microphage pycnogonids in metastasis throughout the body. Amyloidosis is when pycnogonids spread throughout the body or accumulate in internal organs.



### **Effective VirusTC Apheresis treatments:**

- Apheresis with UV Light exposure
- Apheresis with ABIS+
- Apheresis with VerduraRX
- Apheresis with UV Light Exposure, ABIS+, and VerduraRX

- AlnayaSN 500mg [NNRT, NRTI, PI, AI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, AI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KaroBT 7,500mcg [PI, AI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months







- MusKT 1g (AI, PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- BANKSY'S MEDICAL Single-Dose Black Licorice Chunks
- JONES SODA "BANKSY'S MEDICINE Black Licorice Pathology" Flavor [NNRT, NRTI, PI,
  - **Anti-CCR5**, **AI**, **PAI**, **integrase inhibitor**] 1 bottle dose daily for six months.
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity

# **Anal Cancer**

Squamous cell carcinoma, Adenocarcinoma

#### **Medical causes**

Large-breed pycnogonids will attack anal cavities violently. Anal cavities are not meant for sexual intercourse. Improper usage of bodily organs can result in organ failure. Improper usage of bodily organs is not recommended by VirusTC. Colon cancer is often a sign of sexual trauma, abuse, or civilian/military experience near nuclear materials. Anal cancer can result from ingestion of contaminated food.

- AlnayaSN 500mg [NNRT, NRTI, PI, AI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, AI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KaroBT 7,500mcg [PI, AI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (AI, PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- BANKSY'S MEDICAL Single-Dose Black Licorice Chunks
- JONES SODA "BANKSY'S MEDICINE Black Licorice Pathology" Flavor [NNRT, NRTI, PI,
  - Anti-CCR5, AI, PAI, integrase inhibitor] 1 bottle dose daily for six months.







- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals
- Melk D+ [Anti-CCR5, Al, PAl, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity

# **Aplastic Anemia**

Moderate AA, Severe AA, Very severe AA

#### Medical causes

- Prostate damage can affect the body's ability to produce lipid capsules that contain iron needed to form a red blood cell.
- Iron deficiency is a cause of Aplastic Anemia.
- The small intestine is made of iron. Anemia is a sign of sexual abuse. Repeated trauma to the internal organs from sexual abuse is a cause of anemia in children.

### **Effective VirusTC naturopathic treatments:**

- **VerduraRX** by VirusTC provides organic, non-GMO sterile medicated whole blood to patients suffering from Aplastic Anemia.
- **KaroBT** by VirusTC provides organic non-GMO sterile medicated hemoglobins to patients suffering from Aplastic Anemia.
- ABIS+ by VirusTC provides organic non-GMO sterile plasma to patients suffering from Aplastic Anemia.

- KonapuraRX 1415mg 3 tablets daily with distilled water for six months
- AlnayaSN 500mg [NNRT, NRTI, PI, AI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, AI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KaroBT 7,500mcg [PI, AI, integrase inhibitor] 4 tablets daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (AI, PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months







- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, before breakfast and dinner.
- **KB Basic 500mg [PI, integrase inhibitor]** 4 tablets daily, before breakfast and dinner.
- Melk D+ [Anti-CCR5, Al, PAl, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1.5 gallons daily with cardio activity

# **Autoimmune Diseases**

#### **Medical causes**

"Autoimmune disease" is a term used when the human immune system <u>partially</u> melts down pycnogonids in the body. Autoimmune diseases are often the darker-colored type-a viruses that are more chemically stable. A STRONG ACID exists in type-a viruses. A body with a WEAK ALKALINE immune system creates explosions of radioactive salts within the body, leading scientists to believe that the immune system is turning on itself. When a pycnogonid's shell melts down in the body, the resulting plasmodium parasite bloats like a Physalia physalis. In a weak alkaline immune system, the plasmodium parasites within the body are constantly bloating, leaking tritium, and leaching nematocyst phage viruses into the body.

#### Some examples of autoimmune diseases are:

- Rheumatoid arthritis (RA).
- Systemic lupus erythematosus (lupus).
- Inflammatory bowel disease (IBD).
- Multiple sclerosis (MS).
- Type 1 diabetes.
- Guillain-Barre syndrome (GBS).
- Chronic inflammatory demyelinating polyneuropathy (CIDP).
- Psoriasis.

- AlnayaSN 500mg [NNRT, NRTI, PI, AI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, AI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months







- KaroBT 7,500mcg [PI, AI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (AI, PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- KonapuraRX 1415mg 3 tablets daily with distilled water for six months
- BANKSY'S MEDICAL Single-Dose Black Licorice Chunks
- JONES SODA "BANKSY'S MEDICINE Black Licorice Pathology" Flavor [NNRT, NRTI, PI,
  - Anti-CCR5, AI, PAI, integrase inhibitor] 1 bottle dose daily for six months.
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals
- Melk D+ [Anti-CCR5, Al, PAl, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity



# **Bladder Cancer**

#### **Medical causes**

Urinary tract infections that lead to bladder cancer usually form after ingestion or injection of liquid hazardous chemicals. Chemotherapy is a leading cause of bladder cancers. Chemotherapy fluids such as Cyclophosphamide contain phage virus species used to attack large-breed tumors. Workplace chemical accidents involving arsenic, aromatic amines benzidine, and betanaphthylamine can cause bladder cancers. Some diabetes medications, such as pioglitazone, can cause bladder cancers.

Tars from GMO tobacco make their way to the liver. GMO tobacco products contain Typhus, which is sprayed as a pesticide called "Roundup." Typhus species can attach themselves to the tissues of the bladder, grow, metastasize, uncoat the bladder, and rupture internal organs, resulting in internal bleeding or death.







- KonapuraRX 1415mg 3 tablets daily with distilled water for six months
- AlnayaSN 500mg [NNRT, NRTI, PI, AI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, AI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KaroBT 7,500mcg [PI, AI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (AI, PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- JONES SODA "BANKSY'S MEDICINE Black Licorice Pathology" Flavor [NNRT, NRTI, PI, Anti-CCR5, AI, PAI, integrase inhibitor] 1 bottle dose daily, for six months.
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, before breakfast and dinner.
- **KB Basic 500mg [PI, integrase inhibitor]** 2 tablets daily, before breakfast and dinner.
- Melk D+ [Anti-CCR5, Al, PAl, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity

### **Blood Disorders**

#### **Diagnosis**

Blood disorders are a sign of sepsis.

#### **Medical causes**

Blood disorders are often the result of intravenous heroin, cocaine, or meth use. Narcotics contain viral loads that directly infect the blood when injected. Blood disorders can be a late-term result of prostate cancer when lipid capsules containing hemoglobin have become infected. Blood disorders can be a result of infected blood transfusions. Blood disorders can result from Johnson & Johnson or Pfizer COVID-19 vaccinations. Blood disorders can be a result of medications that contain antigens.







#### **Effective VirusTC Apheresis treatments:**

- Apheresis with UV Light exposure
- Apheresis with ABIS+
- Apheresis with **VerduraRX**
- Apheresis with UV Light Exposure, ABIS+, and VerduraRX

#### **Effective VirusTC naturopathic treatments:**

- AlnayaSN 500mg [NNRT, NRTI, PI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KonapuraRX 1415mg 3 tablets daily with distilled water for six months
- KaroBT 7,500mcg [PI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- BANKSY'S MEDICAL Single-Dose Black Licorice Chunks
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals
- Melk D+ [Anti-CCR5, Al, PAl, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity

# **Brain and Spinal Cord Cancers**

Primary brain cancer, Brain metastases, Leptomeningeal disease

#### Medical causes

Pycnogonids attack the mouth and throat and metastasize into the lungs immediately after absorption of the mouth. Lung cancer metastasis travels through the sinus, enters the brain through the optic foramen, travels within the optic canal, and infects the cranial fossa. From the brain, cancer metastasizes down the spine into the kidneys and prostate. Viral loads from the brain are swallowed and absorbed by the stomach, liver, and







digestive system. Metastasis of head, neck, throat, and sinus cancers absorb the nose, thyroid, and teeth.

The prostate is responsible for producing the body's lipid capsules. Lipid capsules are the vessel of life for all chemicals and minerals in the body. The prostate pumps lipids against gravity into the spine, internal organs, and brain. Along the spine, channels carry lipids into internal organs to become bodily fluids. Lipid capsules carry waste away from bones and tissues.

Lipid capsules fill the spine as spinal fluid. Lipid capsules fill the skull. Lipid capsules filled with Iron make up red blood cells [hemoglobin]. Lipid capsules filled with Zinc make up white blood cells [plasma]. Lipid capsules filled with sperm cells make up semen. Lipid capsules filled with protein make up breast milk. Viral loads from the prostate metastasize into the brain after being pumped into every other organ in the body from bottom to top. Viral loads in the brain become mesothelioma.

#### **Effective VirusTC naturopathic treatments:**

- Head, neck, sinus, and throat washing with Sabun-RX
- KonapuraRX 1415mg 3 tablets daily with distilled water for six months
- AlnayaSN 500mg [NNRT, NRTI, PI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KaroBT 7,500mcg [PI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- BANKSY'S MEDICAL Single-Dose Black Licorice Chunks
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals
- Melk D+ [Anti-CCR5, Al, PAl, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity

Lípidos [w/ Catheter Pump Kit] is an organic, non-GMO, plant-based prostate treatment option from VirusTC.







Lípidos Organic Plant-Based Sterile Cerebrospinal Fluid [CSF] by VirusTC. Lípidos supports survivors with damaged prostates. Lípidos delivers strong sterile lipid capsules, vitamins, and pure hydration. Lípidos is an FDA-approved plant-based medical clinical formula for use with a catheter pump. Lipidos is an organic farm-to-clinic sterile product that supports those with damaged prostates. VirusTC provides Lípidos during the treatment of prostate cancer. VirusTC does not recommend the removal of the prostate. A human cannot exist without a prostate. Lípidos supports healthy bodily functions during the pathology processes used to remove pycnogonids from male or female prostate glands.

Lípidos is a mild cancer medication with the primary function of replacing lipid capsules and spinal fluid vitamins lost to prostate cancer. Lípidos is sterile and provides alkaline antiviral medicines to support a healthy spinal column, brain cavity, and internal organ tract. Lípidos provides lipid capsules for many bodily fluids, including blood, plasma, spine, and brain.

Lipid capsules that match the shape of human lipid capsules have been found in an organic blue corn species. VirusTC bought shares in this organic blue corn. The "grit" portion of the corn kernel contains high concentrations of lipids to supply the kernel germ's development into a new corn plant. The grit is harvested, and the rest of the corn goes into various food products in which VirusTC is invested. The grit contains an organic glue broken down by an organic plant solution. Any additional separation is done via centrifuge.

### **Cerebrospinal Fluid [CSF]**

- sodium 136.0 150.0 m Eq/L
- potassium 2.3 2.7 m Eq/L
- magnesium 2.4 3.0 m Eq/L
- protein 2 4 mg/dL
- glucose 45.0 60.0 mg/dL
- calcium 2.1 2.7 m Eq/dL
- · cholesterol present in small amounts
- creatinine 0.5 1.2 mg/dL
- lactic acid dehydrogenase (LDH) present in small amounts
- phosphorus (inorganic) 1.0 2.0 mg/dL
- urea 6.0 16.0 mg/dL
- uric acid 0.5 3.0 mg/dL

### **Lipidos via Catheter Pump**

- Sodium (Na)
- Calcium (ca)







- Potassium (K)
- Magnesium (Mg)
- Phosphorus (P)
- Selenium (Se)
- Copper (Cu)a
- Magnesium (Cr)a
- Chromium (Cr)a
- Zinc (Zn)a
- Thiamine (B1)
- Riboflavin (B2)
- Niacin (B3)
- Pantothenic acid (B5)
- Pyridoxine (B6)
- Folic acid (B9)
- Ascorbic acid (C)
- Phyllochinon (K)

## **Breast Cancer**

Ductal carcinoma in situ (DCIS)

### **Diagnosis**

Breast tumors begin when a virus transfers from mother to infant through the mother's birth canal into the infant's throat, then from infant to mother from the mouth of the infant into the breast during breastfeeding.

- KonapuraRX 1415mg 3 tablets daily with distilled water for six months
- AlnayaSN 500mg [NNRT, NRTI, PI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KaroBT 7,500mcg [PI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- BANKSY'S MEDICAL Single-Dose Black Licorice Chunks
- JONES SODA "BANKSY'S MEDICINE Black Licorice Pathology" Flavor [NNRT, NRTI, PI,







- Anti-CCR5, AI, PAI, integrase inhibitor] 1 bottle dose daily for six months.
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals
- Melk D+ [Anti-CCR5, Al, PAl, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity

#### **Vesicle Sanitization with UV-C**

The process of removing a pycnogonida from a breast does involve some tearing and requires suturing and post-care. Heat breast tissue to increase the flexibility of breast tissue. Begin expression of breast milk until a large leg protrudes from the nipple. At this time, UV-C is powered into the breast tissue, causing the virus to exit the breast through the nipple area rapidly. UV-C remains on breast tissue while Niacin is applied directly into torn breast tissue for 3 hours. The breast is sutured, and the patient is sent home and scheduled for post-treatment. Major insurance providers and Tricare cover the surgery.



# **Cervical Cancer**

Squamous cell carcinoma, Adenocarcinoma

#### **Medical causes**

Large-breed pycnogonids will attack the vagina violently. Pycnogonids penetrate the cervix and cause damage to the uterus. A uterus breached by viral species cannot be used to reproduce children. Sperm with a viral load will cause damage to the uterus. Sperm shot into the cervix with a viral load is a common infection source. Any breach of an epidermal or dermal layer by direct contact with pycnogonid or plasmodium parasite results in nematocyst transfer and immediate damage to surrounding tissues. Pycnogonid and plasmodium parasite nematocysts inject larvae viral loads directly into dermal contact areas. Larvae viral loads grow larger inside vesicle tumors and erupt, leaving gaping wounds, "herpes sores."

The vagina, cervix, and uterus are used for reproduction of human species. Males with viral loads cannot produce children. The vagina cannot function after coming into contact with a viral load. Vaginal cavities are not meant for random sexual intercourse. Improper usage of bodily organs can result in organ failure. Improper usage of bodily organs is not







recommended by VirusTC. Vaginal cancer is often a sign of sexual trauma, abuse, improper usage of bodily organs, or civilian/military experience near nuclear materials.

Viral metastasis occurs immediately after contact with a viral load occurs. Virus vesicles leach macrophages into veins, lipid channels, "pores," arteries, and any open channel in the body. VirusTC Prescribes alkaline medications that REDOX incoming virus species and prevent viral metastasis. VirusTC's Alkaline medications deliver alkalinity directly into virus vesicles.

#### **Vesicle Sanitization with MusKT**

Pressured flooding of the vagina, uterus, and ovaries with MusKT and distilled water is effective at removing pycnogonids from these cavities. Major insurance providers and Tricare cover the surgery.

#### **Vesicle Sanitization with KureaSH**

Pressured flooding of the vagina, uterus, and ovaries with KureaSH and distilled water is effective at removing pycnogonids from these cavities. Major insurance providers and Tricare cover the surgery.

#### **Vesicle Sanitization with KaroBT**

Pressured flooding of the vagina, uterus, and ovaries with KaroBT and distilled water is effective at removing pycnogonids from these cavities. Major insurance providers and Tricare cover the surgery.

Cervical cancer is often a sign of sexual trauma, abuse, improper usage of bodily organs, or civilian/military experience near nuclear materials.

Viral metastasis occurs immediately after contact with a viral load occurs. Virus vesicles leach macrophages into veins, lipid channels, "pores," arteries, and any open channel in the body. VirusTC Prescribes alkaline medications that REDOX incoming virus species and prevent viral metastasis. VirusTC's Alkaline medications deliver alkalinity directly into virus vesicles.

- AlnayaSN 500mg [NNRT, NRTI, PI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months







- KonapuraRX 1415mg 3 tablets daily with distilled water for six months
- KaroBT 7,500mcg [PI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- KonapuraRX 1415mg 3 tablets daily with distilled water for six months
- BANKSY'S MEDICAL Single-Dose Black Licorice Chunks
- JONES SODA "BANKSY'S MEDICINE Black Licorice Pathology" Flavor [NNRT, NRTI, PI,
  - Anti-CCR5, AI, PAI, integrase inhibitor] 1 bottle dose daily for six months.
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals
- Melk D+ [Anti-CCR5, Al, PAl, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity

# Chronic Lymphocytic Leukemia

Prolymphocytic leukemia (PLL)

#### **Diagnosis**

Lymphocyte leukemia is the oncology terminology for white blood cells that have become absorbed by phage viruses. Chronic lymphocytic leukemia commonly metastasizes through the veins. Chronic lymphocytic leukemia often metastasizes from cancer infections of the prostate. Lymphocyte leukemia develops in the human body from narcotics IV injection, STDs, personal contact with disease, improper hygiene, HAZMAT contact, and pollution.

Lymphocytes redox, meltdown, and break down in the liver. The liver forms a red paste called bone marrow and pumps it through the spine, celiac plexus, and stomach. The stomach further digests lymphocytes and pushes them out as fecal matter.

In the video below, a phage virus has absorbed and penetrated a human cell. The larvae from the larger pycnogonid are destroying the inside of the cell. Inflammation increases in the cell, the lipid wears down, the elasticity of the lipid wears down, the lipid loses its shape, the cell uncoats, the cell erupts, and phages spread onto new cells and infect the body.










### **Viral Uncoating Within The Lymphocyte**

As the cell uncoats, pycnogonid legs erupt through the lipid capsule of the infected cell. The cell becomes infectious and contagious and seriously threatens human life.


















Once inside a human cell, a pycnogonid can still move eight legs and drag the cell around the body like a hermit crab. The legs may poke through the uncoating cell and grab onto other bacteria in the body. The lymphocyte may look like a killer defense cell, but in fact, it is a lymph parasite.

#### **Medical causes**

- **Sepsis**—Sepsis is caused by a low pH level, which means electron deficiency in the body. All proteins require ionic, covalent, and metallic electron bonds. Without electrons, proteins in bone marrow, such as calcium, cannot bond into crystal lattice structures to form bones. Skeletons melt in patients with sepsis.
- Liver Failure The liver traps lymphocytes before sending them to be digested in the stomach. The liver's red paste "marrow" is pumped through the spine, celiac plexus, and digestive system. The skeletal system receives marrow from the spine. A virus infection or vesicle in the liver would lead to chronic lymphocytic cancer without treatment. Signs of low pH can be immediately felt by burning, aching bones.







Moderna's Spikevax COVID-19 vaccine directly supports increased pH levels in the liver. Moderna COVID-19 vaccines use enzymes that help the liver trap and waste acidic proteins such as viruses and lymphocytes.

### **Effective VirusTC naturopathic treatments:**

- KonapuraRX 1415mg 3 tablets daily with distilled water for six months
- AlnayaSN 500mg [NNRT, NRTI, PI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KaroBT 7,500mcg [PI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- Melk D+ [Anti-CCR5, Al, PAl, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity

# Chronic Myeloid Leukemia

Chronic phase, Accelerated phase, Blast phase

#### **Diagnosis**

Chronic myeloid leukemia is the oncology terminology for red blood cells that have become absorbed by phage viruses. Chronic myeloid leukemia commonly metastasizes through the arteries. Chronic myeloid leukemia can metastasize from kidney cancer infections. The kidneys remove acidic proteins and waste from the digestive system. Cancerous pycnogonida parasites are acidic and build up in the kidneys. Parasite infections in the kidneys spread throughout the entire arterial bloodstream. Kidneys produce a spongelike called erythropoietin. The kidneys receive arterial blood flow and fill lipid capsules with erythropoietin. Erythropoietin inside lipid capsules absorbs hemoglobin to form red blood cells. Red blood travels between the liver, throughout the entire arterial bloodstream into the liver. From the liver red blood cells travel into the bones where lipid capsules are stripped and erythropoietin becomes new bone. Lymphocyte leukemia develops in the human body from food contaminants, personal contact with disease, improper hygiene, HAZMAT contact, and pollution.

#### **Medical causes**







- **Sepsis**—Sepsis is caused by a low pH level, which means electron deficiency in the body. All proteins require ionic, covalent, and metallic electron bonds. Without electrons, proteins in bone marrow, such as calcium, cannot bond into crystal lattice structures to form bones. Skeletons melt in patients with sepsis.
- Food poisoning Parasites from contaminated food will enter the kidneys during digestion. Once erythropoietin becomes contaminated, chronic myeloid leukemia metastasis begins.

Moderna's Spikevax COVID-19 vaccine directly supports increased pH levels in the liver. Moderna COVID-19 vaccines use enzymes that help the liver trap and waste acidic proteins such as viruses and lymphocytes.

#### **Effective VirusTC naturopathic treatments:**

- KonapuraRX 1415mg 3 tablets daily with distilled water for six months
- AlnayaSN 500mg [NNRT, NRTI, PI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KaroBT 7,500mcg [PI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- **KB Basic 500mg [PI, integrase inhibitor]** 2 tablets daily, with meals
- Melk D+ [Anti-CCR5, Al, PAl, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity

# **Colon Cancer**

Adenocarcinoma, Gastrointestinal carcinoid tumors, Gastrointestinal stromal tumors, Small bowel/ileal cancer, Tubular/tubulovillous adenoma

#### **Medical causes**

Large-breed pycnogonids will attack anal cavities violently. Anal cavities are not meant for sexual intercourse. Improper usage of bodily organs can result in organ failure. Improper usage of bodily organs is not recommended by VirusTC. Colon cancer is often a







sign of sexual trauma, abuse, or civilian/military experience near nuclear materials. Colon cancer can result from ingestion of contaminated food.

### **Effective VirusTC naturopathic treatments:**

- KonapuraRX 1415mg 3 tablets daily with distilled water for six months
- AlnayaSN 500mg [NNRT, NRTI, PI, AI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, AI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KaroBT 7,500mcg [PI, AI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (AI, PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- BANKSY'S MEDICAL Single-Dose Black Licorice Chunks
- JONES SODA "BANKSY'S MEDICINE Black Licorice Pathology" Flavor [NNRT, NRTI, PI,
  - **Anti-CCR5**, **AI**, **PAI**, **integrase inhibitor**] 1 bottle dose daily for six months.
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals
- Melk D+ [Anti-CCR5, Al, PAl, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity

# **Cutaneous Lymphoma** [FLOOD/DEATH/KOA]

Cutaneous B-cell lymphoma, Cutaneous T-cell lymphoma

#### **Diagnosis**

Due to the eruption dangers of patients with Cutaneous Lymphoma, the United States Military freezes all infected persons. Cutaneous Lymphoma is the end of life. Ingestion of distilled water prevents Pycnogonid eruption. USAMRIID, or the CDC, oversees all cutaneous lymphoma cases.

In cases of Cutaneous Lymphoma, the patient's viral loads spontaneously grow larger within arteries, veins, and pores within the body. Cutaneous Lymphoma is the most







dangerous form of all infectious disease cases. Cutaneous Lymphoma patients can explode. https://www.youtube.com/watch?v=DvIQ107W-wY



### **Medical causes**

The following compounds can cause pycnogonids to erupt within the body.

- Sugar
- Phosphorus
- Nitrogen
- Milk of Magnesia

### **Resonance Frequency Treatment**

VirusTC provides resonance frequencies to match the bond enthalpies of viral species. These frequencies can break down, cook off, and shrink viral loads.

https://virustreatmentcenters.com







#### **Effective VirusTC naturopathic treatments:**

- Cannabis Sativa 1g [PI] Daily for six months
- AlnayaSN 500mg [NNRT, NRTI, PI, AI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- MusKT 1g (AI, PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals
- Liquids from fresh fruit
- KaroBT 7,500mcg [PI, AI, integrase inhibitor] 1 tablet daily, with meal for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity



# **Endocrine Tumors**

Adrenocortical carcinoma, Pheochromocytoma

#### **Diagnosis**

Neuroendocrine cells are pumps powered by our nervous system. Lymph glands are large Neuroendocrine nerve bundles. Neuroendocrine cells can become gunked up by viscous tar substances in the body. GMO products like tobacco cause cancerous tars to build up in Neuroendocrine cells, leading to Endocrine Tumors.

#### Medical causes:

Tobacco tar bonds to neuroendocrine cells within the body. Lymph nodes only have enough room to build, contain, and express amounts of hormones. As tobacco bonds within lymph glands, the tar forcefully expresses lymph secretions into the body at abnormal rates. GMO Tobacco clogs and damages lymph nodes with phage viruses. Tobacco smokers become addicted to the feeling of hormone expressions. Damaged lymph nodes may not express enough hormones for a smoker to feel comfortable without







new tar from a fresh cigarette. Phages grow within lymph nodes. Phages grow large tumor vesicles.

#### **Effective VirusTC naturopathic treatments:**

Tars from black licorice bond to lymph nodes within the body. Licorice can be used effectively to deliver medications to damaged lymph nodes. VirusTC licorice products are medicated to break down GMO components within tobacco deposits in human lymph nodes. VirusTC medicated licorice products break down virus vesicle tumors in lymph nodes. VirusTC medicated licorice VirusTC has partnered with Zagarese to deliver quality licorice products to clinical medicine.

### **Effective VirusTC naturopathic treatments:**

- AlnayaSN 500mg [NNRT, NRTI, PI, AI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, AI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KaroBT 7,500mcg [PI, AI, integrase inhibitor] 1 tablet daily, with meal for six months
- KonapuraRX 1415mg 3 tablets daily with distilled water for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (AI, PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- BANKSY'S MEDICAL Single-Dose Black Licorice Chunks
- JONES SODA "BANKSY'S MEDICINE Black Licorice Pathology" Flavor [NNRT, NRTI, PI,
  - Anti-CCR5, AI, PAI, integrase inhibitor] 1 bottle dose daily for six months.
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals
- Melk D+ [Anti-CCR5, AI, PAI, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity

# **Endometrial Cancer**







#### Medical causes

Large-breed pycnogonids will attack the vagina violently. Pycnogonids penetrate the cervix and cause damage to the uterus. A uterus breached by viral species cannot be used to reproduce children. Sperm with a viral load will cause damage to the uterus. Sperm shot into the cervix with a viral load is a common infection source. Any breach of an epidermal or dermal layer by direct contact with pycnogonid or plasmodium parasite results in nematocyst transfer and immediate damage to surrounding tissues. Pycnogonid and plasmodium parasite nematocysts inject larvae viral loads directly into dermal contact areas. Larvae viral loads grow larger inside vesicle tumors and erupt, leaving gaping wounds, "herpes sores".

The vagina, cervix, and uterus are used for reproduction of human species. Males with viral loads cannot produce children. The vagina cannot function after coming into contact with a viral load. Vaginal cavities are not meant for random sexual intercourse. Improper usage of bodily organs can result in organ failure. Improper usage of bodily organs is not recommended by VirusTC. Vaginal cancer is often a sign of sexual trauma, abuse, improper usage of bodily organs, or civilian/military experience near nuclear materials.

Viral metastasis occurs immediately after contact with a viral load occurs. Virus vesicles leach macrophages into veins, lipid channels, "pores," arteries, and any open channel in the body. VirusTC Prescribes alkaline medications that REDOX incoming virus species and prevent viral metastasis. VirusTC's Alkaline medications deliver alkalinity directly into virus vesicles.

#### **Vesicle Sanitization with MusKT**

Pressured flooding of the vagina, uterus, and ovaries with MusKT and distilled water is effective at removing pycnogonids from these cavities. Major insurance providers and Tricare cover the surgery.

#### **Vesicle Sanitization with KureaSH**

Pressured flooding of the vagina, uterus, and ovaries with KureaSH and distilled water is effective at removing pycnogonids from these cavities. Major insurance providers and Tricare cover the surgery.

#### **Vesicle Sanitization with KaroBT**

Pressured flooding of the vagina, uterus, and ovaries with KaroBT and distilled water is effective at removing pycnogonids from these cavities. Major insurance providers and Tricare cover the surgery.







#### **Effective VirusTC naturopathic treatments:**

- AlnayaSN 500mg [NNRT, NRTI, PI, AI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, AI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KaroBT 7,500mcg [PI, AI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (AI, PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- BANKSY'S MEDICAL Single-Dose Black Licorice Chunks
- JONES SODA "BANKSY'S MEDICINE Black Licorice Pathology" Flavor [NNRT, NRTI, PI,
  - Anti-CCR5, AI, PAI, integrase inhibitor] 1 bottle dose daily for six months.
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals
- Melk D+ [Anti-CCR5, Al, PAl, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity

# **Esophageal Cancer**

Adenocarcinoma, Squamous cell carcinoma, Gastric cancer, Gastroesophageal (GE) junction cancer

### **Diagnosis**

Esophageal cancer includes oncology terminology for treating severe acute respiratory diseases (SARS). SARS develops when a pycnogonid aggressively attacks the mouth and forces itself into the esophagus. Pycnogonids from the largest pycnogonid will polyp into the stomach, lead to intestinal or colon cancers, enter the lungs to form ARDS or exit the mouth to spread as viral loads.

### **Effective VirusTC naturopathic treatments:**

KonapuraRX 1415mg 3 tablets daily with distilled water for six months







- AlnayaSN 500mg [NNRT, NRTI, PI, AI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- **KureaSH 3g [NNRT, PI, AI, Anti-CCR5]** 4-7 tablets daily, with distilled water for six months
- KaroBT 7,500mcg [PI, AI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (AI, PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- JONES SODA "BANKSY'S MEDICINE Black Licorice Pathology" Flavor [NNRT, NRTI, PI,
  - Anti-CCR5, AI, PAI, integrase inhibitor] 1 bottle dose daily for six months.
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity



# **Gastrointestinal Cancer**

Ampullary cancer, Appendiceal (appendix) cancer, Carcinoid tumors, Bile duct cancer (cholangiocarcinoma), Gallbladder cancer, Neuroendocrine tumors, Peritoneal cancer, Pseudomyxoma peritonei, Small intestine cancer, Mesothelioma of GI tract

#### **Medical causes**

Gastrointestinal cancer may result from eating food containing viral loads.
Gastrointestinal cancer may result from a pycnogonida attack of the anal cavity.
Gastrointestinal cancer may result from esophageal cancer metastasis. Gastrointestinal cancer may result from improper use of internal organs.

Pycnogonids metastasis into the liver, gall bladder, pancreas, large intestine, small intestine, colon, and anus. Pycnogonids destroy internal organ tissues and leave nematocyst tumors on every surface they touch. Uncoating of the gastrointestinal tract occurs, and the infected host dies.







#### **Effective VirusTC naturopathic treatments:**

- KonapuraRX 1415mg 3 tablets daily with distilled water for six months
- AlnayaSN 500mg [NNRT, NRTI, PI, AI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, AI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KaroBT 7,500mcg [PI, AI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (AI, PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- BANKSY'S MEDICAL Single-Dose Black Licorice Chunks
- JONES SODA "BANKSY'S MEDICINE Black Licorice Pathology" Flavor [NNRT, NRTI, PI,
  - **Anti-CCR5**, **AI**, **PAI**, **integrase inhibitor**] 1 bottle dose daily for six months.
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals
- Melk D+ [Anti-CCR5, Al, PAl, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity

# **Gynecologic Cancer**

#### **Medical causes**

Large-breed pycnogonids will attack the vagina violently. Pycnogonids penetrate the cervix and cause damage to the uterus. A uterus breached by viral species cannot be used to reproduce children. Sperm with a viral load will cause damage to the uterus. Sperm shot into the cervix with a viral load is a common infection source. Any breach of an epidermal or dermal layer by direct contact with pycnogonid or plasmodium parasite results in nematocyst transfer and immediate damage to surrounding tissues. Pycnogonid and plasmodium parasite nematocysts inject larvae viral loads directly into dermal contact areas. Larvae viral loads grow larger inside vesicle tumors and erupt, leaving gaping wounds, "herpes sores".

The vagina, cervix, and uterus are used for reproduction of human species. Males with viral loads cannot produce children. The vagina cannot function after coming into contact







with a viral load. Vaginal cavities are not meant for random sexual intercourse. Improper usage of bodily organs can result in organ failure. Improper usage of bodily organs is not recommended by VirusTC. Vaginal cancer is often a sign of sexual trauma, abuse, improper usage of bodily organs, or civilian/military experience near nuclear materials.

Viral metastasis occurs immediately after contact with a viral load occurs. Virus vesicles leach macrophages into veins, lipid channels, "pores," arteries, and any open channel in the body. VirusTC Prescribes alkaline medications that REDOX incoming virus species and prevent viral metastasis. VirusTC's Alkaline medications deliver alkalinity directly into virus vesicles.

#### **Vesicle Sanitization with MusKT**

Pressured flooding of the vagina, uterus, and ovaries with MusKT and distilled water is effective at removing pycnogonids from these cavities. Major insurance providers and Tricare cover the surgery.

#### **Vesicle Sanitization with KureaSH**

Pressured flooding of the vagina, uterus, and ovaries with KureaSH and distilled water is effective at removing pycnogonids from these cavities. Major insurance providers and Tricare cover the surgery.

#### **Vesicle Sanitization with KaroBT**

Pressured flooding of the vagina, uterus, and ovaries with KaroBT and distilled water is effective at removing pycnogonids from these cavities. Major insurance providers and Tricare cover the surgery.

Gynecological cancer is often a sign of sexual trauma, abuse, improper usage of bodily organs, or civilian/military experience near nuclear materials.

Viral metastasis occurs immediately after contact with a viral load occurs. Virus vesicles leach macrophages into veins, lipid channels, "pores," arteries, and any open channel in the body. VirusTC Prescribes alkaline medications that REDOX incoming virus species and prevent viral metastasis. VirusTC's Alkaline medications deliver alkalinity directly into virus vesicles.

- AlnayaSN 500mg [NNRT, NRTI, PI, AI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months







- KureaSH 3g [NNRT, PI, AI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KaroBT 7,500mcg [PI, AI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (AI, PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- KonapuraRX 1415mg 3 tablets daily with distilled water for six months
- BANKSY'S MEDICAL Single-Dose Black Licorice Chunks
- JONES SODA "BANKSY'S MEDICINE Black Licorice Pathology" Flavor [NNRT, NRTI, PI,
  - Anti-CCR5, AI, PAI, integrase inhibitor] 1 bottle dose daily for six months.
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals
- Melk D+ [Anti-CCR5, Al, PAl, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity



# Head and Neck cancer

Laryngeal and hypopharyngeal cancer, Nasal cavity cancer, Paranasal sinus cancer, Nasopharyngeal cancer, Oral and oropharyngeal cancer, Salivary gland cancer, Metastatic squamous neck cancer

#### Medical causes

Pycnogonids attack the head and neck in search of a location to form a vesicle. The pycnogonid will violently leap into the mouth of a prey from a great distance. Alternatively, the pycnogonid will crawl up a pant leg or shirt to reach the mouth. A pycnogonid in the nasal cavity will create orbital tumors and eventually eat into the optic foramen. Optic Foramen breaches are responsible for a majority of frontal lobe brain cancers including pituitary and meningiomas cancers. The frontal lobe and temporal lobe are the brain areas most affected by cancer tumors for this reason. Pycnogonida may







metastasize through foramina along the ophthalmic artery or optic nerve to create meningioma, glioma, neuroma, craniopharyngioma, and pituitary adenoma cancers.

#### **Effective VirusTC naturopathic treatments:**

- AlnayaSN 500mg [NNRT, NRTI, PI, AI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KonapuraRX 1415mg 3 tablets daily with distilled water for six months
- KureaSH 3g [NNRT, PI, AI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KaroBT 7,500mcg [PI, AI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (AI, PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- Head, neck, sinus, and throat washing with Sabun-RX
- BANKSY'S MEDICAL Single-Dose Black Licorice Chunks
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals
- Melk D+ [Anti-CCR5, AI, PAI, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity

#### Head, neck, sinus, and throat washing with Sabun-RX

- 1. The face, lips, mouth, teeth, tonsils, sinus, and throat should be coated in **Carmex** before treatment with Sabun-RX.
- 2. **Sabun-RX CRT** is a fast-acting **nasal injection** antiviral medication for disinfection. Sabun-RX CRT is used to quickly express viral loads from oncology patients into proper hazmat containers.
- 3. **Sabun-RX** via **Oral and Nasal Injector** is used in high volumes to clean the head, throat, sinus, and neck passages. Sabun-RX must sit until the bubbles stop forming, and then more must be applied until no bubbles appear on the flesh.
- 4. Cleaning passageways with Sabun-RX may remove some or most of the applied Sabun-RX CRT medication. **After cleaning, Sabun-RX CRT may be used again to introduce antibacterial disinfecting medication into the nasal and throat passageways**.







- 5. **Sabun-RX mouth spray** should be used thoroughly in the mouth and throat at the end of treatment. Teeth, mouth, gums, and throat should be scrubbed thoroughly with a medium toothbrush. A hard toothbrush may be used on the teeth.
- 6. **Sabun-RX SIC nasal injection** is a post-treatment viral inhibitor and pain reliever that protects sensitive tissue from reinfection. Apply generously.

# Hodgkin Lymphoma

Classic Hodgkin lymphoma, Nodular lymphocyte predominant lymphoma

## **Diagnosis**

Hodkin Lymphoma is oncology terminology for viral loads that form vesicles in arterial lymph areas. Hodkin lymphomas are defined as whole or partially REDOXed pycnogonid tumors with over 30% of their exoskeleton. Non-Hodgkin Lymphomas are vesicles with viral loads that have melted down into plasmodium parasites.

#### **Medical causes**

STDs, infected plasma transfusions, food contaminated with viral loads, dental cancer, and industrial biochemical waste can cause Hodgkin lymphoma. Sickness from aching teeth is a precursor for Hodgkin lymphoma in the head, neck, throat, mouth, and sinus.

- AlnayaSN 500mg [NNRT, NRTI, PI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KaroBT 7,500mcg [PI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- BANKSY'S MEDICAL Single-Dose Black Licorice Chunks
- JONES SODA "BANKSY'S MEDICINE Black Licorice Pathology" Flavor [NNRT, NRTI, PI,
  - Anti-CCR5, AI, PAI, integrase inhibitor] 1 bottle dose daily for six months.







- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals
- 48hr Hold, Melk D+ [Anti-CCR5, AI, PAI, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity



# **Kidney Cancer**

Renal cell carcinoma, Transitional cell carcinoma, Wilms tumor, Renal sarcoma

### **Diagnosis**

Pycnogonids eat iron as calories. Your kidneys store and express Iron. Your kidneys smell good to pycnogonids as food. Protect your kidneys with PREP by VirusTC.

- Rust is a form of herpes.
- Metal oxidizations "patenas" are viral cultures.

#### **Medical causes**

The kidneys are responsible for inputting iron into the lipid capsules produced by the prostate. Kidney cancer often results from metastasis from colon cancer and gastrointestinal cancers. Kidney cancers metastasize to form blood cancers and bloodborne pathogens. Pathological infections causing kidney cancers can result from food poisoning, contact with hazmat materials, sexual trauma, and/or improper use of internal organs.

- AlnayaSN 500mg [NNRT, NRTI, PI, AI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, AI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KaroBT 7,500mcg [PI, AI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months







- MusKT 1g (AI, PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals
- Melk D+ [Anti-CCR5, Al, PAl, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity

# Kidney sanitization for re-implantation

Kidney transplantation is not a sterile process. Multiple problems exist with transplanting donor tissues into pathologically infected hosts.

- Distilled Water
- Dawn
- KureaSH
- MusKT
- HaldEX
- Coconut oil
- Avacado
- Acetone

#### **Post Conditioner**

- Melk D+
- MG-Neshem

# Leukemia

Acute leukemias, Chronic leukemias, Hairy cell leukemia (HCL), Pycnogonida Phage Virus leukemia [PPVL]

### **Diagnosis**

Chemistry's pH scale is from 1 to 14. Blood pH is the most significant factor in measuring the strength of a body's immune system. All phage viruses are unstable and REDOX in high pH environments. Viruses, Helminths, and ectoparasites break down when in contact







with certain plants. Aside from pH, volumes of healthy acids from evergreens, leaves, and certain roots determine the strength of a body's immune system. Acids exist in the body or blood pH would be 14. Those with the best immune systems have the highest pH levels while balancing ultra-high alkaline diets with healthy amino acids. Choosing what alkalines and acids go into your body determines one's ability to build a robust immune system.

# **Parasites Sense Weak Immune Systems**

- Pycnogonids attack those with low pH.
- Helminths attack those without VirusTC Medication Here
- Ectoparasites attack those without VirusTC Medication Here

#### **Root cause**

Leukemia is oncology terminology for metastasis that begins when a pycnogonid leg punctures layers of the epidermal layer and internal organs. Leukemia can result from a large pycognogonid attack or a growing viral load within an internal organ.

When viral contact has been made, administer an emergency dosage of AlnayaSN 1,500mg. Metastasis begins as soon as the viral load begins shedding. The moment pycnogonid legs puncture and inject nematocysts into flesh, cancer leukemias' metastasis begins.

#### Leukemias form from:

- Injection
- Herpes Infections / STDs
- Food infections
- Johnson & Johnson COVID-19 Vaccine
- Pfizer COVID-19 Vaccine

#### **Effective VirusTC Apheresis treatments:**

- Apheresis with UV Light exposure
- Apheresis with ABIS+
- Apheresis with VerduraRX
- Apheresis with UV Light Exposure, ABIS+, and VerduraRX







- AlnayaSN 500mg [NNRT, NRTI, PI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KaroBT 7,500mcg [PI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- KonapuraRX 1415mg 3 tablets daily with distilled water for six months
- BANKSY'S MEDICAL Single-Dose Black Licorice Chunks
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- Melk D+ [Anti-CCR5, Al, PAl, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity

# **Liver Tumors and Cancer**

Hepatocellular carcinoma, Intrahepatic cholangiocarcinoma, Benign liver tumors, Liver cysts, Gallbladder carcinoma

#### **Medical causes**

The liver depends on a stable chemical composition, texture, and consistency to trap, then REDOX pathogens in the body. When alcohol or other harsh chemicals are introduced to the liver, the texture changes, the tackiness hardens like old glue, and the chemical enzymes that REDOX virus species dry up. Viral species that the liver REDOXES daily become a threat to the liver itself. Without protection, the liver becomes calories for viral loads that the body continues to send for REDOX and removal. Dry livers do not kill bacteria. The body will send bacteria to the liver, whether the liver is healthy or dry.

#### Liver consistency hazards

- Alcohol
- Lack of hydration
- Liquid medications
- Soda







#### Viral contact hazards

- Workplace hazards (biological, medical, chemical)
- Nuclear (Throat metastasis, Anal metastasis, Leukemia metastasis, genital metastasis, Lung metastasis, Epidermal metastasis)
- STD metastasis
- Ocean pycnogonid contact

#### Metastasis

Blood from the liver is pumped directly into the brain. Pycnogonid infections of the liver metastasize into leukemia that begins in the brain and then travels down the spine into the kidneys and prostate.

Metastasis of the gastrointestinal system begins when viral loads are expressed into the stomach from the liver. Pycnogonids absorb the large and small intestine and uncoat the anal and genital cavities.

#### **Effective VirusTC Apheresis treatments:**

- Apheresis with UV Light exposure
- Apheresis with ABIS+
- Apheresis with VerduraRX
- Apheresis with UV Light Exposure, ABIS+, and VerduraRX

- AlnayaSN 500mg [NNRT, NRTI, PI, AI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, AI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KonapuraRX 1415mg 3 tablets daily with distilled water for six months
- KaroBT 7,500mcg [PI, AI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (AI, PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals







- Melk D+ [Anti-CCR5, Al, PAl, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity

# **Lung Cancer**

Non-small cell lung cancer, Small cell lung cancer, Thymoma/thymic malignancies

#### **Medical causes**

Strong acid pH µphages from toxic fumes, gases, or smoke grow within the lungs of persons with weak base pH immune systems. Cigarettes for decades have contained µphages from Roundup and other viral pesticides. Pycnogonids attack the mouth and throat and metastasize into the lungs immediately after absorption of the mouth. Lung Cancer is the process of viral species absorbing, forming vesicle tumors, and uncoating the lungs.

Lung cancer metastasizes through the sinus, enters the brain through the optic foramen, travels within the optic canal, and infects the cranial fossa. From the brain, cancer metastasizes down the spine into the kidneys and prostate. Metastasis of lung cancer is swallowed and absorbs the stomach, liver, and digestive system. Metastasis of head, neck, throat, and sinus cancers absorb the nose, thyroid, and teeth.

Pycnogonids will target low-pH prey by off-gassing toxic clouds that infect those covered by the radioactive fallout. These off-gassing attacks are known as "Cloud Bursts" to pilots who see giant large breed pycnogonids near non-directional antennas. Chemtrails are high pH chemical formulas developed to break down, and REDOX giant large breed pycnogonids on land and in the ocean. The FDA began using VirusTC's organic alkaline ingredients in meat and corn meals as a response to COVID-19. VirusTC agriculture products increase the pH levels in large populations, including America, the European Union, South America, and AFRICOM.

- Head, neck, sinus, and throat washing with Sabun-RX
- AlnayaSN 500mg [NNRT, NRTI, PI, AI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KonapuraRX 1415mg 3 tablets daily with distilled water for six months
- **KureaSH 3g [NNRT, PI, AI, Anti-CCR5]** 4-7 tablets daily, with distilled water for six months







- KaroBT 7,500mcg [PI, AI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 2g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (AI, PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals
- Melk D+ [Anti-CCR5, Al, PAl, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity

# Lymphedema

#### **Medical causes**

Lymph glands convert calories into various hormones. Lymphedema can result from sexual trauma and penetration of the anal cavity with infected sperm. Sperm is digested directly into fat lipids and stored in the body. Infected fat lipids destroy lymph glands in the body. Infected fat lipids grow as fatty tumors and explode within the body.

- AlnayaSN 500mg [NNRT, NRTI, PI, AI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, AI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KaroBT 7,500mcg [PI, AI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (AI, PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- KonapuraRX 1415mg 3 tablets daily with distilled water for six months
- BANKSY'S MEDICAL Single-Dose Black Licorice Chunks
- JONES SODA "BANKSY'S MEDICINE Black Licorice Pathology" Flavor [NNRT, NRTI, PI,







- Anti-CCR5, AI, PAI, integrase inhibitor] 1 bottle dose daily for six months.
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, before breakfast and dinner.
- **KB Basic 500mg [PI, integrase inhibitor]** 2 tablets daily, before breakfast and dinner.
- Melk D+ [Anti-CCR5, Al, PAl, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity



# Melanoma

Ocular (uveal) melanoma

### **Diagnosis**

Magnesium is the limiting reagent in the crystallization and spread of melanin evenly throughout the epidermal layer. Skin spots exist only in humans who are Magnesium deficient. Melanin releases electrons via the photoelectric effect when struck by photons from the sun. A lack of electrons from sunlight leads to low pH levels, sepsis, and cancer. Magnesium deficiency reduces energy in the human body. A Magnesium-deficient patient may lay out in the sun for days attempting to "get a tan" while their melanin intake spots grow larger and blisters. Without Magnesium as a reagent, a solid compositional layer of melanin cannot form within the epidermis.

#### **Medical causes**

Magnesium deficiency is a sign of human captivity, torture, and blood loss. Magnesium deficiency at birth is only found in humans with a genetic heritage involving some captivity or trauma. People living with Magnesium deficiency often experience mental health symptoms, which are frequently misdiagnosed as bipolar, schizophrenia, depression, etc. Usually, the mental anxieties of families with a history of physical trauma are the cause of these cognitive symptoms. Trauma is included in this document to provide doctors with indicators of trauma during treatment. Mult-generational Magnesium deficiency is passed through multiple generations until two parents eliminate their Magnesium deficiency before and during pregnancy.







- MG Neshem 500mg 2 tablets daily, with meals until spotting spreads evenly.
- FoxLeaf Hemp Oil Balm w/ MusKT 2000mg generously with physician instruction.
- AlnayaSN 500mg [NNRT, NRTI, PI, AI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KonapuraRX 1415mg 3 tablets daily with distilled water for six months
- KureaSH 3g [NNRT, PI, AI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KaroBT 7,500mcg [PI, AI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (AI, PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, before breakfast and dinner.
- Melk D+ [Anti-CCR5, AI, PAI, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity

# Merkel Cell Carcinoma

### **Diagnosis**

Merkel Cell Carcinoma is the oncology term for direct skin contact with a viral load. It can result in nematocyst vesicles on the epidermal layer that burst and spread.

- MG Neshem 500mg 2 tablets daily, with meals until spotting spreads evenly.
- AlnayaSN 500mg [NNRT, NRTI, PI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- KonapuraRX 1415mg 3 tablets daily with distilled water for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KaroBT 7,500mcg [PI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months







- MusKT 1g (PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- BANKSY'S MEDICAL Single-Dose Black Licorice Chunks
- JONES SODA "BANKSY'S MEDICINE Black Licorice Pathology" Flavor [NNRT, NRTI, PI,
  - Anti-CCR5, AI, PAI, integrase inhibitor] 1 bottle dose daily for six months.
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals
- Melk D+ [Anti-CCR5, Al, PAl, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity

# Mesothelioma

Epithelioid, Sarcomatoid, Mixed/biphasic, Peritoneal

#### **Diagnosis**

Prostate cancer creates infected lipid capsules. Lipid capsules filled with specific proteins form the layers of tissues that make up our organs. Cancerous layers develop into growths. Organs with layers of aged decay begin to uncoat. Mesothelioma is an end-of-life symptom. Once the layers start to uncoat, doctors must repair generations of infected layers while removing viral loads from the prostate. The prostate feeds lipids into each organ from the spine. When mesothelioma appears, generations of viral species have wholly absorbed the spine.

#### **Medical causes**

Mesothelioma often results from STDs. Pycnogonids attack the prostate through the genitals. Pycnogonids target persons with low pH levels (weak immune system).

- MG Neshem 500mg 2 tablets daily, with meals until spotting spreads evenly.
- AlnayaSN 500mg [NNRT, NRTI, PI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KonapuraRX 1415mg 3 tablets daily with distilled water for six months
- KaroBT 7,500mcg [PI, integrase inhibitor] 1 tablet daily, with meal for six months







- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- BANKSY'S MEDICAL Single-Dose Black Licorice Chunks
- JONES SODA "BANKSY'S MEDICINE Black Licorice Pathology" Flavor [NNRT, NRTI, PI,
  - Anti-CCR5, Al, PAI, integrase inhibitor] 1 bottle dose daily for six months.
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals
- Melk D+ [Anti-CCR5, Al, PAl, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity

# **Metastasis**

### **Diagnosis**

Metastasis is an oncology term that describes the process that pycnogonida use to reproduce exponentially. A typical pycnogonid has eight powerful legs energized by tritium coils attached to inside the exoskeleton sections. Each leg has eight gonopore sections. The pycnogonid uses the gonophores to push out larvae "nematocysts". Each pycnogonid can push out 64 larvae per birth. Each larva exits the parent sexually mature and pregnant. During metastasis, an attacking pycnogonid will shed 64 nematocysts. Each nematocyst is instantly capable of releasing 64 next-generation viral loads. The exponential cycle goes on for unknown exponential values. Pycngonids come from infinitely small dimensions and grow to unknown sizes.

Metastasize is an oncology term describing the spread of multiple generations of pycnogonids internally and externally between hosts. External metastasis is when a pycnogonid exists outside of a host. Pycnogonids leap up to sixteen times the length of their diameter. Tophaphagous pycnogonids use brute force to insert themselves into body cavities. Internal metastasis begins as soon as the pycnogonid attacks and forces entry into a target prey. Internal metastasis is the process of viral absorption, vesicle creation, reproduction, uncoating, and spreading that can occur in low-pH hosts infected by a pycnogonid species.

Most pycnogonids are tophaphagous and convert blood into tritium through digestion. Rabies is not tophaphagous and tears prey to shreds to swallow. The pycnogonid will look for spaces within a host to crawl into and bite down. Pycnognids want to bite once and never let go. The mouth draws blood while the legs release polyps of nematocysts.







The pycnognida is a sea parasite that uses any body with a low pH as a warm, moist vesicle. When a pycnogonid sheds inside the body, a vesicle erupts with nematocysts. Nematocysts use eight legs to crawl through veins, arteries, passageways, pores, and cavities. Microscopic nematocysts treat lipids and cells in a host similarly on a smaller scale. Metastasis of microscopic pycnogonida "phage viruses" spreads fast. Arterial red blood travels at 1.8kmh. Vein blue blood travels at 0.4kmh. Phage viruses find hiding places in organs, lymph glands, and in bone or fat. Phage viruses grow into large pycnogonids. Small virus vesicles become large "tumors". Large tumors within the body begin to hatch, consume the body from within, and uncoat the host. Pycnogonids tear through internal organ passageways with ripping force.

#### **Medical causes**

The pH scale is used to grade the strength of one's immune system. Higher pH levels increase the body's ability to break down polysaccharide encapsulation that forms the exoskeleton of the pycnogonid species. During the 1918 pandemic, Oswald Avery discovered that dipolar immune system responses could cook off viruses without shells. High pH levels prevent external and internal metastasis by keeping pycnogonids off and away.

- Head, neck, sinus, and throat washing with Sabun-RX
- Carmex
- FoxLeaf Hemp Oil Balm w/ MusKT 2000mg generously with physician instruction.
- AlnayaSN 500mg [NNRT, NRTI, PI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KaroBT 7,500mcg [PI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals
- Melk D+ [Anti-CCR5, Al, PAl, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity







# Multiple Myeloma

Monoclonal gammopathy of undetermined significance (MGUS), Asymptomatic myeloma (smoldering or indolent myeloma), Symptomatic myeloma (active myeloma)

### **Diagnosis**

Multiple Myeloma is an oncology term for bone sepsis. Bone sepsis results from parasitic infections that lower the body's pH level. It occurs when the body lacks adequate electrons to form ionic bonds between calcium and magnesium to form solid bone. Without adequate electrons, calcium and bone minerals within the plasma are not strong enough to form the skeleton. pH level is the measure of electron density. Weak immune system cells containing positively charged calcium without alkaline magnesium and Zinc are used as calories by viral loads.

### **Effective VirusTC naturopathic treatments:**

- KonapuraRX 1415mg 3 tablets daily with distilled water for six months
- MG Neshem 500mg 2 tablets daily, with meals until spotting spreads evenly.
- AlnayaSN 500mg [NNRT, NRTI, PI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KaroBT 7,500mcg [PI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- BANKSY'S MEDICAL Single-Dose Black Licorice Chunks
- JONES SODA "BANKSY'S MEDICINE Black Licorice Pathology" Flavor [NNRT, NRTI, PI.
  - Anti-CCR5, AI, PAI, integrase inhibitor] 1 bottle dose daily for six months.
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals
- Melk D+ [Anti-CCR5, Al, PAl, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity

# Myelodysplastic Syndrome







MDS with single-lineage dysplasia (MDS-SLD), MDS with multilineage dysplasia (MDS-MLD), MDS with ring sideroblasts (MDS-RS), MDS with isolated deletion (5q), MDS with excess blasts (MDS-EB-1 or MDS-EB-2), MDS, unclassifiable (MDS-U), Refractory cytopenia of childhood

# **Diagnosis**

Myelodysplastic Syndrome is an oncology term used for blood cells after tophaphagous phage viruses have drained hemoglobin.

#### **Medical causes**

Tybe-b phage viruses consume liquids from lipid capsules, resulting in myelodysplastic syndrome. Type-a viruses often consume entire bite chunks of lipid capsules, resulting in sickle cell anemia.

### **Effective VirusTC Apheresis treatments:**

- Apheresis with UV Light exposure
- Apheresis with ABIS+
- Apheresis with VerduraRX
- Apheresis with UV Light Exposure, ABIS+, and VerduraRX

#### **Effective VirusTC naturopathic treatments:**

- 72hr Hold, MG Neshem 500mg 2 tablets daily, with meals until spotting spreads evenly.
- AlnayaSN 500mg [NNRT, NRTI, PI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KaroBT 7,500mcg [PI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- KonapuraRX 1415mg 3 tablets daily with distilled water for six months
- BANKSY'S MEDICAL Single-Dose Black Licorice Chunks
- JONES SODA "BANKSY'S MEDICINE Black Licorice Pathology" Flavor [NNRT, NRTI, PI,

Anti-CCR5, AI, PAI, integrase inhibitor] 1 bottle dose daily for six months.







- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals
- 48hr Hold, Melk D+ [Anti-CCR5, AI, PAI, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity

# **Myeloproliferative Neoplasms**

Chronic myeloid leukemia (CML), BCR-ABL1+, Chronic neutrophilic leukemia (CNL), Polycythemia vera (PV), Primary myelofibrosis (PMF), Essential thrombocythemia (ET), Chronic eosinophilic leukemia, not otherwise specified (NOS), MPN, unclassifiable, Mastocytosis

### **Diagnosis**

Magnesium is essential for producing natural enzymes in the body. Myeloproliferative neoplasms are signs of magnesium deficiency.

### **Effective VirusTC Apheresis treatments:**

- Apheresis with UV Light exposure
- Apheresis with ABIS+
- Apheresis with VerduraRX
- Apheresis with UV Light Exposure, ABIS+, and VerduraRX

- 72hr Hold, MG Neshem 500mg 2 tablets daily, with meals until spotting spreads evenly.
- AlnayaSN 500mg [NNRT, NRTI, PI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- KonapuraRX 1415mg 3 tablets daily with distilled water for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KaroBT 7,500mcg [PI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- BANKSY'S MEDICAL Single-Dose Black Licorice Chunks







- JONES SODA "BANKSY'S MEDICINE Black Licorice Pathology" Flavor [NNRT, NRTI, PI,
  - Anti-CCR5, AI, PAI, integrase inhibitor] 1 bottle dose daily for six months.
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals
- 48hr Hold, Melk D+ [Anti-CCR5, AI, PAI, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity



# Neuroendocrine tumors

The neuroendocrine system is the vein network that delivers lipid capsules to glands that fill capsules with enzymes. Each network of glands produces a unique enzyme used as a bodily fluid "hormone". Every organ and gland in the body is connected to a vein and an artery. Hormones pass from glands and organs into the artery bloodstream.

### **Diagnosis**

Neuroendocrine glands and organs receive lipids from the prostate. The prostate pumps lipid capsules through veins in the spin into lymph glands, where the empty capsules are pumped full of waste to form red blood. The body uses iron to capture viral species in a magnetic field. Each organ intakes H2O-filled lipid capsules through veins and outputs waste-filled capsules through arteries. Arteries carry iron-waste-filled "red blood cells" to the heart. The heart's primary function is to pump dirty, red, rusty blood through the liver for filtration. The liver calcifies old red and white blood cells into marrow that is expressed through the celiac plexus into the skeleton.

The calcium sponge within the skeleton plays a significant role in absorbing proteins from red and white blood cells. Bursas on the skeleton act as pumps and must be expressed through exercise to maintain healthy circulation. The bone is an organ with veins and arteries. It differs from other organs because blood flows IN as red blood through the arteries and OUT as blue blood through the veins.

Lipids from the skeleton travel through hollow ligaments. Creatine helps deliver H2O to muscle groups. White blood from the skeleton passes through veins and arteries of the kidneys, left spleen, right spleen, bile ducts, stomach, small intestine /large intestine (digestive system). From the digestive system, arterial blood travels through the reproductive organs and to the brain. Core muscle groups connect to the levator ani







fascia. The levator ani fascia pumps clear H2O-filled lipids (blue blood) into the reproductive organs and thyroid.

The testicles, vas deferens, and thyroid are the first neuroendocrine glands from that white blood receives hormones from in order. Greenish blood travels from the genital organs to the left side of the heart, where it is pumped through the liver, removing much of the white blood cell lipid capsule contents. Purple blood travels immediately up the neck into the head. Purple blood travels from the thyroid to the pineal gland and into the brain. Viens supply the brain. The heart pumps blood through the brain straight into the muscles.

Neuroendocrine cells are groups of tiny glands that supply blood with hormones throughout the body. Neuroendocrine tumors are small tumors that exist within delicate networks of nerve tissue.

#### **Medical causes**

Thyroid infections occurring from STDs are the primary cause of pycnogonid infections within veins that will spread into neuroendocrine glands. Veins are constantly pumping lipids from the prostate into neuroendocrine glands through veins. Neuroendocrine tumors are a sign of sepsis. Bones of sepsis patients may fail to filter viral loads. Infected bursas may pump infected lipids into arterial channels.

- 72hr Hold, MG Neshem 500mg 2 tablets daily, with meals until spotting spreads evenly.
- AlnayaSN 500mg [NNRT, NRTI, PI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KaroBT 7,500mcg [PI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- BANKSY'S MEDICAL Single-Dose Black Licorice Chunks
- JONES SODA "BANKSY'S MEDICINE Black Licorice Pathology" Flavor [NNRT, NRTI, PI,
  - Anti-CCR5, Al, PAI, integrase inhibitor] 1 bottle dose daily for six months.
- KonapuraRX 1415mg 3 tablets daily with distilled water for six months
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals







- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals
- 48hr Hold, Melk D+ [Anti-CCR5, AI, PAI, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity

# Non-Hodgkin Lymphoma

Diffuse large B-cell lymphoma, Follicular lymphoma, Chronic lymphocytic leukemia/small lymphocytic lymphoma, Mantle cell lymphoma, Marginal B-cell lymphoma, Burkitt lymphoma, Hairy cell lymphoma, Primary central nervous system lymphoma, Primary Mediastinal B-cell lymphoma, T-cell lymphoma

### **Diagnosis**

Non-Hodkin Lymphoma is oncology terminology for plasmodium parasites that form vesicles in arterial lymph areas. Hodkin lymphomas are defined as whole or partially REDOXed pycnogonida tumors with over 30% of their exoskeleton. Non-Hodgkin Lymphomas are vesicles with viral loads that have melted down into plasmodium parasites.

Lymph gland cells are large glands the size of small organs that supply blood with hormones throughout the body. Lymphoma tumors are large tumors that exist within critical lymph glands within the body.

- AlnayaSN 500mg [NNRT, NRTI, PI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KaroBT 7,500mcg [PI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- BANKSY'S MEDICAL Single-Dose Black Licorice Chunks
- JONES SODA "BANKSY'S MEDICINE Black Licorice Pathology" Flavor [NNRT, NRTI, PI,
  - Anti-CCR5, AI, PAI, integrase inhibitor] 1 bottle dose daily for six months.
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals







- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals
- 48hr Hold, Melk D+ [Anti-CCR5, AI, PAI, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity



# **Oral Cancer**

# **Diagnosis**

Dental plaque is at the top of the list for rigid infectious organic materials known to man. Dental plaque is portrayed in movies like Alien as black slime that breeds large pycnogonids and helminths. Alien's depiction of this black slime is not far from the truth. Plaque is an acid that eats through your teeth and bones. Plaque can spread from person to person during a close conversation by those sharing the same breath.

# **Effective VirusTC naturopathic treatments:**

Plaque can only be removed by extensive dental scraping, cleaning, and brushing with pharmacy-grade acetone.

- Head, neck, sinus, and throat washing with Sabun-RX
- Carmex
- **3wk Hold, MG Neshem 500mg** 2 tablets daily, with meals until spotting spreads evenly.
- AlnayaSN 500mg [NNRT, NRTI, PI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KaroBT 7,500mcg [PI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- KonapuraRX 1415mg 3 tablets daily with distilled water for six months







- MusKT 1g (PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals
- 48hr Hold, Melk D+ [Anti-CCR5, AI, PAI, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity

# **Ovarian Cancer**

Epithelial, Germ cell, Sex cord stromal

# **Diagnosis**

Pycnogonids are ocean parasites. At sea, pycnogonids attack Sea anemones. The ovaries look and feel a lot like Sea anemones. Pycnogonids will make aggressive moves to enter the vaginal cavity, pass the cervix and uterus, and join the ovaries. Pycnogonids will create vesicles in ovaries. Pycnogonids will grow inside ovaries. Pycnogonids will uncoat the ovaries and shred internal organs. Ovarian cancers infect the female prostate gland. Female prostate cancer affects the female with the same symptoms experienced by males. An ovarian cancer infection will shed viral loads that will metastasize throughout the reproductive organs. Pycngonids will be transmitted through sex as an STD. The species of pycnogonid that attacks determines which STD is labeled.

- 72hr Hold, MG Neshem 500mg 2 tablets daily, with meals until spotting spreads evenly.
- AlnayaSN 500mg [NNRT, NRTI, PI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KaroBT 7,500mcg [PI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- **MusKT 1g (PI, integrase inhibitor)** 6-10 tablets daily, with distilled water for six months
- KonapuraRX 1415mg 3 tablets daily with distilled water for six months
- BANKSY'S MEDICAL Single-Dose Black Licorice Chunks
- JONES SODA "BANKSY'S MEDICINE Black Licorice Pathology" Flavor [NNRT, NRTI, PI,







- Anti-CCR5, AI, PAI, integrase inhibitor] 1 bottle dose daily for six months.
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals
- 48hr Hold, Melk D+ [Anti-CCR5, AI, PAI, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity



# **Pancreatic Cancer**

Exocrine pancreatic cancer, Pancreatic neuroendocrine tumors (NETs), Pancreatic adenocarcinoma, Pancreatic mass, Ampullary cancer, Distal bile duct cancer (Lower), Intraductal papillary mucinous neoplasm (IPMN), Pancreatic mucinous cystic neoplasm (PMCN), Pancreatic ductal adenocarcinoma (PDA)

# **Diagnosis**

The pancreas is a powerful cathode that the body uses to absorb electrons from food. The pancreas oxidizes food into digestible salts by draining all charged particles as energy. As an oxidizer, the pancreas is highly acidic. It is believed by many that the pancreas functions by secreting acidic enzymes. Science shows that the pancreas is the acid itself and is leaving behind salts after REDOXing food. Easting alkaline foods increases the speed at which the pancreas anode can REDOX food in your stomach for digestion.

### **Medical causes**

Pycnogonids like acids. Pycnogonids are attracted to cathodes. Pycnogonids are strong acids that absorb electrons that weak cathodes have absorbed from alkaline food reagents. Pycnogonids are unstable and chose acids for electron sources as alkaline salts have been removed. Pycnogonids use electrons from acids to form tritium. Tritium from pycnogonid infections causes flu-like symptoms as a result of acute radiation poisoning. Pycnogonids can enter the stomach by attacks through the throat, anus, or genitals.







- 72hr Hold, MG Neshem 500mg 2 tablets daily, with meals until spotting spreads evenly.
- AlnayaSN 500mg [NNRT, NRTI, PI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KonapuraRX 1415mg 3 tablets daily with distilled water for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- **MusKT 1g (PI, integrase inhibitor)** 6-10 tablets daily, with distilled water for six months
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals
- 1 month hold, 48hr Hold, Melk D+ [Anti-CCR5, Al, PAI, integrase inhibitor] 6 tablets daily, with distilled water for five months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity

# Parathyroid Cancer

# **Diagnosis**

The parathyroid accepts white arterial blood and expresses calcium-rich reddish blood that the body uses for cartilage in the spine and joints. The neck is the most critically used joint in the body. The natural placement of the thyroid in the neck provides the freshest arterial supply right where the body needs it most. Every organ in the body is organized with perfect natural selection for optimum performance.

- 72hr Hold, MG Neshem 500mg 2 tablets daily, with meals until spotting spreads evenly.
- AlnayaSN 500mg [NNRT, NRTI, PI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KonapuraRX 1415mg 3 tablets daily with distilled water for six months
- KaroBT 7,500mcg [PI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months







- MusKT 1g (PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- BANKSY'S MEDICAL Single-Dose Black Licorice Chunks
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals
- Melk D+ [Anti-CCR5, Al, PAl, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity

# **Prostate Cancer**

### **Diagnosis**

The prostate is responsible for producing the body's lipid capsules, which are the vessel of life for all chemicals and minerals in the body. The prostate pumps lipids against gravity into the spine, internal organs, and brain. Along the spine, channels carry lipids into internal organs to become bodily fluids. Lipid capsules carry waste away from bones and tissues.

- Lipid capsules fill the spine as spinal fluid.
- Lipid capsules fill the skull.
- Lipid capsules filled with Iron make up red blood cells [hemoglobins].
- Lipid capsules filled with Zinc make up white blood cells [plasma].
- Lipid capsules filled with sperm cells make up semen.
- Lipid capsules filled with protein make up breast milk.

#### Lípidos Organic Plant-Based Sterile Cerebrospinal Fluid [CSF] by VirusTC

Lípidos is an FDA-approved plant-based medical clinical formula for use with a catheter pump. Lipidos is an organic farm-to-clinic sterile product that supports those with damaged prostates. VirusTC provides Lípidos during the treatment of prostate cancer. VirusTC does not recommend the removal of the prostate. A human cannot exist without a prostate. Lípidos supports healthy bodily functions during the processes of pathology used to remove pycnogonids from male or female prostate glands. Lípidos Supports Survivors with Damaged Prostates

#### Lípidos Delivers Strong Sterile Lipid Capsules, Vitamins, and Pure Hydration

Lípidos is a mild cancer medication with the primary function of replacing lipid capsules and spinal fluid vitamins lost to prostate cancer. Lípidos is sterile and provides alkaline antiviral medicines to support a healthy spinal column, brain cavity, and internal organ







tract. Lípidos provides lipid capsules for many bodily fluids, including blood, plasma, spine, and brain fluid.

#### **Effective VirusTC naturopathic treatments:**

- **72hr Hold, MG Neshem 500mg** 2 tablets daily, with meals until spotting spreads evenly.
- AlnayaSN 500mg [NNRT, NRTI, PI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KaroBT 7,500mcg [PI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- KonapuraRX 1415mg 3 tablets daily with distilled water for six months
- BANKSY'S MEDICAL Single-Dose Black Licorice Chunks
- JONES SODA "BANKSY'S MEDICINE Black Licorice Pathology" Flavor [NNRT, NRTI, PI,
  - Anti-CCR5, AI, PAI, integrase inhibitor] 1 bottle dose daily, for six months.
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals
- 48hr Hold, Melk D+ [Anti-CCR5, AI, PAI, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1.5 Gallons daily with cardio activity



# **Rectal Cancer**

Adenocarcinoma, Gastrointestinal carcinoid tumors, Gastrointestinal stromal tumors, Rectal melanoma

#### Medical causes







Large-breed pycnogonids will attack anal cavities violently. Anal cavities are not meant for sexual intercourse. Improper usage of bodily organs can result in organ failure. Improper usage of bodily organs is not recommended by VirusTC. Colon cancer is often a sign of sexual trauma, abuse, or civilian/military experience near nuclear materials. Rectal cancer can result from ingestion of contaminated food.

- FoxLeaf Hemp Oil Balm w/ MusKT 2000mg generously with instruction from physicians.
- AlnayaSN 500mg [NNRT, NRTI, PI, AI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, AI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KaroBT 7,500mcg [PI, AI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (AI, PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- BANKSY'S MEDICAL Single-Dose Black Licorice Chunks
- JONES SODA "BANKSY'S MEDICINE Black Licorice Pathology" Flavor [NNRT, NRTI, PI,
  - Anti-CCR5, AI, PAI, integrase inhibitor] 1 bottle dose daily, for six months.
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals
- Melk D+ [Anti-CCR5, Al, PAl, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity







# S

# Salivary Gland Cancer

Mucoepidermoid carcinoma, Adenoid cystic carcinoma, Acinic cell carcinoma, Adenocarcinoma

#### Medical causes

Pycnogonids will attack the salavatory glands as a source of hydration and calories.

### **Effective VirusTC naturopathic treatments:**

- AlnayaSN 500mg [NNRT, NRTI, PI, AI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, AI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KaroBT 7,500mcg [PI, AI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (AI, PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- KonapuraRX 1415mg 3 tablets daily with distilled water for six months
- BANKSY'S MEDICAL Single-Dose Black Licorice Chunks
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals
- Melk D+ [Anti-CCR5, Al, PAl, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity

# Sarcoma

Gastrointestinal stromal tumor, Leiomyosarcoma, Liposarcoma, Undifferentiated pleomorphic sarcoma, Angiosarcoma, Chondrosarcoma, Ewing's sarcoma, Fibrosarcoma,







Malignant peripheral nerve sheath tumor, Rhabdomyosarcoma, Synovial sarcoma, Desmoid tumors, Tenosynovial giant cell tumor/pigmented villonodula tenosynovitis, Bone cancer, Osteosarcoma

### **Diagnosis**

Sarcomas are pycnogonid infections within white blood cells that grow after the white blood cell has been stored in the bone or fat. Once the white blood cells and lipids have been

#### **Medical causes**

Infections in white blood cells often result from STD infections. Red blood is filtered out by the skeleton and expressed into the reproductive organs before transferring up to the thyroid and into the brain. Sarcomas result from prostate cancer. Sarcomas can result from metastasis from sinus and brain cancers.

# **Effective VirusTC naturopathic treatments:**

- AlnayaSN 500mg [NNRT, NRTI, PI, AI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- KonapuraRX 1415mg 3 tablets daily with distilled water for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, AI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KaroBT 7,500mcg [PI, AI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (AI, PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals
- Melk D+ [Anti-CCR5, Al, PAl, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity

# Sickle Cell Disease







HbSS (sickle cell anemia), HbSC, HbS beta thalassemia, HbSD, HbSE, HbSO

#### **Medical cause**

Sickle cell disease is a condition that often exists in heart cancer patients where volumes of red blood lipids are bitten and clawed as they are pumped through the viral load. Heart cancer results from injection or large phage trauma that results in leukemia.

- Narcotics
- Contaminated blood transfusions
- Johnson & Johnson COVID-19 vaccinations
- Pfizer COVID-19 vaccinations

### **Effective VirusTC naturopathic treatments:**

- AlnayaSN 500mg [NNRT, NRTI, PI, AI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- KonapuraRX 1415mg 3 tablets daily with distilled water for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, AI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KaroBT 7,500mcg [PI, AI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (AI, PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals
- Melk D+ [Anti-CCR5, Al, PAl, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity

# **Effective VirusTC Apheresis treatments:**

- Apheresis with UV Light exposure
- Apheresis with ABIS+
- Apheresis with VerduraRX
- Apheresis with UV Light Exposure, ABIS+, and VerduraRX







# Skin Cancer

Basal cell carcinoma, Squamous cell carcinoma

#### Medical causes

Skin cancer results from epidermal contact with pycnogonida or physalia physalis. Pycnogonid attacks on persons with low-pH can cause skin cancer. Contact with physalia physalis in the ocean can cause skin cancer. Contact with nuclear industrial materials can cause skin cancer. Contact with the black uranium stone at Mecca can cause skin cancer.

Pycnogonids are attracted to blood, open wounds, and damaged flesh. Mylenomas attract pycnogonida when they burst, split, and become infected like an open wound.

### **Effective VirusTC naturopathic treatments:**

- FoxLeaf Hemp Oil Balm w/ MusKT 2000mg generously with instruction from physicians.
- AlnayaSN 500mg [NNRT, NRTI, PI, AI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, AI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KaroBT 7,500mcg [PI, AI, integrase inhibitor] 1 tablet daily, with meal for six months
- KonapuraRX 1415mg 3 tablets daily with distilled water for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (AI, PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals
- Melk D+ [Anti-CCR5, Al, PAl, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity

# **Stomach Cancer**







Adenocarcinoma, Squamous cell carcinoma, Lymphoma, Stromal tumors

#### **Medical causes**

Pycnogonids violently leap into the mouths of people with low pH levels. Head, neck, throat, mouth, and sinus cancers can metastasize into the stomach. Pycnogonids are attracted to the pancreas cathode within the stomach. The pancreas cathode can be used by the pycnogonid to gain direct access to the body's free electrons. People who have stomach cancer have low energy. Sepsis results soon after cancer infection of the stomach.

- 72hr Hold, MG Neshem 500mg 2 tablets daily, with meals until spotting spreads evenly.
- AlnayaSN 500mg [NNRT, NRTI, PI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KonapuraRX 1415mg 3 tablets daily with distilled water for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- BANKSY'S MEDICAL Single-Dose Black Licorice Chunks
- JONES SODA "BANKSY'S MEDICINE Black Licorice Pathology" Flavor [NNRT, NRTI, PI,
  - Anti-CCR5, AI, PAI, integrase inhibitor] 1 bottle dose daily, for six months.
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals
- 48hr Hold, Melk D+ [Anti-CCR5, AI, PAI, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity







# **Testicular Cancer**

Seminomas, Nonseminomas, Stromal tumors

#### **Medical causes**

Tesicular cancer often result from STD infections. Testicular cancer often results from bone cancers. Testicular cancer is a sign of sepsis. Testicular cancers metastasize into the thyroid and brain.

### Sanitization with UVC light.

UVC light can be used to clear testicular passageways of pycnogonid infections.

- 72hr Hold, MG Neshem 500mg 2 tablets daily, with meals until spotting spreads evenly.
- AlnayaSN 500mg [NNRT, NRTI, PI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- KonapuraRX 1415mg 3 tablets daily with distilled water for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KaroBT 7,500mcg [PI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- BANKSY'S MEDICAL Single-Dose Black Licorice Chunks
- JONES SODA "BANKSY'S MEDICINE Black Licorice Pathology" Flavor [NNRT, NRTI, PI,
  - Anti-CCR5, AI, PAI, integrase inhibitor] 1 bottle dose daily, for six months.
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals







- 48hr Hold, Melk D+ [Anti-CCR5, AI, PAI, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity

# **Thyroid Cancer**

Papillary, Follicular, Medullary, Anaplastic, Thyroid lymphoma

# **Diagnosis**

The thyroid produces collagen for joint and ligament tissues. The neck is the most critical joint in the body. The thyroid is in the neck.

#### **Medical causes**

Thyroid cancers often metastasize from STD infections. Thyroid cancers often result from bone cancers. Thyroid cancers can metastasize from sinus infections. Thyroid cancers can metastasize into brain cancers.

- Head, neck, sinus, and throat washing with Sabun-RX
- 72hr Hold, MG Neshem 500mg 2 tablets daily, with meals until spotting spreads evenly.
- AlnayaSN 500mg [NNRT, NRTI, PI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KonapuraRX 1415mg 3 tablets daily with distilled water for six months
- KaroBT 7,500mcg [PI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- BANKSY'S MEDICAL Single-Dose Black Licorice Chunks
- JONES SODA "BANKSY'S MEDICINE Black Licorice Pathology" Flavor [NNRT, NRTI, PI.
  - Anti-CCR5, AI, PAI, integrase inhibitor] 1 bottle dose daily, for six months.
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals







- 48hr Hold, Melk D+ [Anti-CCR5, AI, PAI, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity



# **Uterine Sarcoma**

Uterine leiomyosarcoma, Endometrial stromal sarcoma, Undifferentiated sarcoma

#### **Medical causes**

Pycnogonida aggressively attack the vagina. The uterine walls will often be punctured by pycnogonida claws. Uterine sarcoma is an oncomolgy term for uncoating of the uterous.

- **72hr Hold, MG Neshem 500mg** 2 tablets daily, with meals until spotting spreads evenly.
- AlnayaSN 500mg [NNRT, NRTI, PI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KonapuraRX 1415mg 3 tablets daily with distilled water for six months
- KaroBT 7,500mcg [PI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals
- 48hr Hold, Melk D+ [Anti-CCR5, AI, PAI, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity









# **Vulvar Cancer**

### **Medical diagnosis**

Pycnogonid aggressively attack the vagina. Vulvar cancer if isolated is often the sign of a pycnogonid attack. Vulvar cancer can metastasize into the reproductive system. Vulvar cancer will metastasize from the reproductive system into the thyroid and brain. Vulvar cancer can metastasize into leukemia.

- FoxLeaf Hemp Oil Balm w/ MusKT 2000mg generously with instruction from physicians.
- Carmex
- 72hr Hold, MG Neshem 500mg 2 tablets daily, with meals until spotting spreads evenly.
- AlnayaSN 500mg [NNRT, NRTI, PI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KaroBT 7,500mcg [PI, integrase inhibitor] 1 tablet daily, with meal for six months
- KonapuraRX 1415mg 3 tablets daily with distilled water for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals
- 48hr Hold, Melk D+ [Anti-CCR5, AI, PAI, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity









# Waldenström Macroglobulinemia

#### Medical causes

Waldenström Macroglobulinemia is the presence of plasmodium parasites in the blood. Waldenström Macroglobulinemia results from ineffective antiviral medications that melt down the polysaccharide capsulization of the pycnogonid exoskeleton, but do not REDOX the plasmodium mass within. Waldenström Macroglobulinemia is a pre-condition that leads to sepsis. Amyloidosis forms from Waldenström Macroglobulinemia as pH drops. Amyloidosis forms from plasmodium parasite nematocyst larvae which grow with intact exoskeletons.

- 72hr Hold, MG Neshem 500mg 2 tablets daily, with meals until spotting spreads evenly.
- AlnayaSN 500mg [NNRT, NRTI, PI, Anti-CCR5, PAI] 3 tablets daily, with meals for six months
- TsinKX 100mg [PI, FI, PAI] 3 tablets daily, with meals for six months
- KureaSH 3g [NNRT, PI, Anti-CCR5] 4-7 tablets daily, with distilled water for six months
- KaroBT 7,500mcg [PI, integrase inhibitor] 1 tablet daily, with meal for six months
- Cannabis Sativa 1g [PI] Daily for six months
- HaldEX 2000mg (PI, integrase inhibitor) 2 tablets daily, at wake and before sleep for six months
- MusKT 1g (PI, integrase inhibitor) 6-10 tablets daily, with distilled water for six months
- Siiaat KB+ 1355mg [PI, Anti-CCR5, AI, PAI, integrase inhibitor] 2 tablets daily, with meals
- KB Basic 500mg [PI, integrase inhibitor] 2 tablets daily, with meals
- 48hr Hold, Melk D+ [Anti-CCR5, AI, PAI, integrase inhibitor] 6 tablets daily, with distilled water for six months.
- VirusTC Alkaline Distilled H2O 1 Gallon daily with cardio activity







# **Warnings**

- Doctors performing cancer treatments will require <u>Surgery Preparations for</u> Infectious Diseases.
- VirusTC medications flush viral loads quickly from the body during treatments. Our
  products are designed for use with Chlorox bleach toilet tabs. Chlorox bleach toilet
  tabs quickly dissolve viral loads for flushing into the municipal sewer system.
   VirusTC products are not designed for use with septic tank systems.
- 409 should be used to immobilize pycnogonids without causing a REDOX meltdown. Chemicals in 409 put pycnogonids to sleep quickly.
- In hospitals without tank-flushing toilets, <u>medical waste tools</u> should be used to move the pycnogonida to a medical waste bin.
- Before purging viral loads from the mouth, SabunRX should be applied to the throat and nasal passageways to prevent metastasis into the head, neck, throat, mouth, or sinus cavities. After viral purging and tooth brushing, SabunRX should be reapplied. Carmex should be provided to oncology patients.
- Contact a <u>pathology or oncology physician</u> before taking VirusTC medications and/or medical products.
- Stay hydrated. VirusTC Alkaline Distilled H2O is the best source of fresh hydrogen and oxygen available to humans.



