

# CANCER ANALYSIS USAMRICD

Rear Fleet Admiral Executive Commander of Naval Material

Correo Andrew Hofstad I, United States Navy

HELMINTH PARASITES AND TREATMENT



# Helminth “Worm” Parasites

“Helminths are parasitic and multiply in humans. There are three main groups of helminths (derived from the Greek word for worms) that are human parasites:

- Flatworms (platyhelminths) – these include the trematodes (flukes) and cestodes (tapeworms).
- Thorny-headed worms (acanthocephalins) – the adult forms of these worms reside in the gastrointestinal tract. The acanthocephala are thought to be intermediate between the cestodes and nematodes.
- Roundworms (nematodes) – the adult forms of these worms can reside in the gastrointestinal tract, blood, lymphatic system, or subcutaneous tissues. Alternatively, immature (larval) states can cause disease through infection of various body tissues. Helminths include the segmented worms (annelids)—the only ones important medically are the leeches. Of note, these organisms are not typically considered parasites.”

-Center for Disease Control

## APPROVED TREATMENTS:

- Pinus spp. is effective at fighting helminths when taken by ingestion.
- Citrus limon is effective at fighting helminths when taken by ingestion.
- Pignoli oil is effective at fighting helminths when taken by ingestion.
- Musa acuminata is effective at fighting helminths when taken by ingestion.
- Camellia Sinesis is effective at inhibiting the growth of helminths when taken by ingestion. Camellia Sinesis is a safe and non-toxic medication that should be administered with Azadirachta dosage before introducing unstable chemicals used for deworming.
- Azadirachta indica, also known as the Neem plant, has been traditionally used for the naturopathic treatment of helminths. Plants labeled as "Indica" are grown under low-pH conditions. Plants labeled as "Sativa" are grown under high-pH conditions. Farming Neem plants in high-pH environments yield more effective, high-power neem medicines.
- Azadirachta Sativa contains stronger molecular bonds than Azadirachta Indica via higher electron concentrations. Azadirachta Sativa molecules are denser, harder, more abrasive, and highly effective at breaking down helminth biology. Deworming chemicals for humans can cause damage to bones and cellular structures. Azadirachta Indica is an appropriate integrative medicine prescription that can be used to begin deworming without introducing unstable chemicals into the patient. Azadirachta Sativa is being grown and tested by USAMRICD and Virus Treatment Centers. Azadirachta Sativa is pending FDA approval.



## PRESCRIPTIONS:

- Neem 950mg  
Six (6) tablets daily, two (2) tablets with each meal
- Pinus Pinaster 6000mg  
One (1) tablet daily, at wake
- Pinus spp. 240mg  
Two (2) tablets daily, at wake and before sleep, for six (6) months
- Citrus Limon 450mg  
Two (2) tablets daily, at wake and before sleep, for six (6) months
- Camellia sinensis 1800mg  
Three (3) tablets daily, with meals for twenty-four (24) months

