

US Disease Tracker Annotated Guidance

September 2026



Contents

- USDT Overview
 - Data Flow
 - Condition Summary
- Metadata
 - YAML
 - CSV
- Surveillance Data
 - Submitting Cumulative Surveillance Data
 - Reporting Suppressed Counts Using "Unspecified" geo_name
 - Reporting Suppressed Counts Using "Unspecified" age_group
 - Reporting International Residents
- Data Stratification



USDT Documentation

- Comprehensive documentation is available to support onboarding, file preparation, and data submission throughout the implementation process:


[US Disease Tracker Documentation](#)



A screenshot of the US Disease Tracker Documentation website. The header is blue with the title 'US Disease Tracker Documentation', a search bar, and navigation links: Home, Guides, Tools, Examples & Templates, and Contributing. The main content area has a light blue background. On the left, there's a 'Home' link. The main text says 'US Disease Tracker Documentation' followed by a welcome message: 'Welcome to the US Disease Tracker Documentation site. This repository houses the data standards, templates, examples, and validation documentation for the US Disease Tracker project.' Below this is a version indicator: 'Version 2.0.1 (updated 2026-06-30)'. On the right, there's a 'Table of contents' section with links: 'About The US Disease Tracker', 'Quick Reference', 'Current Diseases Collected', 'Guides and Specifications', 'Templates and Examples', 'Data Validation', 'The USDiseaseTracker-Docs Repository', 'Contributing', and 'License'.



Overview



Reporting Period
 Start: December 29, 2024
 (start of MMWR week 1, 2025)
 End: Through present

Metadata Submission

During onboarding, the jurisdiction submits a metadata file describing the diseases being reported and associated jurisdiction information. The metadata file is updated only as needed when reporting information changes.

Data are submitted.

The jurisdiction submits a **single cumulative** USDT data file containing de-identified, aggregated counts for all diseases it has elected to report. Each new submission replaces the previous submission.

Submissions are validated.

USDT validates the submitted data against the metadata file and required data standards to ensure the submission is complete and correctly formatted.

Data are published.

Validated data are published to the USDT Dashboard each Friday. Each submission replaces the previous submission and must include complete data for all reported diseases, even if no changes have occurred since the last submission.

Supplement with NNDSS data.

The USDT Dashboard supplements jurisdiction-submitted data with NNDSS data to provide national surveillance context for diseases that jurisdictions do not submit to USDT.



Approval

- After your first successful submission, visit the US Disease Tracker Staging Dashboard:
 - Review the Staging Dashboard to confirm that your data are displayed correctly
 - Once your review is complete, send the approval email to the USDT team using the provided template.



Condition Summary

Disease	Included in Pilot? (yes/no)	Production Status	Time Aggregation	Accepted case classification	Disease Subtypes Collected (yes/no)	Required Data Stratification (yes/no)		
						Sub-jurisdiction	Age	Disease Subtype
Measles	yes	yes	Weekly	Confirmed only	no	yes	yes	no
Pertussis	yes	yes	Weekly	Confirmed and probable (combined)	no	yes	yes	no
Invasive Meningococcal Disease	yes	yes	Weekly	Confirmed and probable (combined)	yes	yes	yes	yes
Hepatitis A	no	yes	Weekly	Confirmed only	no	yes	yes	no
Acute Hepatitis B	no	yes	Weekly	Confirmed and probable (combined)	no	yes	yes	no
Perinatal Hepatitis B	no	yes	Weekly	Confirmed only	no	yes	yes	no
Mumps	no	yes	Weekly	Confirmed and probable (combined)	no	yes	yes	no
Mpox	no	yes	Weekly	Confirmed and probable (combined)	no	yes	yes	no
Varicella	no	yes	Weekly	Confirmed and probable (combined)	no	yes	yes	no
Influenza-Associated Pediatric Mortality	no	yes	Weekly	Confirmed only	no	yes	yes	no



New conditions are now accepted! Before submitting data for any newly added conditions, upload an updated metadata file that includes those conditions. Always verify that the metadata file accurately reflects the conditions you are submitting. Conditions listed in the metadata file are expected to be reported by your jurisdiction. If a condition is listed but you are not yet submitting data for it, the USDT will not supplement the data with NNDSS and the condition will instead appear as having zero reported cases.



Metadata



YAML File update


- YAML (YAML Ain't Markup Language) is a human-readable configuration file format that can be opened and edited using any text editor.
- Previously, jurisdictions submitted two metadata files: a YAML file and a CSV file. Sub-jurisdiction geography information has now been incorporated into the YAML file; **the separate CSV file is no longer required.**
- [YAML template on GitHub](#)
- Metadata guidance documentation is available here: [CSTE Connect](#)
- When you are ready to submit your metadata file, please contact your Onboarding Coordinator, usdiseasetracker@cste.org, and mschnau1@jhu.edu.



Metadata - Jurisdiction



- **jurisdiction**
 - The official two-letter abbreviation for your jurisdiction (or NYC for New York City). This value should exactly match the jurisdiction identifier used in your USDT submission files.
- **last_updated**
 - Record the date your metadata file was most recently reviewed or updated
 - Use YYYY-MM-DD format.
 - Update this value whenever you make changes to the metadata file.
- **urls**
 - Provide public-facing web resources that should be displayed on the USDT dashboard.
 - Each entry includes
 - **name:** a descriptive name
 - **url:** a publicly accessible url
 - **disease:** list of associated disease(s) the url applies to. If the resource applies to all reported diseases, enter 'all' in the disease field.



```
jurisdiction: EX
last_updated: 2026-06-25

urls:
- name: Example State Measles Dashboard
  url: www.examplestate.gov/measles
  disease: measles

- name: Example State Infectious Disease Data Portal
  url: www.examplestate.gov/disease-data
  disease: all

date_classification_method:
custom_date_method: false
custom_hierarchy_description:

reported_diseases:
diseases:
- measles
- meningococcus
- pertussis
...
```

Metadata – Classification and Diseases

-  **date_classification_method** section to indicate how your jurisdiction assigns cases to reporting periods.
 - custom_date_method**
 - false** when using Calculated Case Counting Date (CCCD)
 - true** when using a custom date hierarchy.
 - custom_hierarchy_description**: include a description if custom_date_method is true
- reported_diseases** section to identify the diseases your jurisdiction will submit to USDT.
 - diseases**: List each disease in the diseases field using [USDT-supported disease names](#)
 - Start with a dash (-)
 - notes**: include any additional reporting information.



```
...  
- name: Example State Infectious Disease Data Portal  
  url: www.examplestate.gov/disease-data  
  disease: all  
  
date_classification_method:  
  custom_date_method: false  
  custom_hierarchy_description:  
  
reported_diseases:  
  diseases:  
    - measles  
    - meningococcus  
    - pertussis  
  notes:
```



Diseases listed in this section will not be supplemented with NNDSS data, so ensure the list accurately reflects all diseases your jurisdiction submits.

Metadata - substate

1

substate_jurisdictions:
description: Example State reports substate surveillance data at the county level.

jurisdictions:

- name: Pine County
geo_unit: county
geographic_areas:
 - Pine
- name: Maple County
geo_unit: county
geographic_areas:
 - Maple
- name: Birch County
geo_unit: county
geographic_areas:
 - Birch

notes: Each county is reported as an individual substate jurisdiction.

i

Use the **substate_jurisdictions** section to describe how your jurisdiction organizes and reports data below the state level.

Two examples are shown below:

1. for jurisdictions that report data at the county level
2. for jurisdictions that report data using multi-county reporting

County-level reporting is preferred whenever possible; however, you should use the reporting structure that best reflects how your jurisdiction reports data.

For each sub-jurisdiction, provide a name, **geo_unit**, and one or more **geographic_areas**, repeating the jurisdiction entry as many times as needed to represent all reporting areas included in your USDT submissions.

2

substate_jurisdictions:
description: Example State reports substate surveillance data using three health service areas, each composed of multiple counties.

jurisdictions:

- name: North HSA
geo_unit: health_service_area
geographic_areas:
 - Pine
 - Maple
 - Birch
- name: South HSA
geo_unit: health_service_area
geographic_areas:
 - Peach
 - Magnolia
 - Bluebird

notes: Health service areas are used as the substate reporting units for all diseases submitted to USDT.

Metadata

i Use the `data_suppression_policies` section to describe any rules used to suppress data before submission to USDT. Include the criteria that trigger suppression, such as small counts or other privacy protections. If no suppression is applied, state that explicitly.

`data_suppression_policies:`
description: Counts of 1 through 4 are suppressed for substate geographic areas. Suppressed counts are included in the unspecified category.
url: www.examplestate.gov/data-suppression

`data_lag_policies:`
description: No data lag is applied.

`contact_information:`

`technical_contact:`
name: Paige Turner
title: Public Health Informatics Specialist
organization: Example State Department of Health
email: paige.turner@example.gov
phone: 555-555-0101
notes: Primary contact for technical questions related to USDT

`data_quality_contact:`
name: Data Wright
title: Surveillance Epidemiologist
organization: Example State Department of Health
email: data.wright@example.gov
phone: 555-555-0102
notes: Primary contact for data quality

`alternate_contact:`
name: Justin Case
title: Epidemiology Program Manager
organization: Example State Department of Health
email: justin.case@example.gov
phone: 555-555-0103
notes: Alternate contact for USDT reporting questions.

i Use the `data_lag_policies` section to describe whether a reporting lag is applied to data submitted to USDT. If a lag is used, briefly explain its length and when it applies. If no lag is used, state that no data lag is applied.

i Use the `contact_information` section to provide the individuals USDT should contact regarding technical issues, data quality questions, and other reporting matters. Include contact details for the `technical_contact` and `data_quality_contact`, and optionally provide an `alternate_contact` to serve as a backup when primary contacts are unavailable.



Metadata - Notes

i Use the `additional_notes` section to document any jurisdiction-specific information, reporting practices, or limitations not captured elsewhere. Use `data_quality_notes` to describe any known data quality issues that may affect interpretation of the data.

i Use the `update_frequency` field to indicate how often your jurisdiction expects to submit updated USDT data. Unless otherwise arranged with USDT, use weekly.

`additional_notes:`
`jurisdiction_specific_notes:` >
Example State submits aggregate surveillance data weekly.
Substate
data are reported using three health service areas.

`data_quality_notes:` >
Counts are provisional and may be revised as additional information becomes available.

`update_frequency:` weekly

`historical_data_availability:` >
Data are available from December 29, 2024 onwards.

`other:`

i Use the `historical_data_availability` field to describe the earliest time period for which your jurisdiction can provide USDT data. Include a specific date or reporting period when available.



Surveillance Data




Surveillance Data

Annotated example Submitting Cumulative Surveillance Data



Reporting begins with MMWR Week 1 of 2025 (December 29, 2024).

- Submit a single cumulative file containing all disease counts reported since December 29, 2024.
- Each submission replaces and supersedes the previous submission.
- Include complete data for all diseases being reported in every submission, not just new or updated records.



- Continue submitting data each reporting period, even if there are no changes. This helps distinguish true zero activity from missing data.
- Recent data may be revised and back-populated as investigations are completed.
- Updates to previously submitted counts are treated as revisions. All submitted files are date-stamped, and prior versions are retained for version control.



Each submission should include:

- Previously submitted counts, with any updates or revisions
- New rows for newly reportable time periods, when applicable.



Surveillance Data

Annotated example

Submitting Cumulative Surveillance Data

report_	report_	date_type	time_unit	disease_name	disease_	reporting_	state	geo_unit	geo_name	age_group	count	confirmation_status	outcome
period_start	period_end				subtype	jurisdiction							
YYYY-MM-DD	YYYY-MM-DD	"cccd"	"week"	"measles"	"A"	Two-letter	Two-	"county"	{name of geo_unit	"<1 y"	Positiv	"confirmed"	"cases"
		"jurisdiction		"pertussis"	"B"	state/territo	letter	"state"	element}	"1-4 y"	e	"confirmed and	
		date hierarchy"		"meningococcus"	"C"	ry code or	state/ter	"region"	"international resident"	"5-11 y"			
				"hepatitis a"	"W"	NYC	ritory	"planning area"	"unknown"	"12-18			
				"acute hepatitis b"	"X"		code	"hsa"	"unspecified"	"19-22			
				"perinatal hepatitis b"	"Y"			NA		"23-44			
				"mumps"	"Z"					"45-64			
				"mpox"	"nongroupable"					">=65			
				"varicella"	"total"					"total"			
				"pediatric flu mortality"	"unknown"					"unkno			
					"unspecified"					"unspe			



Mind the gap (in dates): Submit only records with non-zero counts. Do not include rows where count = 0.



In this example, the second file adds new rows for the week ending 4/5 and updates counts for the week ending 3/1, reflected by revised sub-jurisdiction counts and the addition of a new age-group row.

Initial File Submission (reporting period ending 3/22/2025)


2/23/2025	3/1/2025	cccd	week	measles	total	WA	WA	county	King County	total	1	confirmed	cases
2/23/2025	3/1/2025	cccd	week	measles	total	WA	WA	state	WA	5-11 y	1	confirmed	cases
3/16/2025	3/22/2025	cccd	week	measles	total	WA	WA	county	Snohomish County	total	1	confirmed	cases
3/16/2025	3/22/2025	cccd	week	measles	total	WA	WA	state	WA	1-4 y	1	confirmed	cases

Subsequent File Submission (reporting period ending 4/5/2025)

2/23/2025	3/1/2025	cccd	week	measles	total	WA	WA	county	King County	total	2	confirmed	cases
2/23/2025	3/1/2025	cccd	week	measles	total	WA	WA	state	WA	5-11 y	1	confirmed	cases
2/23/2025	3/1/2025	cccd	week	measles	total	WA	WA	state	WA	12-18 y	1	confirmed	cases
3/16/2025	3/22/2025	cccd	week	measles	total	WA	WA	county	Snohomish County	total	1	confirmed	cases
3/16/2025	3/22/2025	cccd	week	measles	total	WA	WA	state	WA	1-4 y	1	confirmed	cases
3/30/2025	4/5/2025	cccd	week	measles	total	WA	WA	county	Snohomish County	total	1	confirmed	cases
3/30/2025	4/5/2025	cccd	week	measles	total	WA	WA	state	WA	5-11 y	1	confirmed	cases



Submit the full cumulative dataset each reporting period. Each submission replaces the previous submission and includes any revisions to previously reported data as well as any newly reported data.



Surveillance Data

Annotated example

Reporting Suppressed Counts Using "Unspecified" geo_name

report_	report_	date_type	time_unit	disease_name	disease_	reporting_	state	geo_unit	geo_name	age_group	count	confirmation_status	outcome
period_start	period_end				subtype	jurisdiction							
YYYY-MM-DD	YYYY-MM-DD	"cccd"	"week"	"measles"	"A"	Two-letter	Two-	"county"	{name of geo_unit	"<1 y"	Positive	"confirmed"	"cases"
		"jurisdiction		"pertussis"	"B"	state/territo	letter	"state"	element}	"1-4 y"	integer	"confirmed and probable"	
		date hierarchy"		"meningococcus"	"C"	ry code or	state/ter	"region"	"international	"5-11 y"	(Numbe		
				"hepatitis a"	"W"	NYC	ritory	"planning area"	resident"	"12-18 y"	r of		
				"acute hepatitis b"	"X"		code	"hsa"	"unknown"	"19-22 y"	cases		
				"perinatal hepatitis b"	"Y"			NA	"unspecified"	"23-44 y"	for this		
				"mumps"	"Z"					"45-64 y"	combin		
					"nongroupable"					">=65 y"	ation)		
										"total"			
										"unknown"			
										"unspecified"			

i If reporting counts by sub-jurisdiction or age group is not feasible (for example, because of small counts that must be suppressed), report jurisdiction-level counts by using "unspecified" for the geo_name and/or age_group fields.

8/17/2025	8/23/2025	cccd	week	pertussis	total	WA	WA	county	Benton County	total	1	confirmed and probable	cases
8/17/2025	8/23/2025	cccd	week	pertussis	total	WA	WA	county	Chelan County	total	1	confirmed and probable	cases
8/17/2025	8/23/2025	cccd	week	pertussis	total	WA	WA	county	Clark County	total	1	confirmed and probable	cases
8/17/2025	8/23/2025	cccd	week	pertussis	total	WA	WA	county	King County	total	3	confirmed and probable	cases
8/17/2025	8/23/2025	cccd	week	pertussis	total	WA	WA	county	Kittitas County	total	1	confirmed and probable	cases
8/17/2025	8/23/2025	cccd	week	pertussis	total	WA	WA	county	Snohomish County	total	1	confirmed and probable	cases

i In the example above, rows with counts below the jurisdiction's suppression threshold of 3 are not reported individually. Instead, as shown below, those counts are combined into a single row with geo_name = "unspecified", allowing the suppressed cases to be included while protecting confidentiality and preserving the correct total case count.

8/17/2025	8/23/2025	cccd	week	pertussis	total	WA	WA	county	unspecified	total	5	confirmed and probable	cases
8/17/2025	8/23/2025	cccd	week	pertussis	total	WA	WA	county	King County	total	3	confirmed and probable	cases



Surveillance Data

Annotated example

Reporting Suppressed Counts Using "Unspecified" age_group

report_	report_	date_type	time_unit	disease_name	disease_	reporting_	state	geo_unit	geo_name	age_group	count	confirmation_status	outcome
period_start	period_end				subtype	jurisdiction							
YYYY-MM-DD	YYYY-MM-DD	"cccd"	"week"	"measles"	"A"	Two-letter	Two-	"county"	{name of geo_unit	"<1 y"	Positive	"confirmed"	"cases"
		"jurisdiction		"pertussis"	"B"	state/territo	letter	"state"	element}	"1-4 y"	integer	"confirmed and probable"	
		date hierarchy"		"meningococcus"	"C"	ry code or	state/ter	"region"	"international	"5-11 y"	(Numbe		
				"hepatitis a"	"W"	NYC	ritory	"planning area"	resident"	"12-18 y"	r of		
				"acute hepatitis b"	"X"		code	"hsa"	"unknown"	"19-22 y"	cases		
				"perinatal hepatitis	"Y"			NA	"unspecified"	"23-44 y"	for this		
				b"	"Z"					"45-64 y"	combin		
				"mumps"	"nongroupable"					">=65 y"	ation)		
										"total"			
										"unknown"			
										"unspecified"			

i If reporting counts by sub-jurisdiction or age group is not feasible (for example, because of small counts that must be suppressed), report jurisdiction-level counts by using "unspecified" for the geo_name and/or age_group fields.

8/17/2025	8/23/2025	cccd	week	pertussis	total	WA	WA	state	WA	<1 y	1	confirmed and probable	cases
8/17/2025	8/23/2025	cccd	week	pertussis	total	WA	WA	state	WA	5-11 y	1	confirmed and probable	cases
8/17/2025	8/23/2025	cccd	week	pertussis	total	WA	WA	state	WA	1-4 y	6	confirmed and probable	cases

i In the example above, rows with counts **below the jurisdiction's suppression threshold of 3** are not reported individually. Instead, as shown below, those counts are combined into a single row with **age_group = "unspecified"**, allowing the suppressed cases to be included while protecting confidentiality and preserving the correct total case count.

8/17/2025	8/23/2025	cccd	week	pertussis	total	WA	WA	state	WA	unspecified	2	confirmed and probable	cases
8/17/2025	8/23/2025	cccd	week	pertussis	total	WA	WA	state	WA	1-4 y	6	confirmed and probable	cases



Surveillance Data

Annotated example
Reporting International Residents

report_ period_start	report_ period_end	date_type	time_unit	disease_name	disease_subtype	reporting jurisdiction	state	geo_unit	geo_name	age_group	count	confirmation_status	outcome
YYYY-MM-DD	YYYY-MM-DD	"cccd" "jurisdiction date hierarchy"	"week"	"measles" "pertussis" "meningococcus" "hepatitis a" "acute hepatitis b" "perinatal hepatitis b" "mumps" "mpox" "varicella" "pediatric flu mortality"	"A" "B" "C" "W" "X" "Y" "Z" "nongroupable" "total" "unknown" "unspecified"	Two-letter state/territory code or NYC	Two-letter state/territory code	"county" "state" "region" "planning area" "hsa" NA	{name of geo_unit element} "international resident" "unknown" "unspecified"	"<1 y" "1-4 y" "5-11 y" "12-18 y" "19-22 y" "23-44 y" "45-64 y" ">=65 y" "total" "unknown" "unspecified"	Positive integer (Number of cases for this combination)	"confirmed" "confirmed and probable"	"cases"
9/7/2025	9/13/2025	cccd	week	pertussis	total	WA	WA	county	Benton County	total	1	confirmed and probable	cases
9/7/2025	9/13/2025	cccd	week	pertussis	total	WA	WA	county	King County	total	4	confirmed and probable	cases
9/7/2025	9/13/2025	cccd	week	pertussis	total	WA	WA	county	Whatcom County	total	1	confirmed and probable	cases
9/7/2025	9/13/2025	cccd	week	pertussis	total	WA	WA	NA	International resident	total	1	confirmed and probable	cases
9/7/2025	9/13/2025	cccd	week	pertussis	total	WA	WA	state	WA	1-4 y	2	confirmed and probable	cases
9/7/2025	9/13/2025	cccd	week	pertussis	total	WA	WA	state	WA	19-22 y	2	confirmed and probable	cases
9/7/2025	9/13/2025	cccd	week	pertussis	total	WA	WA	state	WA	5-11 y	2	confirmed and probable	cases
9/7/2025	9/13/2025	cccd	week	pertussis	total	WA	WA	NA	International resident	5-11 y	1	confirmed and probable	cases

i Cases identified in your jurisdiction among residents of other countries may be included in your submission. These records are excluded from jurisdiction totals and stratified displays on the USDT dashboard. To report an international resident, use:
geo_name = "international resident"
geo_unit = "NA"




Data Stratification



Data Stratification

i A stratification is simply one way of breaking down your case counts. Each stratification organizes the same data by a different characteristic, such as sub-jurisdiction, age group, or disease subtype. Each stratification is defined by a unique combination of columns in the submission file. Together, the rows that share that combination make up the stratification.



Data Stratification

Annotated example Reporting Data Stratifications

report_	report_	date_type	time_unit	disease_name	disease_	reporting_	state	geo_unit	geo_name	age_group	count	confirmation_status	outcome
period_start	period_end				subtype	jurisdiction							
YYYY-MM-DD	YYYY-MM-DD	"cccd"	"week"	"measles"	"A"	Two-letter	Two-	"county"	{name of geo_unit	"<1 y"	Positiv	"confirmed"	"cases"
		"jurisdiction		"pertussis"	"B"	state/territo	letter	"state"	element}	"1-4 y"	e	"confirmed and	
		date hierarchy"		"meningococcus"	"C"	ry code or	state/ter	"region"	"international resident"	"5-11 y"	integer	probable"	
				"hepatitis a"	"W"	NYC	ritory	"planning area"	"unknown"	"12-18 y"	(Numb		
				"acute hepatitis b"	"X"		code	"hsa"	"unspecified"	"19-22 y"			
				"perinatal hepatitis b"	"Y"			NA		"23-44 y"			
				"mumps"	"Z"					"45-64 y"			
				"mpox"	"nongroupable"					">=65 y"			
				"varicella"	"total"					"total"			
				"pediatric flu mortality"	"unknown"					"unknown"			
					"unspecified"					"unspecified"			

i For each stratification, counts for a given time period (e.g., weekly or cumulative) should sum to the corresponding total for the jurisdiction.

Sub-jurisdiction stratification - Cases × week × sub-jurisdiction unit

6/22/2025	6/28/2025	cccd	week	measles	total	WA	WA	county	King County	total	2	confirmed	cases
6/22/2025	6/28/2025	cccd	week	measles	total	WA	WA	county	Whatcom County	total	1	confirmed	cases
											= 3	✓	

i Use the "total" category for non-subtype-stratified aggregations and for diseases that do not support subtype reporting

Age stratification - Cases × week × age group × jurisdiction

6/22/2025	6/28/2025	cccd	week	measles	total	WA	WA	state	WA	19-22 y	1	confirmed	cases
6/22/2025	6/28/2025	cccd	week	measles	total	WA	WA	state	WA	5-11 y	2	confirmed	cases
											= 3	✓	



Data Stratification

Annotated example

Reporting Data Stratifications for Invasive Meningococcal Disease

report_	report_	date_type	time_unit	disease_name	disease_	reporting_	state	geo_unit	geo_name	age_group	count	confirmation_status	outcome
period_start	period_end				subtype	jurisdiction							
YYYY-MM-DD	YYYY-MM-DD	"cccd"	"week"	"measles"	"A"	Two-letter	Two-	"county"	{name of geo_unit	"<1 y"	Positiv	"confirmed"	"cases"
		"jurisdiction		"pertussis"	"B"	state/territo	letter	"state"	element}	"1-4 y"	e	"confirmed and	
		date hierarchy"		"meningococcus"	"C"	ry code or	state/ter	"region"	"international resident"	"5-11 y"	integer	probable"	
				"hepatitis a"	"W"	NYC	ritory	"planning area"	"unknown"	"12-18 y"	(Numb		
				"acute hepatitis b"	"X"		code	"hsa"	"unspecified"	"19-22 y"	er of		
				"perinatal hepatitis b"	"Y"			NA		"23-44 y"	cases		
					"Z"					"45-64 y"	for this		
					"nongroupable"					">=65 y"	combi		
					"total"					"total"	nation)		
					"unknown"					"unknown"			
					"unspecified"					"unspecified"			

i Meningococcal disease is reported using three stratifications: one sub-jurisdiction stratification and two jurisdiction-level stratifications (age group and disease subtype).

Sub-jurisdiction stratification - Cases × week × sub-jurisdiction unit

3/16/2025	3/22/2025	cccd	week	meningococcus	total	CA	CA	county	Alameda County	total	1	confirmed and probable	cases
3/16/2025	3/22/2025	cccd	week	meningococcus	total	CA	CA	county	Los Angeles County	total	1	confirmed and probable	cases
3/16/2025	3/22/2025	cccd	week	meningococcus	total	CA	CA	county	Santa Barbara County	total	1	confirmed and probable	cases
											= 3	✓	

Age stratification - Cases × week × age group × jurisdiction

3/16/2025	3/22/2025	cccd	week	meningococcus	total	CA	CA	state	CA	1-4 y	1	confirmed and probable	cases
3/16/2025	3/22/2025	cccd	week	meningococcus	total	CA	CA	state	CA	19-22 y	2	confirmed and probable	cases
											= 3	✓	

Disease subtype stratification - Cases × week × serogroup × jurisdiction

3/16/2025	3/22/2025	cccd	week	meningococcus	B	CA	CA	state	CA	total	1	confirmed and probable	cases
3/16/2025	3/22/2025	cccd	week	meningococcus	unknown	CA	CA	state	CA	total	2	confirmed and probable	cases
											= 3	✓	

i Use "Unknown" when subtype information is not performed or is otherwise not known. This value should only be used for diseases that support subtype aggregation (e.g., meningococcal disease)



Technical Assistance



Technical Assistance

- The Technical Assistance (TA) team is here to help you successfully onboard to USDT and support you throughout implementation.
 - Submit a Help Desk ticket
 - Join Technical Assistance Office Hours for live, drop-in support
 - Contact the TA team questions or to schedule a one-on-one meeting

