

25 YEARS OF WATER QUALITY CHANGE IN RHODE ISLAND LAKES AND PONDS

B. J. Kreakie¹, D.Q. Kellogg², J. W. Hollister¹, S.D. Shivers³,
E.M. Herron⁴, L.T. Green⁴, A.J. Gold²

1 US EPA Office of Research and Development

2 University of Rhode Island Dept. of Natural Resources Science

3 ORISE Fellow, EPA Office of Research and Development, AED

4 University of Rhode Island Watershed Watch
of Natural Resources Science


Trends in decadal water quality changes... stasis?

PRIMARY RESEARCH ARTICLE

WILEY Global Change Biology

Unexpected stasis in a changing world: Lake nutrient and chlorophyll trends since 1990

Samantha K. Oliver¹ | Sarah M. Collins^{1,2} | Patricia A. Soranno² | Tyler Wagner³ |
Emily H. Stanley¹ | John R. Jones⁴ | Craig A. Stow⁵ | Noah R. Lottig¹



Trends in decadal water quality changes... declining?

Is Vermont Losing Its Oligotrophic Lakes?

Leslie Matthews, Kellie Merrell, and Perry Thomas




Figure 1. Boxplots (log scale) showing median, first and third quartiles, outliers, and mean (red diamonds and red text) spring TP (µg/L) for eutrophic (E), mesotrophic (M) and oligotrophic (O) lakes during the 1980s (lighter shading) and the current decade (darker shading).


URI Watershed Watch overview

- URI Cooperative Extension Water Quality Group
web.uri.edu/watershedwatch/
- Volunteer monitoring (~400 volunteers)
- Rigorous QA/QC, EPA-certified lab
- Data are used by RI DEM and EPA to assess water quality
- Over 30 years
 - Begun in 1988 with 14 lakes
 - Now monitors +250 sites on +120 water bodies

URI WW Lakes

- **Weekly:** Water clarity (Secchi depth), Temperature
- **2X per Month:** Chl-*a*, DO
- **3X per Season:** Nutrients, Alkalinity, pH, Bacteria


- Lakes, ponds, reservoirs
- 1990 to 2016
- May to October
- Temperature, Chl-*a*, TN, TP
- ~ 1 m depth
- Minimum of 10 years of data




- Lakes, ponds, reservoirs
- 1990 to 2016
- May to October
- Temperature, Chl-*a*, TN, TP
- ~ 1 m depth
- Minimum of 10 years of data

72 sites

85% of sites have at least 10 years
of all 4 parameters






- Lakes, ponds, reservoirs
- 1990 to 2016
- May to October
- Temperature, Chl-*a*, TN, TP
- ~ 1 m depth
- Minimum of 10 years of data

72 sites

85% of sites have at least 10 years
of all 4 parameters

Anomaly analysis

- Compare with larger regional
dataset (LAGOS-NE)



***R* package:**

<https://cran.rproject.org/web/packages/LAGOSNE/index.html>

***LAGOS* website:**

<https://lagoslakes.org>

For each Parameter:

➤ By Site:

$$\text{z-score} = (\textit{measurement} - \textit{long-term mean}) / \text{st. dev}$$

For each Parameter:

➤ By Site:

$$\text{z-score} = (\text{measurement} - \text{long-term mean}) / \text{st. dev}$$

- By Year (season):

mean of z-scores

site anomaly = *annual mean* – *long-term mean* of z-scores

For each Parameter:

➤ By Site:

$$\text{z-score} = (\text{measurement} - \text{long-term mean}) / \text{st. dev}$$


- By Year (season):

mean of z-scores


$$\text{site anomaly} = \text{annual mean} - \text{long-term mean of z-scores}$$

➤ Annual Anomaly = mean of all site anomalies

Water Temperature Anomalies




Total Nitrogen Anomalies




Total Phosphorus Anomalies

Kendall's Tau: -0.138 p-value: 0.502




Chlorophyll-*a* Anomalies




Total Nitrogen Anomalies

LAGOS-NE




Rhode Island




Total Phosphorus Anomalies

LAGOS-NE




Rhode Island




Chlorophyll-*a* Anomalies

LAGOS-NE



Rhode Island



Trends in Rhode Island's lakes:

- **Temperature increasing**
- **TN increasing**
- **TP stable**
- **Chl-*a* increasing**

Trends in Rhode Island's lakes:

- **Temperature increasing**
- **TN increasing**
- **TP stable**
- **Chl-*a* increasing!**

Compared to larger region (LAGOS-NE):

- **Our analysis shows similar results to Oliver et al. (2017)**
- **Smaller region (RI) shows different results to larger region (LAGOS-NE)**

Oliver, S.K., S.M. Collins, P.A. Soranno, T. Wagner, E.H. Stanley, J. Jones, C. Stow, N. Lottig.
2017. Unexpected stasis in a changing world: Lake nutrient and chlorophyll trends since 1990.
Global Change Biology 23:5455–5467 doi: 10.1111/gcb.13810

Trends in Rhode Island's lakes:

- **Temperature increasing**
- **TN increasing**
- **TP stable**
- **Chl-*a* increasing!**

Compared to larger region (LAGOS-NE):

- **Our analysis shows similar results to Oliver et al. (2017)**
- **Smaller region (RI) shows different results to larger region (LAGOS-NE)**

...SCALE MATTERS

- **High variability within large regions - difficult to detect trends**
- **Local management critical**

Oliver, S.K., S.M. Collins, P.A. Soranno, T. Wagner, E.H. Stanley, J. Jones, C. Stow, N. Lottig.
2017. Unexpected stasis in a changing world: Lake nutrient and chlorophyll trends since 1990.
Global Change Biology 23:5455–5467 doi: 10.1111/gcb.13810



Thank you!

Questions?

More at:

https://github.com/USEPA/ri_wq_trends

