




Phenacetin-rat-HTPBTK-Consensus, RMSLE=0.431 10<sup>2</sup> -10 factor(Dose) 10 Concentration (mg/L) 23 250 360 factor(Route) iv · oral 10<sup>-1</sup> -10<sup>-2</sup> -0.25 0.50 0.75 0.00 1.00 Time (Days)





Phenacetin-rat-In Vivo Fits, RMSLE=0.446 10<sup>2</sup> -10 factor(Dose) 10 Concentration (mg/L) 23 250 360 factor(Route) oral 10<sup>-1</sup> -10<sup>-2</sup> -0.25 0.50 0.00 0.75 1.00 Time (Days)







Dichloromethane-rat-HTPBTK-OPERA, RMSLE=0.475 10<sup>2</sup> -30 -Concentration (mg/L) factor(Route) - oral factor(Dose) 10 -125 3 -0.10 0.15 0.00 0.05 0.20 Time (Days)













Trichloroethylene-rat-HTPBTK-InVitro, RMSLE=0.743 10 factor(Route) Concentration (mg/L) oral factor(Dose) 7.6 18 10<sup>-1</sup> -0.10 0.00 0.05 0.15 Time (Days)


Trichloroethylene-rat-HTPBTK-OPERA, RMSLE=0.807 10 factor(Route) Concentration (mg/L) oral factor(Dose) 7.6 18 10<sup>-1</sup> -0.05 0.10 0.00 0.15 Time (Days)




















































Tetrachloroethylene-rat-HTPBTK-InVitro, RMSLE=0.381 10<sup>2</sup> -Concentration (mg/L) factor(Route) 10 -- oral factor(Dose) 500 1 -0.0 0.5 1.0 1.5 Time (Days)


Tetrachloroethylene-rat-HTPBTK-OPERA, RMSLE=0.381 10<sup>2</sup> -Concentration (mg/L) factor(Route) 10 -- oral factor(Dose) 500 1 -0.0 0.5 1.0 1.5 Time (Days)


Tetrachloroethylene-rat-HTPBTK-Consensus, RMSLE=0.381 10<sup>2</sup> -Concentration (mg/L) factor(Route) 10 -- oral factor(Dose) 500 1 -0.0 0.5 1.0 1.5 Time (Days)







Acrylonitrile-rat-HTPBTK-Consensus, RMSLE=0.323 10<sup>2</sup> factor(Dose) Concentration (mg/L) 3.4 10 -47 55 84 factor(Route) 1 -10<sup>-1</sup> - 0.00 0.01 0.02 0.05 0.03 0.04 Time (Days)











tert-Amyl methyl ether-human-HTPBTK-InVitro, RMSLE=0.297 0.03 -10<sup>-2</sup> factor(Route) Concentration (mg/L) oral 0.003 factor(Dose) 0.0671 0.201 10<sup>-3</sup> -3e-04 **-**0.1 0.2 0.4 0.5 0.3 Time (Days)


tert-Amyl methyl ether-human-HTPBTK-OPERA, RMSLE=0.928 0.03 -10<sup>-2</sup> factor(Route) Concentration (mg/L) oral factor(Dose) 0.0671 0.003 -0.201 10<sup>-3</sup> -3e-04 -0.2 0.1 0.5 0.3 0.4 Time (Days)


tert-Amyl methyl ether-human-HTPBTK-Consensus, RMSLE=0.832 10<sup>-2</sup> factor(Route) Concentration (mg/L) 0.003 oral factor(Dose) 0.0671 0.201 10<sup>-3</sup> -3e-04 **-**0.1 0.2 0.5 0.3 0.4 Time (Days)



Propylparaben-rat-HTPBTK-ADmet, RMSLE=0.53 10<sup>2</sup> -10 factor(Route) Concentration (mg/L) oral factor(Dose) 3 1 -10 100 1000 10<sup>-1</sup> -0.05 0.10 0.15 0.00 Time (Days)









Propylparaben-rat-HTPBTK-Consensus, RMSLE=0.463 10<sup>2</sup> -10 factor(Route) Concentration (mg/L) oral factor(Dose) 3 1 -10 100 1000 10<sup>-1</sup> 0.05 0.10 0.00 0.15 Time (Days)

2,4-Dichlorophenoxyacetic acid-rat-HTPBTK-InVitro, RMSLE=0.762 10 factor(Dose) 0.205 1.04 Concentration (mg/L) 1.5 2 3.56 factor(Route) oral 10<sup>-3</sup> -0.25 0.50 0.75 0.00 1.00 Time (Days)





2,4-Dichlorophenoxyacetic acid-rat-HTPBTK-Dawson, RMSLE=0.736 10 factor(Dose) 0.205 1.04 Concentration (mg/L) 1.5 2 3.56 factor(Route) oral 10<sup>-3</sup> -0.25 0.50 0.75 0.00 1.00 Time (Days)





2,4-Dichlorophenoxyacetic acid-rat-HTPBTK-OPERA, RMSLE=0.762 10 factor(Dose) 0.205 1.04 Concentration (mg/L) 1.5 2 3.56 factor(Route) oral 10<sup>-3</sup> -0.50 0.25 0.75 0.00 1.00 Time (Days)


 $2,4-Dichlorophenoxyacetic\ acid-rat-HTPBTK-Consensus,\ RMSLE=1.45$ 10 factor(Dose) 0.205 1.04 Concentration (mg/L) 1.5 2 3.56 factor(Route) oral 10<sup>-3</sup> -0.25 0.50 0.75 0.00 1.00 Time (Days)



























Alprazolam-rat-HTPBTK-ADmet, RMSLE=1.8 10 -1 factor(Dose) Concentration (mg/L) 1.25 12.5 factor(Route) · oral 10<sup>-2</sup> -10<sup>-3</sup> -0.10 0.05 0.15 0.20 0.25 0.00 Time (Days)








Alprazolam-rat-HTPBTK-OPERA, RMSLE=1.82 10 -1 factor(Dose) Concentration (mg/L) 1.25 12.5 10<sup>-1</sup> factor(Route) · oral 10<sup>-2</sup> -10<sup>-3</sup> -0.10 0.05 0.15 0.20 0.25 0.00 Time (Days)



















Phenazone-rat-HTPBTK-Consensus, RMSLE=0.361 10 -5 -Concentration (mg/L) factor(Dose) 15 factor(Route) iv 0.10 0.15 0.05 Time (Days)


































































































1-Naphthalenol, 1-(N-methylcarbamate)-rat-In Vivo Fits, RMSLE=0.643 0.03 -10<sup>-2</sup> factor(Dose) Concentration (mg/L) factor(Route) 0.003 iv oral 10<sup>-3</sup> -0.01 0.02 0.03 0.04 Time (Days)


Carbendazim-rat-HTPBTK-InVitro, RMSLE=1.08 10<sup>2</sup> -10 -Concentration (mg/L) factor(Route) **▶** oral factor(Dose) 1000 1 -10<sup>-1</sup> -0.0 0.2 0.4 0.6 0.8 Time (Days)











Carbendazim-rat-HTPBTK-OPERA, RMSLE=1.08 10<sup>2</sup> -10-Concentration (mg/L) factor(Route) oral factor(Dose) 1000 1 -10<sup>-1</sup> -0.0 0.2 0.4 0.6 0.8 Time (Days)



























































































Fenarimol-rat-HTPBTK-Dawson, RMSLE=1.29 1 factor(Dose) Concentration (mg/L) 0.4 2 factor(Route) iv oral 10<sup>-2</sup> -0.1 0.2 0.3 0.4 0.0 0.5 Time (Days)








































Formetanate hydrochloride-rat-HTPBTK-Consensus, RMSLE=0.667 0.3 -10<sup>-1</sup> factor(Dose) Concentration (mg/L) 0.03 factor(Route) 10<sup>-2</sup> -· oral 0.003 -2 3 0 1 Time (Days)




Ibuprofen-rat-HTPBTK-InVitro, RMSLE=0.788 10<sup>2</sup> -10 -Concentration (mg/L) factor(Dose) 2.5 25 factor(Route) 10<sup>-1</sup> -0.0 0.2 0.6 0.4 Time (Days)

Ibuprofen-rat-HTPBTK-ADmet, RMSLE=0.791 10<sup>2</sup> -10 factor(Dose) Concentration (mg/L) 2.5 25 factor(Route) 10<sup>-1</sup> -0.0 0.2 0.6 0.4 Time (Days)





Ibuprofen-rat-HTPBTK-Pradeep, RMSLE=0.794 10<sup>2</sup> -10 factor(Dose) Concentration (mg/L) 2.5 25 factor(Route) 10<sup>-1</sup> -0.0 0.2 0.6 0.4 Time (Days)


Ibuprofen-rat-HTPBTK-OPERA, RMSLE=0.692 10<sup>2</sup> -10 -Concentration (mg/L) factor(Dose) 2.5 25 factor(Route) 10<sup>-1</sup> -0.0 0.2 0.6 0.4 Time (Days)





Ibuprofen-rat-In Vivo Fits, RMSLE=0.184 10<sup>2</sup> -10 factor(Dose) Concentration (mg/L) 2.5 25 factor(Route) 10<sup>-1</sup> -0.0 0.2 0.4 0.6 Time (Days)
















































Imipramine-rat-HTPBTK-Consensus, RMSLE=1.02 3 factor(Dose) Concentration (mg/L) 10 50 0.3 factor(Route) iv · oral 10<sup>-1</sup> -0.03 -0.50 0.25 0.75 0.00 1.00 Time (Days)











Midazolam-rat-HTPBTK-OPERA, RMSLE=1.7 10 factor(Dose) Concentration (mg/L) 5 15 10<sup>-1</sup> factor(Route) iv · oral 10<sup>-2</sup> -10<sup>-3</sup> -0.05 0.10 0.15 0.00 Time (Days)

















Nilvadipine-rat-HTPBTK-OPERA, RMSLE=2 10 -1 factor(Dose) Concentration (mg/L) 0.1 10 factor(Route) iv · oral 10<sup>-2</sup> -10<sup>-3</sup> -0.0 0.1 0.2 0.3 0.4 Time (Days)










Ondansetron-rat-HTPBTK-ADmet, RMSLE=1.08 10<sup>2</sup> -10 factor(Route) Concentration (mg/L) · oral factor(Dose) 20 10<sup>-1</sup> -0.05 0.10 0.00 0.15 Time (Days)


Ondansetron-rat-HTPBTK-Dawson, RMSLE=1.06 10<sup>2</sup> -10 factor(Route) Concentration (mg/L) · oral factor(Dose) 20 10<sup>-1</sup> -0.05 0.10 0.00 0.15 Time (Days)





Ondansetron-rat-HTPBTK-Consensus, RMSLE=1.05 10<sup>2</sup> -10 factor(Route) Concentration (mg/L) · oral factor(Dose) 20 10<sup>-1</sup> -0.05 0.10 0.00 0.15 Time (Days)













Permethrin-rat-In Vivo Fits, RMSLE=0.402 10<sup>-1</sup> 0.03 factor(Dose) Concentration (mg/L) 10<sup>-2</sup> factor(Route) iv · oral 0.003 -0.0 0.5 1.0 2.0 1.5 Time (Days)


5,5-Diphenylhydantoin-rat-HTPBTK-InVitro, RMSLE=0.738 10<sup>2</sup> factor(Dose) Concentration (mg/L) 25 40 factor(Route) 10 iv · oral 1 -0.2 0.0 0.1 0.4 0.5 0.3 Time (Days)


5,5-Diphenylhydantoin-rat-HTPBTK-ADmet, RMSLE=0.84 10<sup>2</sup> factor(Dose) Concentration (mg/L) 25 40 factor(Route) 10 iv · oral 1 -0.2 0.0 0.1 0.4 0.5 0.3 Time (Days)





5,5-Diphenylhydantoin-rat-HTPBTK-OPERA, RMSLE=0.757 10<sup>2</sup> factor(Dose) Concentration (mg/L) 25 40 factor(Route) 10 iv · oral 1 -0.2 0.0 0.1 0.4 0.5 0.3 Time (Days)






Propamocarb hydrochloride-rat-HTPBTK-InVitro, RMSLE=2.17 1 -10<sup>-1</sup> factor(Dose) Concentration (mg/L) 10<sup>-2</sup> factor(Route) iv · oral 10<sup>-3</sup> -10<sup>-4</sup> -0.02 0.04 0.00 0.06 0.08 Time (Days)


Propamocarb hydrochloride-rat-HTPBTK-ADmet, RMSLE=2.02 10<sup>-1</sup> factor(Dose) Concentration (mg/L) 10<sup>-2</sup> factor(Route) iv · oral 10<sup>-3</sup> -10<sup>-4</sup> -0.02 0.04 0.00 0.06 0.08 Time (Days)


Propamocarb hydrochloride-rat-HTPBTK-Dawson, RMSLE=2.3 1 -10<sup>-1</sup> factor(Dose) Concentration (mg/L) 10<sup>-2</sup> factor(Route) iv · oral 10<sup>-3</sup> -10<sup>-4</sup> -0.02 0.00 0.04 0.06 0.08 Time (Days)


Propamocarb hydrochloride-rat-HTPBTK-Pradeep, RMSLE=2.16 1 -10<sup>-1</sup> factor(Dose) Concentration (mg/L) 10<sup>-2</sup> factor(Route) iv · oral 10<sup>-3</sup> -10<sup>-4</sup> -0.02 0.00 0.04 0.06 0.08 Time (Days)


Propamocarb hydrochloride-rat-HTPBTK-Consensus, RMSLE=2.01 10<sup>-1</sup> factor(Dose) Concentration (mg/L) factor(Route) iv · oral 10<sup>-3</sup> -10<sup>-4</sup> -0.02 0.00 0.04 0.06 0.08 Time (Days)


















































































Tolbutamide-rat-HTPBTK-InVitro, RMSLE=0.243 50 factor(Dose) Concentration (mg/L) 10 20 factor(Route) iv oral 20 -0.0 0.2 0.1 0.3 0.4 0.5 Time (Days)






























Valproic acid-rat-HTPBTK-InVitro, RMSLE=0.61 10<sup>3</sup> -10<sup>2</sup> factor(Dose) 10 Concentration (mg/L) 50 100 200 600 10 factor(Route) · oral 1 -0.10 0.05 0.00 0.15 Time (Days)


Valproic acid-rat-HTPBTK-ADmet, RMSLE=0.645 10<sup>3</sup> -10<sup>2</sup> factor(Dose) 10 Concentration (mg/L) 50 100 200 600 10 factor(Route) · oral 1 -0.10 0.05 0.00 0.15 Time (Days)


Valproic acid-rat-HTPBTK-Dawson, RMSLE=0.615 10<sup>3</sup> -10<sup>2</sup> factor(Dose) 10 Concentration (mg/L) 50 100 200 600 10 factor(Route) oral 1 -0.10 0.05 0.00 0.15 Time (Days)





Valproic acid-rat-HTPBTK-OPERA, RMSLE=0.669 10<sup>3</sup> -10<sup>2</sup> factor(Dose) 10 Concentration (mg/L) 50 100 200 600 10 factor(Route) · oral 1 -0.10 0.05 0.00 0.15 Time (Days)


Valproic acid-rat-HTPBTK-Consensus, RMSLE=1.48 10<sup>3</sup> -10<sup>2</sup> factor(Dose) 10 Concentration (mg/L) 50 100 200 600 10 factor(Route) · oral 1 -0.05 0.10 0.15 0.00 Time (Days)



















Pentachlorophenol-rat-HTPBTK-InVitro, RMSLE=0.739 10<sup>2</sup> factor(Dose) 5 9.5 Concentration (mg/L) 18.8 38 75 150 10 factor(Route) oral 1 -0.5 0.0 1.0 1.5 Time (Days)

Pentachlorophenol-rat-HTPBTK-ADmet, RMSLE=0.725 10<sup>2</sup> factor(Dose) 5 9.5 Concentration (mg/L) 18.8 38 75 150 10 factor(Route) oral 1 -0.5 0.0 1.0 1.5 Time (Days)





Pentachlorophenol-rat-HTPBTK-OPERA, RMSLE=0.739 10<sup>2</sup> factor(Dose) 5 9.5 Concentration (mg/L) 18.8 38 75 150 10 factor(Route) oral 1 -0.5 0.0 1.0 1.5 Time (Days)




Pentachlorophenol-rat-In Vivo Fits, RMSLE=0.329 10<sup>2</sup> factor(Dose) 5 9.5 Concentration (mg/L) 18.8 38 75 150 10 factor(Route) oral 1 -0.5 0.0 1.0 1.5 Time (Days)

Gemfibrozil-rat-HTPBTK-InVitro, RMSLE=0.942 10<sup>2</sup> -10 factor(Dose) Concentration (mg/L) 4.29 50 100 factor(Route) 1 -· oral 10<sup>-1</sup> -0.25 0.50 0.00 0.75 1.00 Time (Days)








Gemfibrozil-rat-HTPBTK-Consensus, RMSLE=0.986 10<sup>2</sup> -10 factor(Dose) Concentration (mg/L) 4.29 50 100 factor(Route) 1 -· oral 10<sup>-1</sup> -0.00 0.25 0.50 0.75 1.00 Time (Days)

Gemfibrozil-rat-In Vivo Fits, RMSLE=0.976 10<sup>2</sup> -10 factor(Dose) Concentration (mg/L) 4.29 50 100 factor(Route) 1 -· oral 10<sup>-1</sup> -0.50 0.00 0.25 0.75 1.00 Time (Days)





Dibutyl 1,2-benzenedicarboxylate-rat-HTPBTK-ADmet, RMSLE=0.474 10 -Concentration (mg/L) factor(Dose) 20 factor(Route) iv iv 1 -0.006 0.009 0.012 0.003 Time (Days)


Dibutyl 1,2-benzenedicarboxylate-rat-HTPBTK-Dawson, RMSLE=0.484 10 -Concentration (mg/L) factor(Dose) 20 factor(Route) iv 1 -0.006 0.009 0.012 0.003 Time (Days)


Dibutyl 1,2-benzenedicarboxylate-rat-HTPBTK-OPERA, RMSLE=0.478 10 -Concentration (mg/L) factor(Dose) 20 factor(Route) iv iv 1 -0.006 0.009 0.012 0.003 Time (Days)


Dibutyl 1,2-benzenedicarboxylate-rat-HTPBTK-Consensus, RMSLE=0.461 10 -Concentration (mg/L) factor(Dose) 20 factor(Route) iv iv 1 -0.006 0.009 0.012 0.003 Time (Days)





















Benzophenone-rat-HTPBTK-OPERA, RMSLE=0.889 1 factor(Dose) 2.5 Concentration (mg/L) 10 factor(Route) 10<sup>-1</sup> -· oral 10<sup>-2</sup> -0.25 0.50 0.75 1.00 0.00 Time (Days)


Benzophenone-rat-HTPBTK-Consensus, RMSLE=0.733 1 factor(Dose) Concentration (mg/L) 2.5 10 factor(Route) oral 10<sup>-2</sup> -0.25 0.50 0.75 0.00 1.00 Time (Days)




2-Hydroxy-4-methoxybenzophenone-rat-HTPBTK-InVitro, RMSLE=2.78 10<sup>2</sup> factor(Dose) 8 Concentration (mg/L) 100 250 500 factor(Route) oral 10<sup>-2</sup> -0.2 0.0 0.4 0.6

Time (Days)

2-Hydroxy-4-methoxybenzophenone-rat-HTPBTK-ADmet, RMSLE=2.3



2-Hydroxy-4-methoxybenzophenone-rat-HTPBTK-Dawson, RMSLE=2.57



2-Hydroxy-4-methoxybenzophenone-rat-HTPBTK-Pradeep, RMSLE=2.69 10<sup>2</sup> factor(Dose) 8 Concentration (mg/L) 100 250 500 factor(Route) oral 10<sup>-2</sup>

0.4

Time (Days)


0.6

0.2


0.0


2-Hydroxy-4-methoxybenzophenone-rat-HTPBTK-OPERA, RMSLE=2.77 10<sup>2</sup> factor(Dose) 8 Concentration (mg/L) 100 250 500 factor(Route) oral 10<sup>-2</sup> -0.2 0.0 0.4 0.6 Time (Days)


2-Hydroxy-4-methoxybenzophenone-rat-HTPBTK-Consensus, RMSLE=2.08





2-Hydroxy-4-methoxybenzophenone-rat-In Vivo Fits, RMSLE=1.61 10 -1 factor(Dose) 8 Concentration (mg/L) 100 250 500 10<sup>-1</sup> factor(Route) · oral 10<sup>-2</sup> -10<sup>-3</sup> -0.2 0.4 0.0 0.6 Time (Days)



































































Etoxazole-rat-HTPBTK-Consensus, RMSLE=1.92 10<sup>-1</sup> factor(Dose) Concentration (mg/L) 0.4 2 10<sup>-2</sup> factor(Route) iv · oral 10<sup>-3</sup> -10<sup>-4</sup> 2 0 Time (Days)
















Novaluron-rat-In Vivo Fits, RMSLE=0.376 0.3 -10<sup>-1</sup> factor(Dose) Concentration (mg/L) 0.4 2 0.03 factor(Route) iv oral 10<sup>-2</sup> -0.003 -2 Ó 3 Time (Days)







































2-Methylimidazole-rat-HTPBTK-OPERA, RMSLE=0.988 10 -Concentration (mg/L) factor(Dose) 10 factor(Route) ⊢ iv 10<sup>-1</sup> -5 10 15 20 Time (Days)


 $2-Methylimidazole-rat-HTPBTK-Consensus,\ RMSLE=1.34$ 10 -Concentration (mg/L) factor(Dose) 10 factor(Route) **⊢** iv 10<sup>-1</sup> -5 10 15 20 Time (Days)


















Dichloroacetic acid-rat-HTPBTK-ADmet, RMSLE=0.744 10<sup>2</sup> factor(Route) 10-Concentration (mg/L) · oral factor(Dose) 10 40 60 100 1 -10<sup>-1</sup> 0.0 0.1 0.2 0.3 Time (Days)



Dichloroacetic acid-rat-HTPBTK-Consensus, RMSLE=1.12 10 factor(Route) Concentration (mg/L) · oral factor(Dose) 10 40 60 1 -100 10<sup>-1</sup> -0.2 0.1 0.3 0.0 Time (Days)

Dichloroacetic acid-rat-In Vivo Fits, RMSLE=0.595 30 -10factor(Route) Concentration (mg/L) · oral 3 factor(Dose) 10 40 60 1 -100 0.3 -0.0 0.1 0.2 0.3 Time (Days)

Dibromoacetic acid-rat-HTPBTK-ADmet, RMSLE=0.802 10<sup>2</sup> factor(Dose) 10 10-25 Concentration (mg/L) 40 50 100 110 125 factor(Route) 1 oral 10<sup>-1</sup> -0.0 0.1 0.2 0.3 Time (Days)

Dibromoacetic acid-rat-HTPBTK-Pradeep, RMSLE=0.56 10<sup>2</sup> factor(Dose) 10 10-25 Concentration (mg/L) 40 50 100 110 125 factor(Route) 1 oral 10<sup>-1</sup> -0.0 0.1 0.2 0.3 Time (Days)

Dibromoacetic acid-rat-HTPBTK-Consensus, RMSLE=0.526 10<sup>2</sup> factor(Dose) 10 10-25 Concentration (mg/L) 40 50 100 110 125 factor(Route) 1 oral 10<sup>-1</sup> -0.2 0.0 0.1 0.3 Time (Days)


Dibromoacetic acid-rat-In Vivo Fits, RMSLE=0.456 10<sup>2</sup> factor(Dose) 10 10-25 Concentration (mg/L) 40 50 100 110 125 factor(Route) 1 oral 10<sup>-1</sup> -0.0 0.1 0.2 0.3 Time (Days)


Bromochloroacetic acid-rat-HTPBTK-ADmet, RMSLE=1.01 10<sup>2</sup> -10 factor(Dose) 10 Concentration (mg/L) 40 80 100 factor(Route) 1 oral 10<sup>-1</sup> -0.1 0.0 0.2 0.3 Time (Days)


Bromochloroacetic acid-rat-HTPBTK-Pradeep, RMSLE=0.645 10factor(Dose) 10 Concentration (mg/L) 40 80 100 factor(Route) oral 10<sup>-1</sup> -0.1 0.0 0.2 0.3 Time (Days)

Bromochloroacetic acid-rat-HTPBTK-Consensus, RMSLE=0.898 10 factor(Dose) 10 Concentration (mg/L) 40 80 100 factor(Route) oral 10<sup>-1</sup> -0.1 0.0 0.2 0.3 Time (Days)


Bromochloroacetic acid-rat-In Vivo Fits, RMSLE=0.574 10factor(Dose) 10 Concentration (mg/L) 40 80 100 factor(Route) oral 10<sup>-1</sup> -0.1 0.0 0.2 0.3 Time (Days)









 $Bis (2-chloroethoxy) methane-rat-HTPBTK-Consensus,\ RMSLE=0.385$ 10 factor(Dose) Concentration (mg/L) 20 40 factor(Route) 10<sup>-1</sup> -10<sup>-2</sup> -0.2 0.3 0.4 0.0 0.1 Time (Days)





Isoeugenol-rat-HTPBTK-Dawson, RMSLE=1.73 10factor(Dose) Concentration (mg/L) 17 70 140 factor(Route) oral 10<sup>-1</sup> -10<sup>-2</sup> 0.0 0.1 0.2 0.3 0.4 Time (Days)





Isoeugenol-rat-HTPBTK-OPERA, RMSLE=1.13 10 factor(Dose) Concentration (mg/L) 17 70 140 factor(Route) oral 10<sup>-1</sup> -0.1 0.3 0.0 0.2 0.4 Time (Days)


Isoeugenol-rat-HTPBTK-Consensus, RMSLE=1.18 10 factor(Dose) Concentration (mg/L) 17 70 140 factor(Route) oral 10<sup>-1</sup> -0.0 0.1 0.3 0.2 0.4 Time (Days)


Isoeugenol-rat-In Vivo Fits, RMSLE=0.54 10 factor(Dose) Concentration (mg/L) 17 70 140 factor(Route) oral 10<sup>-1</sup> -10<sup>-2</sup> 0.0 0.1 0.2 0.3 0.4 Time (Days)

Emodin-rat-HTPBTK-ADmet, RMSLE=1.81 10<sup>2</sup> factor(Dose) 10 -Concentration (mg/L) 5 40 80 factor(Route) · oral 1 -10<sup>-1</sup> 0.1 0.2 0.3 0.4 0.5 0.0 Time (Days)














Emodin-rat-In Vivo Fits, RMSLE=0.225 10factor(Dose) Concentration (mg/L) 5 40 80 1 factor(Route) · oral 10<sup>-1</sup> -0.1 0.2 0.3 0.4 0.5 0.0 Time (Days)














Anthraquinone-rat-HTPBTK-ADmet, RMSLE=1.78 10<sup>2</sup> -10 factor(Dose) 2 Concentration (mg/L) 40 100 400 factor(Route) oral 10<sup>-1</sup> -0.25 0.50 0.75 0.00 1.00 Time (Days)


Anthraquinone-rat-HTPBTK-Dawson, RMSLE=1.53 10<sup>2</sup> -10factor(Dose) 2 Concentration (mg/L) 40 100 400 factor(Route) · oral 10<sup>-1</sup> -0.25 0.50 0.75 0.00 1.00 Time (Days)




Anthraquinone-rat-HTPBTK-Consensus, RMSLE=1.4 10<sup>2</sup> -10factor(Dose) 2 Concentration (mg/L) 40 100 400 factor(Route) · oral 10<sup>-1</sup> -0.25 0.50 0.75 0.00 1.00 Time (Days)














Oxymetholone-rat-HTPBTK-OPERA, RMSLE=1.09 30 -10factor(Dose) Concentration (mg/L) 20 30 3 -120 factor(Route) oral 1 -0.3 -0.0 0.1 0.2 0.3 0.4 0.5 Time (Days)













































Diclofenac-rat-HTPBTK-OPERA, RMSLE=0.564 10<sup>2</sup> -30 factor(Dose) Concentration (mg/L) 18 60 factor(Route) 10 iv · oral 3 -0.1 0.2 0.0 0.3 Time (Days)

Diclofenac-rat-HTPBTK-Consensus, RMSLE=0.484 10<sup>2</sup> -30 factor(Dose) Concentration (mg/L) 18 60 factor(Route) 10 iv · oral 3 -0.1 0.2 0.0 0.3 Time (Days)














Diltiazem-rat-In Vivo Fits, RMSLE=0.214 10 -1 -Concentration (mg/L) factor(Route) · oral factor(Dose) 20 10<sup>-1</sup> 0.2 0.0 0.1 0.3 0.4 Time (Days)
































Thiodiglycolic acid-rat-HTPBTK-Consensus, RMSLE=0.487 30 -10-Concentration (mg/L) factor(Dose) 20 3 factor(Route) iv 1 -0.3 -0.0 0.1 0.2 0.3 0.4 Time (Days)




Oxoacetic acid--water (1/1)-rat-HTPBTK-OPERA, RMSLE=0.711 10<sup>2</sup> -30 -Concentration (mg/L) factor(Dose) 50 factor(Route) iv 10 -3 -0.005 0.010 0.015 0.020 Time (Days)


Oxoacetic acid--water (1/1)-rat-HTPBTK-Consensus, RMSLE=0.711 10<sup>2</sup> -30 -Concentration (mg/L) factor(Dose) 50 factor(Route) iv 10 -3 -0.005 0.010 0.015 0.020 Time (Days)








2-Methyltetrahydrofuran-rat-HTPBTK-Consensus, RMSLE=0.668 10<sup>2</sup> factor(Dose) 10-2.5 10 Concentration (mg/L) 30 40 100 400 factor(Route) oral 10<sup>-1</sup> -10<sup>-2</sup> -0.1 0.2 0.3 0.0 0.4 0.5 Time (Days)


















Hexachlorobenzene-rat-In Vivo Fits, RMSLE=0.403 10-1 factor(Route) Concentration (mg/L) · oral factor(Dose) 10<sup>-1</sup> 0.03 0.1 0.3 30 10<sup>-2</sup> -10<sup>-3</sup> -40 60 0 20 80 Time (Days)



Potassium perfluorohexanesulfonate-rat-In Vivo Fits, RMSLE=0.807 10<sup>2</sup> factor(Dose) 10 -Concentration (mg/L) 16 32 factor(Route) oral 10<sup>-1</sup> -0 10 20 40 30 50 Time (Days)

Potassium perfluorobutanesulfonate-rat-In Vivo Fits, RMSLE=0.55 10<sup>2</sup> factor(Dose) 10-Concentration (mg/L) 20 100 factor(Route) · oral 10<sup>-1</sup> -0.5 1.0 1.5 0.0 2.0 Time (Days)

