




1,2,4-trimethylbenzene (1compartment)




1,2-dichloroethane (1compartment): Optimizer Failed, No Curve Fit




1,4-butanediol (1compartment)




1,4-dioxane (1compartment): Optimizer Failed, No Curve Fit




1-chloro-2-propanol (1compartment): Optimizer Failed, No Curve Fit




2,3,7,8-tetrachlorodibenzo-p-dioxin (1compartment): Optimizer Failed, No Curve




2,4-d (1compartment)




2,4-dichlorophenoxyacetic acid (1compartment): Optimizer Failed, No Curve Fit




2,4-dihydroxybenzophenone (1compartment)




2,5–dimethylaniline (1compartment): Optimizer Failed, No Curve Fit




2,6-dimethylaniline (1compartment)




2-(1h-imidazol-2-yl)pyridine (1compartment)




2-hydroxy-4-methoxybenzophenone (1compartment)




2-methyltetrahydrofuran (1compartment): Optimizer Failed, No Curve F




2-methylimidazole (1compartment)



3,3',4,4',5-pentachlorobiphenyl (1compartment)




3-hydroxybenzo(a)pyrene (1compartment): Optimizer Failed, No Curve Fit




3-hydroxybenzo[a]pyrene (1compartment)

Dose: 20 mg/kg
Route: oral
Reference: 54
Media: plasma
LOQ: 0.001125




4-methylimidazole (1compartment)


Dose: 10 mg/kg
Route: iv
Reference: 151
Media: plasma
LOQ: 0.066888




ag-041r (1compartment): Optimizer Failed, No Curve Fit




acetaminophen (1compartment): Optimizer Failed, No Curve Fit




acrylamide (1compartment)




acrylonitrile (1compartment): Optimizer Failed, No Curve Fit




adefovir (1compartment)




alachlor (1compartment)




alprazolam (1compartment)




amiodarone (1compartment)




aniline (1compartment): Optimizer Failed, No Curve Fit




anthraquinone (1compartment)




apixaban (1compartment): Optimizer Failed, No Curve Fit




apomorphine (1compartment)




aspirin (1compartment)




atomoxetine (1compartment): Optimizer Failed, No Curve Fit




azithromycin (1compartment): Optimizer Failed, No Curve Fit




balsalazide (1compartment)




bensulide (1compartment)




benzophenone (1compartment)




benzylamine (1compartment)




beraprost (1compartment)




betaxolol (1compartment)




bexarotene (1compartment)




bis 2-chloroethoxy methane (1compartment): Optimizer Failed, No Curve Fit



bisoprolol (1compartment)



bisphenol a (1compartment)



The figure consists of two side-by-side plots showing plasma concentration (ng/ml) versus Time (h) for two different doses of a drug. Both plots have a logarithmic y-axis ranging from 0.001 to 1000 ng/ml and a linear x-axis ranging from 0 to 75 hours. A dashed horizontal line at 0.006048 ng/ml indicates the Limit of Quantification (LOQ).

Left Plot (1 mg/kg dose):

- Dose:** 1 mg/kg
- Route:** iv
- Reference:** 192
- Media:** plasma
- LOQ:** 0.006048


Right Plot (5 mg/kg dose):

- Dose:** 5 mg/kg
- Route:** oral
- Reference:** 192
- Media:** plasma
- LOQ:** 0.00495


Both plots show a rapid decline in plasma concentration over time, with a dashed line indicating the Limit of Quantification (LOQ). The data points are represented by green circles, and a solid green line represents the fitted curve.

- Above
- Below


bosentan (1compartment)




bromazepam (1compartment)



bromobenzene (1compartment)




bromochloroacetic acid (1compartment)




bromodichloromethane (1compartment)


Dose: 10 mg/kg
Route: iv
Reference: 154
Media: plasma
LOQ: 0.003096




caffeine (1compartment): Optimizer Failed, No Curve Fit



canagliflozin (1compartment)




carbaryl (1compartment)




carbendazim (1compartment)


Dose: 1000 mg/kg
Route: oral
Reference: 201
Media: plasma
LOQ: 0.044496




cefixime (1compartment)




celiprolol (1compartment): Optimizer Failed, No Curve Fit




chloridazon (1compartment): Optimizer Failed, No Curve Fit




chlorogenic acid (1compartment)




chlorpromazine (1compartment): Optimizer Failed, No Curve Fit




chlorpyrifos (1compartment): Optimizer Failed, No Curve Fit




ciprofloxacin (1compartment)



clonazepam (1compartment)



codeine (1compartment)




coumarin (1compartment)




L.O.Q.
• Above


curcumin (1compartment): Optimizer Failed, No Curve Fit




cyclanilide (1compartment)



cyclosporin a (1compartment)



d-carnosine (1compartment): Optimizer Failed, No Curve Fit



Dose: 6 mg/kg
Route: iv
Reference: 165
Media: plasma
LOQ: 0.00927


Time (h)

Dose: 6 mg/kg
Route: iv
Reference: 165
Media: plasma
LOQ: 0.00927


L.O.Q.

- Above
- Below


dabigatran (1compartment)




darolutamide (1compartment)



desloratadine (1compartment): Optimizer Failed, No Curve Fit




dextromethorphan (1compartment)




di-n-butyl phthalate (1compartment)


Dose: 20 mg/kg
Route: iv
Reference: 135
Media: plasma
LOQ: 0.8613




diazepam (1compartment)




diazinon-o-analog (1compartment)




dibromoacetic acid (1compartment): Optimizer Failed, No Curve Fit



dichloromethane (1compartment): Optimizer Failed, No Curve Fit



diclofenac (1compartment)




L.O.Q.




Above


digoxin (1compartment)




diisobutyl ketone (1compartment)




diltiazem (1compartment)




dimethenamid (1compartment)




disopyramide (1compartment)




domitroban (1compartment): Optimizer Failed, No Curve Fit




doxorubicin (1compartment)




duloxetine (1compartment): Optimizer Failed, No Curve Fit




efonidipine (1compartment): Optimizer Failed, No Curve Fit




elbasvir (1compartment): Optimizer Failed, No Curve Fit




ellagic acid (1compartment): Optimizer Failed, No Curve Fit




emodin (1compartment): Optimizer Failed, No Curve Fit



enoxacin (1compartment)



ethanol (1compartment)




L.O.Q.


•

Above


etizolam (1compartment)




etoxazole (1compartment)




fadrozole (1compartment)




fenarimol (1compartment)




fexofenadine (1compartment)




flufenacet (1compartment)




flunitrazepam (1compartment)




fluorotelomer acid 7+3 (1compartment)




fluorotelomer alcohol 8+2 (1compartment)




fluoxetine (1compartment)




flutamide (1compartment)




fluvastatin (1compartment)




fluvoxamine (1compartment)




formamide (1compartment): Optimizer Failed, No Curve Fit




formetanate hydrochloride (1compartment)




free carbon disulfide (1compartment)




gemfibrozil (1compartment): Optimizer Failed, No Curve Fit



glutaraldehyde (1compartment)



glycidamide (1compartment)




glycine (1compartment)




glyoxylic acid monohydrate (1compartment)




grazoprevir (1compartment): Optimizer Failed, No Curve Fit




griseofulvin (1compartment)



hexachlorobenzene (1compartment): Optimizer Failed, No Curve Fit




hexobarbital (1compartment): Optimizer Failed, No Curve Fit




L.O.Q.

• Above


hippuric acid (1compartment)




hydromorphone (1compartment)




ibrolipim (1compartment)




ibuprofen (1compartment): Optimizer Failed, No Curve Fit




imazalil (1compartment)



imidacloprid (1compartment)




imipramine (1compartment)




L.O.Q.

• Above


ipragliflozin (1compartment)




isoeugenol (1compartment)




isopsoralen (1compartment): Optimizer Failed, No Curve Fit



itopride (1compartment)



ketoprofen (1compartment): Optimizer Failed, No Curve Fit




I-arginine (1compartment)




L.O.Q.
• Above


l-ephedrine (1compartment)




lactitol (1compartment): Optimizer Failed, No Curve Fit




lamivudine (1compartment)




lemildipine (1compartment)




lenalidomide (1compartment)




Ietermovir (1compartment)




lorazepam (1compartment)




loxoprofen (1compartment): Optimizer Failed, No Curve Fit




Iurasidone (1compartment): Optimizer Failed, No Curve Fit




macelignan (1compartment)




melengestrol acetate (1compartment)




memantine (1compartment)




methyl methacrylate (1compartment)




methylphenidate (1compartment)




metoprolol (1compartment)




miconazole (1compartment): Optimizer Failed, No Curve Fit




midazolam (1compartment): Optimizer Failed, No Curve Fit




mofezolac (1compartment): Optimizer Failed, No Curve Fit




molinate (1compartment)




mono-n-butyl phthalate (1compartment)




monobutyl phthalate (1compartment): Optimizer Failed, No Curve Fit




morphine (1compartment): Optimizer Failed, No Curve Fit




n,n-dimethylaniline (1compartment)




nadolol (1compartment): Optimizer Failed, No Curve Fit




naphthalene (1compartment)




neopetasitenine (1compartment)




nilvadipine (1compartment)




nitrazepam (1compartment)




nitrite (1compartment)




norfloxacin (1compartment)




novaluron (1compartment)




olanzapine (1compartment)




olopatadine (1compartment)




omeprazole (1compartment)




ondansetron (1compartment)




oseltamivir (1compartment)




oxazepam (1compartment)




oxycodone (1compartment)




oxymetholone (1compartment)



paroxetine (1compartment)



peficitinib (1compartment)



pentachlorophenol (1compartment)

Dose: 10 mg/kg
Route: oral
Reference: 138
Media: plasma
LOQ: 5.544

Concentration (mg/L)

10

3

1

0

10

20


30

Time (h)


L.O.Q.




Above




pentachlorophenol, purified (1compartment): Optimizer Failed, No Curve Fit




pentadecafluorooctanoic acid (1compartment)




perfluorodecanoic acid (1compartment): Optimizer Failed, No Curve Fit




perfluorohexane-1-sulphonic acid " potassium salt (1compartment)




perfluorohexanoic acid (1compartment)




perfluorooctane sulfonate (1compartment)




perfluorooctanoic acid (1compartment): Optimizer Failed, No Curve




perindopril (1compartment)




permethrin (1compartment)




petasitenine (1compartment)



phenacetin (1compartment): Optimizer Failed, No Curve Fit



phenobarbital (1compartment)



phenolphthalein (1compartment)

Dose: 25 mg/kg
Route: iv
Reference: 139
Media: plasma
LOQ: 0.01395

Concentration (mg/L)

10^2

1

10^{-2}

0

Time (h)

10


20

30

L.O.Q.


- Above
- Below

L.O.Q.




phenolphthalein glucuronide (1compartment)


Dose: 25 mg/kg
Route: iv
Reference: 139
Media: plasma
LOQ: 1.341




phenytoin (1compartment): Optimizer Failed, No Curve Fit




pitavastatin (1compartment)




pomalidomide (1compartment)




potassium perfluorobutane sulfonate (1compartment)




pranolukast (1compartment): Optimizer Failed, No Curve Fit




primaquine (1compartment)




primidone (1compartment)




propamocarb hydrochloride (1compartment)




propiverine (1compartment)




propyzamide (1compartment)



pseudoephedrine (1compartment): Optimizer Failed, No Curve Fit



psoralen (1compartment): Optimizer Failed, No Curve Fit




L.O.Q.




Above


pyridine (1compartment): Optimizer Failed, No Curve Fit




pyrithiobac sodium (1compartment): Optimizer Failed, No Curve Fit



quinaprilat (1compartment): Optimizer Failed, No Curve Fit




quinotolast (1compartment)




r-metoprolol (1compartment)


Dose: 15 mg/kg
Route: oral
Reference: 216
Media: plasma
LOQ: 0.000936




rabeprazole (1compartment): Optimizer Failed, No Curve Fit




resmethrin (1compartment)




resveratrol (1compartment): Optimizer Failed, No Curve Fit




risperidone (1compartment): Optimizer Failed, No Curve Fit



rivaroxaban (1compartment): Optimizer Failed, No Curve Fit




s-bioallethrin (1compartment)




s-metoprolol (1compartment)


Dose: 15 mg/kg
Route: oral
Reference: 216
Media: plasma
LOQ: 0.001296




sacubitril (1compartment)




saquinamide (1compartment)




salicylamide (1compartment): Optimizer Failed, No Curve Fit




sarpogrelate (1compartment): Optimizer Failed, No Curve Fit



scopoletin (1compartment)




senkirkine (1compartment)




sepimostat (1compartment): Optimizer Failed, No Curve Fit

Dose: 30 mg/kg
Route: oral
Reference: 24895
Media: blood
LOQ: 0.003582




sertraline (1compartment): Optimizer Failed, No Curve Fit




silmitasertib (1compartment)



simazine (1compartment)




sitagliptin (1compartment)




solvent red1 (1compartment)


Dose: 20 mg/kg
Route: oral
Reference: 66
Media: blood
LOQ: 0.000738




sotalol (1compartment)




sparfloxacin (1compartment)




styrene (1compartment): Optimizer Failed, No Curve Fit




sulfasalazine (1compartment): Optimizer Failed, No Curve Fit




sumatriptan (1compartment): Optimizer Failed, No Curve Fit




tacrolimus (1compartment)




tadalafil (1compartment)



taltirelin (1compartment)




tamoxifen (1compartment): Optimizer Failed, No Curve Fit




tamoxifen, free base (1compartment)


Dose: 0.3 mg/kg
Route: iv
Reference: 142
Media: plasma
LOQ: 0.003636




tebipenem (1compartment): Optimizer Failed, No Curve Fit



tedizolid (1compartment): Optimizer Failed, No Curve Fit




telithromycin (1compartment)




teprenone (1compartment)


Dose: 125 mg/kg
Route: oral
Reference: 24906
Media: blood
LOQ: 0.016146




Dose: 125 mg/kg
Route: oral
Reference: 24906
Media: plasma
LOQ: 0.027





terguride (1compartment)




tetralin (1compartment)



thalidomide (1compartment)




theanine (1compartment): Optimizer Failed, No Curve Fit




L.O.Q.
• Above

theophylline (1compartment): Optimizer Failed, No Curve Fit





thiodiglycolic acid (1compartment)

Dose: 20 mg/kg
Route: iv
Reference: 155
Media: plasma
LOQ: 0.17829




tofogliflozin (1compartment)




L.O.Q.
• Above


tolbutamide (1compartment): Optimizer Failed, No Curve Fit



triazolam (1compartment)




trichloroethylene (1compartment): Optimizer Failed, No Curve Fit





triclosan (1compartment)

Dose: 1 mg/kg
Route: iv
Reference: 192
Media: plasma
LOQ: 9e-04




trimethylamine (1compartment)




L.O.Q.
• Above


valproic acid (1compartment): Optimizer Failed, No Curve Fit




vaniprevir (1compartment): Optimizer Failed, No Curve Fit




vibegron (1compartment)




warfarin (1compartment): Optimizer Failed, No Curve Fit





wyeth-14643 (1compartment)




zolpidem (1compartment)




zonisamide (1compartment)




alpha-thujone (1compartment)




benzo(a)pyrene (1compartment): Optimizer Failed, No Curve Fit




benzo[a]pyrene (1compartment)



beta-hydroxyisovaleric acid (1compartment)




chloral hydrate (1compartment): Optimizer Failed, No Curve Fit




desmethyylimipramine (1compartment)

Dose: 10 mg/kg
Route: iv
Reference: 212
Media: plasma
LOQ: 0.260991




dichloroacetic acid (1compartment): Optimizer Failed, No Curve Fit




formate (1compartment)


Dose: 100 mg/kg
Route: iv
Reference: 17
Media: blood
LOQ: 0.066546




hexachlorocyclohexane (1compartment): Optimizer Failed, No Curve Fit



hydroxyethoxyacetic acid (1compartment): Optimizer Failed, No Curve Fit




m-cresol (1compartment)



L.O.Q.

• Above


methanol (1compartment)




L.O.Q.

• Above

methyl tert-butyl ether (1compartment)




methylene chloride (1compartment)




L.O.Q.

- Above
- Below


methyleugenol (1compartment)




octylphenol (1compartment)




propylparaben (1compartment)




tert-amyl alcohol (1compartment)



tert-amyl methyl ether (1compartment)




tert-butyl alcohol (1compartment)




tetrachloroethylene (1compartment)

Dose: 500 mg/kg
Route: oral
Reference: 4
Media: blood
LOQ: 0.704457




trans-4-hydroxytamoxifen (1compartment)


Dose: 300 mg/kg
Route: oral
Reference: 141
Media: plasma
LOQ: 0.001683



trichloroacetic acid (1compartment)



trichloroethanol (1compartment)



trichloroethanol glucuronide (1compartment)

