
1,2-dichloroethane (flat)



1,4-dioxane (flat) Dose: 10 mg/kg Dose: 100 mg/kg Dose: 100 mg/kg Dose: 1000 mg/kg Route: iv Route: iv Route: iv Route: iv Reference: 6 Reference: 24 Reference: 6 Reference: 24 Media: plasma Media: blood Media: plasma Media: blood LOQ: 0.000563319 LOQ: 0.0001479105 LOQ: 0.000563319 LOQ: 0.0001479105 1 10⁻¹ -10⁻² - 10^{-3} L.O.Q. -L:O.Q: L:O.Q: -L.O.Q. 10^{-4} Dose: 1000 mg/kg Dose: 3 mg/kg Dose: 30 mg/kg Dose: 30 mg/kg Route: iv Route: iv Route: iv Route: iv Reference: 6 Reference: 6 Reference: 24 Reference: 6 Media: plasma Media: plasma Media: blood Media: plasma LOQ: 0.000563319 LOQ: 0.000563319 LOQ: 0.000563319 LOQ: 0.0001479105 L.O.Q. 10⁻² Above 10^{-3} L.O.Q. -L.:O.Q.-L.O.Q. L.O.Q. 20 40 20 40 0 0 Dose: 300 mg/kg Dose: 300 mg/kg Route: iv Route: iv Reference: 24 Reference: 6 Media: blood Media: plasma LOQ: 0.0001479105 LOQ: 0.000563319 10^{-1} 10^{-2} 10⁻³ -L.O.Q.-L:O.Q.-

Concentration (mg/L)

 10^{-4}

20

40


20

40


Time (h)

0


1-chloro-2-propanol (flat)



2,3,7,8-tetrachlorodibenzo-p-dioxin (flat)




2,4-dichlorophenoxyacetic acid (flat): Optimizer Failed, No Curve Fit




L.O.Q.

- Above
- Below

2,4-dihydroxybenzophenone (flat)



2-hydroxy-4-methoxybenzophenone (flat)



2-methylimidazole (flat) Dose: 10 mg/kg Route: iv Reference: 150 Media: plasma LOQ: 5.1615e-05 10⁻² -10⁻³ ¬ L.O.Q. Above Below **L.O.Q.** 10^{-4} 0 0 0 10⁻⁵ -

400

Time (h)


600

200


Concentration (mg/L)

Ò


2-methyltetrahydrofuran (flat): Optimizer Failed, No Curve Fit



3,3',4,4',5-pentachlorobiphenyl (flat): Optimizer Failed, No Curve Fit



3-hydroxybenzo(a)pyrene (flat)



4-methylimidazole (flat) Dose: 10 mg/kg Route: iv Reference: 151 Media: plasma LOQ: 3.3444e-05 10^{-1} 10⁻² L.O.Q. Above Below 8 10^{-4} - L.O:Q: O

5.0

Time (h)

7.5

10.0


Concentration (mg/L)

 10^{-5}


0.0

2.5











acrylonitrile (flat) Dose: 3.4 mg/kg Dose: 47 mg/kg Route: iv Route: iv Reference: 43 Reference: 43 Media: blood Media: blood LOQ: 6.29775e-05 LOQ: 6.29775e-05 1 10^{-2} **L.O.Q.** - L.O.Q. 10^{-4} Concentration (mg/L) Dose: 55 mg/kg Dose: 84 mg/kg L.O.Q. Route: iv Route: iv Reference: 43 Reference: 43 Above Media: blood Media: blood LOQ: 6.29775e-05 LOQ: 6.29775e-05 10⁻² -- L.O:Q: - L.O:Q: 10^{-4} 0.0 0.5 1.0 1.5 0.0 0.5 1.0 1.5 Time (h)


alachlor (flat)




alpha-thujone (flat)









anthraquinone (flat): Optimizer Failed, No Curve Fit



bensulide (flat): Optimizer Failed, No Curve Fit




benzo(a)pyrene (flat): Optimizer Failed, No Curve Fit



benzophenone (flat) Dose: 10 mg/kg Dose: 10 mg/kg Dose: 2.5 mg/kg Route: po Route: po Route: iv Reference: 171 Reference: 171 Reference: 171 Media: blood Media: plasma Media: plasma LOQ: 7.065e-05 LOQ: 4.4685e-06 LOQ: 4.4685e-06 10⁻² -10⁻³ -L.O.Q.- 10^{-5} L.O.Q. L.O.Q. 10^{-6} Dose: 2.5 mg/kg Dose: 2.5 mg/kg Dose: 5 mg/kg Route: po Route: po Route: po Reference: 171 Reference: 171 Reference: 171 Media: plasma Media: blood Media: blood LOQ: 7.065e-05 LOQ: 4.4685e-06 LOQ: 7.065e-05 10⁻² Concentration (mg/L) 10⁻³ L.O.Q. -L.:O.Q.-.O.Q. 10^{-4} Above 000 OOO 0 00000 0 Below 10^{-5} .:O:Q: 10^{-6} 10 20 30 0 10 20 0 30 Dose: 5 mg/kg Route: po Reference: 171 Media: plasma LOQ: 4.4685e-06 10^{-2} 10^{-3} 10^{-4} 10^{-5} 10^{-6} 10 20 30 0

Time (h)

bis 2-chloroethoxy methane (flat): Optimizer Failed, No Curve Fit



bisphenol a (flat) Dose: 0.6 mg/kg Route: iv Reference: 192 Media: plasma LOQ: 1.314e-05 10⁻³ ¬ 10⁻⁴ -L.O.Q. Above - L.O.Q. Below 10⁻⁵ 1 00 0 0 o 0

50

Time (h)

75


Concentration (mg/L)

10⁻⁶


Ò

25


boscalid (flat)




bosentan (flat)




bromochloroacetic acid (flat)




bromodichloromethane (flat)



caffeine (flat): Optimizer Failed, No Curve Fit




carbaryl (flat): Optimizer Failed, No Curve Fit




carbendazim (flat) Dose: 1000 mg/kg Route: po Reference: 201 Media: plasma LOQ: 2.2248e-05 10^{-1} 10⁻² Concentration (mg/L) L.O.Q. Above 10^{-4} - L.O.Q. 10^{-5} 10 15 20 5 25 Ó Time (h)


chloridazon (flat): Optimizer Failed, No Curve Fit




chlorpyrifos (flat)




cyclanilide (flat)




cyclosporin a (flat)




desmethylimipramine (flat)




di-n-butyl phthalate (flat): Optimizer Failed, No Curve Fit




diazinon-o-analog (flat): Optimizer Failed, No Curve Fit




dibromoacetic acid (flat): Optimizer Failed, No Curve Fit




dichloroacetic acid (flat)




diltiazem (flat)




dimethenamid (flat)







emodin (flat): Optimizer Failed, No Curve Fit




etoxazole (flat)




fenarimol (flat)




flufenacet (flat)




fluorotelomer acid 7+3 (flat)



fluorotelomer alcohol 8+2 (flat): Optimizer Failed, No Curve Fit




formamide (flat)




formate (flat) Dose: 100 mg/kg Route: iv Reference: 17 Media: blood LOQ: 3.3273e-05 10⁻² 10⁻³ -Concentration (mg/L) L.O.Q. Above - E.O.Q. 10⁻⁵ 2.5 5.0 7.5 0.0 10.0 Time (h)


formetanate hydrochloride (flat): Optimizer Failed, No Curve Fit



free carbon disulfide (flat)




gemfibrozil (flat)




glyoxylic acid monohydrate (flat) Dose: 50 mg/kg Route: iv Reference: 156 Media: plasma LOQ: 0.0012114 1 10^{-1} Concentration (mg/L) L.O.Q. 10⁻² Above Below - L.O:Q: 10^{-3} 10⁻⁴ 0.2 0.4 0.0 0.6

Time (h)


hexachlorobenzene (flat)




hexobarbital (flat)




ibuprofen (flat)




imazalil (flat): Optimizer Failed, No Curve Fit




imidacloprid (flat)




imipramine (flat)




isoeugenol (flat)




I-ephedrine (flat): Optimizer Failed, No Curve Fit






methyl tert-butyl ether (flat)




methylene chloride (flat) Dose: 125 mg/kg Route: po Reference: 18 Media: blood LOQ: 0.000818181 1 10^{-1} Concentration (mg/L) L.O.Q. 10⁻² Above - **L.O.Q**. 10⁻³ 2 Ö Time (h)

methyleugenol (flat)



midazolam (flat)



mono-n-butyl phthalate (flat) Dose: 100 mg/kg Dose: 20 mg/kg Route: po Route: iv Reference: 135 Reference: 135 Media: plasma Media: plasma LOQ: 0.00018315 LOQ: 0.00018315 10⁻² Ê.O.Q. L.O.Q. താ 0 0 L.O.Q. Dose: 200 mg/kg Dose: 50 mg/kg Route: po Route: po Above Reference: 135 Reference: 135 Media: plasma Media: plasma Below LOQ: 0.00018315 LOQ: 0.00018315 10⁻² Ł.O.Q. **L.O.Q.** 0

10

20

30

1

 10^{-4}

1

 10^{-4}

0

10


20

30


Time (h)

Concentration (mg/L)


naphthalene (flat)




nilvadipine (flat): Optimizer Failed, No Curve Fit








novaluron (flat)



octylphenol (flat): Optimizer Failed, No Curve Fit




L.O.Q.


Above

ondansetron (flat) Dose: 1 mg/kg Dose: 20 mg/kg Dose: 20 mg/kg Route: iv Route: iv Route: po Reference: 220 Reference: 220 Reference: 220 Media: plasma Media: plasma Media: plasma LOQ: 9.6165e-06 LOQ: 9.6165e-06 LOQ: 9.6165e-06 10^{-1} 10^{-3} L:O.Q: -L:O.Q:-L.O.Q.- 10^{-5} Dose: 4 mg/kg Dose: 4 mg/kg Dose: 8 mg/kg Route: iv Route: po Route: iv Reference: 220 Reference: 220 Reference: 220 Media: plasma Media: plasma Media: plasma LOQ: 9.6165e-06 LOQ: 9.6165e-06 LOQ: 9.6165e-06 Concentration (mg/L) L.O.Q. 10⁻³ -Above L.O.Q.-L.O.Q.--L.O.Q.ż 3 5 0 2 3 0 4 Dose: 8 mg/kg Route: po Reference: 220 Media: plasma LOQ: 9.6165e-06 10^{-1} 10⁻³ L:O.Q:- 10^{-5} 2 3 Time (h)


oxazepam (flat)




oxymetholone (flat)




pentachlorophenol, purified (flat)




perfluorodecanoic acid (flat)




perfluorohexane-1-sulphonic acid â€" potassium salt (flat)




perfluorohexanoic acid (flat): Optimizer Failed, No Curve Fit




perfluorooctane sulfonate (flat)




perfluorooctanoic acid (flat): Optimizer Failed, No Curve Fit





permethrin (flat)




phenacetin (flat): Optimizer Failed, No Curve Fit









phenolphthalein (flat): Optimizer Failed, No Curve Fit




phenolphthalein glucuronide (flat)









potassium perfluorobutane sulfonate (flat): Optimizer Failed, No Curve Fit




primidone (flat): Optimizer Failed, No Curve Fit




propamocarb hydrochloride (flat): Optimizer Failed, No Curve Fit



propylparaben (flat): Optimizer Failed, No Curve Fit



propyzamide (flat): Optimizer Failed, No Curve Fit



pseudoephedrine (flat) Dose: 12.5 mg/kg Dose: 25 mg/kg Route: po Route: po Reference: 136 Reference: 136 Media: plasma Media: plasma LOQ: 2.322e-06 LOQ: 2.322e-06 - L.O.Q. L.O.Q Concentration (mg/L) o **000** 0 O O **000 0** 0 0 0 L.O.Q. Dose: 312.5 mg/kg Dose: 6.25 mg/kg Route: po Route: po Above Reference: 136 Reference: 136 Media: plasma Media: plasma Below LOQ: 2.322e-06 LOQ: 2.322e-06 **L.O.Q. L.O.Q.**

 10^{-3}

 10^{-4}

10⁻⁵

 10^{-4}

10⁻⁵

 10^{-6}

O

10

15 0

Time (h)


5

10


15


5

pyridine (flat): Optimizer Failed, No Curve Fit




pyrithiobac sodium (flat): Optimizer Failed, No Curve Fit







resmethrin (flat)




s-bioallethrin (flat): Optimizer Failed, No Curve Fit






simazine (flat): Optimizer Failed, No Curve Fit




solvent red1 (flat) Dose: 20 mg/kg Route: po Reference: 66 Media: blood LOQ: 3.69e-07 10⁻³ - 10^{-4} Concentration (mg/L) L.O.Q. Above 10⁻⁶ - **L.Θ:Q**: 10⁻⁷ 10 20 30 Ö Time (h)


tamoxifen (flat): Optimizer Failed, No Curve Fit




tamoxifen, free base (flat)




tert-amyl alcohol (flat)




tert-amyl methyl ether (flat)




tert-butyl alcohol (flat)



tetrachloroethylene (flat)




tetralin (flat)




thiodiglycolic acid (flat) Dose: 20 mg/kg Route: iv Reference: 155 Media: plasma LOQ: 8.9145e-05 10^{-1} 10⁻² Concentration (mg/L) L.O.Q. Above Below '- L.O:Q: 10^{-4} 0 0 10⁻⁵ 12 Ö 8 Time (h)


tolbutamide (flat)




trichloroethylene (flat)




triclosan (flat): Optimizer Failed, No Curve Fit



valproic acid (flat)



wyeth-14643 (flat)



Above

Below