

**Choose Results File**

Browse...

NEOSresult\_Housatonic River\_2026-05-06.txt

Upload complete

**Choose the corresponding `01\_UserSpecs\_loadingtargets\_selected.csv` file**

Browse...

01\_UserSpecs\_loadingtargets\_selected.csv

Upload complete

**Choose WWTP File**

Browse...

WWTP\_COMIDs.csv

Upload complete

**Choose SPARROW Inputs File**

Browse...

ne\_sparrow\_model\_input\_short.csv

Upload complete

**Choose State Cropland Streamcat Files**

Browse...

CT\_NH\_MA\_VT\_NY\_RI\_StreamCatData\_2019.csv

Upload complete

*Important: Selecting 'Preview Uploads' or 'View NEOS Results' before all uploads have completed may produce unexpected results. Previews can be found under the 'File Preview' tab, and generated reports can be found under the 'View Results' tab.*

Preview Uploads

View NEOS Results

Postprocessing Step

# RBEROST Results Postprocessing Step

File Preview

View Results

View available scenarios

1

▼

# Scaled-up Optimization Results

To save this report, open the RBEROST postprocessor in a web browser and use the print to pdf functionality.

User Notes:

Your model has successfully solved.

The total cost to reduce loads to the limit you provided is \$30,065,183,920.00.

The model did not implement any WWTP retrofits.

The model chose to implement the total area of the following agricultural BMPs:

| Conservation<br>(ac) | Contour Farming<br>(ac) | Cover crops<br>(ac) | Filterstrip<br>(ac) | MIN TILL<br>(ac) | Terrace Waterway<br>(ac) |
|----------------------|-------------------------|---------------------|---------------------|------------------|--------------------------|
| 0.0                  | 0.0                     | 1,726.5             | 7,386.2             | 0.0              | 5,942.1                  |

Download Agricultural BMPs by COMID (session/09f80fbee42c542bece991719e3ef740/download/downloadagdat?w=)

The model chose to implement the total area of the following urban BMPs.

| Enhanced Biofiltration w ISR (ac) | Porous Pavement w underdrain (ac) |
|-----------------------------------|-----------------------------------|
| 54,862.4                          | 4,700.5                           |

Download Urban BMPs by COMID (session/09f80fbee42c542bece991719e3ef740/download/downloadurbandat?w=)

The model chose to implement the total length of the following riparian buffer BMPs.

| Forested Buffer (ft of bank) | Grassed Buffer (ft of bank) |
|------------------------------|-----------------------------|
| 248,531.4                    | 2,319,334.9                 |

Download Riparian Buffer BMPs by COMID  
(session/09f80fbee42c542bece991719e3ef740/download/downloadriprbufdat?w=)

The model chose to implement the total number of parcels for the following septic BMPs.

| <b>class 1<br/>upgrade<br/>(parcels)</b> | <b>class 2<br/>upgrade<br/>(parcels)</b> | <b>class 3<br/>upgrade<br/>(parcels)</b> | <b>class 4<br/>upgrade<br/>(parcels)</b> | <b>class 5<br/>upgrade<br/>(parcels)</b> | <b>class 6<br/>upgrade<br/>(parcels)</b> | <b>class 7<br/>upgrade<br/>(parcels)</b> | <b>class 8<br/>upgrade<br/>(parcels)</b> |
|------------------------------------------|------------------------------------------|------------------------------------------|------------------------------------------|------------------------------------------|------------------------------------------|------------------------------------------|------------------------------------------|
| 6                                        | 21                                       | 1,118                                    | 5,171.596                                | 1                                        | 3                                        | 16                                       | 418                                      |

Download Septic BMPs by COMID ([session/09f80fbee42c542bece991719e3ef740/download/downloadsepticdat?w=](#))