

Choose Results File

Browse...

NEOSresult_Lower Connecticut River_2026-05-06.txt

Upload complete

Choose the corresponding `01\_UserSpecs\_loadingtargets\_selected.csv` file

Browse...

01_UserSpecs_loadingtargets_selected.csv

Upload complete

Choose WWTP File

Browse...

WWTP_COMIDs.csv

Upload complete

Choose SPARROW Inputs File

Browse...

ne_sparrow_model_input_short.csv

Upload complete

Choose State Cropland Streamcat Files

Browse...

CT_NH_MA_VT_NY_RI_StreamCatData_2019.csv

Upload complete

Important: Selecting 'Preview Uploads' or 'View NEOS Results' before all uploads have completed may produce unexpected results. Previews can be found under the 'File Preview' tab, and generated reports can be found under the 'View Results' tab.

Preview Uploads

View NEOS Results

Postprocessing Step

RBEROST Results Postprocessing Step

File Preview

View Results

View available scenarios

1

▼

Scaled-up Optimization Results

To save this report, open the RBEROST postprocessor in a web browser and use the print to pdf functionality.

User Notes:

Your model has successfully solved.

The total cost to reduce loads to the limit you provided is \$17,335,397,230.00.

The model did not implement any WWTP retrofits.

The model chose to implement the total area of the following agricultural BMPs:

Cover crops (ac)	Filterstrip (ac)	Terrace Only (ac)	Terrace Waterway (ac)	Waterway Only (ac)
12,529.6	9,919.2	0.0	2,480.5	0.0

Download Agricultural BMPs by COMID (session/6c53fc7aadd6d5cc45d3458728abafc6/download/downloadagdat?w=)

The model chose to implement the total area of the following urban BMPs.

Biofiltration w Underdrain (ac)	Enhanced Biofiltration w ISR (ac)	Grass Swale w detention (ac)	Gravel Wetland (ac)	Porous Pavement w underdrain (ac)
3.3	90,666.5	2.1	39.2	5,566.0

Download Urban BMPs by COMID (session/6c53fc7aadd6d5cc45d3458728abafc6/download/downloadurbandat?w=)

The model chose to implement the total length of the following riparian buffer BMPs.

Forested Buffer (ft of bank)	Grassed Buffer (ft of bank)
15,427.9	1,665,278.7

Download Riparian Buffer BMPs by COMID (session/6c53fc7aadd6d5cc45d3458728abafc6/download/downloadripariobufdat?w=)

The model chose to implement the total number of parcels for the following septic BMPs.

class 1 upgrade (parcels)	class 2 upgrade (parcels)	class 3 upgrade (parcels)	class 4 upgrade (parcels)	class 6 upgrade (parcels)	class 7 upgrade (parcels)	class 8 upgrade (parcels)
80	328	736	3,786	39	67	407

Download Septic BMPs by COMID ([session/6c53fc7aadd6d5cc45d3458728abafc6/download/downloadsepticdat?w=](#))