SONDE DATA SHEET

Lake: Sample Date:

Site	Site Depth (m)	Sample Depth (m)	Temp (C)	DO (mg/l)	DO (%sat)	sp.Cond (µs cm^{-1})	pH	Chl a (ug/L)	Turbidity (NTU)	Notes
24	3.0	0.1	8.56	11.2	95.7	0.088	7.72	7.8	4.0	
X 14	5.3	0.1	9.29	12.2	105.3	0.086	7.71	10.8	7.7	
2	3.2	0.1	8.54	12.0	101.7	0.088	7.65	8.9	5.6	
5	4.2	0.1	8.93	12.7	109.8	0.092	7.64	14.0	4.1	
12	4.8	0.1	8.91	12.35	106.5	0.089	7.71	11.8	5.7	
13	4.2	0.1	8.97	12.73	109.8	0.097	7.77	15.6	6.1	
X 1	4.7	0.1	9.28	12.56	109.4	0.092	7.74	9.2	8.6	
21	4.2	0.1	9.81	12.17	106.5	0.084	7.69	13.7	18.8	
7	7.5	0.1	9.30	12.45	108.5	0.101	7.66	8.9	6.1	
|	|	1.0	9.38	12.42	108.4	0.104	7.68	22.6	4.9	
|	|	2.0	9.38	12.15	106.1	0.104	7.69	25.0	4.8	
|	|	3.0	9.32	12.02	104.6	0.104	7.[illegible]	25.0	4.8	
|	|	4.0	9.29	11.85	103.3	0.104	7.70	26.1	4.8	
|	|	5.0	9.21	11.79	102.5	0.104	7.70	26.5	5.0	
|	|	~~6.0~~	~~8.60~~	~~11.53~~	~~9~~ Cl	[illegible]				
|	|	6.0	8.49	10.97	93.5	0.103	7.70	23.5	5.3	
↓	↓	7.0	7.90	10.50	88.0	0.104	7.68	20.4	7.8	
11	3.3	~~9.5~~ 0.1	~~12.8~~ 8.51	12.00	103.3	0.136	7.52	~~13.0~~ 10.5	6.9	
15	3.9	~~9.0~~ 0.1	9.48	11.92	104.0	0.136	7.59	14.0	7.3	
14	1.2	0.1	10.45	12.2	108.0	0.109	7.60	12.4	16.1	
3	1.4	0.1	10.03	12.16	107.5	0.192	7.51	17.3	12.1	
8	3.5	0.1	9.67	12.0	105.2	0.192	7.60	10.5	12.6	
4	1.3	0.1	9.55	12.35	108.5	0.186	7.60	9.9	15.2	
10	1.3	0.1	10.25	11.76	104.5	0.203	7.55	13.3	20.[illegible]	
45	2.1	0.1	10.40	11.96	105.8	0.205	7.59	12.1	21.4	

- UNCERTAIN HOW TO HANDLE THIS DATA - PLEASE CHECK

QAQC 3/19/20 SBB

SONDE DATA SHEET

Lake: Sample Date:

Site	Site Depth (m)	Sample Depth (m)	Temp (C)	DO (mg/l)	DO (%sat)	sp.Cond (µs cm^{-1})	pH	Chl a (ug/L)	Turbidity (NTU)	Notes
57	1.5	0.1	10.4	11.87	104.1	0.198	7.54	15.9	27.7	
49	2.4	0.1	10.44	11.9	106.0	0.194	7.63	11.0	28.0	
61	2.1	0.1	10.40	11.3	104.7	0.188	7.66	13.5	35.9	
55	2.2	0.1	10.44	11.56	103.0	0.189	7.63	11.6	36.4	
54	1.6	0.1	10.72	10.75	96.8	0.172	7.61	12.0	56.6	
63	2.0	0.1	10.64	11.34	101.2	0.172	7.59	14.8	42.6	
43	1.9	0.1	10.79	10.30	93.2	0.169	7.57	11.4	70.7	
59	2.3	0.1	10.63	11.14	99.5	0.175	7.58	11.8	58.3	
58	1.5	0.1	10.48	11.16	100.0	0.163	7.55	11.3	74.7	
47	1.9	0.1	10.7	10.07	96.1	0.176	7.6	12.0	58.5	
68	2.0	0.1	10.69	11.18	100.7	0.173	7.55	13.5	55.3	
56	2.0	0.1	10.68	10.75	97.1	0.180	7.51	18.7	45.2	
52	1.2	0.1	10.87	10.55	95.5	0.184	7.47	12.3	42.0	

QA QC
3/19/20
SSB

GAS TRAP DATA SHEET

Lake:	FALLS		2/13/18	2/14/18		
Site	Lat	Long	Deployment time/date	Retrieval time/date	Volume recovered (mL)	Exetainer codes
24	35.941929	78.588098	9:30	9:00	0	
16	35.956840	78.590437	9:25	9:15	5	
X 2	35.976222	78.588994	9:35	9:30	0	
5	35.970107	78.621309	9:50	9:45	3	
12	35.965770	78.634064	9:55	9:55	0	
13	36.003475	78.646943	10:10	10:10	1	
1	36.002145	78.634479	10:15	10:20	0	
21	36.008775	78.628127	10:20	10:28	0	
X 7	36.005622	78.667944	10:35	10:45	0	VAlve Open
11	36.019265	78.717001	11:00	11:00	1	
X 15	36.022915	78.714751	11:10	11:10	7	
14	36.029410	78.717674	11:30	11:20	0	
3	36.032185	78.736782	11:40	11:40 ~~11:48~~	0	
8	36.018850	78.748857	11:50	11:50	1	TRAP lost After sample collection.
4	36.012870	78.748494	11:55	11:55	0	
10	36.039907	78.756001	12:05	12:10	0	
45	36.044152	78.758162	12:15	12:20	0	
57	36.048510	78.762361	12:30	12:30	0	
49	36.051345	78.757112	12:40	12:40	2	
61	36.053488	78.759497	12:45	12:50	1	
55	36.053250	78.761884	12:50	12:57	9	
54	36.057853	78.765296	12:55	13:05	0	
63	36.055987	78.770364	13:05	13:15	0	
43	36.061542	78.773187	13:10	13:25	0	
59	36.062867	78.771126	13:20	13:35	9	
58	36.068647	78.775921	13:25	13:45	0	
17	36.068365	78.768794	13:35	13:55	7	
X 60	36.069257	78.769709	13:40	14:05	4	
56	36.072975	78.766212	13:45	14:15	0	
52	36.079437	78.760791	13:55	14:25	2	

QAQC 3/19/20 SBB

GREENHOUSE GAS ANALYZER AND GPS DATA SHEET

FILE NAMES	
Lake:	FAHS
Sample Date:	2/14/18
GGA file	GGA_2018-02-14_f0000.txt
gps file name	

Tims GPS 10:21:00 LGR 10:19:30

DEPLOYMENT DATA

Sample site	Chamber start time	Bubbling observed (Y/N)	GPS logger started	Chamber ~~volume (L)~~ MAIK	Water Temperature (C)	CH_4 and CO_2 profile checked
24	9:59:30	✓	✓	55	8.2	✓
16	9:14:00	✓	✓	55	8.6	✓
2	9:29:45	✓	✓	45	8.9	✓
5	9:43:25	✓	✓	45	9.3	✓
12	9:53:24	✓	✓	45	9.1	✓
13	10:08:16	✓	✓	45	9.6	✓
1	10:17:52	✓	✓	45	10.1	✓
71	10:26:20	✓	✓	50	10.0	✓
7	10:43:50	✓	✓	50	9.4	✓
11	10:58:47	✓	✓	50	10.3	✓
15	11:07:11	✓	✓	50	9.9	✓
14	11:20:10	✓	✓	50	10.9	✓
3	11:37:00	✓	✓	50	10.3	✓
8	11:48:30	✓	✓	50	10.0	✓
4	11:57:11	✓	✓	50	10.1	✓
10	12:10:10	✓	✓	50	11.2	✓
45	12:20:10	✓	✓	50	11.5	✓
57	12:31:13	✓	✓	50	11.5	✓
49	12:41:00	✓	✓	50	11.2	✓
61	12:49:17	✓	✓	50	11.4	✓
55	12:56.00	✓	✓	50	11.4	✓
54	13:05:35	✓	✓	50	11.3	✓
63	13:14:42	✓	✓	50	11.1	✓
43	13:25:50	✓	✓	50	10.9	✓
59	13:34:15	✓	✓	50	10.8	✓
58	13:45:15	✓	✓	50	10.5	✓
47	13:53:54	Yes	✓	50	10.8	✓
47	13:58:43	✓	✓	50	10.8	✓
68	14:06:30	✓	✓	50	10.9	✓
56	14:15:40	✓	✓	50	10.9	✓
52	14:24:55	✓	✓	50	11.0	✓

TWO SAME SITES?

QA/QC 3/19/20 SBB

*PLEASE CHECK

DISSOLVED GAS AND AIR DATA SHEET

Lake:	FAILS				Date: 2/14/18			
¥Site	Dissolved gas Exetainer codes 02142018. –		Water Vol/ Helium Vol	Water Temp (degC)	Atmospheric Air Exetainer Codes			BP (mm Hg)
2	FI.02.DG.1	FI.02.DG.2	115/125	8.9	02142018.FI.02.AA.1,	FI02.AA.2,	FI.02.AA.3.	
5	FI.05.DG.1	FI.05.DG.2		10.0				
1	FI.01.DG.1	FI.05.DG2		11.2				
7	FI.07.DG.1	FI.07.DG.2		12.1				
15	FI.15.DG.1	FI.15.DG.2		11.5				
14	FI.14.DG.1	FI.14.DG.2		10.9				
3	FI.03.DG.1	FI.03.DG.2		11.5				
4	FI.04.DG.1	FI.04.DG.2		12.2				
45	FI.45.DG.1	FI.45.DG.2		13.5				
X 49	FI.49.DG.1	FI.49.DG.2		13.5	VIAL 2 MAY HAVE	SMALL GAS VOLUME		ADDED NOTE*
43	FI.43.DG.1	FI.43.DG.2		12.8	FI.43.AA.1	FI.43.AA.2	FI.43.AA.3	
47	FI.47.DG.1	FI.47.DG.2		12.3				

LGR Ambient a) 13:30:00

¥Site: all dissolved gas samples collected at 0.1m depth

Boat motor should be off for 2 minutes before sample collection

Water Vol/Air Vol :: 115ml/25ml

Goal is to inject 20mL of gas into exetainer

Signature Date

QAQC 3/19/20 JBB