	CHAIN OF CUSTODY FORM (Original Stays With Samples)			US EPA Experimental Stream Facility 1003 US Highway 50, Milford, Ohio 45150 Phone # 513-965-4805 FAX # 513-965-4806					Originator:	
									Ship Date:	Contact:
									Destination:	Phone #:
									Recipient:	E-Mail:
									Phone #:	
Collection Date YYYY-MM-DD	Collection Time HH:MM:SS	SiteID	LongID	CrossID	REP	Matrix Type*	TYPE (UKN, DUP, SPK, BLK)	Preservative	Analyses Required	
20180710	15:00:00	FL	BTL	NA	1	DI	BLK		TNH4, TRP, TNO3, TNO2, TN, TP	
20180710	15:00:00	FL	BTL	NA	2	DI	BLK		"	
20180710	15:00:00	FL	FLD	NA	1	DI	BLK		"	
20180710	15:00:00	FL	FLD	NA	2	DI	BLK		"	
20180710	14:10:00	FL	42	0.1	1	SW	~~UNK~~ UKN		"	
20180710	14:30:00	FL	44	0.1	1	SW	UKN		"	
20180710	15:17:00	FL	43	0.1	1	SW	UKN		"	
20180710	15:37:00	FL	41	0.1	1	SW	UKN		"	
20180710	16:15:00	FL	04	0.1	1	SW	UKN		"	
20180710	16:35:00	FL	03	0.1	1	SW	UKN		"	
20180710	16:47:00	FL	14	0.1	1	SW	UKN		"	
20180710	16:55:00	FL	15	0.1	1	SW	UKN		"	
20180710	17:25:00	FL	07	0.1	1	SW	UKN		"	
20180710	17:37:00	FL	01	0.1	1	SW	UKN		"	
20180710	18:16:00	FL	05	0.1	1	SW	UKN		"	
20180710	18:16:00	FL	05	0.1	2	SW	UKN		"	
20180710	18:31:00	FL	02	0.1	1	SW	UKN		"	
20180710	18:31:00	FL	02	0.1	2	SW	UKN		"	
20180709	15:00:00	FL	LAB	NA	1	DI	BLK		"	
20180709	15:00:00	FL	BTL	NA	1	DI	BLK		"	
20180709	15:00:00	FL	BTL	NA	2	DI	BLK		TOC	
20180709	15:00:00	FL	FLD	NA	1	DI	BLK		"	
20180709	15:00:00	FL	FLD	NA	2	DI	BLK		"	
20180710	14:10:00	FL	42	0.1	1	SW	~~UNK~~ UKN		"	
20180710	14:30:00	FL	44	0.1	1	SW	UKN		"	
20180710	15:17:00	FL	43	0.1	1	SW	UKN		"	
20180710	15:37:00	FL	41	0.1	1	SW	UKN		"	
20180710	16:15:00	FL	04	0.1	1	SW	UKN		"	
20180710	16:35:00	FL	03	0.1	1	SW	UKN		"	
									"	
	Relinquished By:		Date:	Time:	Received By:		Date:		Time:	

CHAIN OF CUSTODY FORM
(Original Stays With Samples)

US EPA Experimental Stream Facility
1003 US Highway 50, Milford, Ohio 45150
Phone # 513-965-4805
FAX # 513-965-4806

Originator:
Ship Date: Contact:
Destination: Phone #:
Recipient: E-Mail:
Phone #:

Collection Date YYYY-MM-DD	Collection Time HH:MM:SS	SiteID	LongID	CrossID	REP	Matrix Type*	TYPE (UKN, DUP, SPK, BLK)	Preservative	Analyses Required
20180710	16:47:00	FL	14	0.1	1	SW	UKN	2M HCL	TOC
20180710	16:55:00	FL	15	0.1	1	SW	UKN	"	"
20180710	17:25:00	FL	07	0.1	1	SW	UKN	"	"
20180710	17:37:00	FL	01	0.1	1	SW	UKN	"	"
20180710	18:16:00	FL	09	0.1	1	SW	UKN	"	"
20180710	18:16:00	FL	05	0.1	2	SW	UKN	"	"
20180710	18:31:00	FL	02	0.1	1	SW	UKN	"	"
20180710	18:31:00	FL	02	0.1	2	SW	UKN	"	"
20180709	15:00	FL	LAB	NA	1	DI	BLK	"	"

Relinquished By	Date:	Time:	Received By	Date:	Time:

CHAIN OF CUSTODY FORM
(Original Stays With Samples)

US EPA Experimental Stream Facility
1003 US Highway 50, Milford, Ohio 45150
Phone # 513-965-4805
FAX # 513-965-4806

Originator:	
Ship Date:	
Destination:	
Recipient:	
Phone #:	

Contact:
Phone #:
E-Mail:

Collection Date YYYY-MM-DD	Collection Time HH:MM:SS	SiteID	LongID	Cross ID	REP	Matrix Type*	TYPE (UKN, DUP, SPK, BLK)	Analyses Required	*Volume of liquid sample filtered (mL)	
20180710	15:00:00	FL	FLD	NA	1	DI	BLK	CHLORPHYLL	396.3	
20180710	15:00:00	FL	FLD	NA	2	DI	BLK	"	399.5	
20180710	14:10:00	FL	42	0.1	1	SW	UKN	"	108.9	
20180710	14:30:00	FL	44	0.1	1	SW	UKN	"	114.89	
20180710	15:17:00	FL	43	0.1	1	SW	UKN	"	112.92	
20180710	15:37:00	FL	41	0.1	1	SW	UKN	"	128.12	
20180710	16:15:00	FL	04	0.1	1	SW	UKN	"	123.21	
20180710	16:35:00	FL	03	0.1	1	SW	UKN	"	234.13	
20180710	16:47:00	FL	14	0.1	1	SW	UKN	"	195.21	
20180710	16:55:00	FL	15	0.1	1	SW	UKN	"	244.02	
20180710	17:25:00	FL	07	0.1	1	SW	UKN	"	245.77	
20180710	17:37:00	FL	01	0.1	1	SW	UKN	"	264.66	
20180710	18:16:00	FL	05	0.1	1	SW	UKN	"	246.69	
20180710	18:16:00	FL	05	0.1	2	SW	UKN	"	282.82	
20180710	18:31:00	FL	02	0.1	1	SW	UKN	"	315.92	
20180710	18:31:00	FL	02	0.1	2	SW	UKN	"	278.87	

	Relinquished By:	Date:	Time:	Received By:		

GAS TRAP DATA SHEET

Lake: FALLS LAKE			7/10/18	7/11/18		
Site	Lat	Long	Deploy time/date	Retrieve time/date	Vol (mL)	Exetainer codes
53	36.068822	78.793487	1400	0825	25,25,25,52	07112016. FL.53. BT.1 / BT.2 / BT.3
42	36.068343	78.795329	1410	0837	25,25	07112016. FL.42. BT.#1 / BT.#2
50	36.068303	78.785809	1420	0853	25,25,11	07112016. FL.50. BT.1 / BT.2
44	36.072905	78.779262	1430	0903	25,25,17	07112016. FL.44. BT.1 / BT.2 / BT.3
52	36.079680	78.760539	1440	0918	19	07112016. FL.52. BT.1
56	36.072595	78.766279	1450	0926	25,25,25,24	07112016. FL.56. BT.1 / BT.2 / BT.3
47	36.068372	78.768507	1505	0937	25,25,25,4	07112016. FL.47. BT.1 / BT.2 / BT.3
43	36.061378	78.773159	1517	0950	25,25,25,65	07112016. FL.43. BT.1 / BT.2 / BT.3
54	36.057657	78.765074	1525	1002	25	07112016. FL.54. BT.1
55	36.052235	78.761459	1530	1015	25,25,20	07112016. FL.55. BT.1 / BT.2 / BT.3
41	36.055278	78.757789	1537	1030	18	07112016. FL.41. BT.#1
49	36.051070	78.756709	1545	1038	25,25,25	07112016. FL.49. BT.1 / BT.2 / BT.3
57	36.048433	78.752431	1550	1044	25,24	07112016. FL.57. BT.1 / BT.2
45	36.044095	78.758302	1555	1053	25,25,8	07112016. FL.45. BT.1 / BT.2
10	36.039710	78.755986	1600	1100	1	
4	36.012130	78.760899	1615	1117	25,17	07162018. FL.04. BT.1
8	36.018970	78.748544	1620	1126	25,25,25,20	07112016. FL.08. BT.1 / BT.2 / BT.3
3	36.032462	78.736901	1635	1138	25,12	07162016. FL.03. BT.1
14	36.029528	78.716871	1647	1157	9	
15	36.022720	78.714596	1655	1213	19	07112016. FL.15. BT.1
11	36.018823	78.716791	1700	1222	8	
7	36.004722	78.667836	1725	1239	75,140,85	07112018. FL.07. BT.1 / BT.2 / BT.3
1	36.002093	78.634496	1737	1258	6	
21	36.008887	78.628182	1745	1310	25,25,22	07112016. FL.21. BT.1 / BT.2 / BT.3
13	36.003593	78.646304	1755	1323	12	
12	35.965552	78.633882	1805	1342	75,50	07112016. FL.12. BT.1 / BT.2 / BT.3
5	35.970125	78.621324	1816	1352	19	07112016. FL.05. BT.1
2	35.976007	78.588879	1831	1407	25,25,25,7	07192018. FL.02. BT.1 / BT.2 / BT.3
16	35.956515	78.590596	1840	1427	18	
24	35.942110	78.588201	1850	1439	8	

DISSOLVED GAS AND AIR DATA SHEET

Lake:					Date:					
*Site	Dissolved gas Exetainer codes		Water Vol/ Helium Vol	Water Temp (degC)	Atmospheric Air Exetainer Codes					BP (mm Hg)
42	07112018.FL.42.	DG.1 / DG.2	115/25	28.5						
44	07112018.FL.44.	DG.1 / DG.2	115/25	28.5						
43	07112018.FL.43.	DG.1 / DG.2	115/25	29.1						
41	07112018.FL.41.	DG.1 / DG.2	115/25	28.9	41.AA.1	41.AA.2	41.AA.3	41.AA.4	41.AA.5	756.8
4	07112018.FL.04	.DG.1 /DG.2	115/25	30.2						
3	07112018.FL.03	.DG.1 /DG.2	115/25	30.6						
14	07112018.FL.14.	DG.1 /DG.2	115/25	29.0						
15	07112018.FL.15.	DG.1 /DG.2	115/25	31.0						
7	07112018.FL.07.	DG.1 /DG.2	115/25	30.7						
1	07112018.FL.01	.DG.1/DG.2	115/25	32.5						
5	07112018.FL.05	.DG.1/DG.2	115/25	31.9						
2	07112018.FL.02	.DG.1/DG.2	115/25	32.1	02.AA.1	02.AA.2	02.AA.3	02.AA.4	02.AA.5	755.8

*Site: all dissolved gas samples collected at 0.1m depth
Boat motor should be off for 2 minutes before sample collection
Goal is to inject 20mL of gas into exetainer

Signature

07/13/18
Date

Ryan Daly

GREENHOUSE GAS ANALYZER AND GPS DATA SHEET

FILE NAMES	
Lake:	FALLS
Sample Date:	7/11/18
GGA file	999-2018-07-11-f0001.txt
gps file name	

DEPLOYMENT DATA GPS clock 07:56 LGR clock 08:54:26

Sample site	Chamber start time	Bubbling observed (Y/N)	GPS logger started	Chamber volume (L)	CH_4 and CO_2 profile checked	Water Temp (degC)	Notes
53	08:19:42	Y	✓	40	✓	28.4	1 restart
42	08:35:56	Y	✓	40	✓	28.5	
50	08:50:41	✓	✓	40	✓	29.0	
44	09:01:48	✓	✓	40	✓	28.5	
52	09:15:37	Y	✓	40	✓	28.1	
56	09:26:19	Y	✓	40	✓	28.8	
47	09:37:01	N	✓	40	✓	28.8	1 restart
43	09:49:40	Y	✓	40	✓	29.1	
54	10:02:34	Y	✓	40	✓	28.9	
55	10:12:38	Y	✓	40	✓	29.4	
41	10:29:20	Y	✓	45	✓	28.9	1 restArt
49	10:36:47	Y	✓	45	✓	29.1	
57	10:44:25	Y	✓	45	✓	29.4	
45	10:53:37	N	✓	45	✓	29.2	
10	11:01:25	N	✓	45	✓	29.5	
4	11:13:37	✓	✓	45	✓	30.2	1 restArt
8	11:26:01	Y	✓	45	✓	29.9	1 restart
3	11:38:55	Y	✓	45	✓	30.6	11:42:30 restart
14	11:56:57	N	✓	45	✓	29.0	
15	12:11:23	✓	✓	45	✓	31.0	
11	12:21:44	Y	✓	45	✓	31.1	~~restart~~
7	12:39:41	Y	✓	45	✓	30.7	restart
1	12:58:53	N	✓	45	✓	32.5	
21	13:09:58	N	✓	45	✓	31.7	
13	13:23:58	Y	✓	45	✓	31.8	13:26:55 restart
12	13:41:45	Y	✓	45	✓	33.2	
5	13:52:16	N	✓	45	✓	31.9	~~restart~~
2	14:07:36	Y	✓	45	✓	32.1	restart
16	14:27:02	✓	✓	45	✓	32.9	
24	14:38:54	✓	✓	45	✓		

SONDE DATA SHEET

Lake: FALLS Sample Date: 7/10/18

Site	Site Depth (m)	Sample Depth (m)	Temp (C)	DO (mg/l)	DO (%sat)	sp.Cond (µs cm^{-1})	pH	Chl a (ug/L)	Turbidity (NTU)	Notes
53	0.9	0.1	30.2	10.2	141.4	0.193	7.72	14.5	31.8	14:00
42	1.0	0.1	31.2	11.1	150.1	0.176	8.09	14.4	27.4	14:10 WATER
42	1.0	0.5	27.7	5.9	76.0	0.177	7.99	18.4	131.7	
50	1.1	0.1	30.7	10.5	141.8	0.154	8.22	13.2	33.0	
44	1.1	0.1	29.6	9.54	126.1	0.148	8.39	10.2	37.8	12:30 WATER
44	1.1	0.5	27.8	7.33	93.1	0.147	8.32	16.0	72.0	
52	1.2	0.1	30.0	9.50	1230	0.147	8.29	~~13.6~~	15.6 22.9	
56	2.1	0.1	30.2	9.60	127.9	0.141	8.24	13.2	19.5	
47	1.9	0.1	30.1	10.0	133.3	0.142	8.36	12.7	19.1	
43	1.6	0.1	30.2	9.90	130.1	0.144	8.42	13.5	24.4	
43	1.6	1.1	27.4	6.60	82.7	0.140	8.53	14.3	71.2	15:17 WATER
54	1.3	0.1	29.6	8.80	115.4	0.138	8.31	9.7	22.8	
55	1.9	0.1	29.8	~~12.59~~ 9.3/12.6		0.138	8.36	9.9	19.0	DO% SAT = 9.73
41	1.0	0.1	30.1	9.31	122.6	0.135	8.47	12.0	25.1	
41	1.0	0.5	27.2	7.26	91.3	0.132	8.44	17.2	44.0	15:37 WATER
49	2.4	0.1	29.8	9.64	127.7	0.136	8.31	11.5	18.3	
57	2.0	0.1	29.5	9.12	120.8	0.120	8.44	8.6	11.7	
45	2.1	0.1	29.8	9.21	122.0	0.119	8.47	11.8	12.2	
10	1.8	0.1	30.0	9.36	125.3	0.118	8.48	8.0	10.0	
4	1.2	0.1	32.6	9.94	137.8	0.155	8.51	7.8	14.1	
4	1.2	0.7	31.5	9.97	135.7	0.105	8.71	11.0	20.6	16:15 WATER
8	3.5	0.1	29.4	9.0	119.2	0.105	8.74	7.3	8.6	
3	1.4	0.1	30.0	9.51	126.9	0.103	8.47	5.5	6.0	~~16:35~~ 16:35 WATER
3	1.4	0.9	28.2	8.94	114.7	0.102	8.52	10.7	9.9	
14	1.4	0.1	30.25	8.88	118.0	0.097	8.36	8.1	10.2	16:47 WATER
14	1.4	0.9	27.7	6.0	75.7	0.098	8.37	8.8	10.7	
15	4.1	0.1	30.1	8.5	112.6	0.094	8.07	7.1	4.9	16:55 WATER
15	4.1	~~3.9~~ 3.9	27.9	4.43	56.5	0.100	7.89	11.2	20.0	

SONDE DATA SHEET

Lake: FALS Sample Date: 7/10/18

Site	Site Depth (m)	Sample Depth (m)	Temp (C)	DO (mg/l)	DO (%sat)	sp.Cond (µs cm^{-1})	pH	Chl a (ug/L)	Turbidity (NTU)	Notes
11	3.2	0.1	29.8	8.49	112.2	0.100	7.86	8.1	5.3	
7	6.6	0.1	31.7	7.90	107.5	0.094	7.87	4.9	3.4	17:25 water
7	6.6	1.0	31.1	7.44	99.4	0.094	8.0	5.8	4.0	
7	6.6	2.0	29.1	5.89	76.0	0.093	7.95	6.0	4.9	
7	6.6	3.0	28.7	4.60	58.3	0.094	7.91	5.4	5.0	
7	6.6	4.0	28.0	0.57	6.7	0.100	7.80	5.5	10.3	
7	6.6	5.0	26.8	0.42	4.3	0.134	7.47	4.5	12.8	
7	6.6	6.0	25.5	0.29	3.5	0.141	7.25	5.5	18.5	
1	3.6	0.1	31.8	7.75	105.9	0.094	7.40	3.4	2.2	17:37 water
1	3.6	3.1	28.9	5.29	68.6	0.093	7.51	6.0	9.4	
21	41.5	0.1	32.2	8.30	114.6	0.097	7.53	5.0	4.7	
13	21.5	0.1	31.7	7.51	102.6	0.094	7.63	4.7	3.8	
12	4.1	0.1	32.6	7.83	108.2	0.096	7.70	3.5	3.0	
5	3.8	0.1	31.3	7.84	106.6	0.049	7.89	4.1	3.0	18:16 water
5	3.8	3.3	28.9	6.04	77.9	0.095	7.65	7.3	7.0	
2	3.4	0.1	30.75	8.18	109.9	0.049	7.56	3.9	3.9	18:31 water
2	3.4	2.9	28.5	5.93	75.9	0.098	7.67	6.0	19.5	
16	5.1	0.1	31.7	8.02	109.7	0.097	8.03	4.0	3.9	
24	2.1	0.1	31.5	8.16	110.0	0.097	7.61	4.0	1.9	

44 43 42 41 14 15 13 7 6 5 2

Date 7/11/18

PRE

Cal cylinder serial # CC163816

Dilution system serial # A20208

LGR file 394-2018-07-11_f0000.txt

Sample MFC gas correction factor 1.43

Zero Air Flow (Lpm)	Cal Gas Flow Readout (sccm)	CH4 cal (ppm)	CO2 cal (ppm)	CH4 resp (ppm)	CO2 resp (ppm)	Start Time	Stop Time
* 3.25	0.0	0.0	0.0	0.039	0.31	06:05:02	06:08:02
7	70.0	28.3	283.2				
* 6.5	70.0	30.5	304.7	27.35	281.541	06:08:02	6:10:59
6	70.0	33.0	329.8				
* 5.5	70.0	35.9	359.4	32.22	334.53	6:10:59	6:13:08
5	70.0	39.5	394.9				
* 4.5	70.0	43.8	438.1	39.15	410.0	6:13:08	6:14:59
4	70.0	49.2	491.9				
* 3.5	70.0	56.1	560.8	49.50	528.0	6:14:59	6:18:08
3	70.0	65.2	652.1				

Signature _____

Date 7/11/18

Cal cylinder serial # CC498857

Dilution system serial # A20808

LGR file 999-2018-07-11_f0000.txt

PRE

Zero Air Flow (Lpm)	Cal Gas Flow Readout (sccm)	CH4 cal (ppm)	CO2 cal (ppm)	CH4 resp (ppm)	CO2 resp (ppm)	Start Time	Stop Time
* 3.25	0.0	0.0	0.0	0.03	0.01	6:19:00	6:21:50
9	60.0	2.0	20.2				
* 8.5	60.0	2.1	21.4	1.96	21.00	6:23:10	6:25:20
8	60.0	2.2	22.7				
* 7.5	60.0	2.4	24.2	2.20	23.60	6:25:20	6:27:31
7	60.0	2.6	25.9				
* 6.5	60.0	2.7	27.9	2.52	26.90	↑	6:29:43
6	60.0	3.0	30.2			6:27:31	
* 5.5	60.0	3.2	32.9	2.97	31.34	6:29:43	06:31:44
5	60.0	3.6	36.1				

Signature _____

POST

Date 7/12/18
Cal cylinder serial # CC163816
Dilution system serial # A20808
LGR file 599-2018-07-12_f0000.TXT
Sample MFC gas correction factor 1.43

Zero Air Flow (Lpm)	Cal Gas Flow Readout (sccm)	CH4 cal (ppm)	CO2 cal (ppm)	CH4 resp (ppm)	CO2 resp (ppm)	Start Time	Stop Time
3.25	0.0	0.0	0.0	0.015	-0.01	07:37:00	07:41:00
7	70.0	28.3	283.2	25.47	259.6	07:41:00	07:43:50
6.5	70.0	30.5	304.7	27.51	283.3	07:43:50	07:46:29
6	70.0	33.0	329.8	29.72	308.4	07:46:29	07:49:18
5.5	70.0	35.9	359.4	32.30	336.7	07:49:18	07:51:32
5	70.0	39.5	394.9	35.41	370.2	07:51:32	07:53:40
4.5	70.0	43.8	438.1	39.15	411.8	07:53:40	07:55:48
4	70.0	49.2	491.9	43.82	463.7	07:55:48	07:58:19
3.5	70.0	56.1	560.8	49.47	530.0	07:58:19	08:00:34
3	70.0	65.2	652.1	57.13	614.9	08:00:34	08:03:01

Signature

POST

Date 7/12/18

Cal cylinder serial # CC498857

Dilution system serial # A20808

LGR file ssa-2018-7.12-f0000.txt

Zero Air Flow (Lpm)	Cal Gas Flow Readout (sccm)	CH4 cal (ppm)	CO2 cal (ppm)	CH4 resp (ppm)	CO2 resp (ppm)	Start Time	Stop Time
3.25	0.0	0.0	0.0	0.0316	0.07	07:07:20	07:10:27
9	60.0	2.0	20.2	1.80	18.78	07:10:27	07:13:38
8.5	60.0	2.1	21.4	1.91	20.1	07:13:38	07:15:45
8	60.0	2.2	22.7	2.03	21.3	07:15:45	07:18:21
7.5	60.0	2.4	24.2	2.17	22.7	07:18:21	07:20:55
7	60.0	2.6	25.9	2.32	24.3	07:20:55	07:23:36
6.5	60.0	2.7	27.9	2.50	26.2	07:23:36	07:26:42
6	60.0	3.0	30.2	2.71	28.2	07:26:42	07:29:19
5.5	60.0	3.2	32.9	2.95	30.9	07:29:19	07:32:45
5	60.0	3.6	36.1	3.25	33.8	07:32:45	07:35:36

Signature _____

ATTACHMENT A
YSI 6600 SONDE CALIBRATION LOG SHEET

SONDE ID: STD16 DATE: 7/9/18 TECHNICIAN: JTW

DATE / TIME OK? (YES) / NO

BATTERY VOLTS: 12.5 (Change if < 10.0 v) CHANGED BATTERIES? YES / (NO)

TURBIDITY WIPER: PARKS 180° FROM OPTICS? (YES) / NO CHANGED? YES / (NO)

CHLOROPHYLL WIPER: PARKS 180° FROM OPTICS? (YES) / NO CHANGED? YES / (NO)

DISSOLVED OXYGEN: "DO Sat %" BAROMETRIC PRESSURE: 755.3 mm Hg

SENSOR OUTPUT TEST: PASS / FAIL (For Rapid-Pulse Probes, change membrane if failed)

Record first 10 readings from Discrete Sampling:

_____ _____ _____ _____ _____

_____ _____ _____ _____ _____

DO MEMBRANE CHANGED? YES / NO PROBE RE-SURFACED? YES / NO DATE/TIME: _____

[~97] INITIAL: 99.8 CALIBRATED: 99.6 POST-DEPLOYMENT: _____

DO CHARGE [50 ± 25]: _____ DO GAIN [1.0 ± 0.35]: 1.04985

DEPTH: "Pressure" [m] PRESSURE OFFSET [VENTED = 0 ± 6 / NON-VENTED = -14.7 ± 6]: 20.179

[0] INITIAL: -0.031 CALIBRATED: 0.003 POST-DEPLOYMENT: _____

CONDUCTIVITY: "SpCond" [mS/cm] CONDUCTIVITY CELL CONSTANT [5.0 ± 0.45]: 5.08391

1.413 ~~[10]~~ INITIAL: 1.394 CALIBRATED: 1.414 POST-DEPLOYMENT: _____

T = 22.25

TURBIDITY: "Turb+NTU" [NTU]

[0] INITIAL: -0.1 CALIBRATED: 0 POST-DEPLOYMENT: _____

126 ~~[1000]~~ INITIAL: _____ CALIBRATED: _____ POST-DEPLOYMENT: _____

CHLOROPHYLL: "Chlor ug/L" [ug/L]

[0] INITIAL: 0.1 CALIBRATED: — POST-DEPLOYMENT: _____

[113] INITIAL: 124.5 CALIBRATED: 126.0 POST-DEPLOYMENT: _____

---

pH: "pH"

[7] INITIAL: 6.96 CALIBRATED: 7.0 POST-DEPLOYMENT: _____ mV [0 ± 40]: -33.4

[10] INITIAL: 10.04 CALIBRATED: 10.0 POST-DEPLOYMENT: _____ mV [-177 ± 40]: -208.5

ORP: "ORP mV" ORP mV OFFSET [0 ± 100]: _____

Printed copies of this document are uncontrolled. All users are responsible for confirming version status against the electronic version in the document control system.

7/10/2018 Site List

	# Samples collected			
Site#	Bubble Trap	Dissolved Gas	Water	Air
53	3			
42	3	2	1	
50	3			
44	3	2	1	
52	3			
56	3			
47	3			
43	3	2	1	
54	3			
55	3			
41	3	2	2	5
49	3			
57	3			
45	3			
10	3			
4	3	2	1	
8	3			
3	3	2	1	
14	3	2	1	
15	3	2	1	
11	3			
7	3	2	1	
1	3	2	1	
21	3			
13	3			
12	3			
5	3	2	1	
2	3	2	2	2
16	3			
24	3			