CHAIN OF CUSTODY FORM
(Original Stays With Samples)

US EPA Experimental Stream Facility
1003 US Highway 50, Milford, Ohio 45150
Phone # 513-965-4805
FAX # 513-965-4806

Originator: John WALKER
Ship Date: 06142018 Contact:
Destination: Cincinnati Phone #:
Recipient: SAM SMITH E-Mail:
Phone #:

Collection Date YYYY-MM-DD	Collection Time HH:MM:SS	SiteID	LongID	CrossID	REP	Matrix Type*	TYPE (UKN, DUP, SPK, BLK)	Preservative	Analyses Required
20180612	17:16:00	FL	BTL	NA	1	DI	BLK		TNH4, TRP, TNO_2^{-3}, TNO2, TN, TP
20180612	17:18:00	FL	BTL	NA	2	DI	BLK		"
20180612	15:00:00	FL	FID	NA	1	DI	BLK		"
20180612	15:00:00	FL	FID	NA	2	DI	BLK		"
20180613	08:41:00	FL	42	0.1	1	SW	UKN		"
20180613	08:59:00	FL	44	0.1	1	SW	UKN		"
20180613	09:54:00	FL	43	0.1	1	SW	UKN		"
20180613	10:27:00	FL	41	0.1	1	SW	UKN		"
20180613	11:31:00	FL	04	0.1	1	SW	UKN		"
20180613	11:55:00	FL	03	0.1	1	SW	UKN		"
20180613	12:25:00	FL	14	0.1	1	SW	UKN		"
20180613	12:46:00	FL	15	0.1	1	SW	UKN		"
20180613	13:39:00	FL	07	0.1	1	SW	UKN		"
20180613	14:24:00	FL	01	0.1	1	SW	UKN		"
20180613	15:23:00	FL	05	0.1	1	SW	UKN		"
20180613	15:23:00	FL	05	0.1	2	SW	UKN		"
20180613	15:42:00	FL	02	0.1	1	SW	UKN		"
20180613	15:42:00	FL	02	0.1	2	SW	UKN		"
20180614	14:00:0	FL	LAB	NA	1	~~DI SW~~	BLK ~~UKN~~		"
20180612	17:16:00	FL	BTL	NA	1	DI	BLK	2M HCl	TOC
20180612	17:18:00	FL	BTL	NA	2	DI	BLK	"	"
20180612	15:00:00	FL	FLD	NA	1	DI	BLK	"	"
20180612	15:00:00	FL	FLD	NA	2	DI	BLK	"	"
20180613	08:41:00	FL	42	0.1	1	SW	UKN	"	"
20180613	08:59:00	FL	44	0.1	1	SW	UKN	"	"
20180613	09:54:00	FL	43	0.1	1	SW	UKN	"	"
20180613	10:27:00	FL	41	0.1	1	SW	UKN	"	"
20180613	11:31:00	FL	04	0.1	1	SW	UKN	"	"
20180613	11:55:00	FL	03	0.1	1	SW	UKN	"	"

Relinquished By:	Date:	Time:	Received By:	Date:	Time:

CHAIN OF CUSTODY FORM
(Original Stays With Samples)

US EPA Experimental Stream Facility
1003 US Highway 50, Milford, Ohio 45150
Phone # 513-965-4805
FAX # 513-965-4806

Originator: John WALKER
Ship Date: 06142018
Destination: Cincinnati
Recipient: Sam Smith
Phone #:
Contact:
Phone #:
E-Mail:

Collection Date YYYY-MM-DD	Collection Time HH:MM:SS	SiteID	LongID	CrossID	REP	Matrix Type*	TYPE (UKN, DUP, SPK, BLK)	Preservative	Analyses Required
20180613	12:25:00	FL	14	0.1	1	SW	UKN	2M HCl	TOC
20180613	12:46:00	FL	15	0.1	1	SW	UKN	"	"
20180613	13:39:00	FL	07	0.1	1	SW	UKN	"	"
20180613	14:24:00	FL	01	0.1	1	SW	UKN	"	"
20180613	15:23:00	FL	05	0.1	1	SW	UKN	"	"
20180613	15:23:00	FL	05	0.1	2	SW	UKN	"	"
20180613	15:42:00	FL	02	0.1	1	SW	UKN	"	"
20180613	15:42:00	FL	02	0.1	2	SW	UKN	"	"
20180614	14:00:00	FL	LAB	NA	1	DI	BLK	"	"

Relinquished By:	Date:	Time:	Received By:	Date:	Time:

CHAIN OF CUSTODY FORM

(Original Stays With Samples)

US EPA Experimental Stream Facility
1003 US Highway 50, Milford, Ohio 45150
Phone # 513-965-4805
FAX # 513-965-4806

Originator:	John Walker		
Ship Date:	06142018	Contact:	
Destination:	Cincinnati	Phone #:	
Recipient:	Sam Smith	E-Mail:	
Phone #:			

Collection Date YYYY-MM-DD	Collection Time HH:MM:SS	SiteID	LongID	Cross ID	REP	Matrix Type*	TYPE (UKN, DUP, SPK, BLK)	Analyses Required	*Volume of liquid sample filtered (mL)	
20180612	15:00:00	FL	FLD	NA	1	DI	BLK	Chlorophyll	397.5	
20180612	15:00:00	FL	FLD	NA	2	DI	BLK	"	373.7	
20180613	08:41:00	FL	42	0.1	1	SW	UKN	"	114.5	
20180613	08:59:00	FL	44	0.1	1	SW	UKN	"	172.5	
20180613	09:54:00	FL	43	0.1	1	SW	UKN	"	150.9	
20180613	10:27:00	FL	41	0.1	1	SW	UKN	"	173.3	
20180613	11:31:00	FL	04	0.1	1	SW	UKN	"	169.6	
20180613	11:55:00	FL	03	0.1	1	SW	UKN	"	186.3	
20180613	12:25:00	FL	14	0.1	1	SW	UKN	"	183.3	
20180613	12:46:00	FL	15	0.1	1	SW	UKN	"	229.8	
20180613	13:39:00	FL	07	0.1	1	SW	UKN	"	201.9	
20180613	14:24:00	FL	01	0.1	1	SW	UKN	"	223.6	
20180613	15:23:00	FL	05	0.1	1	SW	UKN	"	245.8	
20180613	15:23:00	FL	05	0.1	2	SW	UKN	"	249.0	
20180613	15:42:00	FL	02	0.1	1	SW	UKN	"	249.6	
20180613	15:42:00	FL	02	0.1	2	SW	UKN	"	235.2	

Relinquished By:	Date:	Time:	Received By:		

GAS TRAP DATA SHEET

Lake:			6/12/18	6/13/18		
Site	**Lat**	**Long**	**Deployment time/date**	**Retrieval time/date**	**Volume recovered (mL)**	**Exetainer codes**
53	36.089222	78.744496	0800	0828	25 25 2	Fl.53.BT.1 Fl.53.BT.2
42	36.065252	78.795172	0805	0841	10	
50	36.060195	78.726022	0812	0852	1	
44	36.072905	78.779259	0822	0900	25 25 1	Fl.44.BT.1 Fl.44.BT.2
52	36.079520	78.760627	0833	0920	25 7	Fl.52.BT.1
56	36.072710	78.766361	0838	0928	25 25 25 24	Fl.56.BT.1, BT.2, BT.3
47	36.068440	78.768734	0846	0940	20.5	Fl.47.BT.1
43	36.061517	78.773232	0852	0954	25 25 21.5	Fl.43.BT.1, BT.2, BT.3
54	36.057837	78.765236	0858	1008	10	
55	36.053183	78.761596	0902	1018	25 25 25 28	Fl.55.BT.1, BT.2, BT.3
41	36.055628	78.758531	0907	1027	9	
49	36.051210	78.756674	0911	1042	25 25 3	Fl.49.BT.1, BT.2
57	36.048547	78.752387	0917	1053	25 25 25 200	Fl.57.BT.1, BT.2, BT.3
45	36.044133	78.758242	0921	1105	20	Fl.45.BT.1
10	36.038805	78.756091	0924	1117	0.1	
4	36.012240	78.761071	0933	1131	6.5	
8	36.019032	78.748664	0938	1144	25 25 25 18	Fl.08.BT.1, BT.2, BT.3
3	36.032635	78.736976	0945	1155	25 25 6	Fl.03.BT.1, BT.2
14	36.059550	78.717219	0957	1225	14	
15	36.022747	78.714701	1006	1246	25 25 11	Fl.15.BT.1, BT.2
11	36.019257	78.717192	1009	1301	4	
7	36.005400	78.667787	1024	1339	8.5	
1	36.002052	78.634446	1034	1424	25 25 25 32	Fl.01.BT.1, BT.2, BT.3
21	36.008735	78.628107	1041	1436	11	
13	36.003607	78.646404	1049	1450	25 0.5	Fl.13.BT.1
12	35.955401	78.633939	1101	1510	25 25 25 78	Fl.12.BT.1, BT.2, BT.3
5	35.970140	78.621232	1106	1523	1	
2	35.976097	78.588999	1119	1542	25 25 10	Fl.02.BT.1, BT.2
16	35.956690	78.590439	1130	1613	4.5	
21	35.942102	78.588172	1138	1627	5	

DISSOLVED GAS AND AIR DATA SHEET

Lake:	FAILS				Date: 6/13/18					
*Site	Dissolved gas Exetainer codes		Water Vol/ Helium Vol	Water Temp (degC)	Atmospheric Air Exetainer Codes					BP (mm Hg)
42	Fl.42.DG.1	Fl.42.DG.2	115/25	25.2						
44	Fl.44.DG.1	Fl.44.DG.2		26.1						
43	Fl.43.DG.1	Fl.44.DG.2		26.2						
41	Fl.41.DG.1	Fl.41.DG.2		26.5	Fl.41.AA.1	Fl.41.AA.2	Fl.41.AA.3	Fl.41.AA.4	Fl.41.AA.5	758.0
4	Fl.04.DG.1	Fl.04.DG.2		27.9						
3	Fl.03.DG.1	Fl.03.DG.2		27.6						
14	Fl.14.DG.1	Fl.14.DG.2		27.5						
15	Fl.15.DG.1	Fl.15.DG.2		28.5						
7	Fl.07.DG.1	Fl.07.DG.2		31.2						
1	Fl.01.DG.1	Fl.01.DG.2		28.6						
5	Fl.05.DG.1	Fl.05.DG.2		30.2						
2	Fl.02.DG.1	Fl.02.DG.2		30.3	Fl.02.AA.1	Fl.02.AA.2	Fl.02.AA.3	Fl.02.AA.4	Fl.03.AA.5	757.3

*Site: all dissolved gas samples collected at 0.1m depth
Boat motor should be off for 2 minutes before sample collection
Goal is to inject 20mL of gas into exetainer

Signature 6/13/18

Signature Date

GREENHOUSE GAS ANALYZER AND GPS DATA SHEET

FILE NAMES	
Lake:	FALLS 6/13/18
Sample Date:	566 - 2018-06-13 - fuxxxx.txt
GGA file	
gps file name	

Clocks GPS - 15:33 15:31:28 -> LGR

DEPLOYMENT DATA

Sample site	Chamber start time	Bubbling observed (Y/N)	GPS logger started	Chamber volume (L)	CH_4 and CO_2 profile checked	Water Temp (degC)
53	8:27:55	✓	✓	45	✓	24.26
42	8:42:46	✓	✓	45	✓	23.9
50	8:52:42	N	✓	45	✓	24.9
44	9:03:17	N	✓	45	✓	~~25.8~~ 25.5
52	9:19:20	Y	✓	45	✓	26.6
56	9:~~23:18~~ 24:50	Y	✓	45	✓	26.3
47	9:40:55	Y	✓	45	✓	26.2
43	~~9:54:45~~ 9:57:30	N	✓	45	✓	26.2
54	10:07:45	Y	✓	45	✓	26.2
55	10:18:25	✓	✓	45	✓	26.4
41	~~10:27:53~~ 10:31:02	N	✓	45	✓	26.4
49	10:42:25	✓	✓	45	✓	26.4
57	10:53:10	✓	✓	45	✓	27.1
45	11:05:10	✓	✓	45	✓	26.7
10	11:17:10	✓	✓	45	✓	27.2
4	11:31:07	✓	✓	45	✓	26.7
8	11:44:36	✓	✓	45	✓	26.7
3	11:59:06	✓	✓	45	✓	26.2
14	12:25:18	✓	✓	45	✓	27.1
15	12:46:14	✓	✓	45	✓	27.2
11	13:01:57	✓	✓	45	✓	27.7
7	13:39:55 - Restart Ch Addl ✓		✓	45	✓	29.9
1	14:24:27	✓	✓	45	✓	29.8
21	14:36:13	✓	✓	45	✓	29.3
13	14:50:16	✓	✓	45	✓	29.4
12	15:10:36	✓	✓	45	✓	30.0
5	15:23:16	✓	✓	45	✓	30.1
2	15:42:35	✓	✓	45	✓	29.3
16	16:13:05	✓	✓	45	✓	29.5
24	16:27:35	✓	✓	45	✓	28.5

SONDE DATA SHEET

Lake: FALLS Sample Date: 6/13/18

Site	Site Depth (m)	Sample Depth (m)	Temp (C)	DO (mg/l)	DO (%sat)	sp.Cond (µs cm^{-1})	pH	Chl a (ug/L)	Turbidity (NTU)	Notes
53	~~1~~ 1.1	0.1	24.26	6.32	75.4	0.156	7.61	16.0	35.5	
47	1.2	0.1	23.92	7.69	91.3	0.174	7.62	11.0	29.5	
50	1.1	0.1	24.9	5.56	67.1	0.152	7.67	19.0	39.2	
44	1.2	0.1	25.5	5.18	63.2	0.129	7.62	13.9	38.8	
44	1.2	1.0	25.5	4.96	60.0	0.128	7.58	13.9	75.2	
52	1.5	0.1	26.6	4.95	61.6	0.102	7.63	9.6	22.3	
56	2.4	0.1	26.5	5.33	66.3	0.103	7.59	7.5	20.0	
56	2.4	2.2	26.3	4.91	60.9	0.103	7.50	10.3	21.4	
47	2.2	0.1	26.2	5.4	66.7	0.104	7.47	12.7	23.7	
47	2.2	2.0	26.0	4.7	57.7	0.102	7.44	10.2	56.5	
43	1.5	0.1	26.2	6.27	77.1	0.114	7.50	~~13.8~~ 14.8	26.6	
54	1.8	0.1	26.2	6.10	75.2	0.103	7.48	16.4	26.2	
~~55~~ 55	2.2	0.1	26.4	6.71	83.1	0.101	7.46	19.6	21.2	
41	1.1	0.1	26.5	~~6.06~~ 5.57	69.2	0.100	7.45	13.0	20.9	
41	1.1 ~~1.0~~	1.0	26.4	4.54	56.4	0.100	7.45	15.0	50.0	
49	2.7	0.1	26.6	6.49	80.6	0.100	7.46	21.5	19.5	
57	1.8	0.1	27.1	5.71	71.9	0.098	7.49	15.4	14.7	
45	2.4	0.1	26.7	6.11	76.8	0.096	7.59	28.0	17.3	
10	1.3	0.1	27.2	6.77	85.2	0.095	7.68	20.2	13.9	
4	1.1	0.1	26.7	8.47	104.9	0.089	7.69	21.1	13.8	
4	1.1	1.0	25.5	5.66	69.3	0.09	7.66	17.4	24.1	
8	3.8	0.1	26.7	7.30	91.0	0.09	7.60	20.8	12.4	
3	1.6	0.1	27.4	7.51	94.8	0.089	7.61	9.2	79.0	
3	1.6	1.5	26.2	4.28	53.0	0.089	7.64	19.5	47.0	
14	1.6	0.1	27.1	6.44	80.4	0.090	7.61	8.9	10.8	
14	1.6	1.5	26.2	4.41	54.6	0.090	7.54	8.9	35.0	
15	4.3	0.1	27.4	7.16	90.6	0.090	7.59	8.1	7.6	
15	4.3	4.2	26.2	0.95	12.4	0.096	7.33	7.5	50	

SONDE DATA SHEET

Lake: FALLS Sample Date: 6/13/18

Site	Site Depth (m)	Sample Depth (m)	Temp (C)	DO (mg/l)	DO (%sat)	sp.Cond (µs cm^{-1})	pH	Chl a (ug/L)	Turbidity (NTU)	Notes
11	3.4	0.1	27.65	7.11	90.0	0.090	7.48	8.5	8.0	
7	~~0.1~~ 7.8	0.1	29.9	7.46	98.3	0.090	7.74	3.6	4.2	
7	~~10~~ 7.8	1.0	28.1	~~7.80~~ 6.85	89.0	0.090	7.58	8.2	5.7	
7	~~7.0~~	~~1.0~~	~~29.4~~	~~5.86~~	74.2	~~0.098~~	~~7.55~~	~~5.4~~	~~5.5~~	
7	~~8.0~~	~~5.0~~	~~27.8~~	~~3.84~~	47.8	~~0.090~~	~~7.50~~	~~4.8~~	~~6.5~~	
7	~~4.0~~	~~4.0~~	~~29.0~~	~~1.21~~	~~16.8~~	~~0.091~~	~~7.42~~	~~4.7~~	~~8.1~~	
7	~~5.0~~	5.0	26.3	0.44	5.3	0.100	7.19	8.6	29.0	
7	~~6.0~~	~~6.0~~								
7	~~7.0~~	~~7.0~~								
7	~~7.8~~	~~7.7~~								
7	7.8	2.0	27.8	6.08	77.6	0.091	7.32	7.4	5.9	
7	7.8	3.0	27.5	5.28	65.0	0.091	7.32	5.3	6.3	
7	7.8	4.0	27.1	0.60	6.55	0.092	7.29	5.6	7.8	
7	7.8	5.0	26.4	0.35	4.3	0.101	7.15	4.0	11.8	
7	7.8	6.0	25.5	0.3	3.6	0.106	7.04	5.6	16.4	
7	7.8	7.0	24.7	0.25	3.0	0.112	6.91	5.5	23.9	
7	~~7~~ 7.8	7.7	24.3	0.25	3.0	0.117	6.77	8.0	25.0	
1	1.1	0.1	29.8	7.48	98.3	0.092	7.25	3.0	5.0	
21	3.8	0.1	29.3	7.39	96.4	0.094	7.51	7.3	16.5	
21	3.8	3.7	26.9	4.60	58.0	0.095	7.33	6.5	23.0	
13	5.6	0.1	29.4	7.38	96.1	0.091	7.39	5.1	3.9	
12	3.3 [illegible]	0.1	30.0	8.02	106.9	0.098	7.55	4.9	4.2	
5	4.3	0.1	30.1	7.84	103.8	0.096	7.73	5.4	3.8	
5	4.3	4.2	26.0	0.46	5.3	0.102	7.39	3.3	4.0	
2	3.6	0.1	29.3	7.82	102.2	0.099	7.40	6.4	4.4	
2	3.6	3.4	25.6	4.18	50.5	0.097	7.4	10.5	42.8	
16	6.2	[illegible]	29.5	7.80	102.1	0.097	7.51	7.7	3.7	
21	1.8	0.1 0.1	28.5	7.46	95.7	0.098	7.61	7.0	3.5	

SIDE

Signatu

Date 6/13/18

Date 6/11/18
Cal cylinder serial # CC498857
Dilution system serial # A20808
LGR file 399-2018_06-11_f0000.txt

Zero Air Flow (Lpm)	Cal Gas Flow Readout (sccm)	CH4 cal (ppm)	CO2 cal (ppm)	CH4 resp (ppm)	CO2 resp (ppm)	Start Time	Stop Time
3.25	0.0	0.0	0.0	0.~~00~~	0.01	17:15:10	17:19:58
9	60.0	2.0	20.2	1.85	19.93	17~~28~~:58	17:31:52
8.5	60.0	2.1	21.4	1.94	20.66	17:31:52	17:34:41
8	60.0	2.2	22.7	2.04	21.90	17:34:41	17:37:24
7.5	60.0	2.4	24.2	2.17	23.00	17:37:24	17:39:37
7	60.0	2.6	25.9	2.31	24.60	17:39:37	17:41:57
6.5	60.0	2.7	27.9	2.49	26.40	17:41:57	17:43:55
6	60.0	3.0	30.2	2.69	28.50	17:43:55	17:46:13
5.5	60.0	3.2	32.9	2.93	31.20	17:46:13	17:48:09
5	60.0	3.6	36.1	3.23	34.00	17:48:09	17:50:10

Signature _____

Date 6/11/18
Cal cylinder serial # CC163816
Dilution system serial # A20008
LGR file 959-2018-06-11-f0000.txt
Sample MFC gas correction factor 1.43

Zero Air Flow (Lpm)	Cal Gas Flow Readout (sccm)	CH4 cal (ppm)	CO2 cal (ppm)	CH4 resp (ppm)	CO2 resp (ppm)	Start Time	Stop Time
3.25	0.0	0.0	0.0	0.015	-0.01	16:50:00	16:52:45
7	70.0	28.3	283.2	25.36	260.4	16:52:45	16:55:20
6.5	70.0	30.5	304.7	27.31	282.3	16:55:20	16:58:16
6	70.0	33.0	329.8	29.54	307.3	16:58:16	17:00:37
5.5	70.0	35.9	359.4	32.20	336.2	17:00:37	17:03:12
5	70.0	39.5	394.9	35.30	370.8	17:03:12	17:05:36
4.5	70.0	43.8	438.1	39.1	412.03	17:05:36	17:07:44
4	70.0	49.2	491.9	43.7	463.4	17:07:44	17:09:41
3.5	70.0	56.1	560.8	49.3	529.9	17:09:41	17:12:05
3	70.0	65.2	652.1	56.9	616.8	17:12:05	17:15:10

Signature _____

ATTACHMENT A
YSI 6600 SONDE CALIBRATION LOG SHEET

SONDE ID: STD 16 **DATE:** 6/12/18 **TECHNICIAN:** JTW Post-deployment 6/26/18

DATE / TIME OK? (YES) / NO

BATTERY VOLTS: 12.4 (Change if < 10.0 v) **CHANGED BATTERIES?** YES / (NO)

TURBIDITY WIPER: PARKS 180° FROM OPTICS? (YES) / NO **CHANGED?** (YES) / NO

CHLOROPHYLL WIPER: PARKS 180° FROM OPTICS? (YES) / NO **CHANGED?** YES / (NO)

DISSOLVED OXYGEN: "DO Sat %" **BAROMETRIC PRESSURE:** 756.2 mm Hg

SENSOR OUTPUT TEST: PASS / FAIL (For Rapid-Pulse Probes, change membrane if failed)

Record first 10 readings from Discrete Sampling:

_____ _____ _____ _____ _____

_____ _____ _____ _____ _____

DO MEMBRANE CHANGED? (YES) / (NO) **PROBE RE-SURFACED?** YES / (NO) **DATE/TIME:** _____

[~97] **INITIAL:** 100.8 **CALIBRATED:** 94.6 **POST-DEPLOYMENT:** 99.4

DO CHARGE [50 ± 25]: _____ **DO GAIN** [1.0 ± 0.35]: 1.05537 pre-deployment

---

DEPTH: "Pressure" [m] ft **PRESSURE OFFSET** [VENTED = 0 ± 6 / NON-VENTED = -14.7 ± 6]: 0.10023

[0] **INITIAL:** 0.27 **CALIBRATED:** 0.00 **POST-DEPLOYMENT:** -0.05

CONDUCTIVITY: "SpCond" [mS/cm] **CONDUCTIVITY CELL CONSTANT** [5.0 ± 0.45]: 5.02457

[10] **INITIAL:** 1.406 **CALIBRATED:** 1.413 **POST-DEPLOYMENT:** 1.413

T= 22.86 T= 22.58

TURBIDITY: "Turb+NTU" [NTU]

[0] **INITIAL:** -0.3 **CALIBRATED:** 0.0 **POST-DEPLOYMENT:** 0.1

126 ~~[1000]~~ **INITIAL:** 123.1 **CALIBRATED:** 126.1 **POST-DEPLOYMENT:** 124.7

CHLOROPHYLL: "Chlor ug/L" [ug/L]

[0] **INITIAL:** -0.1 **CALIBRATED:** _____ **POST-DEPLOYMENT:** 0.2

After Samples Started 6/13/18 [113] **INITIAL:** _____ **CALIBRATED:** _____ **POST-DEPLOYMENT:** _____

Site 2 = 4.0 Site 5 = 4.5 T= 7.78

---

pH: "pH"

[7] **INITIAL:** 7.00 **CALIBRATED:** 7.02 **POST-DEPLOYMENT:** 6.97 **mV** [0 ± 40]: -36.9

[10] **INITIAL:** 9.99 **CALIBRATED:** 10.00 **POST-DEPLOYMENT:** 10.01 **mV** [-177 ± 40]: -208.2 } Pre

---

ORP: "ORP mV" **ORP mV OFFSET [0 ± 100]:** _____

Printed copies of this document are uncontrolled. All users are responsible for confirming version status against the electronic version in the document control system.

6/11/2018 Site List

	# Samples collected			
Site#	Bubble Trap	Dissolved Gas	Water	Air
53	3			
42	3	2	1	
50	3			
44	3	2	1	
52	3			
56	3			
47	3			
43	3	2	1	
54	3			
55	3			
41	3	2	2	5
49	3			
57	3			
45	3			
10	3			
4	3	2	1	
8	3			
3	3	2	1	
14	3	2	1	
15	3	2	1	
11	3			
7	3	2	1	
1	3	2	1	
21	3			
13	3			
12	3			
5	3	2	1	
2	3	2	2	2
16	3			
24	3			