**GAS TRAP DATA SHEET**

| Lake: | FALLS | | 8/20/18 | 8/21/18 | | |
|---|---|---|---|---|---|---|
| **Site** | **Lat** | **Long** | **Deployment time/date** | **Retrieval time/date** | **Volume recovered (mL)** | **Exetainer codes** |
| 53 | 36.06928 | 78.79431 | 848 | 939 | 11 | ~~08212018.FL.53.~~ |
| 42 | 36.06524 | 78.79526 | 854 | 951 | 25, 25, 9 | 08212018.FL.42.BT.1/.2 |
| 50 | 36.06821 | 78.78608 | 902 | 904 | 25, 10 | 08212018.FL.50.BT.1 |
| 44 | 36.07285 | 78.77936 | 911 | 1012 | 25, 25, 10 | 08212018.FL.44.BT.1/.2 |
| 52 | 36.07973 | 78.76046 | 925 | 1022 | 11 | ~~08212018.FL.56.BT.1/.2/.3~~ |
| 56 | 36.07279 | 78.76624 | 932 | 1029 | 25, 25, 25, 16 | 08212018.FL.56.BT.1/.2/.3 |
| 47 | 36.06844 | 78.76859 | 937 | 1038 | 25, 21 | 08212018.FL.47.BT.1/.2 |
| 43 | 36.06154 | 78.77322 | 945 | 1046 | 11 | |
| 54 | 36.05784 | 78.76518 | 953 | 1104 | 21 | 08212018.FL.54.BT.1 |
| 55 | 36.05315 | 78.76153 | 959 | 1109 | 21 | 08212018.FL.55.BT.1 |
| 41 | 36.05566 | 78.75849 | 1006 | 1112 | 23 | 08212018.FL.41.BT.1 |
| 49 | 36.05119 | 78.75678 | 1015 | 1121 | 25, 25, 25, 2 | 08212018.FL.49.BT.1/.2/.3 |
| 57 | 36.04849 | 78.75236 | 1023 | 1139 | 10 | |
| 45 | 36.04409 | 78.75817 | 1030 | 1144 | 21.5 | 08212018.FL.45.BT.1 |
| 10 | 36.03977 | 78.75609 | 1036 | 1156 | C | |
| 4 | 36.01204 | 78.76106 | 1050 | 1207 | 14 | |
| 8 | 36.01855 | 78.74874 | 1058 | 1215 | 25 25, 25, 26 | 08212016.FL.08.BT.1/.2/.3 |
| 3 | 36.03255 | 78.73694 | 1107 | 1226 | [redacted] 25,5 | 08212018.FL.03.BT.1 |
| 14 | 36.05961 | 78.71718 | 1120 | 1239 | 1 | |
| 15 | 36.02219 | 78.71430 | 1140 | 1251 | [redacted] 21.5 | 08212018.FL.15.BT.1 |
| 11 | 36.01919 | 78.71704 | 1146 | 1304 | 4 | |
| 7 | 36.00547 | 78.66777 | 1202 | 1351 | [redacted] 0.5 | |
| 1 | 36.00214 | 78.63438 | 1224 | 1405 | 14 | |
| 21 | 36.00889 | 78.62816 | 1231 | 1410 | 25, 25, 25, 140, 17 | 08212018.FL.21.BT.1/.2/.3 |
| 13 | 36.00366 | 78.64637 | 1236 | 1427 | 10.5 | |
| 12 | 35.96562 | 78.63393 | 1252 | 1440 | 25, 25, 25, 140, 140, 22 | 08212018.FL.12.BT.1/.2/.3 |
| 5 | 35.97008 | 78.62130 | 1300 | 1448 | 0.5 | |
| 2 | 35.97641 | 78.58898 | 1312 | 1500 | 23 | 08212018.FL.02.BT.1 |
| 16 | 35.95669 | 78.59049 | 1324 | 1513 | 10 | |
| 24 | 35.94201 | 78.58814 | 1333 | 1520 | 2 | |

**DISSOLVED GAS AND AIR DATA SHEET**

| Lake: | | | | | Date: | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| *Site | Dissolved gas Exetainer codes | | Water Vol/ Helium Vol | Water Temp (degC) | Atmospheric Air Exetainer Codes | | | | | BP (mm Hg) |
| 42 | 08212016.FL.42.DG.1 | /42.DG.2 | 115/25 | 27.9 | | | | | | |
| 44 | 08212016.FL.44.DG.1 | /44.DG.2 | 115/25 | 28.0 | | | | | | |
| 43 | 08212016.FL.43.DG.1 | /43.DG.2 | 115/25 | 28.0 | | | | | | |
| 41 | 08212016.FL.41.DG.1 | /41.DG.2 | 115/25 | 28.5 | | | | | | |
| 4 | 08212016.FL.04.DG.1 | /04.DG.2 | 115/25 | 28.5 | | | | | | |
| 14 | 08212016.FL.14.DG.1 | /14.DG.2 | 115/25 | 29.0 | | | | | | |
| 15 | 08212016.FL.15.DG.1 | /15.DG.2 | 115/25 | 29.0 | | | | | | |
| 7 | 08212016.FL.07.DG.1 | /07.DG.2 | 115/25 | 29.5 | | | | | | |
| 1 | 08212016.FL.01.DG.1 | /01.DG.2 | 115/25 | 30.5 | | | | | | |
| 5 | 08212618.FL.05.DG.1 | /05.DG.2 | 115/25 | 30.8 | ① /02.AA.01 | ② /02.AA.02 | ③ /02.AA.03 | ④ /02.AA.04 | ⑤ /02.AA.05 | |
| 2 | 08212016.FL.02.DG.1 | /02.DG.2 | 115/25 | — | | | | | | |
| 3 | 08212016.FL.03.DG.1 | /03.DG.2 | 115/25 | — | | | | | | |
| 49 | — | — | — | — | ① 08212016.FL.49.AA.01 | /49.AA.02 | ③ /49.AA.03 | ④ /49.AA.04 | ⑤ /49.AA.05 | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

*Site: all dissolved gas samples collected at 0.1m depth
Boat motor should be off for 2 minutes before sample collection
Goal is to inject 20mL of gas into exetainer

Signature

08/22/2018
Date

Ryan Daly

**GREENHOUSE GAS ANALYZER AND GPS DATA SHEET**

| FILE NAMES |
|---|
| Lake: FALLS |
| Sample Date: 9/5/18 |
| GGA file 554-2018-9-05-F 00005.txt |
| gps file name — |

Clocks LGR = 12:30:05 GPS = 11:21:00

**DEPLOYMENT DATA**

| Sample site | Chamber start time | Bubbling observed (Y/N) | GPS logger started | Chamber volume (L) | $CH_4$ and $CO_2$ profile checked | Water Temp (degC) | |
|---|---|---|---|---|---|---|---|
| 53 | 12:05:14 | ~ | ✓ | 40 | ✓ | 31.5 | |
| 42 | 12:09 13:30 | Y | ✓ | 40 | Y | 31.7 | |
| 42 | 12:15:29 | Y | ✓ | 40 | Y | 31.7 | |
| 50 | 12:21:33 | N | ✓ | 40 | Y | 31.9 | |
| 44 | 12:28:34 | Y | ✓ | 40 | Y | 32.1 | downwind of I35 |
| 52 | 12:37:47 | ~ | ✓ | 45 | ✓ | 30.8 | |
| 56 | 12:43:51 | Y | ✓ | 45 | ✓ | 31.2 | |
| 56 | 12:45:10 | Y | ✓ | 45 | ✓ | 31.2 | |
| 56 | 12:46:20 | N | ✓ | 45 | ✓ | 31.2 | |
| 47 | 12:51:30 | Y | ✓ | 45 | ✓ | 31.7 | |
| 47 | 12:53:14 | ~ | ✓ | 45 | ✓ | 31.7 | |
| 43 | 12:59:27 | Y | ✓ | 50 | ✓ | 31.9 | |
| 43 | 13:01:33 | Y | ✓ | 50 | ✓ | 30.0 | |
| 43 | 13:03:20 | Y | ✓ | 50 | ✓ | 32.0 | |
| 43 | 13:05:10 | ~ | ✓ | 50 | ✓ | 32.0 | |
| 54 | 13:12:04 | Y | ✓ | 45 | ✓ | 31.8 | |
| 54 | 13:16:08 | ~ | ✓ | 45 | ✓ | 31.8 | |
| 55 | 13:25:15 | ~ | ✓ | 45 | ✓ | 31.5 | |
| 41 | 13:31:00 | ~ | ✓ | 40 | ✓ | 32.0 | |
| 49 | 13:37:15 | Y | ✓ | 40 | ✓ | 31.3 | |
| 49 | 13:39:46 | N | ✓ | 45 | ✓ | 31.3 | |
| 57 | 13:45:41 | Y | ✓ | 45 | ✓ | 32.6 | |
| 57 | 13:46:54 | Y | ✓ | 45 | ✓ | 32.6 | |
| 57 | 13:48:06 | ~ | ✓ | 45 | ✓ | 32.6 | |
| 45 | 13:53:35 | Y | ✓ | 45 | ✓ | 32.5 | |
| 45 | 13:54:43 | Y | ✓ | 45 | ✓ | 32.5 | |
| 45 | 13:57:40 | Y | ✓ | 45 | ✓ | 32.5 | |
| 45 | 13:58:45 | Y | ✓ | 45 | ✓ | 32.5 | short period |
| 10 | 14:03:15 | N | ✓ | 50 | ✓ | 32.3 | |
| 4 | 14:13:16 | Y | ✓ | 50 | ✓ | 32.9 | |
| 4 | 14:14:28 | Y | ✓ | 50 | ✓ | 32.9 | |
| 4 | 14:15:35 | N | ✓ | 50 | ✓ | 32.9 | |
| 8 | 14:24:41 | Y | ✓ | 50 | ✓ | 32.3 | |

**GREENHOUSE GAS ANALYZER AND GPS DATA SHEET**

| FILE NAMES |
|---|
| Lake: |
| Sample Date: 9/5/18 continued |
| GGA file |
| gps file name |

**DEPLOYMENT DATA**

| Sample site | Chamber start time | Bubbling observed (Y/N) | GPS logger started | Chamber volume (L) | $CH_4$ and $CO_2$ profile checked | Water Temp (degC) | |
|---|---|---|---|---|---|---|---|
| 3 | 14:32:31 | ✓ | ✓ | 45 | ✓ | 33.7 | |
| 3 | 14:34:43 | N | ✓ | 45 | ✓ | 33.7 | |
| 14 | 14:47:55 | N | ✓ | 45 | ✓ | 32.3 | |
| 15 | 14:59:15 | Y | ✓ | 50 | ✓ | 31.3 | |
| 11 | 15:03:55 | N | ✓ | 50 | ✓ | 31.8 | |
| 7 | 15:16:40 | Y | ✓ | 45 | ✓ | 32.3 | |
| 7 | 15:18:18 | Y | ✓ | 45 | ✓ | 32.3 | |
| 7 | 15:19:30 | N | ✓ | 45 | ✓ | 32.3 | |
| 1 | 15:33:20 | Y | ✓ | 40 | ✓ | 32.3 | |
| 21 | 15:39:47 | Y | ✓ | 45 | ✓ | 32.7 | Bloom in Progress |
| 21 | 15:41:48 | N | ✓ | 45 | ✓ | 32.7 | |
| 13 | 15:54:00 | Y | ✓ | 45 | ✓ | 32.4 | |
| 13 | 15:57:00 | Y | ✓ | 45 | ✓ | 32.4 | |
| 13 | 15:59:00 | Y | ✓ | 45 | ✓ | 32.4 | |
| 12 | 16:11:47 | Y | ✓ | 45 | ✓ | 32.9 | |
| 5 | 16:18:45 | Y | ✓ | 45 | ✓ | 32.8 | |
| 2 | 16:28:46 | N | ✓ | 40 | ✓ | 32.7 | |
| 16 | 16:40:20 | N | ✓ | 45 | ✓ | 32.8 | |
| 24 | 16:49:10 | N | ✓ | 45 | ✓ | 32.6 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

**SONDE DATA SHEET**

Lake: FALLS Sample Date: 8/20/18

| Site | Site Depth (m) | Sample Depth (m) | Temp (C) | DO (mg/l) | DO (%sat) | sp.Cond (µs cm$^{-1}$) | pH | Chl a (ug/L) | Turbidity (NTU) | Notes |
|---|---|---|---|---|---|---|---|---|---|---|
| 53 | 1.1 | 0.1 | 28.32 | 6.91 | 88.6 | 0.197 | 8.0 | 14.5 | 23.3 | |
| 42 | 1.3 | 0.1 | 27.45 | 6.38 | 80.1 | 0.176 | 8.1 | 12.8 | 24.9 | |
| 42 | ~~0.5~~ 1.3 | 0.8 | 25.34 | 5.08 | 61.6 | 0.124 | 8.1 | 8.0 | 170.1 | |
| 50 | 1.2 | 0.1 | 28.43 | 6.58 | 85.0 | 0.144 | 8.0 | 12.1 | 24.5 | |
| 44 | 1.3 | 0.1 | 28.62 | 7.23 | 92.8 | 0.145 | 8.20 | 7.0 | 23.9 | |
| 44 | 1.3 | 0.8 | 28.35 | 6.64 | 85.7 | 0.146 | 8.05 | 11.8 | 41.8 | |
| 52 | 1.4 | 0.1 | 29.31 | 7.39 | 96.3 | 0.120 | 8.14 | 11.5 | 16.2 | |
| 56 | 2.3 | 0.1 | 29.44 | 7.52 | 98.7 | 0.119 | 8.04 | 10.2 | 14.0 | |
| 47 | 2.3 | 0.1 | 28.94 | 7.45 | 97.2 | 0.124 | 8.03 | 10.6 | 20.8 | |
| 43 | 1.8 | 0.1 | 28.81 | 7.27 | 94.2 | 0.125 | 8.00 | 10.3 | 21.0 | |
| 43 | 1.8 | 1.3 | 28.3 | 6.21 | 79.6 | 0.122 | 7.94 | 8.4 | 33.9 | |
| 54 | 2.0 | 0.1 | 29.19 | 6.82 | 88.9 | 0.120 | 7.88 | 14.6 | 24.0 | |
| 55 | 2.4 | 0.1 | 29.32 | 7.52 | 98.1 | 0.120 | 7.84 | 8.1 | 17.7 | |
| 41 | 1.1 | 0.1 | 29.05 | 7.69 | 99.7 | 0.119 | 7.91 | ~~8.3~~ 10.2 | 21.2 | |
| 41 | 1.1 | 0.6 | 28.3 | 6.77 | 87.2 | 0.120 | 7.87 | 9.0 | 32.7 | |
| 49 | 2.7 | 0.1 | 28.97 | 6.35 | 82.6 | 0.121 | 7.83 | 10.8 | 17.9 | |
| 57 | 2.3 | 0.1 | 29.78 | 6.63 | 87.4 | 0.121 | 7.81 | 9.0 | 21.6 | |
| 45 | 2.4 | 0.1 | 30.18 | 7.88 | 104.7 | 0.121 | 7.83 | 8.0 | 9.5 | |
| 10 | 1.6 | 0.1 | 29.48 | 7.16 | 94.1 | 0.121 | 7.87 | 7.9 | 10.9 | |
| 4 | 1.1 | 0.1 | 29.18 | 6.97 | 90.2 | 0.115 | 7.83 | 11.0 | 10.1 | |
| 4 | 1.1 | 0.6 | 26.63 | 5.35 | 66.0 | 0.101 | 7.85 | 9.6 | 48.0 | |
| Y | 3.8 | 0.1 | 29.67 | 7.14 | 94.1 | 0.117 | 7.75 | 9.2 | 7.4 | |
| 3 | 1.6 | 0.1 | 30.01 | 7.88 | ~~104.2~~ | 0.115 | 7.80 | 7.4 | 8.0 | |
| 3 | 1.6 | 1.1 | 28.25 | 6.80 | 86.6 | 0.106 | 7.76 | 10.2 | 18.0 | |
| 14 | 1.5 | 0.1 | 30.52 | 8.26 | 110.0 | 0.104 | 7.77 | 8.3 | 7.6 | |
| 14 | 1.5 | 1.0 | 29.30 | 6.50 | 84.7 | 0.104 | 7.80 | 8.1 | 20.1 | |
| 15 | 4.2 | 0.1 | 30.33 | 8.18 | 108.8 | 0.106 | 7.85 | 9.6 | 5.7 | |
| 15 | 2.1.2 | 3.7 | 28.48 | ~~5.41~~ 5.07 | ~~69.6~~ 65.4 | 0.106 | ~~7.81~~ 7.63 | 5.7 | ~~9~~ 50.0 | |

**SONDE DATA SHEET**

Lake: FAILS Sample Date: 8/20/18

| Site | Site Depth (m) | Sample Depth (m) | Temp (C) | DO (mg/l) | DO (%sat) | sp.Cond (µs cm$^{-1}$) | pH | Chl a (ug/L) | Turbidity (NTU) | Notes |
|---|---|---|---|---|---|---|---|---|---|---|
| 11 | 3.7 | 0.1 | 30.13 | 8.17 | 108.5 | 0.106 | 7.68 | 9.9 | 6.0 | |
| 7 | 6.5 | 0.1 | 30.41 | 6.96 | 92.8 | 0.098 | 7.75 | 8.0 | 4.1 | |
| 7 | 6.5 | 1.0 | 29.81 | 6.50 | 85.2 | 0.098 | 7.75 | 6.1 | 4.6 | |
| 7 | 6.5 | 2.0 | 29.56 | 5.87 | 76.7 | 0.098 | 7.73 | 4.5 | 4.4 | |
| 7 | 6.5 | 3.0 | 29.49 | 5.3 | 69.5 | 0.098 | 7.69 | 4.1 | 4.7 | |
| 7 | 6.5 | 4.0 | 29.42 | 4.55 | 59.3 | 0.098 | 7.64 | 5.5 | 5.5 | |
| 7 | 6.5 | 5.0 | 29.08 | 1.35 | 15.6 | 0.099 | 7.59 | 4.0 | 7.6 | |
| 7 | 6.5 | 6.0 | 26.96 | 0.46 | 6.0 | 0.122 | 7.37 | 5.5 | 22.0 | |
| 1 | 2.6 | 0.1 | 30.95 | 7.82 | 105.0 | 0.094 | 7.53 | 5.3 | 2.6 | |
| 21 | 4.7 | 0.1 | 30.86 | 7.93 | 105.9 | 0.094 | 7.67 | 5.8 | 5.3 | |
| 13 | 5.4 | 0.1 | 30.59 | 7.66 | 102.0 | 0.095 | 7.72 | 4.9 | 3.3 | |
| 12 | 4.7 | 0.1 | 30.50 | 7.04 | 94.0 | 0.093 | 7.67 | 6.3 | 2.1 | |
| 5 | 3.0 | 0.1 | 30.70 | 7.57 | 101.1 | 0.092 | 7.70 | 3.7 | 2.1 | |
| 5 | 3.0 | 2.5 | 29.38 | 5.07 | 66.0 | 0.092 | 7.63 | 3.5 | 3.8 | |
| 2 | 3.5 | 0.1 | 31.15 | 8.17 | 110.6 | 0.092 | 7.72 | 3.0 | 4.2 | |
| 2 | 3.5 | 3.0 | 29.81 | 6.24 | 81.9 | 0.092 | 7.69 | 3.7 | 18.5 | |
| 16 | 5.4 | 0.1 | 30.87 | 7.8 | 104.8 | 0.091 | 7.68 | 4.3 | 2.7 | |
| 24 | 2.0 | 0.1 | 31.75 | 7.43 | 101.0 | 0.091 | 7.73 | 2.1 | 2.0 | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

JAKe's LGR

Date 8/21/18
Cal cylinder serial # CC163816
Dilution system serial # EPA A20808
LGR file 559 – 2018-08-21_f0000.txt
Sample MFC gas correction factor 1.43

| Zero Air Flow (Lpm) | Cal Gas Flow Readout (sccm) | CH4 cal (ppm) | CO2 cal (ppm) | CH4 resp (ppm) | CO2 resp (ppm) | Start Time | Stop Time |
|---|---|---|---|---|---|---|---|
| 3.25 | 0.0 | 0.0 | 0.0 | 0.033 | 3.93 | 06:04 | 06:09:22 |
| 7 | 70.0 | 28.3 | 283.2 | | | | |
| 6.5 | 70.0 | 30.5 | 304.7 | 27.56 | 286.5 | 06:09:22 | 06:13:25 |
| 6 | 70.0 | 33.0 | 329.8 | | | | |
| 5.5 | 70.0 | 35.9 | 359.4 | 32.40 | 340.0 | 06:13:25 | 06:15:40 |
| 5 | 70.0 | 39.5 | 394.9 | | | | |
| 4.5 | 70.0 | 43.8 | 438.1 | 39.30 | 416.4 | 06:15:40 | 06:18:07 |
| 4 | 70.0 | 49.2 | 491.9 | | | | |
| 3.5 | 70.0 | 56.1 | 560.8 | 49.9 | 535.2 | 06:18:07 | 06:20:06 |
| 3 | 70.0 | 65.2 | 652.1 | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

Signature _____

* Can't find Chamber data

JAKE'S LOG

Date 8/21/18
Cal cylinder serial # CC498857
Dilution system serial # EPA A20808
LGR file 99A_2018_08-21_f0000.txt

| Zero Air Flow (Lpm) | Cal Gas Flow Readout (sccm) | CH4 cal (ppm) | CO2 cal (ppm) | CH4 resp (ppm) | CO2 resp (ppm) | Start Time | Stop Time |
|---|---|---|---|---|---|---|---|
| 3.25 | 0.0 | 0.0 | 0.0 | 0.018 | 0.77 | 06:21:00 | 06:25:20 |
| 9 | 60.0 | 2.0 | 20.2 | | | | |
| 8.5 | 60.0 | 2.1 | 21.4 | 1.95 | 20.7 | 06:25:29 | 06:28:01 |
| 8 | 60.0 | 2.2 | 22.7 | | | | |
| 7.5 | 60.0 | 2.4 | 24.2 | 2.19 | 23.1 | 06:28:01 | 06:30:06 |
| 7 | 60.0 | 2.6 | 25.9 | | | | |
| 6.5 | 60.0 | 2.7 | 27.9 | 2.52 | 26.8 | 06:30:06 | 06:32:15 |
| 6 | 60.0 | 3.0 | 30.2 | | | | |
| 5.5 | 60.0 | 3.2 | 32.9 | 2.97 | 31.56 | 06:32:15 | 06:34:15 |
| 5 | 60.0 | 3.6 | 36.1 | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

Signature

* Instrument battery died. Went back following week. (9/5/18)

* Can't find chamber data

**ATTACHMENT A**
**YSI 6600 SONDE CALIBRATION LOG SHEET**

SONDE ID: 5TN16 DATE: 8/20/18 TECHNICIAN: JTW

DATE / TIME OK? (YES) / NO

BATTERY VOLTS: 12.3 (Change if < 10.0 V) CHANGED BATTERIES? YES / (NO)

TURBIDITY WIPER: PARKS 180° FROM OPTICS? (YES) / NO CHANGED? YES / (NO)

CHLOROPHYLL WIPER: PARKS 180° FROM OPTICS? (YES) / NO CHANGED? YES / (NO)

---

DISSOLVED OXYGEN: "DO Sat %" BAROMETRIC PRESSURE: 752.5 mm Hg

SENSOR OUTPUT TEST: PASS / FAIL (For Rapid-Pulse Probes, change membrane if failed)

Record first 10 readings from Discrete Sampling:

_____ _____ _____ _____ _____

_____ _____ _____ _____ _____

DO MEMBRANE CHANGED? YES / NO PROBE RE-SURFACED? YES / NO DATE/TIME: _____

[~97] INITIAL: 98.9 CALIBRATED: 99.3 POST-DEPLOYMENT: 99.6

DO CHARGE [50 ± 25]: _____ DO GAIN [1.0 ± 0.35]: 1.04926 pc

---

DEPTH: "Pressure" [m] Ft PRESSURE OFFSET [VENTED = 0 ± 6 / NON-VENTED = -14.7 ± 6]: 0.0179

[0] INITIAL: 0.315 CALIBRATED: 0.005 POST-DEPLOYMENT: -0.146

---

CONDUCTIVITY: "SpCond" [mS/cm] CONDUCTIVITY CELL CONSTANT [5.0 ± 0.45]: 5.0887 pc Temp = 22.06

1.413 ~~[10]~~ INITIAL: 1.412 CALIBRATED: 1.413 POST-DEPLOYMENT: 1.421

---

TURBIDITY: "Turb+NTU" [NTU]

[0] INITIAL: 0.1 CALIBRATED: 0.0 POST-DEPLOYMENT: 0.2

126 ~~[1000]~~ INITIAL: 123.7 CALIBRATED: 126.1 POST-DEPLOYMENT: 128.1

---

CHLOROPHYLL: "Chlor ug/L" [ug/L]

[0] INITIAL: 0.0 CALIBRATED: _____ POST-DEPLOYMENT: 0.1

[113] INITIAL: _____ CALIBRATED: _____ POST-DEPLOYMENT: _____

---

pH: "pH"

[7] INITIAL: 7.19 CALIBRATED: 7.00 POST-DEPLOYMENT: 6.81 mV [0 ± 40]: -44.1 @ 7.00

[10] INITIAL: 9.8 CALIBRATED: — POST-DEPLOYMENT: 9.92 mV [-177 ± 40]: -207.5 @ 9.8

---

ORP: "ORP mV" ORP mV OFFSET [0 ± 100]: _____


Printed copies of this document are uncontrolled. All users are responsible for confirming version status against the electronic version in the document control system.

JAKe's LGR

Date 9/5/18
Cal cylinder serial # CC1 63816
Dilution system serial # EPA A20808
LGR file SS9 - 2018-09-05_f0000.txt
Sample MFC gas correction factor 1.43

| Zero Air Flow (Lpm) | Cal Gas Flow Readout (sccm) | CH4 cal (ppm) | CO2 cal (ppm) | CH4 resp (ppm) | CO2 resp (ppm) | Start Time | Stop Time |
|---|---|---|---|---|---|---|---|
| 3.25 | 0.0 | 0.0 | 0.0 | 0.020 | 0.59 | 5:59:20 | 06:02:40 |
| 7 | 70.0 | 28.3 | 283.2 | | | | |
| 6.5 | 70.0 | 30.5 | 304.7 | 27.43 | 284.4 | 06:02:40 | 06:07:22 |
| 6 | 70.0 | 33.0 | 329.8 | | | | |
| 5.5 | 70.0 | 35.9 | 359.4 | 32.181 | 336.1 | 06:07:22 | 06:09:38 |
| 5 | 70.0 | 39.5 | 394.9 | | | | |
| 4.5 | 70.0 | 43.8 | 438.1 | 38.9 | 410.8 | 06:09:38 | 06:11:57 |
| 4 | 70.0 | 49.2 | 491.9 | | | | |
| 3.5 | 70.0 | 56.1 | 560.8 | 49.4 | 528.3 | 06:11:57 | 06:14:14 |
| 3 | 70.0 | 65.2 | 652.1 | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

Signature _____

JAKe's LGR

Date 9/5/18

Cal cylinder serial # CC498857

Dilution system serial # ERA A20808

LGR file 999_2018-09-05_f0000.txt

| Zero Air Flow (Lpm) | Cal Gas Flow Readout (sccm) | CH4 cal (ppm) | CO2 cal (ppm) | CH4 resp (ppm) | CO2 resp (ppm) | Start Time | Stop Time |
|---|---|---|---|---|---|---|---|
| 3.25 | 0.0 | 0.0 | 0.0 | 0.05 | 0.65 | 06:15:20 | 06:19:27 |
| 9 | 60.0 | 2.0 | 20.2 | | | | |
| 8.5 | 60.0 | 2.1 | 21.4 | 1.95 | 20.9 | 06:19:27 | 06:22:45 |
| 8 | 60.0 | 2.2 | 22.7 | | | | |
| 7.5 | 60.0 | 2.4 | 24.2 | 2.19 | 23.3 | 06:22:45 | 06:25:30 |
| 7 | 60.0 | 2.6 | 25.9 | | | | |
| 6.5 | 60.0 | 2.7 | 27.9 | 2.51 | 26.6 | 06:25:30 | 06:28:13 |
| 6 | 60.0 | 3.0 | 30.2 | | | | |
| 5.5 | 60.0 | 3.2 | 32.9 | 2.96 | 31.0 | 06:28:13 | 06:30:41 |
| 5 | 60.0 | 3.6 | 36.1 | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

Signature _____

JAKe's LGR

Date 9/6/18

Cal cylinder serial # CC143816

Dilution system serial # EPA A20808

LGR file 994_2018-09-06_F0000.txt

Sample MFC gas correction factor 1.43

| Zero Air Flow (Lpm) | Cal Gas Flow Readout (sccm) | CH4 cal (ppm) | CO2 cal (ppm) | CH4 resp (ppm) | CO2 resp (ppm) | Start Time | Stop Time |
|---|---|---|---|---|---|---|---|
| 3.25 | 0.0 | 0.0 | 0.0 | 0.05 | 1.70 | 08:41:20 | 08:42:53 |
| 7 | 70.0 | 28.3 | 283.2 | | | | |
| 6.5 | 70.0 | 30.5 | 304.7 | 27.4 | 283.4 | 08:42:53 | 08:44:33 |
| 6 | 70.0 | 33.0 | 329.8 | | | | |
| 5.5 | 70.0 | 35.9 | 359.4 | 32.1 | 334.9 | 08:44:33 | 08:45:53 |
| 5 | 70.0 | 39.5 | 394.9 | | | | |
| 4.5 | 70.0 | 43.8 | 438.1 | 38.8 | 409.8 | 08:45:53 | 08:47:20 |
| 4 | 70.0 | 49.2 | 491.9 | | | | |
| 3.5 | 70.0 | 56.1 | 560.8 | 49.2 | 527.0 | 08:47:20 | 08:49:25 |
| 3 | 70.0 | 65.2 | 652.1 | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

Signature _____

Jake's LGR

Date 9/6/18

Cal cylinder serial # CC149857

Dilution system serial # EPA A20808

LGR file 994 - 2018-09-06 - f0000.txt

| Zero Air Flow (Lpm) | Cal Gas Flow Readout (sccm) | CH4 cal (ppm) | CO2 cal (ppm) | CH4 resp (ppm) | CO2 resp (ppm) | Start Time | Stop Time |
|---|---|---|---|---|---|---|---|
| 3.25 | 0.0 | 0.0 | 0.0 | 0.0146 | 1.67 | 08:29:23 | 08:31:06 |
| 9 | 60.0 | 2.0 | 20.2 | | | | |
| 8.5 | 60.0 | 2.1 | 21.4 | 1.91 | 21.4 | 08:31:06 | 08:32:17 |
| 8 | 60.0 | 2.2 | 22.7 | | | | |
| 7.5 | 60.0 | 2.4 | 24.2 | 2.16 | 23.9 | 08:32:17 | 08:34:15 |
| 7 | 60.0 | 2.6 | 25.9 | | | | |
| 6.5 | 60.0 | 2.7 | 27.9 | 2.48 | 27.4 | 08:34:15 | 08:35:41 |
| 6 | 60.0 | 3.0 | 30.2 | | | | |
| 5.5 | 60.0 | 3.2 | 32.9 | 2.92 | 31.90 | 08:35:41 | 08:37:15 |
| 5 | 60.0 | 3.6 | 36.1 | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

Signature _____