

# quickmapr: Simplified mapping and basic interactivity.

by Jeffrey W. Hollister

**Abstract** There are many packages that already exist or are in active development that support the visualization of spatial data in R. However, there seems to be a gap for those that need to quickly view, compare, and interactively explore the results of a given spatial analysis without first having to convert to a different coordinate reference system. Functionality for the current release (v0.2.0) simplifies mapping of multiple `sf`, `sp` or raster layers, and also provides interactive zooming, panning, labelling, selecting, and identifying. These tools are intended for use within an active spatial analysis workflow and not for production quality maps. Additionally, `quickmapr` does not make any assumptions about coordinate reference systems and leaves managing of projections to the analyst. This paper introduces the package and shows examples of its typical use.

## Introduction

Spatial data analysis capabilities in R have been steadily growing over the last several years. We are now to the point where nearly all Geographic Information Systems (GIS) functionality can be accomplished without leaving R. The one area that had lagged behind was spatial data visualization and interactivity. This too is changing rapidly. Initially, spatial data visualization had been handled via base plotting methods (e.g from `sp` or `raster`) or via additional plotting packages such as `ggplot2` (Pebesma and Bivand, 2005; Bivand et al., 2013; Hijmans, 2015; Wickham, 2009). While these methods provide the ability to make high quality maps, they do not provide interactivity, a hallmark of GIS.

To address this, most solutions (e.g. `ggmap`, `leaflet`, `mapview` etc.) have relied on javascript libraries or other web APIs (Kahle and Wickham, 2013; Cheng and Xie, 2016; Appelhans et al., 2016). These provide a modern interface, with a rich set of basemaps, but all assume a geographic coordinate system or Web Mercator coordinate reference system. In the case of typical spatial data analysis workflow it is often desirable to quickly map the resultant spatial datasets in the projection chosen for the analysis. Currently, this is not possible with the most used javascript libraries. I developed `quickmapr` to fill this gap and provide spatial data analysts with a tool to quickly map multiple layers and interact with the resultant map without having to utilize various APIs or external libraries and without having to re-project data.

The goals of this paper are to describe the basic usage of `quickmapr`, show several examples of its use, and outline changes expected in future versions. We also briefly discuss the contribution that `quickmapr` makes to the existing suite of spatial data visualization tools in R.

## Basic usage

### The `qmap` function and object

### Zooming and panning

### Identification and selection

### Basemaps from the USGS National Map

## Summary

This file is only a basic article template. For full details of *The R Journal* style and information on how to prepare your article for submission, see the [Instructions for Authors](#).

## Bibliography

- T. Appelhans, F. Detsch, C. Reudenbach, and S. Woellauer. *mapview: Interactive Viewing of Spatial Objects in R*, 2016. URL <https://github.com/environmentalinformatics-marburg/mapview><http://environmentalinformatics-marburg.github.io/mapview/introduction.html>. R package version 1.2.4. [p1]
- R. S. Bivand, E. Pebesma, and V. Gómez-Rubio. *Applied Spatial Data Analysis with R*. Springer, 2 edition, 2013. [p1]

- J. Cheng and Y. Xie. *leaflet: Create Interactive Web Maps with the JavaScript 'Leaflet' Library*, 2016. URL <https://CRAN.R-project.org/package=leaflet>. R package version 1.0.1. [p1]
- R. J. Hijmans. *raster: Geographic Data Analysis and Modeling*, 2015. URL <https://CRAN.R-project.org/package=raster>. R package version 2.5-2. [p1]
- D. Kahle and H. Wickham. ggmap: Spatial visualization with ggplot2. *The R Journal*, 5(1):144–161, 2013. URL <http://journal.r-project.org/archive/2013-1/kahle-wickham.pdf>. [p1]
- E. J. Pebesma and R. S. Bivand. Classes and methods for spatial data in r. *R news*, 5(2):9–13, 2005. URL <http://cran.r-project.org/doc/Rnews/>. [p1]
- H. Wickham. *ggplot2: Elegant Graphics for Data Analysis*. Springer-Verlag New York, 2009. ISBN 978-0-387-98140-6. URL <http://ggplot2.org>. [p1]

Jeffrey W. Hollister  
U.S. Environmental Protection Agency  
Office of Research and Development  
National Health and Environmental Effects Research Laboratory  
Atlantic Ecology Division  
27 Tarzwell Drive  
Narragansett, RI 02882  
[hollister.jeff@epa.gov](mailto:hollister.jeff@epa.gov)